























# Phyre2

Email	I.a.kelley@imperial.ac.uk
Description	Q24145
Date	Tue Jan 22 11:35:34 GMT 2013
Unique Job ID	8157dca3e4a2af7d

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c4fl2A_</a>	 Alignment		100.0	35	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> tyrosine-protein kinase syk; <b>PDBTitle:</b> structural and biophysical characterization of the syk activation2 switch
2	<a href="#">c2ozoA_</a>	 Alignment		100.0	33	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> tyrosine-protein kinase zap-70; <b>PDBTitle:</b> autoinhibited intact human zap-70
3	<a href="#">c2fo0A_</a>	 Alignment		100.0	32	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> proto-oncogene tyrosine-protein kinase abl1 (1b isoform); <b>PDBTitle:</b> organization of the sh3-sh2 unit in active and inactive forms of the2 c-abl tyrosine kinase
4	<a href="#">c1oplA_</a>	 Alignment		100.0	32	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> proto-oncogene tyrosine-protein kinase; <b>PDBTitle:</b> structural basis for the auto-inhibition of c-abl tyrosine2 kinase
5	<a href="#">c1y57A_</a>	 Alignment		100.0	37	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> proto-oncogene tyrosine-protein kinase src; <b>PDBTitle:</b> structure of unphosphorylated c-src in complex with an inhibitor
6	<a href="#">c2h8hA_</a>	 Alignment		100.0	36	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> proto-oncogene tyrosine-protein kinase src; <b>PDBTitle:</b> src kinase in complex with a quinazoline inhibitor
7	<a href="#">c2j0kB_</a>	 Alignment		100.0	41	<b>PDB header:</b> transferase <b>Chain:</b> B; <b>PDB Molecule:</b> focal adhesion kinase 1; <b>PDBTitle:</b> crystal structure of a fragment of focal adhesion kinase2 containing the ferm and kinase domains.
8	<a href="#">c1k9aB_</a>	 Alignment		100.0	39	<b>PDB header:</b> transferase <b>Chain:</b> B; <b>PDB Molecule:</b> carboxyl-terminal src kinase; <b>PDBTitle:</b> crystal structure analysis of full-length carboxyl-terminal2 src kinase at 2.5 a resolution
9	<a href="#">c2c0iA_</a>	 Alignment		100.0	35	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> tyrosine-protein kinase hck; <b>PDBTitle:</b> src family kinase hck with bound inhibitor a-420983
10	<a href="#">c3nyoB_</a>	 Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> B; <b>PDB Molecule:</b> g protein-coupled receptor kinase 6; <b>PDBTitle:</b> crystal structure of g protein-coupled receptor kinase 6 in complex2 with amp
11	<a href="#">c3qa8H_</a>	 Alignment		100.0	23	<b>PDB header:</b> immune system, signaling protein <b>Chain:</b> H; <b>PDB Molecule:</b> mgc80376 protein; <b>PDBTitle:</b> crystal structure of inhibitor of kappa b kinase beta

12	<a href="#">c2acxB_</a>	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> g protein-coupled receptor kinase 6; <b>PDBTitle:</b> crystal structure of g protein coupled receptor kinase 6 bound to2 amppnp
13	<a href="#">d1qcfa3</a>	Alignment		100.0	34	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
14	<a href="#">c3pfgA_</a>	Alignment		100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein kinase c beta type; <b>PDBTitle:</b> crystal structure and allosteric activation of protein kinase c beta2 ii
15	<a href="#">c3c4wB_</a>	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> rhodopsin kinase; <b>PDBTitle:</b> crystal structure of g protein coupled receptor kinase 1 bound to atp2 and magnesium chloride at 2.7a
16	<a href="#">c3qa8A_</a>	Alignment		100.0	22	<b>PDB header:</b> immune system, signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> mgc80376 protein; <b>PDBTitle:</b> crystal structure of inhibitor of kappa b kinase beta
17	<a href="#">c3zzwA_</a>	Alignment		100.0	37	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> tyrosine-protein kinase transmembrane receptor ror2; <b>PDBTitle:</b> crystal structure of the kinase domain of ror2
18	<a href="#">c3c4yA_</a>	Alignment		100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> rhodopsin kinase; <b>PDBTitle:</b> crystal structure of apo form of g protein coupled receptor kinase 12 at 7.51a
19	<a href="#">d1loja_</a>	Alignment		100.0	34	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
20	<a href="#">c1ym7C_</a>	Alignment		100.0	20	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> beta-adrenergic receptor kinase 1; <b>PDBTitle:</b> g protein-coupled receptor kinase 2 (grk2)
21	<a href="#">c3ckxA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> serine/threonine-protein kinase 24; <b>PDBTitle:</b> crystal structure of sterile 20-like kinase 3 (mst3, stk24)2 in complex with staurosporine
22	<a href="#">d1qpca_</a>	Alignment	not modelled	100.0	36	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
23	<a href="#">c3cblA_</a>	Alignment	not modelled	100.0	40	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> proto-oncogene tyrosine-protein kinase fes/fps; <b>PDBTitle:</b> crystal structure of human feline sarcoma viral oncogene homologue (v-2 fes) in complex with staurosporine and a consensus peptide
24	<a href="#">d1u59a_</a>	Alignment	not modelled	100.0	40	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
25	<a href="#">c2ivsA_</a>	Alignment	not modelled	100.0	34	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> proto-oncogene tyrosine-protein kinase receptor <b>PDBTitle:</b> crystal structure of non-phosphorylated ret tyrosine kinase2 domain
26	<a href="#">c2c30A_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> serine/threonine-protein kinase pak 6; <b>PDBTitle:</b> crystal structure of the human p21-activated kinase 6
27	<a href="#">d1lufa_</a>	Alignment	not modelled	100.0	34	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
						<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> muscle-specific tyrosine kinase receptor

28	<a href="#">c1lufA_</a>	Alignment	not modelled	100.0	34	<b>musk;</b> <b>PDBTitle:</b> crystal structure of the musk tyrosine kinase: insights2 into receptor autoregulation
29	<a href="#">c3tkuB_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> B: <b>PDB Molecule:</b> serine/threonine-protein kinase mrck beta; <b>PDBTitle:</b> mrck beta in complex with fasudil
30	<a href="#">c2vwiC_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> serine/threonine-protein kinase osr1; <b>PDBTitle:</b> structure of the osr1 kinase, a hypertension drug target
31	<a href="#">c1koaA_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> kinase <b>Chain:</b> A: <b>PDB Molecule:</b> twitchin; <b>PDBTitle:</b> twitchin kinase fragment (c.elegans), autoregulated protein2 kinase and immunoglobulin domains
32	<a href="#">c4fijA_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> serine/threonine-protein kinase pak 4; <b>PDBTitle:</b> catalytic domain of human pak4
33	<a href="#">c3g0eA_</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> mast/stem cell growth factor receptor; <b>PDBTitle:</b> kit kinase domain in complex with sunitinib
34	<a href="#">c2psqA_</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> fibroblast growth factor receptor 2; <b>PDBTitle:</b> crystal structure of unphosphorylated unactivated wild type2 fgf receptor 2 (fgfr2) kinase domain
35	<a href="#">d2psqa1</a>	Alignment	not modelled	100.0	35	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
36	<a href="#">d1k2pa_</a>	Alignment	not modelled	100.0	37	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
37	<a href="#">c3soaA_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> calcium/calmodulin-dependent protein kinase type ii subunit <b>PDBTitle:</b> full-length human camkii
38	<a href="#">c3q5iA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein kinase; <b>PDBTitle:</b> crystal structure of pbanka_031420
39	<a href="#">d2j4za1</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
40	<a href="#">c2pvfA_</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> fibroblast growth factor receptor 2; <b>PDBTitle:</b> crystal structure of tyrosine phosphorylated activated fgf receptor 22 (fgfr2) kinase domain in complex with atp analog and substrate3 peptide
41	<a href="#">c4fieB_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> serine/threonine-protein kinase pak 4; <b>PDBTitle:</b> full-length human pak4
42	<a href="#">d1yhwa1</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
43	<a href="#">c3dpcA_</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> macrophage colony-stimulating factor 1 receptor; <b>PDBTitle:</b> cfms tyrosine kinase in complex with a pyridopyrimidinone2 inhibitor
44	<a href="#">c2wtkC_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transferase/metal-binding protein <b>Chain:</b> C: <b>PDB Molecule:</b> serine/threonine-protein kinase 11; <b>PDBTitle:</b> structure of the heterotrimeric lkb1-stradalphamo25alpha2 complex
45	<a href="#">c3lxkA_</a>	Alignment	not modelled	100.0	36	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> tyrosine-protein kinase jak3; <b>PDBTitle:</b> structural and thermodynamic characterization of the tyk2 and jak32 kinase domains in complex with cp-690550 and cmp-6
46	<a href="#">d3bu3a1</a>	Alignment	not modelled	100.0	37	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
47	<a href="#">c3fbvL_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transferase, hydrolase <b>Chain:</b> L: <b>PDB Molecule:</b> serine/threonine-protein kinase/endoribonuclease ire1; <b>PDBTitle:</b> crystal structure of the oligomer formed by the kinase-ribonuclease2 domain of ire1
48	<a href="#">c3plsA_</a>	Alignment	not modelled	100.0	38	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> macrophage-stimulating protein receptor; <b>PDBTitle:</b> ron in complex with ligand amp-pnp
49	<a href="#">c4dn5A_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> mitogen-activated protein kinase kinase kinase 14; <b>PDBTitle:</b> crystal structure of nf-kb-inducing kinase (nik)
50	<a href="#">d1fmka3</a>	Alignment	not modelled	100.0	39	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
51	<a href="#">c4eutA_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> serine/threonine-protein kinase tbk1; <b>PDBTitle:</b> structure of bx-795 complexed with unphosphorylated human tbk1 kinase-2 uld domain
52	<a href="#">c3lijA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> calcium/calmodulin dependent protein kinase with <b>PDBTitle:</b> crystal structure of full length cpdcp3 (cgd5_820) in2 complex with ca2+ and amppnp <b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> calcium/calmodulin-dependent protein

53	<a href="#">c2jamB_</a>	Alignment	not modelled	100.0	23	kinase type <b>PDBTitle:</b> crystal structure of human calmodulin-dependent protein2 kinase i g
54	<a href="#">d1xbba_</a>	Alignment	not modelled	100.0	41	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
55	<a href="#">c2a1aB_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> protein synthesis/transferase <b>Chain:</b> B: <b>PDB Molecule:</b> interferon-induced, double-stranded rna-activated protein <b>PDBTitle:</b> pkr kinase domain-eif2alpha complex
56	<a href="#">d1t46a_</a>	Alignment	not modelled	100.0	31	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
57	<a href="#">c3kulB_</a>	Alignment	not modelled	100.0	37	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> ephrin type-a receptor 8; <b>PDBTitle:</b> kinase domain of human ephrin type-a receptor 8 (epha8)
58	<a href="#">c3d9vA_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> rho-associated protein kinase 1; <b>PDBTitle:</b> crystal structure of rock i bound to h-1152p a di-2 methylated variant of fasudil
59	<a href="#">c4aojA_</a>	Alignment	not modelled	100.0	38	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> high affinity nerve growth factor receptor; <b>PDBTitle:</b> human trka in complex with the inhibitor az-23
60	<a href="#">c2bujA_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> serine/threonine-protein kinase 16; <b>PDBTitle:</b> crystal structure of the human serine-threonine kinase 162 in complex with staurosporine
61	<a href="#">d1phka_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
62	<a href="#">c3lvpD_</a>	Alignment	not modelled	100.0	37	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> insulin-like growth factor 1 receptor; <b>PDBTitle:</b> crystal structure of bisphosphorylated igf1-r kinase domain (2p) in2 complex with a bis-azaindole inhibitor
63	<a href="#">c2j51A_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> ste20-like serine/threonine-protein kinase; <b>PDBTitle:</b> crystal structure of human ste20-like kinase bound to 5-2 amino-3-((4-(aminosulfonyl)phenyl)amino)-n-(2,6-3 difluorophenyl)-1h-1,2,4-triazole-1-carbothioamide
64	<a href="#">c3p23B_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> hydrolase, transferase <b>Chain:</b> B: <b>PDB Molecule:</b> serine/threonine-protein kinase/endoribonuclease ire1; <b>PDBTitle:</b> crystal structure of the human kinase and rnase domains in complex2 with adp
65	<a href="#">d1p4oa_</a>	Alignment	not modelled	100.0	35	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
66	<a href="#">c4ebwA_</a>	Alignment	not modelled	100.0	39	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> focal adhesion kinase 1; <b>PDBTitle:</b> structure of focal adhesion kinase catalytic domain in complex with2 novel allosteric inhibitor
67	<a href="#">c2qg5D_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> calcium/calmodulin-dependent protein kinase; <b>PDBTitle:</b> cryptosporidium parvum calcium dependent protein kinase cgd7_1840
68	<a href="#">d2jfla1</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
69	<a href="#">c3eygA_</a>	Alignment	not modelled	100.0	33	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> tyrosine-protein kinase; <b>PDBTitle:</b> crystal structures of jak1 and jak2 inhibitor complexes
70	<a href="#">c2clqA_</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> mitogen-activated protein kinase kinase kinase 5; <b>PDBTitle:</b> structure of mitogen-activated protein kinase kinase kinase2 5
71	<a href="#">c3dfaA_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> calcium-dependent protein kinase cgd3_920; <b>PDBTitle:</b> crystal structure of kinase domain of calcium-dependent protein kinase2 cgd3_920 from cryptosporidium parvum
72	<a href="#">c2bmcD_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> serine threonine-protein kinase 6; <b>PDBTitle:</b> aurora-2 t287d t288d complexed with pha-680632
73	<a href="#">d1mp8a_</a>	Alignment	not modelled	100.0	38	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
74	<a href="#">c2y7jB_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> phosphorylase b kinase gamma catalytic chain, <b>PDBTitle:</b> structure of human phosphorylase kinase, gamma 2
75	<a href="#">c3vw6B_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> B: <b>PDB Molecule:</b> mitogen-activated protein kinase kinase kinase 5; <b>PDBTitle:</b> crystal structure of human apoptosis signal-regulating kinase 1 (ask1)2 with imidazopyridine inhibitor
76	<a href="#">c3cc6A_</a>	Alignment	not modelled	100.0	39	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein tyrosine kinase 2 beta; <b>PDBTitle:</b> crystal structure of kinase domain of protein tyrosine kinase 2 beta2 (ptk2b)
77	<a href="#">d1sm2a_</a>	Alignment	not modelled	100.0	40	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit

78	<a href="#">c3l9pA</a>	Alignment	not modelled	100.0	40	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> anaplastic lymphoma kinase; <b>PDBTitle:</b> crystal structure of the anaplastic lymphoma kinase catalytic domain
79	<a href="#">c1yviA</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> tyrosine-protein kinase jak3; <b>PDBTitle:</b> crystal structure of the jak3 kinase domain in complex with2 a staurosporine analogue
80	<a href="#">d1fgka</a>	Alignment	not modelled	100.0	35	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
81	<a href="#">c3hztA</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> calcium-dependent protein kinase 3; <b>PDBTitle:</b> crystal structure of toxoplasma gondii cdpk3, tgme49_105860
82	<a href="#">c2zv2A</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> calcium/calmodulin-dependent protein kinase kinase 2; <b>PDBTitle:</b> crystal structure of human calcium/calmodulin-dependent protein kinase2 kinase 2, beta, camkk2 kinase domain in complex with sto-609
83	<a href="#">c2pziA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> probable serine/threonine-protein kinase pkg; <b>PDBTitle:</b> crystal structure of protein kinase pkg from mycobacterium2 tuberculosis in complex with tetrahydrobenzothiofene ax20017
84	<a href="#">c2a27B</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> death-associated protein kinase 2; <b>PDBTitle:</b> human drp-1 kinase, w305s s308a d40 mutant, crystal form with 82 monomers in the asymmetric unit
85	<a href="#">c2wtkB</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transferase/metal-binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> ste20-related kinase adapter protein alpha; <b>PDBTitle:</b> structure of the heterotrimeric lkb1-stradalphamo25alpha2 complex
86	<a href="#">c2cgvA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> serine/threonine-protein kinase chk1; <b>PDBTitle:</b> identification of chemically diverse chk1 inhibitors by2 receptor-based virtual screening
87	<a href="#">d1jksa</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
88	<a href="#">c1xjdA</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein kinase c, theta type; <b>PDBTitle:</b> crystal structure of pkc-theta complexed with staurosporine2 at 2a resolution
89	<a href="#">d1xjda</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
90	<a href="#">c2vd5A</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> dmpk protein; <b>PDBTitle:</b> structure of human myotonic dystrophy protein kinase in2 complex with the bisindoylmaleide inhibitor bim viii
91	<a href="#">d1nvra</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
92	<a href="#">c3comB</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> serine/threonine-protein kinase 4; <b>PDBTitle:</b> crystal structure of mst1 kinase
93	<a href="#">c3lxnA</a>	Alignment	not modelled	100.0	36	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> non-receptor tyrosine-protein kinase tyk2; <b>PDBTitle:</b> structural and thermodynamic characterization of the tyk2 and jak32 kinase domains in complex with cp-690550 and cmp-6
94	<a href="#">c2bdwB</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> hypothetical protein k11e8.1d; <b>PDBTitle:</b> crystal structure of the auto-inhibited kinase domain of2 calcium/calmodulin activated kinase ii
95	<a href="#">d1uwha</a>	Alignment	not modelled	100.0	31	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
96	<a href="#">c3sxrA</a>	Alignment	not modelled	100.0	36	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> cytoplasmic tyrosine-protein kinase bmx; <b>PDBTitle:</b> crystal structure of bmx non-receptor tyrosine kinase complex with2 dasatinib
97	<a href="#">d1rjba</a>	Alignment	not modelled	100.0	36	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
98	<a href="#">d1xkka</a>	Alignment	not modelled	100.0	37	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
99	<a href="#">c1xkkA</a>	Alignment	not modelled	100.0	37	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> epidermal growth factor receptor; <b>PDBTitle:</b> egfr kinase domain complexed with a quinazoline inhibitor-2 gw572016
100	<a href="#">c4e1zA</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> non-receptor tyrosine-protein kinase tyk2; <b>PDBTitle:</b> structure of mouse tyk-2 complexed to a 3-aminoinadazole inhibitor
101	<a href="#">c3fupB</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> tyrosine-protein kinase jak2; <b>PDBTitle:</b> crystal structures of jak1 and jak2 inhibitor complexes
102	<a href="#">c3d4aA</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> b-raf proto-oncogene serine/threonine-

102	<a href="#">c3u4yA_</a>	Alignment	not modelled	100.0	31	protein kinase; <b>PDBTitle:</b> pyrazole-based inhibitors of b-raf kinase
103	<a href="#">d1jpaa_</a>	Alignment	not modelled	100.0	35	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
104	<a href="#">c2w1iB_</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> jak2; <b>PDBTitle:</b> structure determination of aurora kinase in complex with2 inhibitor
105	<a href="#">c3v5qB_</a>	Alignment	not modelled	100.0	38	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> B: <b>PDB Molecule:</b> nt-3 growth factor receptor; <b>PDBTitle:</b> discovery of a selective trk inhibitor with efficacy in rodent cancer2 tumor models
106	<a href="#">c1mruB_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> probable serine/threonine-protein kinase pknb; <b>PDBTitle:</b> intracellular ser/thr protein kinase domain of2 mycobacterium tuberculosis pknb.
107	<a href="#">c2ya9A_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> death-associated protein kinase 2; <b>PDBTitle:</b> crystal structure of the autoinhibited form of mouse dapk2
108	<a href="#">c2x4fA_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> myosin light chain kinase family member 4; <b>PDBTitle:</b> the crystal structure of the human myosin light chain2 kinase loc340156.
109	<a href="#">d1mqba_</a>	Alignment	not modelled	100.0	37	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
110	<a href="#">d1fvra_</a>	Alignment	not modelled	100.0	36	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
111	<a href="#">d1koba_</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
112	<a href="#">d1koaa2</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
113	<a href="#">d1ckia_</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
114	<a href="#">c1kobB_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> kinase <b>Chain:</b> B: <b>PDB Molecule:</b> twitchin; <b>PDBTitle:</b> twitchin kinase fragment (aplysia), autoregulated protein2 kinase domain
115	<a href="#">c2qobA_</a>	Alignment	not modelled	100.0	37	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> ephrin receptor; <b>PDBTitle:</b> human epha3 kinase domain, base structure
116	<a href="#">d1tkia_</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
117	<a href="#">c2vz6A_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> calcium calmodulin dependent protein kinase type ii alpha <b>PDBTitle:</b> structure of human calcium calmodulin dependent protein2 kinase type ii alpha (camk2a) in complex with indirubin3 e804
118	<a href="#">d1o6ia_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> Protein kinase-like (PK-like) <b>Superfamily:</b> Protein kinase-like (PK-like) <b>Family:</b> Protein kinases, catalytic subunit
119	<a href="#">c2vrxB_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> cell cycle/transferase <b>Chain:</b> B: <b>PDB Molecule:</b> serine/threonine-protein kinase 12-a; <b>PDBTitle:</b> structure of aurora b kinase in complex with zm447439
120	<a href="#">c2chlA_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> casein kinase i isoform gamma-3; <b>PDBTitle:</b> structure of casein kinase 1 gamma 3