














# Phyre2

Email	l.a.kelley@imperial.ac.uk
Description	A2A3V1
Date	Tue Jul 30 13:01:13 BST 2013
Unique Job ID	bbb18aa4657c79ba

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c3s01A_</a>	 Alignment		97.3	14	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> heterogeneous nuclear ribonucleoprotein l; <b>PDBTitle:</b> crystal structure of a heterogeneous nuclear ribonucleoprotein l2 (hnrl) from mus musculus at 2.15 a resolution
2	<a href="#">c2i38A_</a>	 Alignment		97.0	27	<b>PDB header:</b> rna binding protein/chimera <b>Chain:</b> A: <b>PDB Molecule:</b> fusion protein consists of immunoglobulin g- <b>PDBTitle:</b> solution structure of the rrm of srp20
3	<a href="#">c3s8sA_</a>	 Alignment		96.7	17	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> histone-lysine n-methyltransferase setd1a; <b>PDBTitle:</b> crystal structure of the rrm domain of human setd1a
4	<a href="#">d2cpxa1</a>	 Alignment		96.5	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
5	<a href="#">d2bz2a1</a>	 Alignment		96.5	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
6	<a href="#">c2dgpA_</a>	 Alignment		96.4	24	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> bruno-like 4, rna binding protein; <b>PDBTitle:</b> solution structure of the n-terminal rna binding domain in2 bruno-like 4 rna-binding protein
7	<a href="#">d2cpia1</a>	 Alignment		96.4	23	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
8	<a href="#">d1wfla_</a>	 Alignment		96.4	19	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
9	<a href="#">d1whxa_</a>	 Alignment		96.3	30	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
10	<a href="#">d1fj7a_</a>	 Alignment		96.3	18	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
11	<a href="#">c2kn4A_</a>	 Alignment		96.3	26	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> immunoglobulin g-binding protein g, splicing factor; <b>PDBTitle:</b> the structure of the rrm domain of sc35

12	<a href="#">d1wexa_</a>	Alignment		96.3	18	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
13	<a href="#">d1n54b_</a>	Alignment		96.2	21	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
14	<a href="#">c3r27A_</a>	Alignment		96.2	19	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> heterogeneous nuclear ribonucleoprotein I; <b>PDBTitle:</b> crystal structure of the first rrm domain of heterogeneous nuclear2 ribonucleoprotein I (hnrrp I)
15	<a href="#">d2cq1a1</a>	Alignment		96.1	17	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
16	<a href="#">c3sdeB_</a>	Alignment		96.1	29	<b>PDB header:</b> rna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> non-pou domain-containing octamer-binding protein; <b>PDBTitle:</b> crystal structure of a paraspeckle-protein heterodimer, pspc1/nono
17	<a href="#">c3egnA_</a>	Alignment		96.1	26	<b>PDB header:</b> splicing <b>Chain:</b> A: <b>PDB Molecule:</b> rna-binding protein 40; <b>PDBTitle:</b> c-terminal rna recognition motif of the u11/u12 65k protein
18	<a href="#">c2krbA_</a>	Alignment		96.1	27	<b>PDB header:</b> translation <b>Chain:</b> A: <b>PDB Molecule:</b> eukaryotic translation initiation factor 3 <b>PDBTitle:</b> solution structure of eif3b-rrm bound to eif3j peptide
19	<a href="#">c2fy1A_</a>	Alignment		96.1	23	<b>PDB header:</b> structural protein/rna <b>Chain:</b> A: <b>PDB Molecule:</b> rna-binding motif protein, y chromosome, family <b>PDBTitle:</b> a dual mode of rna recognition by the rbmy protein
20	<a href="#">d2b0ga1</a>	Alignment		96.0	28	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
21	<a href="#">d1fnxh1</a>	Alignment	not modelled	96.0	24	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
22	<a href="#">c2cpiA_</a>	Alignment	not modelled	96.0	25	<b>PDB header:</b> gene regulation <b>Chain:</b> A: <b>PDB Molecule:</b> ccr4-not transcription complex subunit 4; <b>PDBTitle:</b> solution structure of the rna recognition motif of cnot4
23	<a href="#">c2jrsA_</a>	Alignment	not modelled	96.0	26	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> rna-binding protein 39; <b>PDBTitle:</b> solution nmr structure of caper rrm2 domain. northeast2 structural genomics target hr4730a
24	<a href="#">c2dnzA_</a>	Alignment	not modelled	96.0	29	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> probable rna-binding protein 23; <b>PDBTitle:</b> solution structure of the second rna binding domain of rna2 binding motif protein 23
25	<a href="#">d1fnxh2</a>	Alignment	not modelled	95.9	20	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
26	<a href="#">d1x4fa1</a>	Alignment	not modelled	95.9	25	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
27	<a href="#">d1x4ga1</a>	Alignment	not modelled	95.9	16	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
28	<a href="#">c2jx2A_</a>	Alignment	not modelled	95.8	24	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> negative elongation factor e; <b>PDBTitle:</b> solution conformation of rna-bound self-e rrm
29	<a href="#">c2divA_</a>	Alignment	not modelled	95.8	16	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> trna selenocysteine associated protein;

29	<a href="#">c2uivA</a>	Alignment	not modelled	95.8	10	<b>PDBTitle:</b> solution structure of the rrm domain of trna selenocysteine2 associated protein <b>PDB header:</b> rna binding protein <b>Chain:</b> A; <b>PDB Molecule:</b> heterogeneous nuclear ribonucleoprotein m;
30	<a href="#">c2do0A</a>	Alignment	not modelled	95.8	16	<b>PDBTitle:</b> solution structure of the rna binding domain of2 heterogeneous nuclear ribonucleoprotein m
31	<a href="#">d2f9da1</a>	Alignment	not modelled	95.7	27	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
32	<a href="#">c2la6A</a>	Alignment	not modelled	95.7	15	<b>PDB header:</b> rna binding protein <b>Chain:</b> A; <b>PDB Molecule:</b> rna-binding protein fus; <b>PDBTitle:</b> solution nmr structure of rrm domain of rna-binding protein fus from2 homo sapiens, northeast structural genomics consortium target hr6430a
33	<a href="#">c3pgwS</a>	Alignment	not modelled	95.7	20	<b>PDB header:</b> splicing/dna/rna <b>Chain:</b> S; <b>PDB Molecule:</b> u1-70k; <b>PDBTitle:</b> crystal structure of human u1 snrnp
34	<a href="#">d1x5ua1</a>	Alignment	not modelled	95.7	24	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
35	<a href="#">c2e5iA</a>	Alignment	not modelled	95.7	16	<b>PDB header:</b> gene regulation <b>Chain:</b> A; <b>PDB Molecule:</b> heterogeneous nuclear ribonucleoprotein l-like; <b>PDBTitle:</b> solution structure of rna binding domain 2 in heterogeneous2 nuclear ribonucleoprotein l-like
36	<a href="#">d2cq3a1</a>	Alignment	not modelled	95.7	24	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
37	<a href="#">c3md1B</a>	Alignment	not modelled	95.7	20	<b>PDB header:</b> rna binding protein <b>Chain:</b> B; <b>PDB Molecule:</b> nuclear and cytoplasmic polyadenylated rna-binding protein <b>PDBTitle:</b> crystal structure of the second rrm domain of yeast poly(u)-binding2 protein (pub1)
38	<a href="#">d1x4aa1</a>	Alignment	not modelled	95.7	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
39	<a href="#">c3ns5B</a>	Alignment	not modelled	95.7	25	<b>PDB header:</b> translation <b>Chain:</b> B; <b>PDB Molecule:</b> eukaryotic translation initiation factor 3 subunit b; <b>PDBTitle:</b> crystal structure of the rna recognition motif of yeast eif3b residues2 76-161
40	<a href="#">d1fjeb1</a>	Alignment	not modelled	95.7	18	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
41	<a href="#">c2f3jA</a>	Alignment	not modelled	95.6	24	<b>PDB header:</b> transport protein <b>Chain:</b> A; <b>PDB Molecule:</b> rna and export factor binding protein 2; <b>PDBTitle:</b> the solution structure of the ref2-i mrna export factor2 (residues 1-155).
42	<a href="#">c3pgwP</a>	Alignment	not modelled	95.6	25	<b>PDB header:</b> splicing/dna/rna <b>Chain:</b> P; <b>PDB Molecule:</b> u1-a; <b>PDBTitle:</b> crystal structure of human u1 snrnp
43	<a href="#">d1wi8a</a>	Alignment	not modelled	95.6	21	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
44	<a href="#">d1hl6a</a>	Alignment	not modelled	95.6	19	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
45	<a href="#">c2dnoA</a>	Alignment	not modelled	95.6	20	<b>PDB header:</b> rna binding protein <b>Chain:</b> A; <b>PDB Molecule:</b> trinucleotide repeat containing 4 variant; <b>PDBTitle:</b> solution structure of rna binding domain in trinucleotide2 repeat containing 4 variant
46	<a href="#">d1sjqa</a>	Alignment	not modelled	95.6	20	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
47	<a href="#">d2cpza1</a>	Alignment	not modelled	95.6	19	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
48	<a href="#">d2ghpa1</a>	Alignment	not modelled	95.5	20	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
49	<a href="#">c3ns6B</a>	Alignment	not modelled	95.5	24	<b>PDB header:</b> translation <b>Chain:</b> B; <b>PDB Molecule:</b> eukaryotic translation initiation factor 3 subunit b; <b>PDBTitle:</b> crystal structure of hte rna recognition motif of yeast eif3b residues2 76-170
50	<a href="#">c2adca</a>	Alignment		95.5	19	<b>PDB header:</b> rna binding protein/rna <b>Chain:</b> A; <b>PDB Molecule:</b> polypyrimidine tract-binding protein 1; <b>PDBTitle:</b> solution structure of polypyrimidine tract binding protein2 rbd34 complexed with cucucu rna
51	<a href="#">d2cpea1</a>	Alignment	not modelled	95.5	18	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
52	<a href="#">c2lcwA</a>	Alignment	not modelled	95.5	17	<b>PDB header:</b> rna binding protein <b>Chain:</b> A; <b>PDB Molecule:</b> rna-binding protein fus; <b>PDBTitle:</b> solution structure of fus/tls rrm domain
53	<a href="#">d2ghpa3</a>	Alignment	not modelled	95.5	27	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD

54	<a href="#">d1b7fa1</a>	Alignment	not modelled	95.5	20	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
55	<a href="#">c2rneA</a>	Alignment	not modelled	95.4	16	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> tia1 protein; <b>PDBTitle:</b> solution structure of the second rna recognition motif2 (rrm) of tia-1
56	<a href="#">d2cq2a1</a>	Alignment	not modelled	95.4	24	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
57	<a href="#">d2adca1</a>	Alignment	not modelled	95.4	24	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
58	<a href="#">c3u1A</a>	Alignment	not modelled	95.4	19	<b>PDB header:</b> splicing <b>Chain:</b> A: <b>PDB Molecule:</b> pre-mrna-splicing factor cwc2; <b>PDBTitle:</b> structure of the mrna splicing complex component cwc2
59	<a href="#">c2lkzA</a>	Alignment	not modelled	95.4	17	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> rna-binding protein 5; <b>PDBTitle:</b> solution structure of the second rrm domain of rbm5
60	<a href="#">c2ku7A</a>	Alignment	not modelled	95.4	21	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> mll1 phd3-cyp33 rrm chimeric protein; <b>PDBTitle:</b> solution structure of mll1 phd3-cyp33 rrm chimeric protein
61	<a href="#">c2nlwA</a>	Alignment	not modelled	95.3	25	<b>PDB header:</b> translation <b>Chain:</b> A: <b>PDB Molecule:</b> eukaryotic translation initiation factor 3 <b>PDBTitle:</b> solution structure of the rrm domain of human eukaryotic2 initiation factor 3b
62	<a href="#">c2kviA</a>	Alignment	not modelled	95.3	28	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> nuclear polyadenylated rna-binding protein 3; <b>PDBTitle:</b> structure of nab3 rrm
63	<a href="#">c2dnqA</a>	Alignment	not modelled	95.3	27	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> rna-binding protein 4b; <b>PDBTitle:</b> solution structure of rna binding domain 1 in rna-binding2 protein 30
64	<a href="#">d2cqca1</a>	Alignment	not modelled	95.3	27	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
65	<a href="#">d1whwa</a>	Alignment	not modelled	95.3	21	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
66	<a href="#">d1whya</a>	Alignment	not modelled	95.2	37	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
67	<a href="#">c2dh9A</a>	Alignment	not modelled	95.2	23	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> heterogeneous nuclear ribonucleoprotein m; <b>PDBTitle:</b> solution structure of the c-terminal rna binding domain in2 heterogeneous nuclear ribonucleoprotein m
68	<a href="#">d1h6kx</a>	Alignment	not modelled	95.2	31	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
69	<a href="#">c2e44A</a>	Alignment	not modelled	95.2	15	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> insulin-like growth factor 2 mrna binding <b>PDBTitle:</b> solution structure of rna binding domain in insulin-like2 growth factor 2 mrna binding protein 3
70	<a href="#">d1h2tz</a>	Alignment	not modelled	95.2	23	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
71	<a href="#">c2do4A</a>	Alignment	not modelled	95.2	17	<b>PDB header:</b> immune system <b>Chain:</b> A: <b>PDB Molecule:</b> squamous cell carcinoma antigen recognized by t- <b>PDBTitle:</b> solution structure of the rna binding domain of squamous2 cell carcinoma antigen recognized by t cells 3
72	<a href="#">c2e5jA</a>	Alignment	not modelled	95.2	22	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> methenyltetrahydrofolate synthetase domain <b>PDBTitle:</b> solution structure of rna binding domain in2 methenyltetrahydrofolate synthetase domain containing
73	<a href="#">d2cpha1</a>	Alignment	not modelled	95.1	28	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
74	<a href="#">d1x5oa1</a>	Alignment	not modelled	95.1	15	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
75	<a href="#">c4a8xA</a>	Alignment	not modelled	95.1	20	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> rna-binding protein with serine-rich domain 1; <b>PDBTitle:</b> structure of the core asap complex
76	<a href="#">d2ad9a1</a>	Alignment	not modelled	95.1	19	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
77	<a href="#">d2cqba1</a>	Alignment	not modelled	95.1	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
78	<a href="#">c3cw18</a>	Alignment	not modelled	95.0	22	<b>PDB header:</b> splicing <b>Chain:</b> 8: <b>PDB Molecule:</b> u1 small nuclear ribonucleoprotein 70 kda; <b>PDB Fragment:</b> nucleotides 57-82 absent, replaced with kissing loop; <b>PDBTitle:</b> crystal structure of human spliceosomal u1 snrnp
79	<a href="#">d1b7fa2</a>	Alignment	not modelled	95.0	19	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD <b>PDB header:</b> rna binding protein/rna

80	<a href="#">c2kxB</a>	Alignment	not modelled	95.0	25	<b>Chain:</b> B: <b>PDB Molecule:</b> transformer-2 protein homolog beta; <b>PDBTitle:</b> nmr structure of human tra2beta1 rrm in complex with aagaac rna
81	<a href="#">d2j0sd1</a>	Alignment	not modelled	95.0	25	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
82	<a href="#">d1fxla1</a>	Alignment	not modelled	95.0	26	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
83	<a href="#">d1x5sa1</a>	Alignment	not modelled	94.9	21	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
84	<a href="#">d2erra1</a>	Alignment	not modelled	94.9	25	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
85	<a href="#">c2d9oA</a>	Alignment	not modelled	94.9	22	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> dnaj (hsp40) homolog, subfamily c, member 17; <b>PDBTitle:</b> solution structure of rna binding domain in hypothetical2 protein flj10634
86	<a href="#">c2lxiA</a>	Alignment	not modelled	94.9	20	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> rna-binding protein 10; <b>PDBTitle:</b> nmr structure of the n-terminal rna binding domain 1 (rrm1) of the2 protein rbm10 from homo sapiens
87	<a href="#">d1h2vz</a>	Alignment	not modelled	94.8	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
88	<a href="#">d2u1aa</a>	Alignment	not modelled	94.8	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
89	<a href="#">c2ywkA</a>	Alignment	not modelled	94.8	20	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative rna-binding protein 11; <b>PDBTitle:</b> crystal structure of rrm-domain derived from human putative2 rna-binding protein 11
90	<a href="#">d1u6fa1</a>	Alignment	not modelled	94.8	24	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
91	<a href="#">d2adba1</a>	Alignment	not modelled	94.8	26	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
92	<a href="#">c2fhoB</a>	Alignment	not modelled	94.7	25	<b>PDB header:</b> rna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> spliceosomal protein p14; <b>PDBTitle:</b> nmr solution structure of the human spliceosomal protein2 complex p14-sf3b155
93	<a href="#">c2jvoA</a>	Alignment	not modelled	94.7	30	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> nucleolar protein 3; <b>PDBTitle:</b> segmental isotope labeling of npl3
94	<a href="#">d2ghpa2</a>	Alignment	not modelled	94.7	19	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
95	<a href="#">c3nnhA</a>	Alignment	not modelled	94.7	19	<b>PDB header:</b> rna binding protein/rna <b>Chain:</b> A: <b>PDB Molecule:</b> cugbp elav-like family member 1; <b>PDBTitle:</b> crystal structure of the cugbp1 rrm1 with guuguuuuuu rna
96	<a href="#">c2dnIA</a>	Alignment	not modelled	94.7	21	<b>PDB header:</b> translation <b>Chain:</b> A: <b>PDB Molecule:</b> cytoplasmic polyadenylation element binding <b>PDBTitle:</b> solution structure of rna binding domain in cytoplasmic2 polyadenylation element binding protein 3
97	<a href="#">d1no8a</a>	Alignment	not modelled	94.7	27	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
98	<a href="#">c1no8A</a>	Alignment	not modelled	94.7	27	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> aly; <b>PDBTitle:</b> solution structure of the nuclear factor aly rbd domain
99	<a href="#">c3ex7B</a>	Alignment	not modelled	94.7	22	<b>PDB header:</b> hydrolase/rna binding protein/rna <b>Chain:</b> B: <b>PDB Molecule:</b> rna-binding protein 8a; <b>PDBTitle:</b> the crystal structure of ejc in its transition state
100	<a href="#">d1fxla2</a>	Alignment	not modelled	94.6	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
101	<a href="#">c2x1aA</a>	Alignment	not modelled	94.6	18	<b>PDB header:</b> transcription/rna <b>Chain:</b> A: <b>PDB Molecule:</b> mrna 3'-end-processing protein rna15; <b>PDBTitle:</b> structure of rna15 rrm with rna bound (g)
102	<a href="#">c2e5hA</a>	Alignment	not modelled	94.6	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> zinc finger cchc-type and rna-binding motif- <b>PDBTitle:</b> solution structure of rna binding domain in zinc finger2 cchc-type and rna binding motif 1
103	<a href="#">c2xngA</a>	Alignment	not modelled	94.6	27	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> nuclear polyadenylated rna-binding protein 3; <b>PDBTitle:</b> structural insights into cis element recognition of non-2 polyadenylated rnas by the nab3-rrm
104	<a href="#">c2a3jA</a>	Alignment	not modelled	94.6	15	<b>PDB header:</b> rna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> u1 small nuclear ribonucleoprotein a; <b>PDBTitle:</b> structure of urndesign, a complete computational redesign2 of human u1a protein
105	<a href="#">c2pehA</a>	Alignment	not modelled	94.6	17	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> splicing factor 45; <b>PDBTitle:</b> crystal structure of the uhm domain of human spf45 in complex with2 sf3b155-ulm5
						<b>PDB header:</b> rna binding protein

106	<a href="#">c2la4A_</a>	Alignment	not modelled	94.5	19	<b>Chain:</b> A; <b>PDB Molecule:</b> nuclear and cytoplasmic polyadenylated rna-binding protein <b>PDBTitle:</b> nmr structure of the c-terminal rrm domain of poly(u) binding 1
107	<a href="#">d2cqia1</a>	Alignment	not modelled	94.5	19	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
108	<a href="#">c2ghpC_</a>	Alignment	not modelled	94.5	19	<b>PDB header:</b> rna binding protein <b>Chain:</b> C; <b>PDB Molecule:</b> u4/u6 snrna-associated splicing factor prp24; <b>PDBTitle:</b> crystal structure of the n-terminal 3 rna binding domains of the yeast2 splicing factor prp24
109	<a href="#">c2dhgA_</a>	Alignment	not modelled	94.5	10	<b>PDB header:</b> rna binding protein <b>Chain:</b> A; <b>PDB Molecule:</b> trna selenocysteine associated protein (secp43); <b>PDBTitle:</b> solution structure of the c-terminal rna recognition motif2 in trna selenocysteine associated protein
110	<a href="#">c2d9pA_</a>	Alignment	not modelled	94.5	20	<b>PDB header:</b> rna binding protein <b>Chain:</b> A; <b>PDB Molecule:</b> polyadenylate-binding protein 3; <b>PDBTitle:</b> solution structure of rna binding domain 4 in2 polyadenylation binding protein 3
111	<a href="#">d1cvja1</a>	Alignment	not modelled	94.5	20	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
112	<a href="#">d1oiaa_</a>	Alignment	not modelled	94.4	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
113	<a href="#">c2dngA_</a>	Alignment	not modelled	94.4	14	<b>PDB header:</b> translation <b>Chain:</b> A; <b>PDB Molecule:</b> eukaryotic translation initiation factor 4h; <b>PDBTitle:</b> solution structure of rna binding domain in eukaryotic2 translation initiation factor 4h
114	<a href="#">c2dnpA_</a>	Alignment	not modelled	94.4	21	<b>PDB header:</b> transcription <b>Chain:</b> A; <b>PDB Molecule:</b> rna-binding protein 14; <b>PDBTitle:</b> solution structure of rna binding domain 2 in rna-binding2 protein 14
115	<a href="#">d2adca2</a>	Alignment	not modelled	94.3	25	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
116	<a href="#">c2dguA_</a>	Alignment	not modelled	94.3	37	<b>PDB header:</b> rna binding protein <b>Chain:</b> A; <b>PDB Molecule:</b> heterogeneous nuclear ribonucleoprotein q; <b>PDBTitle:</b> solution structure of the rna binding domain in2 heterogeneous nuclear ribonucleoprotein q
117	<a href="#">c1cvjF_</a>	Alignment	not modelled	94.3	23	<b>PDB header:</b> gene regulation/rna <b>Chain:</b> F; <b>PDB Molecule:</b> polyadenylate binding protein 1; <b>PDBTitle:</b> x-ray crystal structure of the poly(a)-binding protein in2 complex with polyadenylate rna
118	<a href="#">d1weya_</a>	Alignment	not modelled	94.2	16	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
119	<a href="#">d1s79a_</a>	Alignment	not modelled	94.1	19	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD
120	<a href="#">d1pita_</a>	Alignment	not modelled	94.1	22	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> RNA-binding domain, RBD <b>Family:</b> Canonical RBD