























Phyre2

Email	I.a.kelley@imperial.ac.uk
Description	O07325
Date	Tue Jul 17 17:05:02 BST 2012
Unique Job ID	ee58d7c32de4d8a6

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c1e4gT_			100.0	21	PDB header: bacterial cell division Chain: T: PDB Molecule: cell division protein ftsa; PDBTitle: ftsa (atp-bound form) from thermotoga maritima
2	c3d2fC_			100.0	18	PDB header: chaperone Chain: C: PDB Molecule: heat shock protein homolog sse1; PDBTitle: crystal structure of a complex of sse1p and hsp70
3	c2v7yA_			100.0	17	PDB header: chaperone Chain: A: PDB Molecule: chaperone protein dnaK; PDBTitle: crystal structure of the molecular chaperone dnaK from2 geobacillus kaustophilus hta426 in post-atp hydrolysis3 state
4	c2khoA_			100.0	15	PDB header: chaperone Chain: A: PDB Molecule: heat shock protein 70; PDBTitle: nmr-rdc / xray structure of e. coli hsp70 (dnaK) chaperone (1-605)2 complexed with adp and substrate
5	c3h1qB_			100.0	22	PDB header: structural protein Chain: B: PDB Molecule: ethanolamine utilization protein eutJ; PDBTitle: crystal structure of ethanolamine utilization protein eutJ from2 carboxydotherrnus hydrogenoformans
6	c2d0oA_			100.0	15	PDB header: chaperone Chain: A: PDB Molecule: diol dehydratase-reactivating factor large PDBTitle: strcture of diol dehydratase-reactivating factor complexed2 with adp and mg2+
7	c1dkgD_			100.0	17	PDB header: complex (hsp24/hsp70) Chain: D: PDB Molecule: molecular chaperone dnaK; PDBTitle: crystal structure of the nucleotide exchange factor grpe2 bound to the atpase domain of the molecular chaperone dnaK
8	c2yychA_			100.0	19	PDB header: cell cycle Chain: A: PDB Molecule: competence protein pilM; PDBTitle: pilM-pilN type iv pilus biogenesis complex
9	c2v7zA_			100.0	16	PDB header: chaperone Chain: A: PDB Molecule: heat shock cognate 71 kda protein; PDBTitle: crystal structure of the 70-kda heat shock cognate protein2 from rattus norvegicus in post-atp hydrolysis state
10	c3iucC_			100.0	16	PDB header: chaperone Chain: C: PDB Molecule: heat shock 70kda protein 5 (glucose-regulated PDBTitle: crystal structure of the human 70kda heat shock protein 52 (bip/grp78) atpase domain in complex with adp
11	c1hpmA_			100.0	17	PDB header: hydrolase (acting on acid anhydrides) Chain: A: PDB Molecule: 44k atpase fragment (n-terminal) of 7o kd heat- PDBTitle: how potassium affects the activity of the molecular2 chaperone hsc70. ii. potassium binds specifically in the3 atpase active site

12	c1jcgA_	Alignment		100.0	19	PDB header: structural protein Chain: A: PDB Molecule: rod shape-determining protein mreb; PDBTitle: mreb from thermotoga maritima, amppnp
13	d1e4ft1	Alignment		100.0	18	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
14	d1e4ft2	Alignment		100.0	23	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
15	d1jcea2	Alignment		100.0	23	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
16	c1mwmA_	Alignment		100.0	10	PDB header: structural protein Chain: A: PDB Molecule: parm; PDBTitle: parm from plasmid r1 adp form
17	d1dkgd2	Alignment		99.9	19	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
18	c4apwH_	Alignment		99.9	12	PDB header: structural protein Chain: H: PDB Molecule: alp12; PDBTitle: alp12 filament structure
19	c1o1f4_	Alignment		99.9	18	PDB header: contractile protein Chain: 4: PDB Molecule: skeletal muscle actin; PDBTitle: molecular models of averaged rigor crossbridges from2 tomograms of insect flight muscle
20	d1bupa2	Alignment		99.9	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
21	d2e8aa2	Alignment	not modelled	99.9	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
22	c3dwlB_	Alignment	not modelled	99.9	17	PDB header: structural protein Chain: B: PDB Molecule: actin-related protein 3; PDBTitle: crystal structure of fission yeast arp2/3 complex lacking the arp22 subunit
23	c2p9lA_	Alignment	not modelled	99.9	20	PDB header: structural protein Chain: A: PDB Molecule: actin-like protein 3; PDBTitle: crystal structure of bovine arp2/3 complex
24	c2fsnB_	Alignment	not modelled	99.9	14	PDB header: structural protein Chain: B: PDB Molecule: hypothetical protein ta0583; PDBTitle: crystal structure of ta0583, an archaeal actin homolog, complex with2 adp
25	c3qb0C_	Alignment	not modelled	99.8	18	PDB header: structural protein Chain: C: PDB Molecule: actin-related protein 4; PDBTitle: crystal structure of actin-related protein arp4 from s. cerevisiae2 complexed with atp
26	c3js6A_	Alignment	not modelled	99.8	18	PDB header: unknown function Chain: A: PDB Molecule: uncharacterized parm protein; PDBTitle: crystal structure of apo psk41 parm protein
27	d2zgya2	Alignment	not modelled	99.8	10	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
28	d1lhuxa_	Alignment	not modelled	99.8	17	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: BadF/BadG/BcrA/BcrD-like
						Fold: Ribonuclease H-like motif

29	d2fsja1	Alignment	not modelled	99.6	14	Superfamily: Actin-like ATPase domain Family: Ta0583-like
30	d2e8aa1	Alignment	not modelled	99.5	16	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
31	d1bupa1	Alignment	not modelled	99.5	16	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
32	d1jcea1	Alignment	not modelled	99.5	14	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
33	d2fxua2	Alignment	not modelled	99.5	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
34	c3gg4B_	Alignment	not modelled	99.4	10	PDB header: transferase Chain: B: PDB Molecule: glycerol kinase; PDBTitle: the crystal structure of glycerol kinase from yersinia2 pseudotuberculosis
35	d1nm1a2	Alignment	not modelled	99.4	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
36	d1dkgd1	Alignment	not modelled	99.4	11	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
37	d2hf3a2	Alignment	not modelled	99.4	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
38	c3hz6A_	Alignment	not modelled	99.3	11	PDB header: transferase Chain: A: PDB Molecule: xylulokinase; PDBTitle: crystal structure of xylulokinase from chromobacterium violaceum
39	d1yaga2	Alignment	not modelled	99.3	22	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
40	d1k8ka2	Alignment	not modelled	99.3	23	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
41	d1k8kb1	Alignment	not modelled	99.3	21	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
42	c3gbtA_	Alignment	not modelled	99.2	11	PDB header: transferase Chain: A: PDB Molecule: gluconate kinase; PDBTitle: crystal structure of gluconate kinase from lactobacillus acidophilus
43	c3ifrB_	Alignment	not modelled	99.2	12	PDB header: transferase Chain: B: PDB Molecule: carbohydrate kinase, fggy; PDBTitle: the crystal structure of xylulose kinase from rhodospirillum rubrum
44	d2d0oa3	Alignment	not modelled	99.2	17	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ATPase domain of dehydratase reactivase alpha subunit
45	c2zf5O_	Alignment	not modelled	99.2	14	PDB header: transferase Chain: O: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of highly thermostable glycerol kinase from a2 hyperthermophilic archaeon
46	c3i8bA_	Alignment	not modelled	99.2	18	PDB header: transferase Chain: A: PDB Molecule: xylulose kinase; PDBTitle: the crystal structure of xylulose kinase from2 bifidobacterium adolescentis
47	c2p9kB_	Alignment	not modelled	99.2	20	PDB header: structural protein Chain: B: PDB Molecule: actin-like protein 2; PDBTitle: crystal structure of bovine arp2/3 complex co-crystallized2 with atp and crosslinked with glutaraldehyde
48	c1nbwA_	Alignment	not modelled	99.1	14	PDB header: hydrolase Chain: A: PDB Molecule: glycerol dehydratase reactivase alpha subunit; PDBTitle: glycerol dehydratase reactivase
49	c2nlxA_	Alignment	not modelled	99.1	13	PDB header: transferase Chain: A: PDB Molecule: xylulose kinase; PDBTitle: crystal structure of the apo e. coli xylulose kinase
50	c4e1jA_	Alignment	not modelled	99.1	16	PDB header: transferase Chain: A: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of glycerol kinase in complex with glycerol from2 sinorhizobium meliloti 1021
51	d1nbwa3	Alignment	not modelled	99.1	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ATPase domain of dehydratase reactivase alpha subunit
52	c3ezwD_	Alignment	not modelled	99.1	14	PDB header: transferase Chain: D: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of a hyperactive escherichia coli glycerol kinase2 mutant gly230 --> asp obtained using microfluidic crystallization3 devices
53	c3g25B_	Alignment	not modelled	99.0	13	PDB header: transferase Chain: B: PDB Molecule: glycerol kinase; PDBTitle: 1.9 angstrom crystal structure of glycerol kinase (glpk) from2 staphylococcus aureus in complex with glycerol.
54	c2dpnB_	Alignment	not modelled	99.0	13	PDB header: transferase Chain: B: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of the glycerol kinase from thermus2 thermophilus hb8
55	c3jvpA_	Alignment	not modelled	99.0	13	PDB header: transferase Chain: A: PDB Molecule: ribulokinase; PDBTitle: crystal structure of ribulokinase from bacillus halodurans

56	c2d4wA_	Alignment	not modelled	99.0	13	PDB header: transferase Chain: A: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of glycerol kinase from cellulomonas sp.2 nt3060
57	c1t6dB_	Alignment	not modelled	98.9	21	PDB header: hydrolase Chain: B: PDB Molecule: exopolyphosphatase; PDBTitle: miras phasing of the aquifex aeolicus ppx/gppa phosphatase: crystal2 structure of the type ii variant
58	c2floA_	Alignment	not modelled	98.9	12	PDB header: hydrolase Chain: A: PDB Molecule: exopolyphosphatase; PDBTitle: crystal structure of exopolyphosphatase (ppx) from e. coli o157:h7
59	c3mdqA_	Alignment	not modelled	98.9	13	PDB header: hydrolase Chain: A: PDB Molecule: exopolyphosphatase; PDBTitle: crystal structure of an exopolyphosphatase (chu_0316) from cytophaga2 hutchinsonii atcc 33406 at 1.50 a resolution
60	c3hi0B_	Alignment	not modelled	98.8	15	PDB header: hydrolase Chain: B: PDB Molecule: putative exopolyphosphatase; PDBTitle: crystal structure of putative exopolyphosphatase (17739545) from2 agrobacterium tumefaciens str. c58 (dupont) at 2.30 a resolution
61	c3flcX_	Alignment	not modelled	98.8	16	PDB header: transferase Chain: X: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of the his-tagged h232r mutant of glycerol kinase2 from enterococcus casseliflavus with glycerol
62	c2w40C_	Alignment	not modelled	98.6	13	PDB header: transferase Chain: C: PDB Molecule: glycerol kinase, putative; PDBTitle: crystal structure of plasmodium falciparum glycerol kinase2 with bound glycerol
63	d2ewsA1	Alignment	not modelled	98.6	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Fumble-like
64	c3cerD_	Alignment	not modelled	98.6	20	PDB header: structural genomics, unknown function Chain: D: PDB Molecule: possible exopolyphosphatase-like protein; PDBTitle: crystal structure of the exopolyphosphatase-like protein2 q8g5j2. northeast structural genomics consortium target3 blr13
65	c3htvA_	Alignment	not modelled	98.5	11	PDB header: transferase Chain: A: PDB Molecule: d-allose kinase; PDBTitle: crystal structure of d-allose kinase (np_418508.1) from escherichia2 coli k12 at 1.95 a resolution
66	c1glbG_	Alignment	not modelled	98.4	13	PDB header: phosphotransferase Chain: G: PDB Molecule: glycerol kinase; PDBTitle: structure of the regulatory complex of escherichia coli iiglc with2 glycerol kinase
67	c2e2pA_	Alignment	not modelled	98.2	14	PDB header: transferase Chain: A: PDB Molecule: hexokinase; PDBTitle: crystal structure of sulfolobus tokodaii hexokinase in2 complex with adp
68	c2qm1D_	Alignment	not modelled	98.2	16	PDB header: transferase Chain: D: PDB Molecule: glucokinase; PDBTitle: crystal structure of glucokinase from enterococcus faecalis
69	c2ap1A_	Alignment	not modelled	98.2	15	PDB header: transferase Chain: A: PDB Molecule: putative regulator protein; PDBTitle: crystal structure of the putative regulatory protein
70	d2p3ra1	Alignment	not modelled	98.1	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glycerol kinase
71	c3cetA_	Alignment	not modelled	97.9	20	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: conserved archaeal protein; PDBTitle: crystal structure of the pantheonate kinase-like protein2 q6m145 at the resolution 1.8 a. northeast structural3 genomics consortium target mrr63
72	c1z6rC_	Alignment	not modelled	97.8	12	PDB header: transcription Chain: C: PDB Molecule: mlc protein; PDBTitle: crystal structure of mlc from escherichia coli
73	d1t6ca2	Alignment	not modelled	97.8	12	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Ppx/GppA phosphatase
74	c3r8eA_	Alignment	not modelled	97.8	12	PDB header: transferase Chain: A: PDB Molecule: hypothetical sugar kinase; PDBTitle: crystal structure of a hypothetical sugar kinase (chu_1875) from2 cytophaga hutchinsonii atcc 33406 at 1.65 a resolution
75	c4db3A_	Alignment	not modelled	97.8	14	PDB header: transferase Chain: A: PDB Molecule: n-acetyl-d-glucosamine kinase; PDBTitle: 1.95 angstrom resolution crystal structure of n-acetyl-d-glucosamine2 kinase from vibrio vulnificus.
76	c2aa4B_	Alignment	not modelled	97.7	16	PDB header: transferase Chain: B: PDB Molecule: putative n-acetylmannosamine kinase; PDBTitle: crystal structure of escherichia coli putative n-2 acetylmannosamine kinase, new york structural genomics3 consortium
77	c3vovC_	Alignment	not modelled	97.7	16	PDB header: transferase Chain: C: PDB Molecule: glucokinase; PDBTitle: crystal structure of rok hexokinase from thermus thermophilus
78	d1u6za3	Alignment	not modelled	97.6	18	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Ppx/GppA phosphatase
79	c2cgkB_	Alignment	not modelled	97.6	18	PDB header: transferase Chain: B: PDB Molecule: l-rhamnulose kinase; PDBTitle: crystal structure of l-rhamnulose kinase from escherichia2 coli in an open uncomplexed conformation.
80	c3h6eB_	Alignment	not modelled	97.5	11	PDB header: transferase Chain: B: PDB Molecule: carbohydrate kinase, fggy; PDBTitle: the crystal structure of a carbohydrate kinase from novosphingobium2 aromaticivorans

81	d2p3ra2	Alignment	not modelled	97.5	19	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glycerol kinase
82	c1xup0	Alignment	not modelled	97.5	18	PDB header: transferase Chain: O: PDB Molecule: glycerol kinase; PDBTitle: enterococcus casseliflavus glycerol kinase complexed with glycerol
83	d1r59o2	Alignment	not modelled	97.4	14	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glycerol kinase
84	c2hoeA	Alignment	not modelled	97.3	13	PDB header: transferase Chain: A: PDB Molecule: n-acetylglucosamine kinase; PDBTitle: crystal structure of n-acetylglucosamine kinase (tm1224) from2 thermotoga maritima at 2.46 a resolution
85	c3vgkB	Alignment	not modelled	97.3	17	PDB header: transferase Chain: B: PDB Molecule: glucokinase; PDBTitle: crystal structure of a rok family glucokinase from streptomyces2 griseus
86	c2ch5D	Alignment	not modelled	97.2	14	PDB header: transferase Chain: D: PDB Molecule: nagk protein; PDBTitle: crystal structure of human n-acetylglucosamine kinase in2 complex with n-acetylglucosamine
87	d2ch5a2	Alignment	not modelled	97.2	19	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: BadF/BadG/BcrA/BcrD-like
88	c1xc3A	Alignment	not modelled	97.0	13	PDB header: transferase Chain: A: PDB Molecule: putative fructokinase; PDBTitle: structure of a putative fructokinase from bacillus subtilis
89	c1z05A	Alignment	not modelled	97.0	11	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator, rok family; PDBTitle: crystal structure of the rok family transcriptional regulator, homolog2 of e.coli mlc protein.
90	d1zc6a1	Alignment	not modelled	96.9	17	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: BadF/BadG/BcrA/BcrD-like
91	c3cqyA	Alignment	not modelled	96.8	15	PDB header: transferase Chain: A: PDB Molecule: anhydro-n-acetylmuramic acid kinase; PDBTitle: crystal structure of a functionally unknown protein (so_1313) from2 shewanella oneidensis mr-1
92	c3p4iA	Alignment	not modelled	96.7	13	PDB header: transferase Chain: A: PDB Molecule: acetate kinase; PDBTitle: crystal structure of acetate kinase from mycobacterium avium
93	d1r59o1	Alignment	not modelled	96.6	17	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glycerol kinase
94	c1zc6A	Alignment	not modelled	96.5	17	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: probable n-acetylglucosamine kinase; PDBTitle: crystal structure of putative n-acetylglucosamine kinase from2 chromobacterium violaceum. northeast structural genomics target3 cvr23.
95	c2gupA	Alignment	not modelled	96.5	13	PDB header: transferase Chain: A: PDB Molecule: rok family protein; PDBTitle: structural genomics, the crystal structure of a rok family protein2 from streptococcus pneumoniae tigr4 in complex with sucrose
96	d2i7na2	Alignment	not modelled	96.4	13	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Fumble-like
97	d2d0oa2	Alignment	not modelled	96.4	21	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ATPase domain of dehydratase reactivase alpha subunit
98	c1woqB	Alignment	not modelled	96.3	18	PDB header: transferase Chain: B: PDB Molecule: inorganic polyphosphate/atp-glucomannokinase; PDBTitle: crystal structure of inorganic polyphosphate/atp-glucomannokinase from2 arthrobacter sp. strain km at 1.8 a resolution
99	d1q18a1	Alignment	not modelled	96.1	13	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glucokinase
100	c3eo3B	Alignment	not modelled	95.9	12	PDB header: isomerase, transferase Chain: B: PDB Molecule: bifunctional udp-n-acetylglucosamine 2-epimerase/n- PDBTitle: crystal structure of the n-acetylmannosamine kinase domain of human2 gne protein
101	c3aapA	Alignment	not modelled	95.5	15	PDB header: hydrolase Chain: A: PDB Molecule: ectonucleoside triphosphate diphosphohydrolase i; PDBTitle: crystal structure of Ip1ntpdase from legionella pneumophila
102	d1sz2a1	Alignment	not modelled	95.2	13	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glucokinase
103	c2q2rA	Alignment	not modelled	94.9	13	PDB header: transferase Chain: A: PDB Molecule: glucokinase 1, putative; PDBTitle: trypanosoma cruzi glucokinase in complex with beta-d-glucose and adp
104	c3mcpA	Alignment	not modelled	94.8	10	PDB header: transferase Chain: A: PDB Molecule: glucokinase; PDBTitle: crystal structure of glucokinase (bdi_1628) from parabacteroides2 distansis atcc 8503 at 3.00 a resolution
105	c2iirJ	Alignment	not modelled	94.7	15	PDB header: transferase Chain: J: PDB Molecule: acetate kinase; PDBTitle: acetate kinase from a hypothermophile thermotoga maritima

106	d1nbwa2	Alignment	not modelled	94.7	18	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ATPase domain of dehydratase reactivase alpha subunit
107	d1woqa1	Alignment	not modelled	94.5	12	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
108	d1z05a3	Alignment	not modelled	94.2	11	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
109	c2ivoC_	Alignment	not modelled	93.7	13	PDB header: hydrolase Chain: C: PDB Molecule: up1; PDBTitle: structure of up1 protein
110	c3qbwa_	Alignment	not modelled	93.5	16	PDB header: transferase Chain: A: PDB Molecule: anhydro-n-acetylmuramic acid kinase; PDBTitle: crystal structure of pseudomonas aeruginosa 1,6-anhydro-n-2 acetylmuramic acid kinase (anmk) bound to adenosine diphosphate
111	c1tuuA_	Alignment	not modelled	93.4	12	PDB header: transferase Chain: A: PDB Molecule: acetate kinase; PDBTitle: acetate kinase crystallized with atpgs
112	d2aa4a2	Alignment	not modelled	92.8	8	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
113	c1sazA_	Alignment	not modelled	92.7	17	PDB header: transferase Chain: A: PDB Molecule: probable butyrate kinase 2; PDBTitle: membership in the askha superfamily; enzymological2 properties and crystal structure of butyrate kinase 2 from3 thermotoga maritima
114	d1z6ra2	Alignment	not modelled	92.6	11	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
115	c3enoB_	Alignment	not modelled	91.7	12	PDB header: hydrolase/unknown function Chain: B: PDB Molecule: putative o-sialoglycoprotein endopeptidase; PDBTitle: crystal structure of pyrococcus furiosus pcc1 in complex2 with thermoplasma acidophilum kae1
116	c3hm8D_	Alignment	not modelled	91.5	12	PDB header: transferase Chain: D: PDB Molecule: hexokinase-3; PDBTitle: crystal structure of the c-terminal hexokinase domain of human hk3
117	c3zx2A_	Alignment	not modelled	91.3	14	PDB header: hydrolase Chain: A: PDB Molecule: ectonucleoside triphosphate diphosphohydrolase 1; PDBTitle: ntpdase1 in complex with decavanadate
118	d1iv0a_	Alignment	not modelled	91.2	18	Fold: Ribonuclease H-like motif Superfamily: Ribonuclease H-like Family: Putative Holliday junction resolvase RuvX
119	c1zbsA_	Alignment	not modelled	91.2	13	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: hypothetical protein pg1100; PDBTitle: crystal structure of the putative n-acetylglucosamine kinase (pg1100)2 from porphyromonas gingivalis, northeast structural genomics target3 pgr18
120	d2ap1a2	Alignment	not modelled	91.1	17	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK