













#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c3emkA_	 Alignment		100.0	20	PDB header: oxidoreductase Chain: A: PDB Molecule: glucose/ribitol dehydrogenase; PDBTitle: 2.5a crystal structure of glucose/ribitol dehydrogenase2 from brucella melitensis
2	c3rihB_	 Alignment		100.0	20	PDB header: oxidoreductase Chain: B: PDB Molecule: short chain dehydrogenase or reductase; PDBTitle: crystal structure of a putative short chain dehydrogenase or reductase2 from mycobacterium abscessus
3	d1q7ba_	 Alignment		100.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
4	c2pd6D_	 Alignment		100.0	18	PDB header: oxidoreductase Chain: D: PDB Molecule: estradiol 17-beta-dehydrogenase 8; PDBTitle: structure of human hydroxysteroid dehydrogenase type 8, hsd17b8
5	c3svtA_	 Alignment		100.0	22	PDB header: oxidoreductase Chain: A: PDB Molecule: short-chain type dehydrogenase/reductase; PDBTitle: structure of a short-chain type dehydrogenase/reductase from2 mycobacterium ulcerans
6	d1w6ua_	 Alignment		100.0	16	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
7	d1bdba_	 Alignment		100.0	16	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
8	d1xhla_	 Alignment		100.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
9	c3ijrF_	 Alignment		100.0	19	PDB header: oxidoreductase Chain: F: PDB Molecule: oxidoreductase, short chain dehydrogenase/reductase family; PDBTitle: 2.05 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor' in complex3 with nad+
10	c3ak4C_	 Alignment		100.0	17	PDB header: oxidoreductase Chain: C: PDB Molecule: nadh-dependent quinuclidinone reductase; PDBTitle: crystal structure of nadh-dependent quinuclidinone reductase from2 agrobacterium tumefaciens
11	c3diiB_	 Alignment		100.0	20	PDB header: oxidoreductase Chain: B: PDB Molecule: short-chain dehydrogenase/reductase sdr; PDBTitle: crystal structure of a carbohydrate specific scor enzyme2 from clostridium thermocellum, ligand-free form

12	c3lf2B_	Alignment		100.0	16	PDB header: oxidoreductase Chain: B: PDB Molecule: short chain oxidoreductase q9hya2; PDBTitle: nadph bound structure of the short chain oxidoreductase q9hya2 from2 pseudomonas aeruginosa pao1 containing an atypical catalytic center
13	dlgeea_	Alignment		100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
14	dlk2wa_	Alignment		100.0	21	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
15	dliy8a_	Alignment		100.0	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
16	dlhdca_	Alignment		100.0	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
17	c3bmrA_	Alignment		100.0	21	PDB header: oxidoreductase Chain: A: PDB Molecule: pteridine reductase; PDBTitle: structure of pteridine reductase 1 (ptr1) from trypanosoma2 brucei in ternary complex with cofactor (nadp+) and3 inhibitor (compound ax6)
18	c3toxG_	Alignment		100.0	20	PDB header: oxidoreductase Chain: G: PDB Molecule: short chain dehydrogenase; PDBTitle: crystal structure of a short chain dehydrogenase in complex with2 nad(p) from sinorhizobium meliloti 1021
19	c3imfA_	Alignment		100.0	19	PDB header: oxidoreductase Chain: A: PDB Molecule: short chain dehydrogenase; PDBTitle: 1.99 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor'
20	dlpr9a_	Alignment		100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
21	c3r3sD_	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: D: PDB Molecule: oxidoreductase; PDBTitle: structure of the ygha oxidoreductase from salmonella enterica
22	c3pk0B_	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: B: PDB Molecule: short-chain dehydrogenase/reductase sdr; PDBTitle: crystal structure of short-chain dehydrogenase/reductase sdr from2 mycobacterium smegmatis
23	dlfmca_	Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
24	c2p68A_	Alignment	not modelled	100.0	20	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of aq_1716 from aquifex aeolicus vf5
25	c3k31B_	Alignment	not modelled	100.0	15	PDB header: oxidoreductase Chain: B: PDB Molecule: enoyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of enoyl-(acyl-carrier-protein) reductase from2 anaplasma phagocytophilum in complex with nad at 1.9a resolution
26	d2ae2a_	Alignment	not modelled	100.0	16	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
27	c1w4zA_	Alignment	not modelled	100.0	17	PDB header: antibiotic biosynthesis Chain: A: PDB Molecule: ketoacyl reductase; PDBTitle: structure of actinorhodin polyketide (actiii) reductase
28	d1nffa_	Alignment	not modelled	100.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
						Fold: NAD(P)-binding Rossmann-fold domains

29	dle6wa_	Alignment	not modelled	100.0	21	Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
30	dlydea1	Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
31	d2d1ya1	Alignment	not modelled	100.0	24	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
32	c2zatC_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: C: PDB Molecule: dehydrogenase/reductase sdr family member 4; PDBTitle: crystal structure of a mammalian reductase
33	dlulsa_	Alignment	not modelled	100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
34	c3ppiA_	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-hydroxyacyl-coa dehydrogenase type-2; PDBTitle: crystal structure of 3-hydroxyacyl-coa dehydrogenase type-2 from2 mycobacterium avium
35	d2rhca1	Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
36	c3cxtA_	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: A: PDB Molecule: dehydrogenase with different specificities; PDBTitle: quaternary complex structure of gluconate 5-dehydrogenase from2 streptococcus suis type 2
37	c3grkE_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: E: PDB Molecule: enoyl-(acyl-carrier-protein) reductase (nadh); PDBTitle: crystal structure of short chain dehydrogenase reductase2 sdr glucose-ribitol dehydrogenase from brucella melitensis
38	dlae1a_	Alignment	not modelled	100.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
39	c3gvcB_	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: B: PDB Molecule: probable short-chain type PDBTitle: crystal structure of probable short-chain dehydrogenase-2 reductase from mycobacterium tuberculosis
40	dlyxma1	Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
41	dlxkqa_	Alignment	not modelled	100.0	16	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
42	d2pd4a1	Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
43	c3uveC_	Alignment	not modelled	100.0	16	PDB header: oxidoreductase Chain: C: PDB Molecule: carveol dehydrogenase ((+)-trans-carveol dehydrogenase); PDBTitle: crystal structure of carveol dehydrogenase ((+)-trans-carveol2 dehydrogenase) from mycobacterium avium
44	c3t7cC_	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: C: PDB Molecule: carveol dehydrogenase; PDBTitle: crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nad
45	c2dteB_	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: B: PDB Molecule: glucose 1-dehydrogenase related protein; PDBTitle: structure of thermoplasma acidophilum aldohexose dehydrogenase (aldt)2 in complex with nadh
46	c3gk3D_	Alignment	not modelled	100.0	16	PDB header: oxidoreductase Chain: D: PDB Molecule: acetoacetyl-coa reductase; PDBTitle: crystal structure of acetoacetyl-coa reductase from2 burkholderia pseudomallei 1710b
47	c3gdfA_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: A: PDB Molecule: probable nadp-dependent mannitol dehydrogenase; PDBTitle: crystal structure of the nadp-dependent mannitol dehydrogenase from2 cladosporium herbarum.
48	dlg0oa_	Alignment	not modelled	100.0	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
49	c2z1nA_	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: A: PDB Molecule: dehydrogenase; PDBTitle: crystal structure of ape0912 from aeropyrum pernix k1
50	c3ek2D_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: D: PDB Molecule: enoyl-(acyl-carrier-protein) reductase (nadh); PDBTitle: crystal structure of enoyl-(acyl carrier protein) reductase2 from burkholderia pseudomallei 1719b
51	c3v2gA_	Alignment	not modelled	100.0	20	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of a dehydrogenase/reductase from sinorhizobium2 meliloti 1021
52	c3gr6A_	Alignment	not modelled	100.0	16	PDB header: oxidoreductase Chain: A: PDB Molecule: enoyl-[acyl-carrier-protein] reductase [nadh]; PDBTitle: crystal structure of the staphylococcus aureus enoyl-acyl2 carrier protein reductase (fabI) in complex with nadp and3 triclosan
						PDB header: oxidoreductase

53	c3nugA_	Alignment	not modelled	100.0	19	Chain: A: PDB Molecule: 3-oxoacyl-(acyl-carrier protein) reductase; PDBTitle: crystal structure of wild type tetrameric pyridoxal 4-dehydrogenase2 from mesorhizobium loti
54	c3o38D_	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: D: PDB Molecule: short chain dehydrogenase; PDBTitle: crystal structure of a short chain dehydrogenase from mycobacterium2 smegmatis
55	d2c07a1	Alignment	not modelled	100.0	20	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
56	c2c07A_	Alignment	not modelled	100.0	20	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-(acyl-carrier protein) reductase; PDBTitle: oxoacyl-acp reductase of plasmodium falciparum
57	d1lulua_	Alignment	not modelled	100.0	21	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
58	c3itdA_	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: A: PDB Molecule: 17beta-hydroxysteroid dehydrogenase; PDBTitle: crystal structure of an inactive 17beta-hydroxysteroid dehydrogenase2 (y167f mutated form) from fungus cochliobolus lunatus
59	c3iccA_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: A: PDB Molecule: putative 3-oxoacyl-(acyl carrier protein) reductase; PDBTitle: crystal structure of a putative 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis at 1.87 a resolution
60	d1zema1	Alignment	not modelled	100.0	21	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
61	c2uvdE_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: E: PDB Molecule: 3-oxoacyl-(acyl-carrier-protein) reductase; PDBTitle: the crystal structure of a 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis (ba3989)
62	c2b4qB_	Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: B: PDB Molecule: rhannolipids biosynthesis 3-oxoacyl-[acyl- PDBTitle: pseudomonas aeruginosa rhlg/nadp active-site complex
63	c2qioA_	Alignment	not modelled	100.0	18	PDB header: unknown function Chain: A: PDB Molecule: enoyl-(acyl-carrier-protein) reductase; PDBTitle: x-ray structure of enoyl-acyl carrier protein reductase from bacillus2 anthracis with triclosan
64	d1x1ta1	Alignment	not modelled	100.0	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
65	d2bgka1	Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
66	c3afnC_	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: C: PDB Molecule: carbonyl reductase; PDBTitle: crystal structure of aldose reductase a1-r complexed with nadp
67	c2cfcB_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: B: PDB Molecule: 2-(r)-hydroxypropyl-com dehydrogenase; PDBTitle: structural basis for stereo selectivity in the (r)- and2 (s)-hydroxypropylethane thiosulfonate dehydrogenases
68	c2p91A_	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: A: PDB Molecule: enoyl-[acyl-carrier-protein] reductase [nadh]; PDBTitle: crystal structure of enoyl-[acyl-carrier-protein] reductase (nadh)2 from aquifex aeolicus vf5
69	c3gemC_	Alignment	not modelled	100.0	41	PDB header: oxidoreductase Chain: C: PDB Molecule: short chain dehydrogenase; PDBTitle: crystal structure of short-chain dehydrogenase from pseudomonas2 syringae
70	c2wdzD_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: D: PDB Molecule: short-chain dehydrogenase/reductase; PDBTitle: crystal structure of the short chain dehydrogenase2 galactol-dehydrogenase (gathd) of rhodobacter3 sphaeroides in complex with nad+ and 1,2-pentandiol
71	c3sjuA_	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: A: PDB Molecule: keto reductase; PDBTitle: hedamycin polyketide ketoreductase bound to nadph
72	d1zk4a1	Alignment	not modelled	100.0	22	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
73	d1qsga_	Alignment	not modelled	100.0	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
74	c2jjyD_	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: D: PDB Molecule: enoyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of francisella tularensis enoyl reductase2 (ffabi) with bound nad
75	c3uf0A_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: A: PDB Molecule: short-chain dehydrogenase/reductase sdr; PDBTitle: crystal structure of a putative nad(p) dependent gluconate 5-2 dehydrogenase from beutenbergia cavernae(efi target efi-502044) with3 bound nadp (low occupancy)
76	c3ftpD_	Alignment	not modelled	100.0	20	PDB header: oxidoreductase Chain: D: PDB Molecule: 3-oxoacyl-[acyl-carrier protein] reductase; PDBTitle: crystal structure of 3-ketoacyl-(acyl-carrier-protein)2 reductase from burkholderia pseudomallei at 2.05 a3 resolution
						Fold: NAD(P)-binding Rossmann-fold domains

77	d2ew8a1	Alignment	not modelled	100.0	19	Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
78	c3ai3A	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: A: PDB Molecule: nadh-sorbose reductase; PDBTitle: the crystal structure of l-sorbose reductase from gluconobacter2 frateurii complexed with nadh and l-sorbose
79	d1ja9a	Alignment	not modelled	100.0	20	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
80	d2gdza1	Alignment	not modelled	100.0	13	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
81	d1hxha	Alignment	not modelled	100.0	16	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
82	c3ctmH	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: H: PDB Molecule: carbonyl reductase; PDBTitle: crystal structure of a carbonyl reductase from candida2 parapsilosis with anti-prelog stereo-specificity
83	d2a4ka1	Alignment	not modelled	100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
84	d2ag5a1	Alignment	not modelled	100.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
85	d1o5ia	Alignment	not modelled	100.0	16	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
86	c2q2qG	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: G: PDB Molecule: beta-d-hydroxybutyrate dehydrogenase; PDBTitle: structure of d-3-hydroxybutyrate dehydrogenase from pseudomonas putida
87	d1h5qa	Alignment	not modelled	100.0	21	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
88	c3uxyC	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: C: PDB Molecule: short-chain dehydrogenase/reductase sdr; PDBTitle: the crystal structure of short chain dehydrogenase from rhodobacter2 sphaeroides
89	c3r1iB	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: B: PDB Molecule: short-chain type dehydrogenase/reductase; PDBTitle: crystal structure of a short-chain type dehydrogenase/reductase from2 mycobacterium marinum
90	c3un1D	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: D: PDB Molecule: probable oxidoreductase; PDBTitle: crystal structure of an oxidoreductase from sinorhizobium meliloti2 1021
91	c3f9iB	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: B: PDB Molecule: 3-oxoacyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase2 rickettsia prowazekii
92	c3oidA	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: A: PDB Molecule: enoyl-[acyl-carrier-protein] reductase [nadh]; PDBTitle: crystal structure of enoyl-acp reductases iii (fabl) from b. subtilis2 (complex with nadp and tcl)
93	c3lylB	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: B: PDB Molecule: 3-oxoacyl-(acyl-carrier-protein) reductase; PDBTitle: structure of 3-oxoacyl-acylcarrier protein reductase, fabg2 from francisella tularensis
94	c3pgxB	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: B: PDB Molecule: carveol dehydrogenase; PDBTitle: crystal structure of a putative carveol dehydrogenase from2 mycobacterium paratuberculosis bound to nicotinamide adenine3 dinucleotide
95	c3n74A	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-ketoacyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase from2 brucella melitensis
96	c2qhxB	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: B: PDB Molecule: pteridine reductase 1; PDBTitle: structure of pteridine reductase from leishmania major2 complexed with a ligand
97	d1vl8a	Alignment	not modelled	100.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
98	c3oecA	Alignment	not modelled	100.0	16	PDB header: oxidoreductase Chain: A: PDB Molecule: carveol dehydrogenase (mytha.01326.c, a0r518 homolog); PDBTitle: crystal structure of carveol dehydrogenase from mycobacterium2 thermoresistibile
99	c3ezlA	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: A: PDB Molecule: acetoacetyl-coa reductase; PDBTitle: crystal structure of acetylacetyl-coa reductase from2 burkholderia pseudomallei 1710b
100	d1gega	Alignment	not modelled	100.0	21	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
101	d1cyda	Alignment	not modelled	100.0	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases

102	c3rkuC	 Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: C: PDB Molecule: oxidoreductase ymr226c; PDBTitle: substrate fingerprint and the structure of nadp+ dependent serine2 dehydrogenase from saccharomyces cerevisiae complexed with nadp+
103	dlspxa	 Alignment	not modelled	100.0	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
104	dlmxha	 Alignment	not modelled	100.0	22	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
105	dlxg5a	 Alignment	not modelled	100.0	16	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
106	dluaya	 Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
107	c3pxxE	 Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: E: PDB Molecule: carveol dehydrogenase; PDBTitle: crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nicotinamide adenine dinucleotide
108	c3v2hB	 Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: B: PDB Molecule: d-beta-hydroxybutyrate dehydrogenase; PDBTitle: the crystal structure of d-beta-hydroxybutyrate dehydrogenase from2 sinorhizobium meliloti
109	dlledoa	 Alignment	not modelled	100.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
110	c3osuA	 Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of the 3-oxoacyl-acyl carrier protein reductase,2 fabg, from staphylococcus aureus
111	dlp33a	 Alignment	not modelled	100.0	20	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
112	c3i4fD	 Alignment	not modelled	100.0	15	PDB header: oxidoreductase Chain: D: PDB Molecule: 3-oxoacyl-[acyl-carrier protein] reductase; PDBTitle: structure of putative 3-oxoacyl-reductase from bacillus thuringiensis
113	c2et6A	 Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: A: PDB Molecule: (3r)-hydroxyacyl-coa dehydrogenase; PDBTitle: (3r)-hydroxyacyl-coa dehydrogenase domain of candida tropicalis2 peroxisomal multifunctional enzyme type 2
114	d2h7ma1	 Alignment	not modelled	100.0	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
115	c3sx2F	 Alignment	not modelled	100.0	15	PDB header: oxidoreductase Chain: F: PDB Molecule: putative 3-ketoacyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of a putative 3-ketoacyl-(acyl-carrier-protein)2 reductase from mycobacterium paratuberculosis in complex with nad
116	c2ph3B	 Alignment	not modelled	100.0	20	PDB header: oxidoreductase Chain: B: PDB Molecule: 3-oxoacyl-[acyl carrier protein] reductase; PDBTitle: crystal structure of 3-oxoacyl-[acyl carrier protein] reductase2 ttha0415 from thermus thermophilus
117	c3v8bC	 Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: C: PDB Molecule: putative dehydrogenase, possibly 3-oxoacyl-[acyl-carrier PDBTitle: crystal structure of a 3-ketoacyl-acp reductase from sinorhizobium2 meliloti 1021
118	c2fwmx	 Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: X: PDB Molecule: 2,3-dihydro-2,3-dihydroxybenzoate dehydrogenase; PDBTitle: crystal structure of e. coli enta, a 2,3-dihydrodihydroxy benzoate2 dehydrogenase
119	c3tpcG	 Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: G: PDB Molecule: short chain alcohol dehydrogenase-related dehydrogenase; PDBTitle: crystal structure of a hypothetical protein sma1452 from sinorhizobium2 meliloti 1021
120	c3s55F	 Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: F: PDB Molecule: putative short-chain dehydrogenase/reductase; PDBTitle: crystal structure of a putative short-chain dehydrogenase/reductase2 from mycobacterium abscessus bound to nad