

































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2olkD_	 Alignment		100.0	55	PDB header: hydrolase Chain: D: PDB Molecule: amino acid abc transporter; PDBTitle: abc protein artp in complex with adp-beta-s
2	c3fvqB_	 Alignment		100.0	36	PDB header: hydrolase Chain: B: PDB Molecule: fe(3+) ions import atp-binding protein fbpc; PDBTitle: crystal structure of the nucleotide binding domain fbpc2 complexed with atp
3	c2it1B_	 Alignment		100.0	41	PDB header: transport protein Chain: B: PDB Molecule: 362aa long hypothetical maltose/maltodextrin PDBTitle: structure of ph0203 protein from pyrococcus horikoshii
4	d1g2912	 Alignment		100.0	34	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
5	c2yyzA_	 Alignment		100.0	39	PDB header: transport protein Chain: A: PDB Molecule: sugar abc transporter, atp-binding protein; PDBTitle: crystal structure of sugar abc transporter, atp-binding protein
6	d1b0ua_	 Alignment		100.0	53	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
7	d3dhwc1	 Alignment		100.0	40	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
8	c1z47B_	 Alignment		100.0	41	PDB header: ligand binding protein Chain: B: PDB Molecule: putative abc-transporter atp-binding protein; PDBTitle: structure of the atpase subunit cysa of the putative2 sulfate atp-binding cassette (abc) transporter from3 alicyclobacillus acidocaldarius
9	d1oxk2	 Alignment		100.0	37	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
10	c1oxtb_	 Alignment		100.0	37	PDB header: transport protein Chain: B: PDB Molecule: abc transporter, atp binding protein; PDBTitle: crystal structure of glcv, the abc-atpase of the glucose abc2 transporter from sulfolobus solfataricus
11	d1vpla_	 Alignment		100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like

12	c1q1bD_	Alignment		100.0	43	PDB header: transport protein Chain: D: PDB Molecule: maltose/maltodextrin transport atp-binding protein malk; PDBTitle: crystal structure of e. coli malk in the nucleotide-free form
13	c3dhwC_	Alignment		100.0	40	PDB header: membrane protein/hydrolase Chain: C: PDB Molecule: methionine import atp-binding protein metn; PDBTitle: crystal structure of methionine importer metni
14	d3d31a2	Alignment		100.0	32	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
15	d1v43a3	Alignment		100.0	35	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
16	c2d62A_	Alignment		100.0	35	PDB header: sugar binding protein Chain: A: PDB Molecule: multiple sugar-binding transport atp-binding PDBTitle: crystal structure of multiple sugar binding transport atp-2 binding protein
17	c1vciA_	Alignment		100.0	36	PDB header: transport protein Chain: A: PDB Molecule: sugar-binding transport atp-binding protein; PDBTitle: crystal structure of the atp-binding cassette of multisugar2 transporter from pyrococcus horikoshii ot3 complexed with3 atp
18	c3gfoA_	Alignment		100.0	28	PDB header: atp binding protein Chain: A: PDB Molecule: cobalt import atp-binding protein cbio 1; PDBTitle: structure of cbio1 from clostridium perfringens: part of2 the abc transporter complex cbionq.
19	d1g6ha_	Alignment		100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
20	c3d31B_	Alignment		100.0	31	PDB header: transport protein Chain: B: PDB Molecule: sulfate/molybdate abc transporter, atp-binding PDBTitle: modbc from methanosarcina acetivorans
21	c2pcjB_	Alignment	not modelled	100.0	39	PDB header: hydrolase Chain: B: PDB Molecule: lipoprotein-releasing system atp-binding protein lold; PDBTitle: crystal structure of abc transporter (aq_297) from aquifex aeolicus2 vf5
22	d1ji0a_	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
23	c3g5uB_	Alignment	not modelled	100.0	30	PDB header: membrane protein Chain: B: PDB Molecule: multidrug resistance protein 1a; PDBTitle: structure of p-glycoprotein reveals a molecular basis for2 poly-specific drug binding
24	d2pmka1	Alignment	not modelled	100.0	35	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
25	d1mv5a_	Alignment	not modelled	100.0	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
26	c2yz2B_	Alignment	not modelled	100.0	29	PDB header: hydrolase Chain: B: PDB Molecule: putative abc transporter atp-binding protein tm_0222; PDBTitle: crystal structure of the abc transporter in the cobalt transport2 system
27	d1l2ta_	Alignment		100.0	46	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like

28	d3b60a1	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
29	c2d2fA	Alignment	not modelled	100.0	22	PDB header: protein binding Chain: A: PDB Molecule: sufc protein; PDBTitle: crystal structure of atypical cytoplasmic abc-atpase sufc from thermus2 thermophilus hb8
30	d1jj7a	Alignment	not modelled	100.0	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
31	c2yl4A	Alignment	not modelled	100.0	33	PDB header: membrane protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 10, PDBTitle: structure of the human mitochondrial abc transporter, abcb10
32	c2hydB	Alignment	not modelled	100.0	31	PDB header: transport protein Chain: B: PDB Molecule: abc transporter homolog; PDBTitle: multidrug abc transporter sav1866
33	c3nhaA	Alignment	not modelled	100.0	29	PDB header: transport protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 6, mitochondrial; PDBTitle: nucleotide binding domain of human abcb6 (adp mg bound structure)
34	c3gd7C	Alignment	not modelled	100.0	23	PDB header: hydrolase Chain: C: PDB Molecule: fusion complex of cystic fibrosis transmembrane PDBTitle: crystal structure of human nbd2 complexed with n6-2 phenylethyl-atp (p-atp)
35	c2nq2C	Alignment	not modelled	100.0	28	PDB header: metal transport Chain: C: PDB Molecule: hypothetical abc transporter atp-binding protein PDBTitle: an inward-facing conformation of a putative metal-chelate2 type abc transporter.
36	d2onka1	Alignment	not modelled	100.0	30	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
37	c2d3wB	Alignment	not modelled	100.0	22	PDB header: biosynthetic protein Chain: B: PDB Molecule: probable atp-dependent transporter sufc; PDBTitle: crystal structure of escherichia coli sufc, an atpase2 compenent of the suf iron-sulfur cluster assembly machinery
38	d2hyda1	Alignment	not modelled	100.0	32	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
39	c2ihyB	Alignment	not modelled	100.0	27	PDB header: hydrolase Chain: B: PDB Molecule: abc transporter, atp-binding protein; PDBTitle: structure of the staphylococcus aureus putative atpase subunit of an2 atp-binding cassette (abc) transporter
40	c3b5wE	Alignment	not modelled	100.0	29	PDB header: membrane protein Chain: E: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of eschericia coli msba
41	c3b5xB	Alignment	not modelled	100.0	28	PDB header: membrane protein Chain: B: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of msba from vibrio cholerae
42	c2cbzA	Alignment	not modelled	100.0	26	PDB header: transport Chain: A: PDB Molecule: multidrug resistance-associated protein 1; PDBTitle: structure of the human multidrug resistance protein 12 nucleotide binding domain 1
43	d1pf4a1	Alignment	not modelled	100.0	30	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
44	c2pzfB	Alignment	not modelled	100.0	24	PDB header: hydrolase Chain: B: PDB Molecule: cystic fibrosis transmembrane conductance regulator; PDBTitle: minimal human cfr first nucleotide binding domain as a head-to-tail2 dimer with delta f508
45	d2awna2	Alignment	not modelled	100.0	42	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
46	d1xmia	Alignment	not modelled	100.0	25	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
47	c2ghiD	Alignment	not modelled	100.0	30	PDB header: transport protein Chain: D: PDB Molecule: transport protein; PDBTitle: crystal structure of plasmodium yoelii multidrug resistance2 protein 2
48	c2pjzA	Alignment	not modelled	100.0	30	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: hypothetical protein st1066; PDBTitle: the crystal structure of putative cobalt transport atp-2 binding protein (cbio-2), st1066
49	c1yqtA	Alignment	not modelled	100.0	31	PDB header: hydrolase/translation Chain: A: PDB Molecule: rnase l inhibitor; PDBTitle: rnase-l inhibitor
50	d1l7vc	Alignment	not modelled	100.0	20	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
51	c3ozxA	Alignment	not modelled	100.0	24	PDB header: hydrolase, translation Chain: A: PDB Molecule: rnase l inhibitor; PDBTitle: crystal structure of abce1 of sulfolobus solfataricus (-fes domain)
						Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like

52	d1r0wa_	Alignment	not modelled	100.0	25	Supernfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
53	c2r6fA_	Alignment	not modelled	100.0	19	PDB header: hydrolase Chain: A: PDB Molecule: excinuclease abc subunit a; PDBTitle: crystal structure of bacillus stearothermophilus uvra
54	d1sgwa_	Alignment	not modelled	100.0	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
55	c3bk7A_	Alignment	not modelled	100.0	31	PDB header: hydrolase/translation Chain: A: PDB Molecule: abc transporter atp-binding protein; PDBTitle: structure of the complete abce1/rnaase-l inhibitor protein2 from pyrococcus abyssi
56	c2iw3B_	Alignment	not modelled	100.0	24	PDB header: translation Chain: B: PDB Molecule: elongation factor 3a; PDBTitle: elongation factor 3 in complex with adp
57	c2ygrD_	Alignment	not modelled	100.0	26	PDB header: hydrolase Chain: D: PDB Molecule: uvrabc system protein a; PDBTitle: mycobacterium tuberculosis uvra
58	c3pihA_	Alignment	not modelled	100.0	27	PDB header: hydrolase/dna Chain: A: PDB Molecule: uvrabc system protein a; PDBTitle: t. maritima uvra in complex with fluorescein-modified dna
59	c2vf7B_	Alignment	not modelled	100.0	26	PDB header: dna-binding protein Chain: B: PDB Molecule: excinuclease abc, subunit a.; PDBTitle: crystal structure of uvra2 from deinococcus radiodurans
60	d1wlwa_	Alignment	not modelled	99.9	18	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
61	d1cr2a_	Alignment	not modelled	99.9	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
62	c3tauB_	Alignment	not modelled	99.9	14	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of a putative guanylate monophosphate kinase from2 listeria monocytogenes egd-e
63	c2j41A_	Alignment	not modelled	99.9	14	PDB header: transferase Chain: A: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of staphylococcus aureus guanylate2 monophosphate kinase
64	c3a4mB_	Alignment	not modelled	99.7	14	PDB header: transferase Chain: B: PDB Molecule: l-seryl-trna(sec) kinase; PDBTitle: crystal structure of archaeal o-phosphoseryl-trna(sec)2 kinase
65	c1xexB_	Alignment	not modelled	99.7	17	PDB header: cell cycle Chain: B: PDB Molecule: smc protein; PDBTitle: structural biochemistry of atp-driven dimerization and dna2 stimulated activation of smc atpases.
66	d2qy9a2	Alignment	not modelled	99.7	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
67	c1f2uD_	Alignment	not modelled	99.6	23	PDB header: replication Chain: D: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of rad50 abc-atpase
68	d1vmaa2	Alignment	not modelled	99.6	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
69	d1ls1a2	Alignment	not modelled	99.6	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
70	c1ii8B_	Alignment	not modelled	99.5	27	PDB header: replication Chain: B: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of the p. furiosus rad50 atpase domain
71	c2o5vA_	Alignment	not modelled	99.5	24	PDB header: replication/recombination Chain: A: PDB Molecule: dna replication and repair protein recf; PDBTitle: recombination mediator recf
72	c1u9iA_	Alignment	not modelled	99.5	14	PDB header: circadian clock protein Chain: A: PDB Molecule: kaic; PDBTitle: crystal structure of circadian clock protein kaic with phosphorylation2 sites
73	c3geiB_	Alignment	not modelled	99.4	13	PDB header: hydrolase Chain: B: PDB Molecule: trna modification gtpase mnme; PDBTitle: crystal structure of mnme from chlorobium tepidum in complex2 with gcp
74	d1okkd2	Alignment	not modelled	99.4	18	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
75	c3lncB_	Alignment	not modelled	99.4	16	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of guanylate kinase from anaplasma2 phagocytophilum
76	c1q57G_	Alignment	not modelled	99.2	12	PDB header: transferase Chain: G: PDB Molecule: dna primase/helicase; PDBTitle: the crystal structure of the bifunctional primase-helicase of2 bacteriophage t7
77	d1ye8a1	Alignment	not modelled	99.2	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
78	d1np6a	Alignment	not modelled	99.2	9	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate

78	d1np0a_	Alignment	not modelled	99.2	9	hydrolases Family: Nitrogenase iron protein-like
79	d1e69a_	Alignment	not modelled	99.1	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
80	d1qzxa3	Alignment	not modelled	98.9	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
81	d2i3ba1	Alignment	not modelled	98.8	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
82	c2dr3A_	Alignment	not modelled	98.8	16	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: upf0273 protein ph0284; PDBTitle: crystal structure of reca superfamily atpase ph0284 from pyrococcus2 horikoshii ot3
83	d1ewqa2	Alignment	not modelled	98.7	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
84	c2w0mA_	Alignment	not modelled	98.6	11	PDB header: unknown function Chain: A: PDB Molecule: sso2452; PDBTitle: crystal structure of sso2452 from sulfolobus solfataricus2 p2
85	c2o8dB_	Alignment	not modelled	98.6	23	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh6; PDBTitle: human mutsalpha (msh2/msh6) bound to adp and a g du mispair
86	c3thxB_	Alignment	not modelled	98.6	19	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh3; PDBTitle: human mutsbeta complexed with an idl of 3 bases (loop3) and adp
87	c2o8bA_	Alignment	not modelled	98.6	21	PDB header: dna binding protein/dna Chain: A: PDB Molecule: dna mismatch repair protein msh2; PDBTitle: human mutsalpha (msh2/msh6) bound to adp and a g t mispair
88	d1wb9a2	Alignment	not modelled	98.5	22	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
89	c1ewqA_	Alignment	not modelled	98.5	26	PDB header: replication/dna Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure taq muts complexed with a heteroduplex2 dna at 2.2 a resolution
90	d1nlfa_	Alignment	not modelled	98.4	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
91	c1ewrA_	Alignment	not modelled	98.4	25	PDB header: hydrolase Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of taq muts
92	c1wbdA_	Alignment	not modelled	98.4	20	PDB header: dna-binding Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of e. coli dna mismatch repair enzyme2 muts, e38q mutant, in complex with a g.t mismatch
93	c1wxqA_	Alignment	not modelled	98.3	10	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: gtp-binding protein; PDBTitle: crystal structure of gtp binding protein from pyrococcus horikoshii2 ot3
94	d1tf7a1	Alignment	not modelled	98.2	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
95	c1pznG_	Alignment	not modelled	98.1	11	PDB header: recombination Chain: G: PDB Molecule: dna repair and recombination protein rad51; PDBTitle: rad51 (rada)
96	c3bh0A_	Alignment	not modelled	98.0	11	PDB header: replication Chain: A: PDB Molecule: dnab-like replicative helicase; PDBTitle: atpase domain of g40p
97	c2vyeA_	Alignment	not modelled	98.0	12	PDB header: hydrolase Chain: A: PDB Molecule: replicative dna helicase; PDBTitle: crystal structure of the dna2-ssdna complex
98	d1yrba1	Alignment	not modelled	98.0	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
99	c3qg5A_	Alignment	not modelled	98.0	42	PDB header: hydrolase Chain: A: PDB Molecule: rad50; PDBTitle: the mre11:rad50 complex forms an atp dependent molecular clamp in dna2 double-strand break repair
100	c3qkuB_	Alignment	not modelled	97.9	39	PDB header: replication Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: mre11 rad50 binding domain in complex with rad50 and amp-pnp
101	c3auyB_	Alignment	not modelled	97.8	28	PDB header: recombination Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: crystal structure of rad50 bound to adp
102	c1xp8A_	Alignment	not modelled	97.8	18	PDB header: dna binding protein Chain: A: PDB Molecule: reca protein; PDBTitle: "deinococcus radiodurans reca in complex with atp-gamma-s"
103	c2recB_	Alignment	not modelled	97.8	18	PDB header: helicase PDB COMPND:
						Fold: P-loop containing nucleoside triphosphate hydrolases

104	d1xp8a1	Alignment	not modelled	97.8	20	Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
105	d1tf7a2	Alignment	not modelled	97.7	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
106	d2ilqa2	Alignment	not modelled	97.7	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
107	c1szpC	Alignment	not modelled	97.7	18	PDB header: dna binding protein Chain: C: PDB Molecule: dna repair protein rad51; PDBTitle: a crystal structure of the rad51 filament
108	d1mo6a1	Alignment	not modelled	97.7	20	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
109	c2ztsB	Alignment	not modelled	97.6	21	PDB header: atp-binding protein Chain: B: PDB Molecule: putative uncharacterized protein ph0186; PDBTitle: crystal structure of kaic-like protein ph0186 from2 hyperthermophilic archaea pyrococcus horikoshii ot3
110	c2q6tB	Alignment	not modelled	97.6	14	PDB header: hydrolase Chain: B: PDB Molecule: dnab replication fork helicase; PDBTitle: crystal structure of the thermus aquaticus dnab monomer
111	c2kjqA	Alignment	not modelled	97.6	17	PDB header: replication Chain: A: PDB Molecule: dnaa-related protein; PDBTitle: solution structure of protein nmb1076 from neisseria meningitidis.2 northeast structural genomics consortium target mr101b.
112	c2ja1A	Alignment	not modelled	97.6	20	PDB header: transferase Chain: A: PDB Molecule: thymidine kinase; PDBTitle: thymidine kinase from b. cereus with ttp bound as phosphate2 donor.
113	c1us8A	Alignment	not modelled	97.6	30	PDB header: dna repair Chain: A: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: the rad50 signature motif: essential to atp binding and2 biological function
114	d1n0wa	Alignment	not modelled	97.6	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
115	c1ii8A	Alignment	not modelled	97.5	31	PDB header: replication Chain: A: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of the p. furiosus rad50 atpase domain
116	d1v5wa	Alignment	not modelled	97.5	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
117	d1znwa1	Alignment	not modelled	97.5	33	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nucleotide and nucleoside kinases
118	d1zp6a1	Alignment	not modelled	97.5	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Atu3015-like
119	c2cvhB	Alignment	not modelled	97.5	19	PDB header: dna binding protein Chain: B: PDB Molecule: dna repair and recombination protein radb; PDBTitle: crystal structure of the radb recombinase
120	d1qhla	Alignment	not modelled	97.5	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like