










#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c3un6A_</a>	Alignment		100.0	16	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein saouhsc_00137; <b>PDBTitle:</b> 2.0 angstrom crystal structure of ligand binding component of abc-type2 import system from staphylococcus aureus with zinc bound
2	<a href="#">c3uifA_</a>	Alignment		100.0	18	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> sulfonate abc transporter, periplasmic sulfonate-binding <b>PDBTitle:</b> crystal structure of putative sulfonate abc transporter, periplasmic2 sulfonate-binding protein ssua from methylobacillus flagellatus kt
3	<a href="#">c3e4rA_</a>	Alignment		100.0	22	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> nitrate transport protein; <b>PDBTitle:</b> crystal structure of the alkanesulfonate binding protein2 (ssua) from the phytopathogenic bacteria xanthomonas3 axonopodis pv. citri bound to hepes
4	<a href="#">c2de4B_</a>	Alignment		100.0	23	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> dibenzothiophene desulfurization enzyme b; <b>PDBTitle:</b> crystal structure of dszb c27s mutant in complex with biphenyl-2-2 sulfinic acid
5	<a href="#">c2x26A_</a>	Alignment		100.0	20	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic aliphatic sulphonates-binding protein; <b>PDBTitle:</b> crystal structure of the periplasmic aliphatic sulphonate2 binding protein ssua from escherichia coli
6	<a href="#">c2x7pA_</a>	Alignment		100.0	14	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> possible thiamine biosynthesis enzyme; <b>PDBTitle:</b> the conserved candida albicans ca3427 gene product defines a new2 family of proteins exhibiting the generic periplasmic binding3 protein structural fold
7	<a href="#">c3ix1A_</a>	Alignment		100.0	16	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding <b>PDBTitle:</b> periplasmic n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding2 protein from bacillus halodurans
8	<a href="#">c3ix1B_</a>	Alignment		100.0	16	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> B: <b>PDB Molecule:</b> n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding <b>PDBTitle:</b> periplasmic n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding2 protein from bacillus halodurans
9	<a href="#">c3qslA_</a>	Alignment		100.0	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative exported protein; <b>PDBTitle:</b> structure of cae31940 from bordetella bronchiseptica rb50
10	<a href="#">c2g29A_</a>	Alignment		100.0	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> nitrate transport protein nrtA; <b>PDBTitle:</b> crystal structure of the periplasmic nitrate-binding2 protein nrtA from synechocystis pcc 6803
11	<a href="#">c2i4cA_</a>	Alignment		100.0	18	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> bicarbonate transporter; <b>PDBTitle:</b> crystal structure of bicarbonate transport protein cmpa from2 synechocystis sp. pcc 6803 in complex with bicarbonate and calcium

12	<a href="#">c3hn0A_</a>	Alignment		100.0	13	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> nitrate transport protein; <b>PDBTitle:</b> crystal structure of an abc transporter (bdi_1369) from2 parabacteroides distasonis at 1.75 a resolution
13	<a href="#">d2nxoa1</a>	Alignment		100.0	14	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
14	<a href="#">c3tqwA_</a>	Alignment		100.0	19	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> methionine-binding protein; <b>PDBTitle:</b> structure of a abc transporter, periplasmic substrate-binding protein2 from coxiella burnetii
15	<a href="#">c3gxaA_</a>	Alignment		100.0	17	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> outer membrane lipoprotein gna1946; <b>PDBTitle:</b> crystal structure of gna1946
16	<a href="#">c1p99A_</a>	Alignment		100.0	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein pg110; <b>PDBTitle:</b> 1.7a crystal structure of protein pg110 from staphylococcus2 aureus
17	<a href="#">d1p99a_</a>	Alignment		100.0	14	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
18	<a href="#">c3k2dA_</a>	Alignment		99.9	20	<b>PDB header:</b> immune system <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type metal ion transport system, periplasmic component; <b>PDBTitle:</b> crystal structure of immunogenic lipoprotein a from vibrio vulnificus
19	<a href="#">c3ir1F_</a>	Alignment		99.9	17	<b>PDB header:</b> protein binding <b>Chain:</b> F: <b>PDB Molecule:</b> outer membrane lipoprotein gna1946; <b>PDBTitle:</b> crystal structure of lipoprotein gna1946 from neisseria2 meningitidis
20	<a href="#">d1zbma1</a>	Alignment		99.9	18	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
21	<a href="#">d1xs5a_</a>	Alignment	not modelled	99.9	16	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
22	<a href="#">c3tmgA_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glycine betaine, l-proline abc transporter, <b>PDBTitle:</b> crystal structure of glycine betaine, l-proline abc transporter,2 glycine/betaine/l-proline-binding protein (prox) from borrelia3 burgdorferi
23	<a href="#">c3l6gA_</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> glycine betaine-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> betaine abc transporter permease and substrate binding <b>PDBTitle:</b> crystal structure of lactococcal opuac in its open conformation
24	<a href="#">d2czla1</a>	Alignment	not modelled	99.9	13	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
25	<a href="#">c3n5lA_</a>	Alignment	not modelled	99.7	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> binding protein component of abc phosphonate transporter; <b>PDBTitle:</b> crystal structure of a binding protein component of abc phosphonate2 transporter (pa3383) from pseudomonas aeruginosa at 1.97 a resolution
26	<a href="#">d1us5a_</a>	Alignment	not modelled	99.7	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
27	<a href="#">c2rejA_</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> choline-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative glycine betaine abc transporter protein; <b>PDBTitle:</b> abc-transporter choline binding protein in unliganded

					semi-2 closed conformation
28	<a href="#">d1r9la_</a>	Alignment	not modelled	99.3	19 <b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
29	<a href="#">c3gyyC_</a>	Alignment	not modelled	99.3	16 <b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> periplasmic substrate binding protein; <b>PDBTitle:</b> the ectoine binding protein of the teaabc trap transporter teaa in the2 apo-state
30	<a href="#">c2vpnB_</a>	Alignment	not modelled	99.2	16 <b>PDB header:</b> transport <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic substrate binding protein; <b>PDBTitle:</b> high-resolution structure of the periplasmic ectoine-2 binding protein from teaabc trap-transporter of halomonas3 elongata
31	<a href="#">c3r6uA_</a>	Alignment	not modelled	99.2	15 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> choline-binding protein; <b>PDBTitle:</b> crystal structure of choline binding protein opubc from bacillus2 subtilis
32	<a href="#">c2pfzA_</a>	Alignment	not modelled	99.2	17 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative exported protein; <b>PDBTitle:</b> crystal structure of dctp6, a bordetella pertussis2 extracytoplasmic solute receptor binding pyroglutamic acid
33	<a href="#">c2zzxD_</a>	Alignment	not modelled	99.1	15 <b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> abc transporter, solute-binding protein; <b>PDBTitle:</b> crystal structure of a periplasmic substrate binding protein in2 complex with lactate
34	<a href="#">c2hzkB_</a>	Alignment	not modelled	99.1	13 <b>PDB header:</b> ligand binding, transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> trap-t family sorbitol/mannitol transporter, periplasmic <b>PDBTitle:</b> crystal structures of a sodium-alpha-keto acid binding subunit from a2 trap transporter in its open form
35	<a href="#">c2pfyA_</a>	Alignment	not modelled	99.1	18 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative exported protein; <b>PDBTitle:</b> crystal structure of dctp7, a bordetella pertussis2 extracytoplasmic solute receptor binding pyroglutamic acid
36	<a href="#">d2i6ea1</a>	Alignment	not modelled	99.1	22 <b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
37	<a href="#">c3b50A_</a>	Alignment	not modelled	99.1	16 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> sialic acid-binding periplasmic protein siap; <b>PDBTitle:</b> structure of h. influenzae sialic acid binding protein2 bound to neu5ac.
38	<a href="#">c3fxbB_</a>	Alignment	not modelled	99.0	10 <b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> trap dicarboxylate transporter, dctp subunit; <b>PDBTitle:</b> crystal structure of the ectoine-binding protein ueha
39	<a href="#">c3pppA_</a>	Alignment	not modelled	99.0	17 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glycine betaine/carnitine/choline-binding protein; <b>PDBTitle:</b> structures of the substrate-binding protein provide insights into the2 multiple compatible solutes binding specificities of bacillus3 subtilis abc transporter opuc
40	<a href="#">c2hpgB_</a>	Alignment	not modelled	99.0	21 <b>PDB header:</b> ligand binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> abc transporter, periplasmic substrate-binding <b>PDBTitle:</b> the crystal structure of a thermophilic trap periplasmic2 binding protein
41	<a href="#">c2i6eG_</a>	Alignment	not modelled	99.0	22 <b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> G: <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> crystal structure of protein dr0370 from deinococcus radiodurans, pfam2 duf178
42	<a href="#">d1sw5a_</a>	Alignment	not modelled	98.9	15 <b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
43	<a href="#">c3o66A_</a>	Alignment	not modelled	98.8	17 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glycine betaine/carnitine/choline abc transporter; <b>PDBTitle:</b> crystal structure of glycine betaine/carnitine/choline abc transporter
44	<a href="#">c2qpqC_</a>	Alignment	not modelled	98.7	14 <b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> protein bug27; <b>PDBTitle:</b> structure of bug27 from bordetella pertussis
45	<a href="#">c3kzgB_</a>	Alignment	not modelled	98.6	13 <b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> arginine 3rd transport system periplasmic binding <b>PDBTitle:</b> crystal structure of an arginine 3rd transport system2 periplasmic binding protein from legionella pneumophila
46	<a href="#">c3mplA_</a>	Alignment	not modelled	98.5	12 <b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> virulence sensor protein bvgs; <b>PDBTitle:</b> crystal structure of bordetella pertussis bvgs vft2 domain (double2 mutant f375e/q461e)
47	<a href="#">c2f5xC_</a>	Alignment	not modelled	98.5	13 <b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> bugd; <b>PDBTitle:</b> structure of periplasmic binding protein bugd
48	<a href="#">c2q2aD_</a>	Alignment	not modelled	98.5	14 <b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> artj; <b>PDBTitle:</b> crystal structures of the arginine-, lysine-, histidine-2 binding protein artj from the thermophilic bacterium3 geobacillus stearotherophilus
49	<a href="#">c2dvzA_</a>	Alignment	not modelled	98.5	15 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative exported protein; <b>PDBTitle:</b> structure of a periplasmic transporter
50	<a href="#">c2vd3B_</a>	Alignment	not modelled	98.3	16 <b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> atp phosphoribosyltransferase; <b>PDBTitle:</b> the structure of histidine inhibited hisg from2 methanobacterium thermoautotrophicum
51	<a href="#">c3muqB_</a>	Alignment	not modelled	98.2	14 <b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized conserved protein; <b>PDBTitle:</b> the crystal structure of a conserved functionally unknown

					protein from2 vibrio parahaemolyticus rimd 2210633 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> tungstate abc transporter, periplasmic tungstate- <b>PDBTitle:</b> the crystal structure of the tungstate abc transporter from2 geobacter sulfurreducens
52	<a href="#">c3lr1A_</a>	Alignment	not modelled	98.2	15
53	<a href="#">d1dta1</a>	Alignment	not modelled	98.1	17
54	<a href="#">c2ylnA_</a>	Alignment	not modelled	98.1	13
55	<a href="#">c3hvlA_</a>	Alignment	not modelled	98.1	16
56	<a href="#">d1ieja_</a>	Alignment	not modelled	98.1	12
57	<a href="#">d2a5sa1</a>	Alignment	not modelled	98.1	9
58	<a href="#">d2ozza1</a>	Alignment	not modelled	98.1	16
59	<a href="#">d1blxa1</a>	Alignment	not modelled	98.0	15
60	<a href="#">d1ryoa_</a>	Alignment	not modelled	98.0	18
61	<a href="#">d1atga_</a>	Alignment	not modelled	98.0	14
62	<a href="#">c1q1kA_</a>	Alignment	not modelled	98.0	19
63	<a href="#">d1h3da1</a>	Alignment	not modelled	98.0	19
64	<a href="#">c2y7iB_</a>	Alignment	not modelled	98.0	14
65	<a href="#">c3k4uA_</a>	Alignment	not modelled	97.9	11
66	<a href="#">d1eh3a_</a>	Alignment	not modelled	97.9	12
67	<a href="#">d1jnfa1</a>	Alignment	not modelled	97.9	16
68	<a href="#">c3h7mA_</a>	Alignment	not modelled	97.9	17
69	<a href="#">d1hsla_</a>	Alignment	not modelled	97.9	12
70	<a href="#">c2pyyB_</a>	Alignment	not modelled	97.9	15
71	<a href="#">c3r39A_</a>	Alignment	not modelled	97.8	14
72	<a href="#">d1z7me1</a>	Alignment	not modelled	97.8	17
73	<a href="#">d1ii5a_</a>	Alignment	not modelled	97.8	13
74	<a href="#">c3g41A_</a>	Alignment	not modelled	97.8	12
75	<a href="#">d1h76a1</a>	Alignment	not modelled	97.8	15
76	<a href="#">c2q89A_</a>	Alignment	not modelled	97.8	15

					<b>PDBTitle:</b> crystal structure of ehuf in complex with hydroxyectoine <b>PDB header:</b> protein binding, transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> arginine binding protein; <b>PDBTitle:</b> the structure of ct381, the arginine binding protein from the2 periplasm chlamydia trachomatis
77	<a href="#">c3delC_</a>	Alignment	not modelled	97.8	11
78	<a href="#">c2o1mB_</a>	Alignment	not modelled	97.8	14
79	<a href="#">d1wdna_</a>	Alignment	not modelled	97.8	13
80	<a href="#">d2hava1</a>	Alignment	not modelled	97.7	10
81	<a href="#">c2rc9A_</a>	Alignment	not modelled	97.7	10
82	<a href="#">c1nh7A_</a>	Alignment	not modelled	97.7	16
83	<a href="#">c2ieeB_</a>	Alignment	not modelled	97.7	13
84	<a href="#">d1lsta_</a>	Alignment	not modelled	97.7	14
85	<a href="#">c2h5yC_</a>	Alignment	not modelled	97.7	18
86	<a href="#">d1ce2a1</a>	Alignment	not modelled	97.7	14
87	<a href="#">d1pb7a_</a>	Alignment	not modelled	97.6	9
88	<a href="#">d1nh8a1</a>	Alignment	not modelled	97.6	17
89	<a href="#">d1ve4a1</a>	Alignment	not modelled	97.6	16
90	<a href="#">d1amfa_</a>	Alignment	not modelled	97.6	19
91	<a href="#">c3chgB_</a>	Alignment	not modelled	97.5	16
92	<a href="#">c3kn3C_</a>	Alignment	not modelled	97.5	11
93	<a href="#">d1tfda_</a>	Alignment	not modelled	97.4	17
94	<a href="#">c3i6vA_</a>	Alignment	not modelled	97.3	15
95	<a href="#">d1sbpa_</a>	Alignment	not modelled	97.3	13
96	<a href="#">c2v25B_</a>	Alignment	not modelled	97.2	17
97	<a href="#">d2b6da1</a>	Alignment	not modelled	97.2	13
98	<a href="#">c3kbrA_</a>	Alignment	not modelled	97.2	13
99	<a href="#">d1dota1</a>	Alignment	not modelled	97.1	14
100	<a href="#">c2vd2A_</a>	Alignment	not modelled	96.9	15
101	<a href="#">d1xvxa_</a>	Alignment	not modelled	96.7	16
					<b>PDB header:</b> protein binding



102	<a href="#">c3fj7A_</a>	Alignment	not modelled	96.6	12	<b>Chain:</b> A: <b>PDB Molecule:</b> major antigenic peptide peb3; <b>PDBTitle:</b> crystal structure of l-phospholactate bound peb3
103	<a href="#">c2ypnA_</a>	Alignment	not modelled	96.5	10	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (hydroxymethylbilane synthase); <b>PDBTitle:</b> hydroxymethylbilane synthase
104	<a href="#">d1pdaa1</a>	Alignment	not modelled	96.5	11	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
105	<a href="#">d1o63a_</a>	Alignment	not modelled	96.5	18	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
106	<a href="#">c2vhaB_</a>	Alignment	not modelled	96.4	13	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic binding transport protein; <b>PDBTitle:</b> debp
107	<a href="#">c3mstA_</a>	Alignment	not modelled	96.3	9	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative nitrate transport protein; <b>PDBTitle:</b> crystal structure of a putative nitrate transport protein (tn0104)2 from thermoplasma volcanium at 1.35 a resolution
108	<a href="#">d2d3ia2</a>	Alignment	not modelled	96.2	11	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Transferrin
109	<a href="#">c2h9bB_</a>	Alignment	not modelled	96.2	9	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> hth-type transcriptional regulator benm; <b>PDBTitle:</b> crystal structure of the effector binding domain of a benm variant2 (benm r156h/t157s)
110	<a href="#">c2yjpB_</a>	Alignment	not modelled	96.0	12	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> putative abc transporter, periplasmic binding protein, <b>PDBTitle:</b> crystal structure of the solute receptors for l-cysteine of2 neisseria gonorrhoeae
111	<a href="#">d1b1xa2</a>	Alignment	not modelled	96.0	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Transferrin
112	<a href="#">d1cb6a2</a>	Alignment	not modelled	95.9	10	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Transferrin
113	<a href="#">c3ho7A_</a>	Alignment	not modelled	95.8	11	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> oxyr; <b>PDBTitle:</b> crystal structure of oxyr from porphyromonas gingivalis
114	<a href="#">d1twya_</a>	Alignment	not modelled	95.6	13	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
115	<a href="#">c3eq1A_</a>	Alignment	not modelled	95.6	11	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> porphobilinogen deaminase; <b>PDBTitle:</b> the crystal structure of human porphobilinogen deaminase at2 2.8a resolution
116	<a href="#">c2ql3G_</a>	Alignment	not modelled	95.5	12	<b>PDB header:</b> transcription <b>Chain:</b> G: <b>PDB Molecule:</b> probable transcriptional regulator, lysr family protein; <b>PDBTitle:</b> crystal structure of the c-terminal domain of a probable lysr family2 transcriptional regulator from rhodococcus sp. rha1
117	<a href="#">c2qryD_</a>	Alignment	not modelled	95.4	16	<b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> thiamine-binding periplasmic protein; <b>PDBTitle:</b> periplasmic thiamin binding protein
118	<a href="#">d1mqia_</a>	Alignment	not modelled	95.3	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
119	<a href="#">c1twyG_</a>	Alignment	not modelled	95.3	13	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> G: <b>PDB Molecule:</b> abc transporter, periplasmic substrate-binding protein; <b>PDBTitle:</b> crystal structure of an abc-type phosphate transport receptor from2 vibrio cholerae
120	<a href="#">c3mc2C_</a>	Alignment	not modelled	95.3	17	<b>PDB header:</b> lyase inhibitor <b>Chain:</b> C: <b>PDB Molecule:</b> inhibitor of carbonic anhydrase; <b>PDBTitle:</b> crystal structure of the murine inhibitor of carbonic anhydrase