
































# Phyre2

Email	I.a.kelley@imperial.ac.uk
Description	P0AEE5
Date	Thu Jan 5 11:23:08 GMT 2012
Unique Job ID	25efe3eb1b375d82

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">d1gcaa_</a>	 Alignment		100.0	94	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
2	<a href="#">d2fvya1</a>	 Alignment		100.0	100	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
3	<a href="#">c2rjoA_</a>	 Alignment		100.0	22	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> twin-arginine translocation pathway signal protein; <b>PDBTitle:</b> crystal structure of twin-arginine translocation pathway signal2 protein from burkholderia phytofirmans
4	<a href="#">d1tjya_</a>	 Alignment		100.0	15	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
5	<a href="#">d8abpa_</a>	 Alignment		100.0	19	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
6	<a href="#">c3ma0A_</a>	 Alignment		100.0	21	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> d-xylose-binding periplasmic protein; <b>PDBTitle:</b> closed liganded crystal structure of xylose binding protein from2 escherichia coli
7	<a href="#">d1jx6a_</a>	 Alignment		100.0	17	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
8	<a href="#">c3o1hB_</a>	 Alignment		100.0	16	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic protein tort; <b>PDBTitle:</b> crystal structure of the tors sensor domain - tort complex in the2 presence of tmao
9	<a href="#">c3g1wB_</a>	 Alignment		100.0	17	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> sugar abc transporter; <b>PDBTitle:</b> crystal structure of sugar abc transporter (sugar-binding protein)2 from bacillus halodurans
10	<a href="#">c2vk2A_</a>	 Alignment		100.0	19	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter periplasmic-binding protein ytfq; <b>PDBTitle:</b> crystal structure of a galactofuranose binding protein
11	<a href="#">c3d02A_</a>	 Alignment		100.0	18	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative lacI-type transcriptional regulator; <b>PDBTitle:</b> crystal structure of periplasmic sugar-binding protein2 (yp_001338366.1) from klebsiella pneumoniae subsp. pneumoniae mgh3 78578 at 1.30 a resolution

12	<a href="#">c3l49D_</a>	Alignment		100.0	17	<b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> abc sugar (ribose) transporter, periplasmic <b>PDBTitle:</b> crystal structure of abc sugar transporter subunit from2 rhodobacter sphaeroides 2.4.1
13	<a href="#">c2qvcC_</a>	Alignment		100.0	21	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> sugar abc transporter, periplasmic sugar-binding <b>PDBTitle:</b> crystal structure of a periplasmic sugar abc transporter2 from thermotoga maritima
14	<a href="#">c2fn9A_</a>	Alignment		100.0	19	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> ribose abc transporter, periplasmic ribose-binding protein; <b>PDBTitle:</b> thermotoga maritima ribose binding protein unliganded form
15	<a href="#">c3h75A_</a>	Alignment		100.0	16	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic sugar-binding domain protein; <b>PDBTitle:</b> crystal structure of a periplasmic sugar-binding protein from the2 pseudomonas fluorescens
16	<a href="#">c3ksmA_</a>	Alignment		100.0	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type sugar transport system, periplasmic component; <b>PDBTitle:</b> crystal structure of abc-type sugar transport system, periplasmic2 component from haehella chejuensis
17	<a href="#">c3gbvB_</a>	Alignment		100.0	12	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative lacI-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative lacI transcriptional regulator from2 bacteroides fragilis
18	<a href="#">c3l6uA_</a>	Alignment		100.0	21	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type sugar transport system periplasmic <b>PDBTitle:</b> crystal structure of abc-type sugar transport system,2 periplasmic component from exiguobacterium sibiricum
19	<a href="#">c2ioyB_</a>	Alignment		100.0	28	<b>PDB header:</b> sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic sugar-binding protein; <b>PDBTitle:</b> crystal structure of thermoanaerobacter tengcongensis2 ribose binding protein
20	<a href="#">d1guda_</a>	Alignment		100.0	21	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
21	<a href="#">c2x7xA_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor protein; <b>PDBTitle:</b> fructose binding periplasmic domain of hybrid two component2 system bt1754
22	<a href="#">d2dria_</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
23	<a href="#">c3brsA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic binding protein/laci transcriptional regulator; <b>PDBTitle:</b> crystal structure of sugar transporter from clostridium2 phytofermentans
24	<a href="#">c2iksA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> dna-binding transcriptional dual regulator; <b>PDBTitle:</b> crystal structure of n-terminal truncated dna-binding transcriptional2 dual regulator from escherichia coli k12
25	<a href="#">c3h5oB_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator gntr; <b>PDBTitle:</b> the crystal structure of transcription regulator gntr from2 chromobacterium violaceum
26	<a href="#">c3dbiA_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of sugar-binding transcriptional regulator (lacI2 family) from escherichia coli complexed with phosphate
27	<a href="#">c3brqA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator ascg; <b>PDBTitle:</b> crystal structure of the escherichia coli transcriptional repressor2 ascg
28	<a href="#">c3d8uA_</a>	Alignment	not modelled	100.0	11	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> purr transcriptional regulator;

28	<a href="#">c3u6uA</a>	Alignment	not modelled	100.0	11	<b>PDBTitle:</b> the crystal structure of a purr family transcriptional regulator from2 vibrio parahaemolyticus rimd 2210633 <b>PDB header:</b> transcription regulator
29	<a href="#">c3k4hA</a>	Alignment	not modelled	100.0	13	<b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator laci from2 bacillus cereus subsp. cytotoxis nvh 391-98
30	<a href="#">d2nzug1</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
31	<a href="#">c3bblA</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> regulatory protein <b>Chain:</b> A: <b>PDB Molecule:</b> regulatory protein of laci family; <b>PDBTitle:</b> crystal structure of a regulatory protein of laci family from2 chloroflexus aggregans
32	<a href="#">c3mi2B</a>	Alignment	not modelled	100.0	10	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator protein, laci <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator2 protein, lacI family from rhizobium eti
33	<a href="#">c3e3mA</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of a laci family transcriptional2 regulator from silicibacter pomeroyi
34	<a href="#">c3hcvB</a>	Alignment	not modelled	100.0	9	<b>PDB header:</b> rna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> maltose operon transcriptional repressor; <b>PDBTitle:</b> crystal structure of probable maltose operon transcriptional repressor2 malr from staphylococcus aureus
35	<a href="#">c2rgvA</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of transcriptional regulator of laci family from2 burkholderia phymatum
36	<a href="#">c2o20H</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> transcription <b>Chain:</b> H: <b>PDB Molecule:</b> catabolite control protein a; <b>PDBTitle:</b> crystal structure of transcription regulator ccpa of lactococcus2 lactis
37	<a href="#">c3rotA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc sugar transporter, periplasmic sugar binding protein; <b>PDBTitle:</b> crystal structure of abc sugar transporter (periplasmic sugar binding2 protein) from legionella pneumophila
38	<a href="#">c3kkeA</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> laci family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a laci family transcriptional regulator2 from mycobacterium smegmatis
39	<a href="#">c3c3kA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> alanine racemase; <b>PDBTitle:</b> crystal structure of an uncharacterized protein from actinobacillus2 succinogenes
40	<a href="#">c2qu7B</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative transcription regulator2 from staphylococcus saprophyticus subsp. saprophyticus
41	<a href="#">c3g85A</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator (laci family); <b>PDBTitle:</b> crystal structure of laci family transcription regulator from2 clostridium acetobutylicum
42	<a href="#">c3egcF</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> F: <b>PDB Molecule:</b> putative ribose operon repressor; <b>PDBTitle:</b> crystal structure of a putative ribose operon repressor from2 burkholderia thailandensis
43	<a href="#">c3cs3A</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of sugar-binding transcriptional regulator (laci2 family) from enterococcus faecalis
44	<a href="#">c1jyeA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> lactose operon repressor; <b>PDBTitle:</b> structure of a dimeric lac repressor with c-terminal deletion and k84I2 substitution
45	<a href="#">d1jyea</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
46	<a href="#">c3o74A</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> fructose transport system repressor frur; <b>PDBTitle:</b> crystal structure of cra transcriptional dual regulator from2 pseudomonas putida
47	<a href="#">c3gv0A</a>	Alignment	not modelled	100.0	10	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of laci family transcription regulator from2 agrobacterium tumefaciens
48	<a href="#">c3ctpB</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic binding protein/laci transcriptional regulator; <b>PDBTitle:</b> crystal structure of periplasmic binding protein/laci transcriptional2 regulator from alkaliphilus metalliredigens qymf complexed with d-3 xylulofuranose
49	<a href="#">c3qk7C</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcriptional regulators; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator from yersinia2 pestis biovar microtus str. 91001
50	<a href="#">c1zvva</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> glucose-resistance amylase regulator; <b>PDBTitle:</b> crystal structure of a ccpa-crh-dna complex
51	<a href="#">d1tufa</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
52	<a href="#">c3k9cA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family protein; <b>PDBTitle:</b> crystal structure of laci transcriptional regulator from

						rhodococcus2 species.
53	<a href="#">c3jy6B_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of laci transcriptional regulator from lactobacillus2 brevis
54	<a href="#">d1byka_</a>	Alignment	not modelled	100.0	12	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
55	<a href="#">c3clkB_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcription regulator; <b>PDBTitle:</b> crystal structure of a transcription regulator from lactobacillus2 plantarum
56	<a href="#">d1dbqa_</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
57	<a href="#">c3jvdA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulators; <b>PDBTitle:</b> crystal structure of putative transcription regulation repressor (laci2 family) from corynebacterium glutamicum
58	<a href="#">c3hs3A_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> ribose operon repressor; <b>PDBTitle:</b> crystal structure of periplasmic binding ribose operon2 repressor protein from lactobacillus acidophilus
59	<a href="#">c2h0aA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator; <b>PDBTitle:</b> crystal structure of probable transcription regulator from2 thermus thermophilus
60	<a href="#">c3huuC_</a>	Alignment	not modelled	100.0	10	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcription regulator like protein; <b>PDBTitle:</b> crystal structure of transcription regulator like protein from2 staphylococcus haemolyticus
61	<a href="#">c3bilA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> probable laci-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a probable laci family transcriptional2 regulator from corynebacterium glutamicum
62	<a href="#">c3gybB_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulators (laci-family) <b>PDBTitle:</b> crystal structure of a laci-family transcriptional2 regulatory protein from corynebacterium glutamicum
63	<a href="#">c1bdhA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> protein (purine repressor); <b>PDBTitle:</b> purine repressor mutant-hypoxanthine-palindromic operator2 complex
64	<a href="#">c3kxD_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of a transcriptional regulator, laci2 family protein from silicibacter pomeroyi
65	<a href="#">c3e61A_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional repressor of ribose operon; <b>PDBTitle:</b> crystal structure of a putative transcriptional repressor of ribose2 operon from staphylococcus saprophyticus subsp. saprophyticus
66	<a href="#">c2hqbA_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional activator of comk gene; <b>PDBTitle:</b> crystal structure of a transcriptional activator of comk2 gene from bacillus halodurans
67	<a href="#">c2qh8A_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of conserved domain protein from vibrio2 cholerae o1 biovar eltor str. n16961
68	<a href="#">c2fqxA_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> membrane lipoprotein tmpc; <b>PDBTitle:</b> pnra from treponema pallidum complexed with guanosine
69	<a href="#">c3lftA_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> structure genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> the crystal structure of the abc domain in complex with l-trp from2 streptococcus pneumonia to 1.35a
70	<a href="#">c3h5tA_</a>	Alignment	not modelled	99.9	12	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of a transcriptional regulator, laci2 family protein from corynebacterium glutamicum
71	<a href="#">c3s99A_</a>	Alignment	not modelled	99.7	13	<b>PDB header:</b> lipid binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> basic membrane lipoprotein; <b>PDBTitle:</b> crystal structure of a basic membrane lipoprotein from brucella2 melitensis, iodide soak
72	<a href="#">d2liva_</a>	Alignment	not modelled	98.5	11	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
73	<a href="#">c3sg0A_</a>	Alignment	not modelled	98.5	16	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> extracellular ligand-binding receptor; <b>PDBTitle:</b> the crystal structure of an extracellular ligand-binding receptor from2 rhodopseudomonas palustris haa2
74	<a href="#">c3snrA_</a>	Alignment	not modelled	98.5	11	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> extracellular ligand-binding receptor; <b>PDBTitle:</b> rpd_1889 protein, an extracellular ligand-binding receptor from2 rhodopseudomonas palustris.
75	<a href="#">d1usga_</a>	Alignment	not modelled	98.4	11	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
76	<a href="#">c3n0wA_</a>	Alignment	not modelled	98.4	10	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc branched chain amino acid family transporter, <b>PDBTitle:</b> crystal structure of a branched chain amino acid abc transporter2 periplasmic ligand-binding protein (bx_e_c0949) from burkholderia3 xenovorans lb400 at 1.88 a resolution
						<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> twin-arginine translocation pathway

77	<a href="#">c3t0nA_</a>	Alignment	not modelled	98.4	13	signal; <b>PDBTitle:</b> crystal structure of twin-arginine translocation pathway signal from2 rhodospseudomonas palustris bisb5
78	<a href="#">c3ip5A_</a>	Alignment	not modelled	98.3	16	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter, substrate binding protein (amino acid); <b>PDBTitle:</b> structure of atu2422-gaba receptor in complex with alanine
79	<a href="#">c3i45A_</a>	Alignment	not modelled	98.2	11	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> twin-arginine translocation pathway signal protein; <b>PDBTitle:</b> crystal structure of putative twin-arginine translocation pathway2 signal protein from rhodospirillum rubrum atcc 11170
80	<a href="#">c3lkbB_</a>	Alignment	not modelled	98.2	12	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> probable branched-chain amino acid abc <b>PDBTitle:</b> crystal structure of a branched chain amino acid abc2 transporter from thermus thermophilus with bound valine
81	<a href="#">c3i09A_</a>	Alignment	not modelled	98.2	10	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic branched-chain amino acid-binding protein; <b>PDBTitle:</b> crystal structure of a periplasmic binding protein (bma2936) from2 burkholderia mallei at 1.80 a resolution
82	<a href="#">d3ckma1</a>	Alignment	not modelled	98.0	8	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
83	<a href="#">c3qi7A_</a>	Alignment	not modelled	98.0	12	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator2 (yp_001089212.1) from clostridium difficile 630 at 1.86 a resolution
84	<a href="#">c3eafA_</a>	Alignment	not modelled	98.0	11	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter, substrate binding protein; <b>PDBTitle:</b> crystal structure of abc transporter, substrate binding protein2 aeropyrum pernix
85	<a href="#">c3n0xA_</a>	Alignment	not modelled	98.0	9	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> possible substrate binding protein of abc transporter <b>PDBTitle:</b> crystal structure of an abc-type branched-chain amino acid transporter2 (rpa4397) from rhodospseudomonas palustris cga009 at 1.50 a resolution
86	<a href="#">c3hutA_</a>	Alignment	not modelled	97.9	10	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative branched-chain amino acid abc <b>PDBTitle:</b> crystal structure of a putative branched-chain amino acid2 abc transporter from rhodospirillum rubrum
87	<a href="#">d1qo0a_</a>	Alignment	not modelled	97.9	7	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
88	<a href="#">c3lopA_</a>	Alignment	not modelled	97.9	7	<b>PDB header:</b> substrate binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> substrate binding periplasmic protein; <b>PDBTitle:</b> crystal structure of substrate-binding periplasmic protein2 (pbp) from ralstonia solanacearum
89	<a href="#">c3td9A_</a>	Alignment	not modelled	97.7	14	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> branched chain amino acid abc transporter, periplasmic <b>PDBTitle:</b> crystal structure of a leucine binding protein livk (tm1135) from2 thermotoga maritima msb8 at 1.90 a resolution
90	<a href="#">c1jdpA_</a>	Alignment	not modelled	97.4	13	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> atrial natriuretic peptide clearance receptor; <b>PDBTitle:</b> crystal structure of hormone/receptor complex
91	<a href="#">d1jdpA_</a>	Alignment	not modelled	97.4	13	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
92	<a href="#">c3h5lB_</a>	Alignment	not modelled	97.4	11	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> putative branched-chain amino acid abc <b>PDBTitle:</b> crystal structure of a putative branched-chain amino acid2 abc transporter from silicibacter pomeroyi
93	<a href="#">d1ewka_</a>	Alignment	not modelled	97.4	11	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
94	<a href="#">c3q41B_</a>	Alignment	not modelled	96.9	12	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> glutamate [nmda] receptor subunit zeta-1; <b>PDBTitle:</b> crystal structure of the glun1 n-terminal domain (ntd)
95	<a href="#">c1yk1B_</a>	Alignment	not modelled	96.8	14	<b>PDB header:</b> hormone/growth factor receptor <b>Chain:</b> B: <b>PDB Molecule:</b> atrial natriuretic peptide clearance receptor; <b>PDBTitle:</b> structure of natriuretic peptide receptor-c complexed with brain2 natriuretic peptide
96	<a href="#">c3om1A_</a>	Alignment	not modelled	96.8	12	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> glutamate receptor gluk5 (ka2); <b>PDBTitle:</b> crystal structure of the gluk5 (ka2) atd dimer at 1.7 angstrom2 resolution
97	<a href="#">c3h6hB_</a>	Alignment	not modelled	95.4	13	<b>PDB header:</b> membrane protein <b>Chain:</b> B: <b>PDB Molecule:</b> glutamate receptor, ionotropic kainate 2; <b>PDBTitle:</b> crystal structure of the glur6 amino terminal domain dimer assembly2 mpd form
98	<a href="#">c3sajB_</a>	Alignment	not modelled	93.1	10	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> glutamate receptor 1; <b>PDBTitle:</b> crystal structure of glutamate receptor glua1 amino terminal domain
99	<a href="#">c3sm9A_</a>	Alignment	not modelled	92.1	10	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> metabotropic glutamate receptor 3; <b>PDBTitle:</b> crystal structure of metabotropic glutamate receptor 3 precursor in2 presence of ly341495 antagonist
100	<a href="#">c3lp6D_</a>	Alignment	not modelled	91.1	14	<b>PDB header:</b> lyase <b>Chain:</b> D: <b>PDB Molecule:</b> phosphoribosylaminoimidazole carboxylase catalytic subunit; <b>PDBTitle:</b> crystal structure of rv3275c-e60a from mycobacterium



					tuberculosis at2 1.7a resolution
101	<a href="#">c2wjxA_</a>	Alignment	not modelled	88.8	12 <b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glutamate receptor 2; <b>PDBTitle:</b> crystal structure of the human ionotropic glutamate2 receptor glur2 atd region at 4.1 a resolution
102	<a href="#">c1zxxA_</a>	Alignment	not modelled	88.4	13 <b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphofructokinase; <b>PDBTitle:</b> the crystal structure of phosphofructokinase from lactobacillus2 delbrueckii
103	<a href="#">c2fw9A_</a>	Alignment	not modelled	88.0	12 <b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> n5-carboxyaminoimidazole ribonucleotide mutase; <b>PDBTitle:</b> structure of pure (n5-carboxyaminoimidazole ribonucleotide mutase)2 h59f from the acidophilic bacterium acetobacter aceti, at ph 8
104	<a href="#">d1u11a_</a>	Alignment	not modelled	87.4	12 <b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> N5-CAIR mutase (phosphoribosylaminoimidazole carboxylase, PurE) <b>Family:</b> N5-CAIR mutase (phosphoribosylaminoimidazole carboxylase, PurE)
105	<a href="#">c3p3wC_</a>	Alignment	not modelled	86.3	10 <b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> glutamate receptor 3; <b>PDBTitle:</b> structure of a dimeric glua3 n-terminal domain (ntd) at 4.2 a2 resolution
106	<a href="#">c3opyG_</a>	Alignment	not modelled	86.3	13 <b>PDB header:</b> transferase <b>Chain:</b> G: <b>PDB Molecule:</b> 6-phosphofructo-1-kinase alpha-subunit; <b>PDBTitle:</b> crystal structure of pichia pastoris phosphofructokinase in the t-2 state
107	<a href="#">c3kg2A_</a>	Alignment	not modelled	86.2	13 <b>PDB header:</b> membrane protein, transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glutamate receptor 2; <b>PDBTitle:</b> ampa subtype ionotropic glutamate receptor in complex with competitive2 antagonist zk 200775
108	<a href="#">c3rggD_</a>	Alignment	not modelled	85.1	8 <b>PDB header:</b> lyase <b>Chain:</b> D: <b>PDB Molecule:</b> phosphoribosylaminoimidazole carboxylase, pure protein; <b>PDBTitle:</b> crystal structure of treponema denticola pure bound to air
109	<a href="#">d4pfka_</a>	Alignment	not modelled	84.1	17 <b>Fold:</b> Phosphofructokinase <b>Superfamily:</b> Phosphofructokinase <b>Family:</b> Phosphofructokinase
110	<a href="#">d1o4va_</a>	Alignment	not modelled	82.1	11 <b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> N5-CAIR mutase (phosphoribosylaminoimidazole carboxylase, PurE) <b>Family:</b> N5-CAIR mutase (phosphoribosylaminoimidazole carboxylase, PurE)
111	<a href="#">d1xmpa_</a>	Alignment	not modelled	81.0	11 <b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> N5-CAIR mutase (phosphoribosylaminoimidazole carboxylase, PurE) <b>Family:</b> N5-CAIR mutase (phosphoribosylaminoimidazole carboxylase, PurE)
112	<a href="#">c3opyH_</a>	Alignment	not modelled	80.4	15 <b>PDB header:</b> transferase <b>Chain:</b> H: <b>PDB Molecule:</b> 6-phosphofructo-1-kinase beta-subunit; <b>PDBTitle:</b> crystal structure of pichia pastoris phosphofructokinase in the t-2 state
113	<a href="#">c3opyB_</a>	Alignment	not modelled	80.4	15 <b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> 6-phosphofructo-1-kinase beta-subunit; <b>PDBTitle:</b> crystal structure of pichia pastoris phosphofructokinase in the t-2 state
114	<a href="#">c2e4wA_</a>	Alignment	not modelled	77.8	11 <b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> metabotropic glutamate receptor 3; <b>PDBTitle:</b> crystal structure of the extracellular region of the group ii2 metabotropic glutamate receptor complexed with 1s,3s-acpd
115	<a href="#">d1c2ya_</a>	Alignment	not modelled	76.4	8 <b>Fold:</b> Lumazine synthase <b>Superfamily:</b> Lumazine synthase <b>Family:</b> Lumazine synthase
116	<a href="#">c3qviB_</a>	Alignment	not modelled	76.3	17 <b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> putative hydantoin racemase; <b>PDBTitle:</b> allantoin racemase from klebsiella pneumoniae
117	<a href="#">c2uygF_</a>	Alignment	not modelled	76.2	11 <b>PDB header:</b> lyase <b>Chain:</b> F: <b>PDB Molecule:</b> 3-dehydroquinate dehydratase; <b>PDBTitle:</b> crystallographic structure of the typeii 3-dehydroquinase2 from thermus thermophilus
118	<a href="#">c2h31A_</a>	Alignment	not modelled	75.8	14 <b>PDB header:</b> ligase, lyase <b>Chain:</b> A: <b>PDB Molecule:</b> multifunctional protein ade2; <b>PDBTitle:</b> crystal structure of human paics, a bifunctional carboxylase and2 synthetase in purine biosynthesis
119	<a href="#">d2ajta2</a>	Alignment	not modelled	72.2	14 <b>Fold:</b> Fucl/AraA N-terminal and middle domains <b>Superfamily:</b> Fucl/AraA N-terminal and middle domains <b>Family:</b> AraA N-terminal and middle domain-like
120	<a href="#">d1nqua_</a>	Alignment	not modelled	70.5	6 <b>Fold:</b> Lumazine synthase <b>Superfamily:</b> Lumazine synthase <b>Family:</b> Lumazine synthase