
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c1yqtA_	 Alignment		100.0	20	PDB header: hydrolase/translation Chain: A: PDB Molecule: rnase I inhibitor; PDBTitle: rnase-I inhibitor
2	c3g5uB_	 Alignment		100.0	24	PDB header: membrane protein Chain: B: PDB Molecule: multidrug resistance protein 1a; PDBTitle: structure of p-glycoprotein reveals a molecular basis for2 poly-specific drug binding
3	c3ozxA_	 Alignment		100.0	21	PDB header: hydrolase, translation Chain: A: PDB Molecule: rnase I inhibitor; PDBTitle: crystal structure of abce1 of sulfolobus solfataricus (-fes domain)
4	c3bk7A_	 Alignment		100.0	19	PDB header: hydrolase/translation Chain: A: PDB Molecule: abc transporter atp-binding protein; PDBTitle: structure of the complete abce1/rnaase-I inhibitor protein2 from pyrococcus abyssi
5	c2iw3B_	 Alignment		100.0	19	PDB header: translation Chain: B: PDB Molecule: elongation factor 3a; PDBTitle: elongation factor 3 in complex with adp
6	c2ygrD_	 Alignment		100.0	22	PDB header: hydrolase Chain: D: PDB Molecule: uvrabc system protein a; PDBTitle: mycobacterium tuberculosis uvra
7	c3pihA_	 Alignment		100.0	29	PDB header: hydrolase/dna Chain: A: PDB Molecule: uvrabc system protein a; PDBTitle: t. maritima uvra in complex with fluorescein-modified dna
8	c2vf7B_	 Alignment		100.0	22	PDB header: dna-binding protein Chain: B: PDB Molecule: excinuclease abc, subunit a.; PDBTitle: crystal structure of uvra2 from deinococcus radiodurans
9	c2r6fA_	 Alignment		100.0	15	PDB header: hydrolase Chain: A: PDB Molecule: excinuclease abc subunit a; PDBTitle: crystal structure of bacillus stearothermophilus uvra
10	c2yyzA_	 Alignment		100.0	20	PDB header: transport protein Chain: A: PDB Molecule: sugar abc transporter, atp-binding protein; PDBTitle: crystal structure of sugar abc transporter, atp-binding protein
11	c1oxtb_	 Alignment		100.0	23	PDB header: transport protein Chain: B: PDB Molecule: abc transporter, atp binding protein; PDBTitle: crystal structure of glcv, the abc-atpase of the glucose abc2 transporter from sulfolobus solfataricus

12	c2it1B_	Alignment		100.0	26	PDB header: transport protein Chain: B: PDB Molecule: 362aa long hypothetical maltose/maltodextrin PDBTitle: structure of ph0203 protein from pyrococcus horikoshii
13	c2olkD_	Alignment		100.0	28	PDB header: hydrolase Chain: D: PDB Molecule: amino acid abc transporter; PDBTitle: abc protein artp in complex with adp-beta-s
14	dlg6ha_	Alignment		100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
15	c3fvqB_	Alignment		100.0	28	PDB header: hydrolase Chain: B: PDB Molecule: fe(3+) ions import atp-binding protein fbpc; PDBTitle: crystal structure of the nucleotide binding domain fbpc2 complexed with atp
16	c3dhwC_	Alignment		100.0	23	PDB header: membrane protein/hydrolase Chain: C: PDB Molecule: methionine import atp-binding protein metn; PDBTitle: crystal structure of methionine importer metni
17	c1qlbD_	Alignment		100.0	26	PDB header: transport protein Chain: D: PDB Molecule: maltose/maltodextrin transport atp-binding protein malk; PDBTitle: crystal structure of e. coli malk in the nucleotide-free form
18	dlg2912	Alignment		100.0	25	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
19	c2d62A_	Alignment		100.0	24	PDB header: sugar binding protein Chain: A: PDB Molecule: multiple sugar-binding transport atp-binding PDBTitle: crystal structure of multiple sugar binding transport atp-2 binding protein
20	c1z47B_	Alignment		100.0	27	PDB header: ligand binding protein Chain: B: PDB Molecule: putative abc-transporter atp-binding protein; PDBTitle: structure of the atpase subunit cysa of the putative2 sulfate atp-binding cassette (abc) transporter from3 alicyclobacillus acidocaldarius
21	d3dhwc1	Alignment	not modelled	100.0	22	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
22	c2pcjB_	Alignment	not modelled	100.0	27	PDB header: hydrolase Chain: B: PDB Molecule: lipoprotein-releasing system atp-binding protein lold; PDBTitle: crystal structure of abc transporter (aq_297) from aquifex aeolicus2 vf5
23	dl0xxk2	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
24	c1vciA_	Alignment	not modelled	100.0	23	PDB header: transport protein Chain: A: PDB Molecule: sugar-binding transport atp-binding protein; PDBTitle: crystal structure of the atp-binding cassette of multisugar2 transporter from pyrococcus horikoshii ot3 complexed with3 atp
25	c3gfoA_	Alignment	not modelled	100.0	29	PDB header: atp binding protein Chain: A: PDB Molecule: cobalt import atp-binding protein cbio 1; PDBTitle: structure of cbio1 from clostridium perfringens: part of2 the abc transporter complex cbionq.
26	dlji0a_	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
27	dlvpla_	Alignment	not modelled	100.0	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
						Fold: P-loop containing nucleoside triphosphate hydrolases

28	d3d31a2	Alignment	not modelled	100.0	29	Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
29	d1b0ua	Alignment	not modelled	100.0	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
30	c3d31B	Alignment	not modelled	100.0	29	PDB header: transport protein Chain: B: PDB Molecule: sulfate/molybdate abc transporter, atp-binding PDBTitle: modbc from methanosarcina acetivorans
31	d1v43a3	Alignment	not modelled	100.0	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
32	d2pmka1	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
33	c2d2fA	Alignment	not modelled	100.0	27	PDB header: protein binding Chain: A: PDB Molecule: sufo protein; PDBTitle: crystal structure of atypical cytoplasmic abc-atpase sufo from thermus2 thermophilus hb8
34	d1l2ta	Alignment	not modelled	100.0	25	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
35	d3b60a1	Alignment	not modelled	100.0	31	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
36	d1jj7a	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
37	c2hydB	Alignment	not modelled	100.0	29	PDB header: transport protein Chain: B: PDB Molecule: abc transporter homolog; PDBTitle: multidrug abc transporter sav1866
38	d1mv5a	Alignment	not modelled	100.0	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
39	c2yl4A	Alignment	not modelled	100.0	29	PDB header: membrane protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 10, PDBTitle: structure of the human mitochondrial abc transporter, abcb10
40	c2yz2B	Alignment	not modelled	100.0	21	PDB header: hydrolase Chain: B: PDB Molecule: putative abc transporter atp-binding protein tm_0222; PDBTitle: crystal structure of the abc transporter in the cobalt transport2 system
41	c2nq2C	Alignment	not modelled	100.0	22	PDB header: metal transport Chain: C: PDB Molecule: hypothetical abc transporter atp-binding protein PDBTitle: an inward-facing conformation of a putative metal-chelate2 type abc transporter.
42	c3gd7C	Alignment	not modelled	100.0	22	PDB header: hydrolase Chain: C: PDB Molecule: fusion complex of cystic fibrosis transmembrane PDBTitle: crystal structure of human nbd2 complexed with n6-2 phenylethyl-atp (p-atp)
43	c3nhaA	Alignment	not modelled	100.0	27	PDB header: transport protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 6, mitochondrial; PDBTitle: nucleotide binding domain of human abcb6 (adp mg bound structure)
44	d2hyda1	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
45	c2d3wB	Alignment	not modelled	100.0	25	PDB header: biosynthetic protein Chain: B: PDB Molecule: probable atp-dependent transporter sufc; PDBTitle: crystal structure of escherichia coli sufc, an atpase2 component of the suf iron-sulfur cluster assembly machinery
46	c2ihyB	Alignment	not modelled	100.0	25	PDB header: hydrolase Chain: B: PDB Molecule: abc transporter, atp-binding protein; PDBTitle: structure of the staphylococcus aureus putative atpase subunit of an2 atp-binding cassette (abc) transporter
47	d2onka1	Alignment	not modelled	100.0	32	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
48	c3b5xB	Alignment	not modelled	100.0	29	PDB header: membrane protein Chain: B: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of msba from vibrio cholerae
49	c3b5wE	Alignment	not modelled	100.0	29	PDB header: membrane protein Chain: E: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of eschericia coli msba
50	c2cbzA	Alignment	not modelled	100.0	24	PDB header: transport Chain: A: PDB Molecule: multidrug resistance-associated protein 1; PDBTitle: structure of the human multidrug resistance protein 12 nucleotide binding domain 1
51	d1pf4a1	Alignment	not modelled	100.0	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
52	c2nizA	Alignment	not modelled	100.0	22	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: hypothetical protein st1066;

52	c2pzbA_	Alignment	not modelled	100.0	42	PDBTitle: the crystal structure of putative cobalt transport atp-2 binding protein (cbio-2), st1066 PDB header: hydrolase
53	c2pzbB_	Alignment	not modelled	100.0	24	Chain: B: PDB Molecule: cystic fibrosis transmembrane conductance regulator; PDBTitle: minimal human cfr first nucleotide binding domain as a head-to-tail2 dimer with delta f508 PDB header: transport protein
54	c2ghiD_	Alignment	not modelled	100.0	27	Chain: D: PDB Molecule: transport protein; PDBTitle: crystal structure of plasmodium yoelii multidrug resistance2 protein 2
55	d1xmia_	Alignment	not modelled	100.0	25	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
56	d1l7vc_	Alignment	not modelled	100.0	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
57	d1r0wa_	Alignment	not modelled	100.0	26	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
58	d1sgwa_	Alignment	not modelled	100.0	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
59	d2awna2	Alignment	not modelled	100.0	33	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
60	c1u9iA_	Alignment	not modelled	100.0	15	PDB header: circadian clock protein Chain: A: PDB Molecule: kaic; PDBTitle: crystal structure of circadian clock protein kaic with phosphorylation2 sites
61	d1w1wa_	Alignment	not modelled	99.9	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
62	d1cr2a_	Alignment	not modelled	99.9	18	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
63	c3tauB_	Alignment	not modelled	99.9	13	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of a putative guanylate monophosphate kinase from2 listeria monocytogenes egd-e
64	c2j41A_	Alignment	not modelled	99.9	14	PDB header: transferase Chain: A: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of staphylococcus aureus guanylate2 monophosphate kinase
65	c3a4mB_	Alignment	not modelled	99.8	10	PDB header: transferase Chain: B: PDB Molecule: l-seryl-trna(sec) kinase; PDBTitle: crystal structure of archaeal o-phosphoseryl-trna(sec)2 kinase
66	c1xexB_	Alignment	not modelled	99.7	15	PDB header: cell cycle Chain: B: PDB Molecule: smc protein; PDBTitle: structural biochemistry of atp-driven dimerization and dna2 stimulated activation of smc atpases.
67	c1f2uD_	Alignment	not modelled	99.7	22	PDB header: replication Chain: D: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of rad50 abc-atpase
68	d2qy9a2	Alignment	not modelled	99.7	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
69	d1ls1a2	Alignment	not modelled	99.7	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
70	d1vmaa2	Alignment	not modelled	99.7	11	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
71	c1ii8B_	Alignment	not modelled	99.6	29	PDB header: replication Chain: B: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of the p. furiosus rad50 atpase domain
72	c2o5vA_	Alignment	not modelled	99.6	26	PDB header: replication/recombination Chain: A: PDB Molecule: dna replication and repair protein recf; PDBTitle: recombination mediator recf
73	c3geiB_	Alignment	not modelled	99.6	18	PDB header: hydrolase Chain: B: PDB Molecule: trna modification gtpase mnme; PDBTitle: crystal structure of mnme from chlorobium tepidum in complex2 with gcp
74	c3lncB_	Alignment	not modelled	99.6	15	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of guanylate kinase from anaplasma2 phagocytophilum
75	c3cmvG_	Alignment	not modelled	99.5	14	PDB header: recombination Chain: G: PDB Molecule: protein reca; PDBTitle: mechanism of homologous recombination from the reca-2 ssdna/dsdna structures
76	d1okkd2	Alignment	not modelled	99.4	10	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
77	d1ye8a1	Alignment	not modelled	99.4	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain) Fold: P-loop containing nucleoside triphosphate hydrolases

78	dlnp6a_	Alignment	not modelled	99.2	16	Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
79	dle69a_	Alignment	not modelled	99.2	18	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
80	c1q57G_	Alignment	not modelled	99.1	19	PDB header: transferase Chain: G: PDB Molecule: dna primase/helicase; PDBTitle: the crystal structure of the bifunctional primase-helicase of2 bacteriophage t7
81	dlqzxa3	Alignment	not modelled	99.0	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
82	c2dr3A_	Alignment	not modelled	99.0	13	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: upf0273 protein ph0284; PDBTitle: crystal structure of reca superfamily atpase ph0284 from pyrococcus2 horikoshii ot3
83	d2i3ba1	Alignment	not modelled	98.9	11	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
84	c3auyB_	Alignment	not modelled	98.9	20	PDB header: recombination Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: crystal structure of rad50 bound to adp
85	c2w0mA_	Alignment	not modelled	98.8	19	PDB header: unknown function Chain: A: PDB Molecule: sso2452; PDBTitle: crystal structure of sso2452 from sulfolobus solfataricus2 p2
86	c1wxqA_	Alignment	not modelled	98.7	10	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: gtp-binding protein; PDBTitle: crystal structure of gtp binding protein from pyrococcus horikoshii2 ot3
87	dlwqa2	Alignment	not modelled	98.6	26	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
88	c2o8bA_	Alignment	not modelled	98.5	24	PDB header: dna binding protein/dna Chain: A: PDB Molecule: dna mismatch repair protein msh2; PDBTitle: human mutsalph (msh2/msh6) bound to adp and a g t mispair
89	d1nfa_	Alignment	not modelled	98.5	26	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
90	d1wb9a2	Alignment	not modelled	98.5	22	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
91	c2o8dB_	Alignment	not modelled	98.4	23	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh6; PDBTitle: human mutsalph (msh2/msh6) bound to adp and a g du mispair
92	c3thxB_	Alignment	not modelled	98.4	22	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh3; PDBTitle: human mutsbeta complexed with an idl of 3 bases (loop3) and adp
93	c3cf1C_	Alignment	not modelled	98.3	19	PDB header: transport protein Chain: C: PDB Molecule: transitional endoplasmic reticulum atpase; PDBTitle: structure of p97/vcp in complex with adp/adp.alfx
94	d1tf7a1	Alignment	not modelled	98.3	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
95	c2hjgA_	Alignment	not modelled	98.3	22	PDB header: hydrolase Chain: A: PDB Molecule: gtp-binding protein enga; PDBTitle: the crystal structure of the b. subtilis yphc gtpase in2 complex with gdp
96	c1ewqA_	Alignment	not modelled	98.3	25	PDB header: replication/dna Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure taq muts complexed with a heteroduplex2 dna at 2.2 a resolution
97	c1ewrA_	Alignment	not modelled	98.2	26	PDB header: hydrolase Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of taq muts
98	c1wbdA_	Alignment	not modelled	98.2	21	PDB header: dna-binding Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of e. coli dna mismatch repair enzyme2 muts, e38q mutant, in complex with a g,t mismatch
99	c1mkYA_	Alignment	not modelled	98.1	15	PDB header: ligand binding protein Chain: A: PDB Molecule: probable gtp-binding protein enga; PDBTitle: structural analysis of the domain interactions in der, a2 switch protein containing two gtpase domains
100	c3bh0A_	Alignment	not modelled	98.1	9	PDB header: replication Chain: A: PDB Molecule: dnab-like replicative helicase; PDBTitle: atpase domain of g40p
101	d1tf7a2	Alignment	not modelled	98.1	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
102	c3qg5A_	Alignment	not modelled	98.1	41	PDB header: hydrolase Chain: A: PDB Molecule: rad50; PDBTitle: the mre11:rad50 complex forms an atp dependent molecular clamp in dna2 double-strand break repair
103	c3qkuB_	Alignment	not modelled	98.1	26	PDB header: replication Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: mre11 rad50 binding domain in complex with rad50 and

					amp-pnp
104	c1pznG_	Alignment	not modelled	98.0	16 PDB header: recombination Chain: G: PDB Molecule: dna repair and recombination protein rad51; PDBTitle: rad51 (rada)
105	d1yrba1	Alignment	not modelled	98.0	13 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
106	c2ztsB_	Alignment	not modelled	97.9	23 PDB header: atp-binding protein Chain: B: PDB Molecule: putative uncharacterized protein ph0186; PDBTitle: crystal structure of kaic-like protein ph0186 from2 hyperthermophilic archaea pyrococcus horikoshii ot3
107	c2recB_	Alignment	not modelled	97.8	19 PDB header: helicase PDB COMPND:
108	d1zp6a1	Alignment	not modelled	97.8	27 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Atu3015-like
109	c1ii8A_	Alignment	not modelled	97.8	24 PDB header: replication Chain: A: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of the p. furiosus rad50 atpase domain
110	d2ilqa2	Alignment	not modelled	97.8	13 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
111	c2cnwF_	Alignment	not modelled	97.7	13 PDB header: signal recognition Chain: F: PDB Molecule: cell division protein ftsy; PDBTitle: gdpalf4 complex of the srp gtpases ffh and ftsy
112	d1znwa1	Alignment	not modelled	97.7	21 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nucleotide and nucleoside kinases
113	d1mo6a1	Alignment	not modelled	97.7	22 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
114	c2cvhB_	Alignment	not modelled	97.7	16 PDB header: dna binding protein Chain: B: PDB Molecule: dna repair and recombination protein radb; PDBTitle: crystal structure of the radb recombinase
115	d1xp8a1	Alignment	not modelled	97.7	18 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
116	c2qthA_	Alignment	not modelled	97.6	16 PDB header: nucleotide binding protein Chain: A: PDB Molecule: gtp-binding protein; PDBTitle: crystal structure of a gtp-binding protein from the2 hyperthermophilic archaeon sulfobolus solfataricus in3 complex with gdp
117	c1us8A_	Alignment	not modelled	97.6	29 PDB header: dna repair Chain: A: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: the rad50 signature motif: essential to atp binding and2 biological function
118	c2j7pA_	Alignment	not modelled	97.6	13 PDB header: signal recognition Chain: A: PDB Molecule: signal recognition particle protein; PDBTitle: gmppnp-stabilized ng domain complex of the srp gtpases ffh2 and ftsy
119	c2kjqA_	Alignment	not modelled	97.5	20 PDB header: replication Chain: A: PDB Molecule: dnaa-related protein; PDBTitle: solution structure of protein nmb1076 from neisseria meningitidis.2 northeast structural genomics consortium target mr101b.
120	c1znyA_	Alignment	not modelled	97.5	35 PDB header: transferase Chain: A: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of mycobacterium tuberculosis guanylate kinase in2 complex with gdp