
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c1z45A_</a>	 Alignment		100.0	24	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> gal10 bifunctional protein; <b>PDBTitle:</b> crystal structure of the gal10 fusion protein galactose2 mutarotase/udp-galactose 4-epimerase from saccharomyces3 cerevisiae complexed with nad, udp-glucose, and galactose
2	<a href="#">c1z7eC_</a>	 Alignment		100.0	22	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> protein arna; <b>PDBTitle:</b> crystal structure of full length arna
3	<a href="#">d1db3a_</a>	 Alignment		100.0	100	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
4	<a href="#">c1n7gB_</a>	 Alignment		100.0	57	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> gdp-d-mannose-4,6-dehydratase; <b>PDBTitle:</b> crystal structure of the gdp-mannose 4,6-dehydratase2 ternary complex with nadph and gdp-rhamnose.
5	<a href="#">d1t2aa_</a>	 Alignment		100.0	62	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
6	<a href="#">c1t2aC_</a>	 Alignment		100.0	62	<b>PDB header:</b> structural genomics,lyase <b>Chain:</b> C: <b>PDB Molecule:</b> gdp-mannose 4,6 dehydratase; <b>PDBTitle:</b> crystal structure of human gdp-d-mannose 4,6-dehydratase
7	<a href="#">d1n7ha_</a>	 Alignment		100.0	56	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
8	<a href="#">c2z1mC_</a>	 Alignment		100.0	55	<b>PDB header:</b> lyase <b>Chain:</b> C: <b>PDB Molecule:</b> gdp-d-mannose dehydratase; <b>PDBTitle:</b> crystal structure of gdp-d-mannose dehydratase from aquifex aeolicus2 vf5
9	<a href="#">d1rpna_</a>	 Alignment		100.0	52	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
10	<a href="#">d1i24a_</a>	 Alignment		100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
11	<a href="#">c2pk3B_</a>	 Alignment		100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> gdp-6-deoxy-d-lyxo-4-hexulose reductase; <b>PDBTitle:</b> crystal structure of a gdp-4-keto-6-deoxy-d-mannose reductase

12	<a href="#">dloc2a_</a>	Alignment		100.0	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
13	<a href="#">c3lu1C_</a>	Alignment		100.0	22	<b>PDB header:</b> isomerase <b>Chain:</b> C: <b>PDB Molecule:</b> wbgu; <b>PDBTitle:</b> crystal structure analysis of wbgu: a udp-galnac 4-epimerase
14	<a href="#">dlsb8a_</a>	Alignment		100.0	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
15	<a href="#">dlek6a_</a>	Alignment		100.0	20	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
16	<a href="#">d2c5aa1</a>	Alignment		100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
17	<a href="#">c2hrzA_</a>	Alignment		100.0	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> nucleoside-diphosphate-sugar epimerase; <b>PDBTitle:</b> the crystal structure of the nucleoside-diphosphate-sugar epimerase2 from agrobacterium tumefaciens
18	<a href="#">c3enkB_</a>	Alignment		100.0	21	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> udp-glucose 4-epimerase; <b>PDBTitle:</b> 1.9a crystal structure of udp-glucose 4-epimerase from2 burkholderia pseudomallei
19	<a href="#">dlkewa_</a>	Alignment		100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
20	<a href="#">dlbxka_</a>	Alignment		100.0	24	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
21	<a href="#">dlrkxa_</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
22	<a href="#">d2b69a1</a>	Alignment	not modelled	100.0	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
23	<a href="#">c2b69A_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> udp-glucuronate decarboxylase 1; <b>PDBTitle:</b> crystal structure of human udp-glucuronic acid decarboxylase
24	<a href="#">dlwvga1</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
25	<a href="#">dlz45a2</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
26	<a href="#">dlgy8a_</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
27	<a href="#">c2hunB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> 336aa long hypothetical dtdp-glucose 4,6-dehydratase; <b>PDBTitle:</b> crystal structure of hypothetical protein ph0414 from pyrococcus2 horikoshii ot3
28	<a href="#">c2c20D_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> isomerase <b>Chain:</b> D: <b>PDB Molecule:</b> udp-glucose 4-epimerase; <b>PDBTitle:</b> crystal structure of udp-glucose 4-epimerase
						<b>Fold:</b> NAD(P)-binding Rossmann-fold domains

29	<a href="#">d1orra_</a>	Alignment	not modelled	100.0	22	<b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
30	<a href="#">c2yy7B_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> l-threonine dehydrogenase; <b>PDBTitle:</b> crystal structure of thermolabile l-threonine dehydrogenase from2 flavobacterium frigidimaris kuc-1
31	<a href="#">c2p5uC_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> isomerase <b>Chain:</b> C: <b>PDB Molecule:</b> udp-glucose 4-epimerase; <b>PDBTitle:</b> crystal structure of thermus thermophilus hb8 udp-glucose 4-2 epimerase complex with nad
32	<a href="#">d1r6da_</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
33	<a href="#">c2iodD_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> dihydroflavonol 4-reductase; <b>PDBTitle:</b> binding of two substrate analogue molecules to2 dihydroflavonol-4-reductase alters the functional geometry3 of the catalytic site
34	<a href="#">c3a1nB_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ndp-sugar epimerase; <b>PDBTitle:</b> crystal structure of l-threonine dehydrogenase from2 hyperthermophilic archaeon thermoplasma volcanium
35	<a href="#">d1e6ua_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
36	<a href="#">d2bl1a1</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
37	<a href="#">c2v6gA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> progesterone 5-beta-reductase; <b>PDBTitle:</b> structure of progesterone 5beta-reductase from digitalis2 lanata in complex with nadp
38	<a href="#">c2q1wC_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> sugar binding protein <b>Chain:</b> C: <b>PDB Molecule:</b> putative nucleotide sugar epimerase/dehydratase; <b>PDBTitle:</b> crystal structure of the bordetella bronchiseptica enzyme wbmh in2 complex with nad+
39	<a href="#">d1udca_</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
40	<a href="#">c2pz1B_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> putative nucleotide sugar epimerase/dehydratase; <b>PDBTitle:</b> crystal structure of the bordetella bronchiseptica enzyme2 wbmh in complex with nad and udp
41	<a href="#">c2q1uA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative nucleotide sugar epimerase/dehydratase; <b>PDBTitle:</b> crystal structure of the bordetella bronchiseptica enzyme wbmf in2 complex with nad+ and udp
42	<a href="#">c3slgB_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> pbgp3 protein; <b>PDBTitle:</b> crystal structure of pbgp3 protein from burkholderia pseudomallei
43	<a href="#">c2rh8A_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> anthocyanidin reductase; <b>PDBTitle:</b> structure of apo anthocyanidin reductase from vitis vinifera
44	<a href="#">c3eheB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> udp-glucose 4-epimerase (gale-1); <b>PDBTitle:</b> crystal structure of udp-glucose 4 epimerase (gale-1) from2 archaeoglobus fulgidus
45	<a href="#">c2p4hX_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> plant protein <b>Chain:</b> X: <b>PDB Molecule:</b> vestitone reductase; <b>PDBTitle:</b> crystal structure of vestitone reductase from alfalfa2 (medicago sativa l.)
46	<a href="#">c3m2pD_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> isomerase <b>Chain:</b> D: <b>PDB Molecule:</b> udp-n-acetylglucosamine 4-epimerase; <b>PDBTitle:</b> the crystal structure of udp-n-acetylglucosamine 4-epimerase2 from bacillus cereus
47	<a href="#">c2x4gA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> nucleoside-diphosphate-sugar epimerase; <b>PDBTitle:</b> crystal structure of pa4631, a nucleoside-diphosphate-sugar2 epimerase from pseudomonas aeruginosa
48	<a href="#">c3icpA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent epimerase/dehydratase; <b>PDBTitle:</b> crystal structure of udp-galactose 4-epimerase
49	<a href="#">c3sc6F_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> ddtp-4-dehydrorhamnose reductase; <b>PDBTitle:</b> 2.65 angstrom resolution crystal structure of dtdp-4-dehydrorhamnose2 reductase (rfbd) from bacillus anthracis str. ames in complex with3 nadp
50	<a href="#">d1y1pa1</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
51	<a href="#">c2x86K_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> isomerase <b>Chain:</b> K: <b>PDB Molecule:</b> adp-l-glycero-d-manno-heptose-6-epimerase; <b>PDBTitle:</b> agme bound to adp-b-mannose
52	<a href="#">d1vl0a_</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
53	<a href="#">d1n2sa_</a>	Alignment	not modelled	100.0	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
						<b>PDB header:</b> isomerase

54	<a href="#">c3oh8A</a>	Alignment	not modelled	100.0	14	<b>Chain:</b> A: <b>PDB Molecule:</b> nucleoside-diphosphate sugar epimerase (sula family); <b>PDBTitle:</b> crystal structure of the nucleoside-diphosphate sugar epimerase from2 corynebacterium glutamicum. northeast structural genomics consortium3 target cgr91
55	<a href="#">d1eq2a</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
56	<a href="#">c3gpiA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent epimerase/dehydratase; <b>PDBTitle:</b> structure of putative nad-dependent epimerase/dehydratase2 from methylobacillus flagellatus
57	<a href="#">c3iusB</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized conserved protein; <b>PDBTitle:</b> the structure of a functionally unknown conserved protein2 from silicibacter pomeroyi dss
58	<a href="#">c2ggsB</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 273aa long hypothetical dtdp-4-dehydrorhamnose <b>PDBTitle:</b> crystal structure of hypothetical dtdp-4-dehydrorhamnose2 reductase from sulfolobus tokodaii
59	<a href="#">c2ydyA</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> methionine adenosyltransferase 2 subunit beta; <b>PDBTitle:</b> crystal structure of human s-adenosylmethionine synthetase2 2, beta subunit in orthorhombic crystal form
60	<a href="#">c2gn9B</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> udp-glcna6 c6 dehydratase; <b>PDBTitle:</b> crystal structure of udp-glcna6 inverting 4,6-dehydratase in complex2 with nadp and udp-glc
61	<a href="#">c2qx7A</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> plant protein <b>Chain:</b> A: <b>PDB Molecule:</b> eugenol synthase 1; <b>PDBTitle:</b> structure of eugenol synthase from ocimum basilicum
62	<a href="#">d1xgka</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
63	<a href="#">c2zklA</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> capsular polysaccharide synthesis enzyme cap5f; <b>PDBTitle:</b> crystal structure of capsular polysaccharide assembling protein capf2 from staphylococcus aureus
64	<a href="#">c3c1oA</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> eugenol synthase; <b>PDBTitle:</b> the multiple phenylpropene synthases in both clarkia2 breweri and petunia hybrida represent two distinct lineages
65	<a href="#">c3i5mA</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative leucoanthocyanidin reductase 1; <b>PDBTitle:</b> structure of the apo form of leucoanthocyanidin reductase from vitis2 vinifera
66	<a href="#">d1qyda</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
67	<a href="#">c3e48B</a>	Alignment	not modelled	100.0	11	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> putative nucleoside-diphosphate-sugar epimerase; <b>PDBTitle:</b> crystal structure of a nucleoside-diphosphate-sugar epimerase2 (sav0421) from staphylococcus aureus, northeast structural genomics3 consortium target zr319
68	<a href="#">d1qyca</a>	Alignment	not modelled	100.0	14	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
69	<a href="#">c2gasA</a>	Alignment	not modelled	99.9	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> isoflavone reductase; <b>PDBTitle:</b> crystal structure of isoflavone reductase
70	<a href="#">c3ay3C</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> nad-dependent epimerase/dehydratase; <b>PDBTitle:</b> crystal structure of glucuronic acid dehydrogenase from2 chromohalobacter salexigens
71	<a href="#">c2zcuA</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized oxidoreductase ytfg; <b>PDBTitle:</b> crystal structure of a new type of nadph-dependent quinone2 oxidoreductase (qor2) from escherichia coli
72	<a href="#">c3nzoB</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> udp-n-acetylglucosamine 4,6-dehydratase; <b>PDBTitle:</b> udp-n-acetylglucosamine 4,6-dehydratase from vibrio fischeri.
73	<a href="#">c2exxB</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> hscarg protein; <b>PDBTitle:</b> crystal structure of hscarg from homo sapiens in complex with nadp
74	<a href="#">c3rfxB</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> uronate dehydrogenase; <b>PDBTitle:</b> crystal structure of uronate dehydrogenase from agrobacterium2 tumefaciens, y136a mutant complexed with nad
75	<a href="#">c2vrcD</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> triphenylmethane reductase; <b>PDBTitle:</b> crystal structure of the citrobacter sp. triphenylmethane2 reductase complexed with nadp(h)
76	<a href="#">d2q46a1</a>	Alignment	not modelled	99.9	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
77	<a href="#">c3e8xA</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative nad-dependent epimerase/dehydratase; <b>PDBTitle:</b> putative nad-dependent epimerase/dehydratase from bacillus halodurans.
						<b>PDB header:</b> isomerase, lyase

78	<a href="#">c3dhnA</a>	Alignment	not modelled	99.8	13	<b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent epimerase/dehydratase; <b>PDBTitle:</b> crystal structure of the putative epimerase q89z24_bactn2 from bacteroides thetaiotaomicron. northeast structural3 genomics consortium target btr310.
79	<a href="#">c3dqpA</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> oxidoreductase ylbe; <b>PDBTitle:</b> crystal structure of the oxidoreductase ylbe from2 lactococcus lactis, northeast structural genomics3 consortium target kr121.
80	<a href="#">c3h2sA</a>	Alignment	not modelled	99.8	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative nadh-flavin reductase; <b>PDBTitle:</b> crystal structure of the q03b84 protein from lactobacillus2 casei. northeast structural genomics consortium target3 lcr19.
81	<a href="#">d1hdoa</a>	Alignment	not modelled	99.8	20	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
82	<a href="#">c3qvoA</a>	Alignment	not modelled	99.8	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> nmra family protein; <b>PDBTitle:</b> structure of a rossmann-fold nad(p)-binding family protein from2 shigella flexneri.
83	<a href="#">d2bkaa1</a>	Alignment	not modelled	99.8	11	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
84	<a href="#">d2a35a1</a>	Alignment	not modelled	99.7	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
85	<a href="#">c3ew7A</a>	Alignment	not modelled	99.6	21	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> lmo0794 protein; <b>PDBTitle:</b> crystal structure of the lmo0794 protein from listeria2 monocytogenes. northeast structural genomics consortium3 target lmr162.
86	<a href="#">d2fmuA1</a>	Alignment	not modelled	99.6	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
87	<a href="#">c2jahB</a>	Alignment	not modelled	99.6	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> clavulanic acid dehydrogenase; <b>PDBTitle:</b> biochemical and structural analysis of the clavulanic acid2 dehydeogenase (cad) from streptomyces clavuligerus
88	<a href="#">c3p19A</a>	Alignment	not modelled	99.5	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative blue fluorescent protein; <b>PDBTitle:</b> improved nadph-dependent blue fluorescent protein
89	<a href="#">c3r6dA</a>	Alignment	not modelled	99.5	13	<b>PDB header:</b> lyase, isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent epimerase/dehydratase; <b>PDBTitle:</b> crystal structure of nad-dependent epimerase/dehydratase from2 veillonella parvula dsm 2008 with cz-methylated lysine
90	<a href="#">c2cfcB</a>	Alignment	not modelled	99.4	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-(r)-hydroxypropyl-com dehydrogenase; <b>PDBTitle:</b> structural basis for stereo selectivity in the (r)- and2 (s)-hydroxypropylethane thiosulfonate dehydrogenases
91	<a href="#">c3sx2F</a>	Alignment	not modelled	99.4	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> putative 3-ketoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-ketoacyl-(acyl-carrier-protein)2 reductase from mycobacterium paratuberculosis in complex with nad
92	<a href="#">d1jtva</a>	Alignment	not modelled	99.4	12	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
93	<a href="#">c3pgxB</a>	Alignment	not modelled	99.4	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative carveol dehydrogenase from2 mycobacterium paratuberculosis bound to nicotinamide adenine3 dinucleotide
94	<a href="#">d1sbya1</a>	Alignment	not modelled	99.4	9	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
95	<a href="#">c3iccA</a>	Alignment	not modelled	99.4	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative 3-oxoacyl-(acyl carrier protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis at 1.87 a resolution
96	<a href="#">d2gdza1</a>	Alignment	not modelled	99.4	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
97	<a href="#">c3ioyB</a>	Alignment	not modelled	99.4	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> structure of putative short-chain dehydrogenase (saro_0793)2 from novosphingobium aromaticivorans
98	<a href="#">c3ppiA</a>	Alignment	not modelled	99.4	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase type-2; <b>PDBTitle:</b> crystal structure of 3-hydroxyacyl-coa dehydrogenase type-2 from2 mycobacterium avium
99	<a href="#">c3rkrC</a>	Alignment	not modelled	99.4	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> short chain oxidoreductase; <b>PDBTitle:</b> crystal structure of a metagenomic short-chain oxidoreductase (sdr) in2 complex with nadp
100	<a href="#">c3oidA</a>	Alignment	not modelled	99.4	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadph]; <b>PDBTitle:</b> crystal structure of enoyl-acp reductases iii (fabl) from b. subtilis2 (complex with nadp and tcl)
101	<a href="#">c3tvg</a>	Alignment	not modelled	99.4	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> G: <b>PDB Molecule:</b> short chain dehydrogenase;



101	<a href="#">c3wXG_</a>	Alignment	not modelled	99.4	14	<b>PDBTitle:</b> crystal structure of a short chain dehydrogenase in complex with2 nad(p) from sinorhizobium meliloti 1021
102	<a href="#">d2ae2a_</a>	Alignment	not modelled	99.4	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
103	<a href="#">c3i4fD_</a>	Alignment	not modelled	99.3	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier protein] reductase; <b>PDBTitle:</b> structure of putative 3-oxoacyl-reductase from bacillus thuringiensis
104	<a href="#">c3lylB_</a>	Alignment	not modelled	99.3	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> structure of 3-oxoacyl-acylcarrier protein reductase, fabg2 from francisella tularensis
105	<a href="#">d1qsga_</a>	Alignment	not modelled	99.3	10	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
106	<a href="#">c3tfoD_</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> putative 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-oxoacyl-(acyl-carrier-protein)2 reductase from sinorhizobium meliloti
107	<a href="#">d1geea_</a>	Alignment	not modelled	99.3	12	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
108	<a href="#">c3v8bC_</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative dehydrogenase, possibly 3-oxoacyl-[acyl-carrier <b>PDBTitle:</b> crystal structure of a 3-ketoacyl-acp reductase from sinorhizobium2 meliloti 1021
109	<a href="#">d1gega_</a>	Alignment	not modelled	99.3	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
110	<a href="#">c3ijrF_</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> 2.05 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor' in complex3 with nad+
111	<a href="#">c2p68A_</a>	Alignment	not modelled	99.3	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of aq 1716 from aquifex aeolicus vf5
112	<a href="#">c3m1aF_</a>	Alignment	not modelled	99.3	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> putative dehydrogenase; <b>PDBTitle:</b> the crystal structure of a short-chain dehydrogenase from2 streptomyces avermitilis to 2a
113	<a href="#">c3un1D_</a>	Alignment	not modelled	99.3	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> probable oxidoreductase; <b>PDBTitle:</b> crystal structure of an oxidoreductase from sinorhizobium meliloti2 1021
114	<a href="#">c2zatC_</a>	Alignment	not modelled	99.3	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> dehydrogenase/reductase sdr family member 4; <b>PDBTitle:</b> crystal structure of a mammalian reductase
115	<a href="#">c2dteB_</a>	Alignment	not modelled	99.3	10	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glucose 1-dehydrogenase related protein; <b>PDBTitle:</b> structure of thermoplasma acidophilum aldohexose dehydrogenase (aldt)2 in complex with nadh
116	<a href="#">d2pd4a1</a>	Alignment	not modelled	99.3	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
117	<a href="#">c3grkE_</a>	Alignment	not modelled	99.3	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase (nadh); <b>PDBTitle:</b> crystal structure of short chain dehydrogenase reductase2 sdr glucose-ribitol dehydrogenase from brucella melitensis
118	<a href="#">d1zk4a1</a>	Alignment	not modelled	99.3	12	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
119	<a href="#">c3qljB_</a>	Alignment	not modelled	99.3	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from mycobacterium2 avium
120	<a href="#">c2qioA_</a>	Alignment	not modelled	99.3	11	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> x-ray structure of enoyl-acyl carrier protein reductase from bacillus2 anthracis with triclosan