

































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">d2ae2a_</a>	 Alignment		100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
2	<a href="#">c3cxtA_</a>	 Alignment		100.0	42	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase with different specificities; <b>PDBTitle:</b> quaternary complex structure of gluconate 5-dehydrogenase from2 streptococcus suis type 2
3	<a href="#">dlgeea_</a>	 Alignment		100.0	33	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
4	<a href="#">c2q2qG_</a>	 Alignment		100.0	36	<b>PDB header:</b> oxidoreductase <b>Chain:</b> G: <b>PDB Molecule:</b> beta-d-hydroxybutyrate dehydrogenase; <b>PDBTitle:</b> structure of d-3-hydroxybutyrate dehydrogenase from pseudomonas putida
5	<a href="#">c2zatC_</a>	 Alignment		100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> dehydrogenase/reductase sdr family member 4; <b>PDBTitle:</b> crystal structure of a mammalian reductase
6	<a href="#">c3svtA_</a>	 Alignment		100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> structure of a short-chain type dehydrogenase/reductase from2 mycobacterium ulcerans
7	<a href="#">c3uf0A_</a>	 Alignment		100.0	40	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of a putative nad(p) dependent gluconate 5-2 dehydrogenase from beutenbergia cavernae(efi target efi-502044) with3 bound nadp (low occupancy)
8	<a href="#">dlfmca_</a>	 Alignment		100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
9	<a href="#">dlae1a_</a>	 Alignment		100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
10	<a href="#">c3rihB_</a>	 Alignment		100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain dehydrogenase or reductase; <b>PDBTitle:</b> crystal structure of a putative short chain dehydrogenase or reductase2 from mycobacterium abscessus
11	<a href="#">dlw6ua_</a>	 Alignment		100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases

12	<a href="#">d1pr9a_</a>	Alignment		100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
13	<a href="#">d2pd4a1</a>	Alignment		100.0	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
14	<a href="#">d1k2wa_</a>	Alignment		100.0	31	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
15	<a href="#">c3nugA_</a>	Alignment		100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> crystal structure of wild type tetrameric pyridoxal 4-dehydrogenase2 from mesorhizobium loti
16	<a href="#">c3ak4C_</a>	Alignment		100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> nadh-dependent quinuclidinone reductase; <b>PDBTitle:</b> crystal structure of nadh-dependent quinuclidinone reductase from2 agrobacterium tumefaciens
17	<a href="#">c3icca_</a>	Alignment		100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative 3-oxoacyl-(acyl carrier protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis at 1.87 a resolution
18	<a href="#">c2cfcB_</a>	Alignment		100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-(r)-hydroxypropyl-com dehydrogenase; <b>PDBTitle:</b> structural basis for stereo selectivity in the (r)- and2 (s)-hydroxypropylethane thiosulfonate dehydrogenases
19	<a href="#">c3toxG_</a>	Alignment		100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> G: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase in complex with2 nad(p) from sinorhizobium meliloti 1021
20	<a href="#">c3k31B_</a>	Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of enoyl-(acyl-carrier-protein) reductase from2 anaplasma phagocytophilum in complex with nad at 1.9a resolution
21	<a href="#">c3lf2B_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short chain oxidoreductase q9hya2; <b>PDBTitle:</b> nadph bound structure of the short chain oxidoreductase q9hya2 from2 pseudomonas aeruginosa pao1 containing an atypical catalytic center
22	<a href="#">c3t7cC_</a>	Alignment		100.0	33	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nad
23	<a href="#">c3pk0B_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of short-chain dehydrogenase/reductase sdr from2 mycobacterium smegmatis
24	<a href="#">c3gvcB_</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> probable short-chain type <b>PDBTitle:</b> crystal structure of probable short-chain dehydrogenase-2 reductase from mycobacterium tuberculosis
25	<a href="#">d1iy8a_</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
26	<a href="#">d1qsga_</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
27	<a href="#">d1zk4a1</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases

28	<a href="#">d1ja9a_</a>	Alignment	not modelled	100.0	30	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
29	<a href="#">c3gdfA_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> probable nadp-dependent mannitol dehydrogenase; <b>PDBTitle:</b> crystal structure of the nadp-dependent mannitol dehydrogenase from2 cladosporium herbarum.
30	<a href="#">d1g0oa_</a>	Alignment	not modelled	100.0	27	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
31	<a href="#">c3gr6A_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nah]; <b>PDBTitle:</b> crystal structure of the staphylococcus aureus enoyl-acyl2 carrier protein reductase (fabI) in complex with nadp and3 triclosan
32	<a href="#">c1w4zA_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> antibiotic biosynthesis <b>Chain:</b> A: <b>PDB Molecule:</b> ketoacyl reductase; <b>PDBTitle:</b> structure of actinorhodin polyketide (actiii) reductase
33	<a href="#">d2rhca1</a>	Alignment	not modelled	100.0	31	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
34	<a href="#">d1hdca_</a>	Alignment	not modelled	100.0	31	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
35	<a href="#">d1zema1</a>	Alignment	not modelled	100.0	27	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
36	<a href="#">c2c07A_</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier protein) reductase; <b>PDBTitle:</b> oxoacyl-acp reductase of plasmodium falciparum
37	<a href="#">d2c07a1</a>	Alignment	not modelled	100.0	35	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
38	<a href="#">c3grkE_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase (nah); <b>PDBTitle:</b> crystal structure of short chain dehydrogenase reductase2 sdr glucose-ribitol dehydrogenase from brucella melitensis
39	<a href="#">c3itdA_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 17beta-hydroxysteroid dehydrogenase; <b>PDBTitle:</b> crystal structure of an inactive 17beta-hydroxysteroid dehydrogenase2 (y167f mutated form) from fungus cochliobolus lunatus
40	<a href="#">c3pgxB_</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative carveol dehydrogenase from2 mycobacterium paratuberculosis bound to nicotinamide adenine3 dinucleotide
41	<a href="#">c3ijrF_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> 2.05 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor' in complex3 with nad+
42	<a href="#">c3oecA_</a>	Alignment	not modelled	100.0	38	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> carveol dehydrogenase (mytha.01326.c, a0r518 homolog); <b>PDBTitle:</b> crystal structure of carveol dehydrogenase from mycobacterium2 thermoresistibile
43	<a href="#">c3r3sD_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> oxidoreductase; <b>PDBTitle:</b> structure of the ygha oxidoreductase from salmonella enterica
44	<a href="#">c3imfA_</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> 1.99 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor'
45	<a href="#">d1vl8a_</a>	Alignment	not modelled	100.0	36	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
46	<a href="#">d1gega_</a>	Alignment	not modelled	100.0	31	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
47	<a href="#">d1yxma1</a>	Alignment	not modelled	100.0	27	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
48	<a href="#">d1xhla_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
49	<a href="#">c3v2gA_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of a dehydrogenase/reductase from sinorhizobium2 meliloti 1021
50	<a href="#">c2jyD_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of francisella tularensis enoyl reductase2 (ftfabI) with bound nad
51	<a href="#">c3ai3A_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nadph-sorbose reductase; <b>PDBTitle:</b> the crystal structure of l-sorbose reductase from

						gluconobacter2 frateurii complexed with nadph and l-sorbose
52	<a href="#">c3afnC_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> carbonyl reductase; <b>PDBTitle:</b> crystal structure of aldose reductase a1-r complexed with nadp
53	<a href="#">c2b4qB_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> rhamnolipids biosynthesis 3-oxoacyl-[acyl- <b>PDBTitle:</b> pseudomonas aeruginosa rhlg/nadp active-site complex
54	<a href="#">d1h5qa_</a>	Alignment	not modelled	100.0	29	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
55	<a href="#">c3oidA_</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadph]; <b>PDBTitle:</b> crystal structure of enoyl-acp reductases iii (fabl) from b. subtilis2 (complex with nadp and tcl)
56	<a href="#">d2ew8a1</a>	Alignment	not modelled	100.0	34	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
57	<a href="#">c3ek2D_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase (nadh); <b>PDBTitle:</b> crystal structure of eonyl-(acyl carrier protein) reductase2 from burkholderia pseudomallei 1719b
58	<a href="#">d1ulua_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
59	<a href="#">c3sjuA_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> keto reductase; <b>PDBTitle:</b> hedamycin polyketide ketoreductase bound to nadph
60	<a href="#">c2uvdE_</a>	Alignment	not modelled	100.0	39	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> the crystal structure of a 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis (ba3989)
61	<a href="#">c3bmrA_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> pteridine reductase; <b>PDBTitle:</b> structure of pteridine reductase 1 (ptr1) from trypanosoma2 brucei in ternary complex with cofactor (nadp+) and3 inhibitor (compound ax6)
62	<a href="#">c3emkA_</a>	Alignment	not modelled	100.0	36	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glucose/ribitol dehydrogenase; <b>PDBTitle:</b> 2.5a crystal structure of glucose/ribitol dehydrogenase2 from brucella melitensis
63	<a href="#">c2pd6D_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> estradiol 17-beta-dehydrogenase 8; <b>PDBTitle:</b> structure of human hydroxysteroid dehydrogenase type 8, hsd17b8
64	<a href="#">d1q7ba_</a>	Alignment	not modelled	100.0	34	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
65	<a href="#">d1cyda_</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
66	<a href="#">c3gk3D_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> acetoacetyl-coa reductase; <b>PDBTitle:</b> crystal structure of acetoacetyl-coa reductase from2 burkholderia pseudomallei 1710b
67	<a href="#">d1nffa_</a>	Alignment	not modelled	100.0	32	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
68	<a href="#">c2qioA_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> x-ray structure of enoyl-acyl carrier protein reductase from bacillus2 anthracis with triclosan
69	<a href="#">c3uveC_</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> carveol dehydrogenase ((+)-trans-carveol dehydrogenase); <b>PDBTitle:</b> crystal structure of carveol dehydrogenase ((+)-trans-carveol2 dehydrogenase) from mycobacterium avium
70	<a href="#">c3r1iB_</a>	Alignment	not modelled	100.0	36	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain type dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of a short-chain type dehydrogenase/reductase from2 mycobacterium marinum
71	<a href="#">c2et6A_</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> (3r)-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> (3r)-hydroxyacyl-coa dehydrogenase domain of candida tropicalis2 peroxisomal multifunctional enzyme type 2
72	<a href="#">d1bdba_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
73	<a href="#">d1xkqa_</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
74	<a href="#">c2p68A_</a>	Alignment	not modelled	100.0	33	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of aq_1716 from aquifex aeolicus vf5
75	<a href="#">c3ftpD_</a>	Alignment	not modelled	100.0	34	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier protein] reductase; <b>PDBTitle:</b> crystal structure of 3-ketoacyl-(acyl-carrier-protein)2 reductase from burkholderia pseudomallei at 2.05 a3 resolution
						<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glucose 1-dehydrogenase related

76	<a href="#">c2dteB</a>	Alignment	not modelled	100.0	26	protein; <b>PDBTitle:</b> structure of thermoplasma acidophilum aldohexose dehydrogenase (aldt)2 in complex with nadh
77	<a href="#">c3ezlA</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> acetoacetyl-coa reductase; <b>PDBTitle:</b> crystal structure of acetylacetyl-coa reductase from2 burkholderia pseudomallei 1710b
78	<a href="#">c2wdzD</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of the short chain dehydrogenase2 galactitol-dehydrogenase (gatdh) of rhodobacter3 sphaeroides in complex with nad+ and 1,2-pentandiol
79	<a href="#">d2bgka1</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
80	<a href="#">d1x1ta1</a>	Alignment	not modelled	100.0	41	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
81	<a href="#">c3lylB</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> structure of 3-oxoacyl-acyl carrier protein reductase, fabg2 from francisella tularensis
82	<a href="#">c2p91A</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-[acyl-carrier-protein] reductase [nadh]; <b>PDBTitle:</b> crystal structure of enoyl-[acyl-carrier-protein] reductase (nadh)2 from aquifex aeolicus vf5
83	<a href="#">c3o38D</a>	Alignment	not modelled	100.0	33	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from mycobacterium2 smegmatis
84	<a href="#">c3ctmH</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> carbonyl reductase; <b>PDBTitle:</b> crystal structure of a carbonyl reductase from candida2 parapsilosis with anti-prelog stereo-specificity
85	<a href="#">c2z1nA</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase; <b>PDBTitle:</b> crystal structure of ape0912 from aeropyrum pernix k1
86	<a href="#">d1ydea1</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
87	<a href="#">d1hxha</a>	Alignment	not modelled	100.0	29	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
88	<a href="#">d2d1ya1</a>	Alignment	not modelled	100.0	29	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
89	<a href="#">c3osuA</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of the 3-oxoacyl-acyl carrier protein reductase,2 fabg, from staphylococcus aureus
90	<a href="#">c3sx2F</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> putative 3-ketoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of a putative 3-ketoacyl-(acyl-carrier-protein)2 reductase from mycobacterium paratuberculosis in complex with nad
91	<a href="#">c3ppiA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase type-2; <b>PDBTitle:</b> crystal structure of 3-hydroxyacyl-coa dehydrogenase type-2 from2 mycobacterium avium
92	<a href="#">d1o5ia</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
93	<a href="#">d1edoa</a>	Alignment	not modelled	100.0	38	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
94	<a href="#">d1ulsa</a>	Alignment	not modelled	100.0	27	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
95	<a href="#">c3uxyC</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> the crystal structure of short chain dehydrogenase from rhodobacter2 sphaeroides
96	<a href="#">c3rkuC</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> oxidoreductase ymr226c; <b>PDBTitle:</b> substrate fingerprint and the structure of nadp+ dependent serine2 dehydrogenase from saccharomyces cerevisiae complexed with nadp+
97	<a href="#">c3v2hB</a>	Alignment	not modelled	100.0	33	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> d-beta-hydroxybutyrate dehydrogenase; <b>PDBTitle:</b> the crystal structure of d-beta-hydroxybutyrate dehydrogenase from2 sinorhizobium meliloti
98	<a href="#">d1e6wa</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
99	<a href="#">c3i4fD</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier protein] reductase; <b>PDBTitle:</b> structure of putative 3-oxoacyl-reductase from bacillus thuringiensis
						<b>PDB header:</b> oxidoreductase



100	<a href="#">c3sc4A_</a>	Alignment	not modelled	100.0	21	<b>Chain:</b> A: <b>PDB Molecule:</b> short chain dehydrogenase (a0qtm2 homolog); <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase (a0qtm2 homolog)2 mycobacterium thermoresistibile
101	<a href="#">c3v8bC_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative dehydrogenase, possibly 3-oxoacyl-[acyl-carrier <b>PDBTitle:</b> crystal structure of a 3-ketoacyl-acp reductase from sinorhizobium2 meliloti 1021
102	<a href="#">c3llsB_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-ketoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase from2 mycobacterium tuberculosis
103	<a href="#">d2a4ka1</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
104	<a href="#">c3pxxE_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> carveol dehydrogenase; <b>PDBTitle:</b> crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nicotinamide adenine dinucleotide
105	<a href="#">c2ph3B_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-[acyl carrier protein] reductase; <b>PDBTitle:</b> crystal structure of 3-oxoacyl-[acyl carrier protein] reductase2 ttha0415 from thermus thermophilus
106	<a href="#">d1mxha_</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
107	<a href="#">c2ekqB_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-deoxy-d-gluconate 3-dehydrogenase; <b>PDBTitle:</b> structure of tt0495 protein from thermus thermophilus
108	<a href="#">c3omlA_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> oxidoreductase, hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> peroxisomal multifunctional enzyme type 2, cg3415; <b>PDBTitle:</b> structure of full-length peroxisomal multifunctional enzyme type 22 from drosophila melanogaster
109	<a href="#">d1p33a_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
110	<a href="#">c3n74A_</a>	Alignment	not modelled	100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-ketoacyl-(acyl-carrier-protein) reductase; <b>PDBTitle:</b> crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase from2 brucella melitensis
111	<a href="#">c3f9iB_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-oxoacyl-[acyl-carrier-protein] reductase; <b>PDBTitle:</b> crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase2 rickettsia prowazekii
112	<a href="#">c2qhxB_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> pteridine reductase 1; <b>PDBTitle:</b> structure of pteridine reductase from leishmania major2 complexed with a ligand
113	<a href="#">c3un1D_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> probable oxidoreductase; <b>PDBTitle:</b> crystal structure of an oxidoreductase from sinorhizobium meliloti2 1021
114	<a href="#">c3s55F_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> putative short-chain dehydrogenase/reductase; <b>PDBTitle:</b> crystal structure of a putative short-chain dehydrogenase/reductase2 from mycobacterium abscessus bound to nad
115	<a href="#">c3diiB_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> short-chain dehydrogenase/reductase sdr; <b>PDBTitle:</b> crystal structure of a carbohydrate specific scor enzyme2 from clostridium thermocellum, ligand-free form
116	<a href="#">c3ksuA_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-oxoacyl-acyl carrier protein reductase; <b>PDBTitle:</b> crystal structure of short-chain dehydrogenase from2 oenococcus oeni psu-1
117	<a href="#">c3e03C_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative dehydrogenase from2 xanthomonas campestris
118	<a href="#">d1spxa_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
119	<a href="#">d1uh5a_</a>	Alignment	not modelled	100.0	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
120	<a href="#">d2ag5a1</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases