























#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">d1te2a_</a>	 Alignment		100.0	96	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucumutase-like
2	<a href="#">c3iruA_</a>	 Alignment		100.0	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> phoshonoacetaldehyde hydrolase like protein; <b>PDBTitle:</b> crystal structure of phoshonoacetaldehyde hydrolase like protein from2 oleispira antarctica
3	<a href="#">c3d6jA_</a>	 Alignment		100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative haloacid dehalogenase-like hydrolase; <b>PDBTitle:</b> crystal structure of putative haloacid dehalogenase-like hydrolase2 from bacteroides fragilis
4	<a href="#">d2hsza1</a>	 Alignment		100.0	20	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucumutase-like
5	<a href="#">d1swva_</a>	 Alignment		100.0	23	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Phosphonoacetaldehyde hydrolase-like
6	<a href="#">c3l5kA_</a>	 Alignment		100.0	24	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> haloacid dehalogenase-like hydrolase domain- <b>PDBTitle:</b> the crystal structure of human haloacid dehalogenase-like2 hydrolase domain containing 1a (hdhd1a)
7	<a href="#">c3dv9A_</a>	 Alignment		100.0	20	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> beta-phosphoglucumutase; <b>PDBTitle:</b> putative beta-phosphoglucumutase from bacteroides vulgatus.
8	<a href="#">d2fdra1</a>	 Alignment		100.0	21	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucumutase-like
9	<a href="#">c3e58A_</a>	 Alignment		100.0	26	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> putative beta-phosphoglucumutase; <b>PDBTitle:</b> crystal structure of putative beta-phosphoglucumutase from2 streptococcus thermophilus
10	<a href="#">c3mc1A_</a>	 Alignment		100.0	16	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> predicted phosphatase, had family; <b>PDBTitle:</b> crystal structure of a predicted phosphatase from2 clostridium acetobutylicum
11	<a href="#">c2yy6B_</a>	 Alignment		100.0	20	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> phosphoglycolate phosphatase; <b>PDBTitle:</b> crystal structure of the phosphoglycolate phosphatase from aquifex2 aeolicus vf5

12	<a href="#">c3s6jC_</a>	Alignment		100.0	17	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> hydrolase, haloacid dehalogenase-like family; <b>PDBTitle:</b> the crystal structure of a hydrolase from pseudomonas syringae
13	<a href="#">d2ah5a1</a>	Alignment		100.0	12	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucomutase-like
14	<a href="#">c2qltA_</a>	Alignment		100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> (dl)-glycerol-3-phosphatase 1; <b>PDBTitle:</b> crystal structure of an isoform of dl-glycerol-3-phosphatase, rhr2p,2 from saccharomyces cerevisiae
15	<a href="#">c2hi0B_</a>	Alignment		100.0	19	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> putative phosphoglycolate phosphatase; <b>PDBTitle:</b> crystal structure of putative phosphoglycolate phosphatase2 (yp_619066.1) from lactobacillus delbrueckii subsp. bulgaricus atcc3 baa-365 at 1.51 a resolution
16	<a href="#">d2hdoa1</a>	Alignment		100.0	18	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucomutase-like
17	<a href="#">c3sd7A_</a>	Alignment		100.0	16	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative phosphatase; <b>PDBTitle:</b> 1.7 angstrom resolution crystal structure of putative phosphatase from2 clostridium difficile
18	<a href="#">c2pibA_</a>	Alignment		100.0	27	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphorylated carbohydrates phosphatase tm_1254; <b>PDBTitle:</b> crystal structure of putative beta-phosphoglucomutase from2 thermotoga maritima
19	<a href="#">d2go7a1</a>	Alignment		99.9	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucomutase-like
20	<a href="#">c3nuqA_</a>	Alignment		99.9	13	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative nucleotide phosphatase; <b>PDBTitle:</b> structure of a putative nucleotide phosphatase from saccharomyces2 cerevisiae
21	<a href="#">c2no5B_</a>	Alignment	not modelled	99.9	20	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> (s)-2-haloacid dehalogenase iva; <b>PDBTitle:</b> crystal structure analysis of a dehalogenase with intermediate complex
22	<a href="#">d1zs9a1</a>	Alignment	not modelled	99.9	15	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Enolase-phosphatase E1
23	<a href="#">d1zrna_</a>	Alignment	not modelled	99.9	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> HAD-related
24	<a href="#">c3qnmA_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> haloacid dehalogenase-like hydrolase; <b>PDBTitle:</b> haloalkane dehalogenase family member from bacteroides2 thetaiotaomicron of unknown function
25	<a href="#">c2om6A_</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> probable phosphoserine phosphatase; <b>PDBTitle:</b> hypothetical protein (probable phosphoserine phosph (ph0253) from2 pyrococcus horikoshii ot3
26	<a href="#">d1o08a_</a>	Alignment	not modelled	99.9	22	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucomutase-like
27	<a href="#">c3ddhA_</a>	Alignment	not modelled	99.9	22	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative haloacid dehalogenase-like family hydrolase; <b>PDBTitle:</b> the structure of a putative haloacid dehalogenase-like family2 hydrolase from bacteroides thetaiotaomicron vpi-5482
28	<a href="#">c3m9lA_</a>	Alignment	not modelled	99.9	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> hydrolase, haloacid dehalogenase-like family; <b>PDBTitle:</b> crystal structure of probable had family hydrolase from2 pseudomonas fluorescens pf-5
						<b>PDB header:</b> structural genomics, unknown function

29	<a href="#">c3ed5A</a>	Alignment	not modelled	99.9	13	<b>Chain:</b> A: <b>PDB Molecule:</b> yfnb; <b>PDBTitle:</b> the crystal structure of yfnb from bacillus subtilis subsp. subtilis2 str. 168
30	<a href="#">d2hcfA1</a>	Alignment	not modelled	99.9	19	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucumutase-like
31	<a href="#">c2hoqA</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative had-hydrolase ph1655; <b>PDBTitle:</b> crystal structure of the probable haloacid dehalogenase (ph1655) from2 pyrococcus horikoshii ot3
32	<a href="#">d2gfha1</a>	Alignment	not modelled	99.9	19	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> beta-Phosphoglucumutase-like
33	<a href="#">d1x42a1</a>	Alignment	not modelled	99.9	22	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> HAD-related
34	<a href="#">c3nasA</a>	Alignment	not modelled	99.9	23	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> beta-phosphoglucumutase; <b>PDBTitle:</b> the crystal structure of beta-phosphoglucumutase from bacillus2 subtilis
35	<a href="#">d1qq5a</a>	Alignment	not modelled	99.9	19	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> HAD-related
36	<a href="#">c2w11B</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-haloalkanoic acid dehalogenase; <b>PDBTitle:</b> structure of the l-2-haloacid dehalogenase from sulfolobus2 tokodaii
37	<a href="#">c2g80C</a>	Alignment	not modelled	99.9	11	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> protein utr4; <b>PDBTitle:</b> crystal structure of utr4 protein (unknown transcript 4 protein)2 (yel038w) from saccharomyces cerevisiae at 2.28 a resolution
38	<a href="#">d2g80a1</a>	Alignment	not modelled	99.9	11	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Enolase-phosphatase E1
39	<a href="#">c3klzA</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> haloacid dehalogenase-like hydrolase domain-containing <b>PDBTitle:</b> crystal structure of human haloacid dehalogenase-like hydrolase domain2 containing 3 (hdhd3)
40	<a href="#">c2pkeA</a>	Alignment	not modelled	99.9	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> haloacid delahogenase-like family hydrolase; <b>PDBTitle:</b> crystal structure of haloacid delahogenase-like family hydrolase2 (np_639141.1) from xanthomonas campestris at 1.81 a resolution
41	<a href="#">c3cnhA</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> hydrolase family protein; <b>PDBTitle:</b> crystal structure of predicted hydrolase of haloacid dehalogenase-like2 superfamily (np_295428.1) from deinococcus radiodurans at 1.66 a3 resolution
42	<a href="#">d2fila1</a>	Alignment	not modelled	99.9	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Phosphonoacetaldehyde hydrolase-like
43	<a href="#">c3kd3A</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoserine phosphohydrolase-like protein; <b>PDBTitle:</b> crystal structure of a phosphoserine phosphohydrolase-like protein2 from francisella tularensis subsp. tularensis schu s4
44	<a href="#">c3kzxA</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> had-superfamily hydrolase, subfamily ia, variant 1; <b>PDBTitle:</b> crystal structure of a had-superfamily hydrolase from ehrlichia2 chaffeensis at 1.9a resolution
45	<a href="#">c2ho4A</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> haloacid dehalogenase-like hydrolase domain <b>PDBTitle:</b> crystal structure of protein from mouse mm.236127
46	<a href="#">d2c4na1</a>	Alignment	not modelled	99.9	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> NagD-like
47	<a href="#">c3pdwA</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized hydrolase yutf; <b>PDBTitle:</b> crystal structure of putative p-nitrophenyl phosphatase from bacillus2 subtilis
48	<a href="#">c3qgmC</a>	Alignment	not modelled	99.8	17	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> p-nitrophenyl phosphatase (pho2); <b>PDBTitle:</b> p-nitrophenyl phosphatase from archaeoglobus fulgidus
49	<a href="#">c3l8hC</a>	Alignment	not modelled	99.8	20	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> putative haloacid dehalogenase-like hydrolase; <b>PDBTitle:</b> crystal structure of d,d-heptose 1.7-bisphosphate phosphatase from b.2 bronchiseptica complexed with magnesium and phosphate
50	<a href="#">c2p11A</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> crystal structure of a putative haloacid dehalogenase-like hydrolase2 (bx_e_b1342) from burkholderia xenovorans lb400 at 2.20 a resolution
51	<a href="#">d2o2xa1</a>	Alignment	not modelled	99.8	21	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Histidinol phosphatase-like
52	<a href="#">d2gmwa1</a>	Alignment	not modelled	99.8	23	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Histidinol phosphatase-like
						<b>Fold:</b> HAD-like

53	<a href="#">d1zd3a1</a>	Alignment	not modelled	99.8	16	<b>Superfamily:</b> HAD-like <b>Family:</b> YihX-like
54	<a href="#">d1wvia</a>	Alignment	not modelled	99.8	12	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> NagD-like
55	<a href="#">c3esqA</a>	Alignment	not modelled	99.8	23	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> d,d-heptose 1,7-bisphosphate phosphatase; <b>PDBTitle:</b> crystal structure of calcium-bound d,d-heptose 1.7-2 bisphosphate phosphatase from e. coli
56	<a href="#">d1ys9a1</a>	Alignment	not modelled	99.8	13	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> NagD-like
57	<a href="#">c2x4dB</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> phospholysine phosphohistidine inorganic pyrophosphate <b>PDBTitle:</b> crystal structure of human phospholysine phosphohistidine2 inorganic pyrophosphate phosphatase lhpp
58	<a href="#">c2i6xA</a>	Alignment	not modelled	99.8	12	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> hydrolase, haloacid dehalogenase-like family; <b>PDBTitle:</b> the structure of a predicted had-like family hydrolase from2 porphyromonas gingivalis.
59	<a href="#">d1ydfa1</a>	Alignment	not modelled	99.8	12	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> NagD-like
60	<a href="#">d1qyia</a>	Alignment	not modelled	99.8	23	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Hypothetical protein MW1667 (SA1546)
61	<a href="#">d1yv9a1</a>	Alignment	not modelled	99.8	13	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> NagD-like
62	<a href="#">d1vjra</a>	Alignment	not modelled	99.8	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> NagD-like
63	<a href="#">c2cftA</a>	Alignment	not modelled	99.8	18	<b>PDB header:</b> phosphatase <b>Chain:</b> A: <b>PDB Molecule:</b> pyridoxal phosphate phosphatase; <b>PDBTitle:</b> crystal structure of human pyridoxal 5'-phosphate2 phosphatase with its substrate
64	<a href="#">c2zg6A</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative uncharacterized protein st2620; <b>PDBTitle:</b> crystal structure of hypothetical protein; probable 2-2 haloalkanoic acid dehalogenase from sulfobolus tokodaii
65	<a href="#">d2b0ca1</a>	Alignment	not modelled	99.8	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> YihX-like
66	<a href="#">c1cr6A</a>	Alignment	not modelled	99.8	22	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> epoxide hydrolase; <b>PDBTitle:</b> crystal structure of murine soluble epoxide hydrolase2 complexed with cpu inhibitor
67	<a href="#">d1u7pa</a>	Alignment	not modelled	99.8	17	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Magnesium-dependent phosphatase-1, Mdp1
68	<a href="#">d1nnla</a>	Alignment	not modelled	99.7	19	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Phosphoserine phosphatase
69	<a href="#">c1zjJA</a>	Alignment	not modelled	99.7	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein ph1952; <b>PDBTitle:</b> crystal structure of hypothetical protein ph1952 from pyrococcus2 horikoshii ot3
70	<a href="#">c3mlyA</a>	Alignment	not modelled	99.7	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoserine phosphatase (serb); <b>PDBTitle:</b> crystal structure of a phosphoserine phosphatase (serb) from2 helicobacter pylori
71	<a href="#">d1cr6a1</a>	Alignment	not modelled	99.7	22	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> YihX-like
72	<a href="#">d1j97a</a>	Alignment	not modelled	99.7	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Phosphoserine phosphatase
73	<a href="#">c2odaB</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> hypothetical protein pspto_2114; <b>PDBTitle:</b> crystal structure of pspto_2114
74	<a href="#">d2feaa1</a>	Alignment	not modelled	99.7	15	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> MtnX-like
75	<a href="#">c2hx1D</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> hydrolase <b>Chain:</b> D: <b>PDB Molecule:</b> predicted sugar phosphatases of the had <b>PDBTitle:</b> crystal structure of possible sugar phosphatase, had2 superfamily (zp_00311070.1) from cytophaga hutchinsonii3 atcc 33406 at 2.10 a resolution
76	<a href="#">d2fpwa1</a>	Alignment	not modelled	99.6	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Histidinol phosphatase-like
77	<a href="#">c3ib6B</a>	Alignment	not modelled	99.6	20	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of an uncharacterized protein from listeria2 monocytogenes serotype 4b
78	<a href="#">d1rkua</a>	Alignment	not modelled	99.5	12	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Homoserine kinase ThrH
						<b>PDB header:</b> hydrolase

79	<a href="#">c2pr7A</a>	Alignment	not modelled	99.4	14	<b>Chain:</b> A: <b>PDB Molecule:</b> haloacid dehalogenase/epoxide hydrolase family; <b>PDBTitle:</b> crystal structure of uncharacterized protein (np_599989.1) from2 corynebacterium glutami cum atcc 13032 kitasato at 1.44 a resolution
80	<a href="#">d1wr8a</a>	Alignment	not modelled	99.3	13	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
81	<a href="#">c3p96A</a>	Alignment	not modelled	99.3	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoserine phosphatase serb; <b>PDBTitle:</b> crystal structure of phosphoserine phosphatase serb from mycobacterium2 avium, native form
82	<a href="#">d1l6ra</a>	Alignment	not modelled	99.3	14	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
83	<a href="#">d1q92a</a>	Alignment	not modelled	99.3	16	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> 5'(3')-deoxyribonucleotidase (dNT-2)
84	<a href="#">c2i7dB</a>	Alignment	not modelled	99.3	14	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> 5'(3')-deoxyribonucleotidase, cytosolic type; <b>PDBTitle:</b> structure of human cytosolic deoxyribonucleotidase in2 complex with deoxyuridine, alf4 and mg2+
85	<a href="#">c3mn1B</a>	Alignment	not modelled	99.2	20	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> probable yrbi family phosphatase; <b>PDBTitle:</b> crystal structure of probable yrbi family phosphatase from pseudomonas2 syringae pv.phaseolica 1448a
86	<a href="#">d1k1ea</a>	Alignment	not modelled	99.2	19	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Probable phosphatase Yrbl
87	<a href="#">c3e8mD</a>	Alignment	not modelled	99.2	18	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> acylneuraminate cytidyltransferase; <b>PDBTitle:</b> structure-function analysis of 2-keto-3-deoxy-d-glycero-d-galacto-2 nononate-9-phosphate (kdn) phosphatase defines a new clad within the3 type c0 had subfamily
88	<a href="#">c2r8zC</a>	Alignment	not modelled	99.2	21	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> 3-deoxy-d-manno-octulosonate 8-phosphate phosphatase; <b>PDBTitle:</b> crystal structure of yrbi phosphatase from escherichia coli in complex2 with a phosphate and a calcium ion
89	<a href="#">c3n07B</a>	Alignment	not modelled	99.1	20	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-deoxy-d-manno-octulosonate 8-phosphate phosphatase; <b>PDBTitle:</b> structure of putative 3-deoxy-d-manno-octulosonate 8-phosphate2 phosphatase from vibrio cholerae
90	<a href="#">c2p9jH</a>	Alignment	not modelled	99.1	20	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> H: <b>PDB Molecule:</b> hypothetical protein aq2171; <b>PDBTitle:</b> crystal structure of aq2171 from aquifex aeolicus
91	<a href="#">c3n1uA</a>	Alignment	not modelled	99.1	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> hydrolase, had superfamily, subfamily iii a; <b>PDBTitle:</b> structure of putative had superfamily (subfamily iii a) hydrolase from2 legionella pneumophila
92	<a href="#">c3n28A</a>	Alignment	not modelled	99.1	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoserine phosphatase; <b>PDBTitle:</b> crystal structure of probable phosphoserine phosphatase from vibrio2 cholerae, unliganded form
93	<a href="#">c3mmzA</a>	Alignment	not modelled	99.0	19	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative had family hydrolase; <b>PDBTitle:</b> crystal structure of putative had family hydrolase from streptomyces2 avermitilis ma-4680
94	<a href="#">c3fvvA</a>	Alignment	not modelled	99.0	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> the crystal structure of the protein with unknown function from2 bordetella pertussis tohama i
95	<a href="#">c3ewiB</a>	Alignment	not modelled	99.0	16	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> n-acylneuraminate cytidyltransferase; <b>PDBTitle:</b> structural analysis of the c-terminal domain of murine cmp-2 sialic acid synthetase
96	<a href="#">c3kc2A</a>	Alignment	not modelled	98.9	13	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein ykr070w; <b>PDBTitle:</b> crystal structure of mitochondrial had-like phosphatase from2 saccharomyces cerevisiae
97	<a href="#">c2qyhD</a>	Alignment	not modelled	98.8	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> D: <b>PDB Molecule:</b> hypothetical conserved protein, gk1056; <b>PDBTitle:</b> crystal structure of the hypothetical protein (gk1056) from2 geobacillus kaustophilus hta426
98	<a href="#">c3fzqA</a>	Alignment	not modelled	98.8	13	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative hydrolase; <b>PDBTitle:</b> crystal structure of putative haloacid dehalogenase-like hydrolase2 (yp_001086940.1) from clostridium difficile 630 at 2.10 a resolution
99	<a href="#">c3r4cA</a>	Alignment	not modelled	98.8	14	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> hydrolase, haloacid dehalogenase-like hydrolase; <b>PDBTitle:</b> divergence of structure and function among phosphatases of the2 haloalkanoate (had) enzyme superfamily: analysis of bt1666 from3 bacteroides thetaiotaomicron
100	<a href="#">c3niwA</a>	Alignment	not modelled	98.7	13	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> haloacid dehalogenase-like hydrolase; <b>PDBTitle:</b> crystal structure of a haloacid dehalogenase-like hydrolase from2 bacteroides thetaiotaomicron
101	<a href="#">d2b30a1</a>	Alignment	not modelled	98.7	13	<b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
102	<a href="#">c3l7yA</a>	Alignment	not modelled	98.7	12	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative uncharacterized protein smu.1108c; <b>PDBTitle:</b> the crystal structure of smu.1108c from streptococcus



					mutans ua159
103	<a href="#">d1nf2a_</a>	Alignment	not modelled	98.6	12 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
104	<a href="#">d1rkqa_</a>	Alignment	not modelled	98.6	14 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
105	<a href="#">d2rbka1</a>	Alignment	not modelled	98.6	11 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
106	<a href="#">d1nrwa_</a>	Alignment	not modelled	98.6	16 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
107	<a href="#">d1rlma_</a>	Alignment	not modelled	98.6	14 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
108	<a href="#">d1s2oa1</a>	Alignment	not modelled	98.5	15 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
109	<a href="#">c3dnpA_</a>	Alignment	not modelled	98.5	11 <b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> stress response protein yhax; <b>PDBTitle:</b> crystal structure of stress response protein yhax from bacillus2 subtilis
110	<a href="#">c3daoB_</a>	Alignment	not modelled	98.4	12 <b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> putative phosphatse; <b>PDBTitle:</b> crystal structure of a putative phosphatse (eubrec_1417) from2 eubacterium rectale at 1.80 a resolution
111	<a href="#">d2vkqa1</a>	Alignment	not modelled	98.4	17 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Pyrimidine 5'-nucleotidase (UMPH-1)
112	<a href="#">d1yj5a1</a>	Alignment	not modelled	98.4	20 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> phosphatase domain of polynucleotide kinase
113	<a href="#">c3zvmA_</a>	Alignment	not modelled	98.4	21 <b>PDB header:</b> hydrolase/transferase/dna <b>Chain:</b> A: <b>PDB Molecule:</b> bifunctional polynucleotide phosphatase/kinase; <b>PDBTitle:</b> the structural basis for substrate recognition by mammalian2 polynucleotide kinase 3' phosphatase
114	<a href="#">c3gygA_</a>	Alignment	not modelled	98.4	12 <b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> ntd biosynthesis operon putative hydrolase ntdb; <b>PDBTitle:</b> crystal structure of yhjk (haloacid dehalogenase-like hydrolase2 protein) from bacillus subtilis
115	<a href="#">c2iyeC_</a>	Alignment	not modelled	98.4	19 <b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> copper-transporting atpase; <b>PDBTitle:</b> structure of catalytic cpx-atpase domain copb-b
116	<a href="#">d1ltqa1</a>	Alignment	not modelled	98.4	21 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> phosphatase domain of polynucleotide kinase
117	<a href="#">c3pgvB_</a>	Alignment	not modelled	98.3	16 <b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> haloacid dehalogenase-like hydrolase; <b>PDBTitle:</b> crystal structure of a haloacid dehalogenase-like hydrolase2 (kpn_04322) from klebsiella pneumoniae subsp. pneumoniae mgh 78578 at3 2.39 a resolution
118	<a href="#">d1wzca1</a>	Alignment	not modelled	98.3	7 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Predicted hydrolases Cof
119	<a href="#">d1z5ga1</a>	Alignment	not modelled	98.2	14 <b>Fold:</b> HAD-like <b>Superfamily:</b> HAD-like <b>Family:</b> Class B acid phosphatase, AphA
120	<a href="#">c1xviA_</a>	Alignment	not modelled	98.1	15 <b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative mannosyl-3-phosphoglycerate phosphatase; <b>PDBTitle:</b> crystal structure of yedp, phosphatase-like domain protein2 from escherichia coli k12