
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">cliz1B_</a>	 Alignment		100.0	28	<b>PDB header:</b> dna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> lysr-type regulatory protein; <b>PDBTitle:</b> crystal structure of cbnr, a lysr family transcriptional2 regulator
2	<a href="#">c2esnC_</a>	 Alignment		100.0	18	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> C: <b>PDB Molecule:</b> probable transcriptional regulator; <b>PDBTitle:</b> the crystal structure of probable transcriptional regulator pa04772 from pseudomonas aeruginosa
3	<a href="#">c3fzjC_</a>	 Alignment		100.0	22	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> lysr type regulator of tsambcd; <b>PDBTitle:</b> tsar low resolution crystal structure, tetragonal form
4	<a href="#">c3hhgF_</a>	 Alignment		100.0	20	<b>PDB header:</b> transcription regulator <b>Chain:</b> F: <b>PDB Molecule:</b> transcriptional regulator, lysr family; <b>PDBTitle:</b> structure of crga, a lysr-type transcriptional regulator from2 neisseria meningitidis.
5	<a href="#">c3tlbB_</a>	 Alignment		100.0	20	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, lysr family; <b>PDBTitle:</b> crystal structure of the full-length aphb n100e variant
6	<a href="#">c3fzvC_</a>	 Alignment		100.0	23	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> probable transcriptional regulator; <b>PDBTitle:</b> crystal structure of pa01 protein, putative lysr family2 transcriptional regulator from pseudomonas aeruginosa
7	<a href="#">c3ispA_</a>	 Alignment		100.0	16	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator <b>PDBTitle:</b> crystal structure of argp from mycobacterium tuberculosis
8	<a href="#">c1b9nA_</a>	 Alignment		99.9	11	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> protein (mode); <b>PDBTitle:</b> regulator from escherichia coli
9	<a href="#">c3m1eA_</a>	 Alignment		99.9	45	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator benm; <b>PDBTitle:</b> crystal structure of benm_dbd
10	<a href="#">d2esna1</a>	 Alignment		99.9	22	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> LysR-like transcriptional regulators
11	<a href="#">d1b9ma1</a>	 Alignment		99.9	13	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> N-terminal domain of molybdate-dependent transcriptional regulator MoDE

12	<a href="#">dlixca1</a>	Alignment		99.8	48	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> LysR-like transcriptional regulators
13	<a href="#">dlixca2</a>	Alignment		99.8	19	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
14	<a href="#">c2h9qC</a>	Alignment		99.8	22	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> hth-type transcriptional regulator catm; <b>PDBTitle:</b> crystal structure of the effector binding domain of a catm2 variant (r156h)
15	<a href="#">c2hxrA</a>	Alignment		99.8	21	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator cynr; <b>PDBTitle:</b> structure of the ligand binding domain of e. coli cynr, a2 transcriptional regulator controlling cyanate metabolism
16	<a href="#">c2f7cA</a>	Alignment		99.8	22	<b>PDB header:</b> gene regulation <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator catm; <b>PDBTitle:</b> catm effector binding domain with its effector cis,cis-muconate
17	<a href="#">c2h9bB</a>	Alignment		99.8	21	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> hth-type transcriptional regulator benm; <b>PDBTitle:</b> crystal structure of the effector binding domain of a benm variant2 (benm r156h/t157s)
18	<a href="#">c2ijlB</a>	Alignment		99.8	15	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> molybdenum-binding transcriptional repressor; <b>PDBTitle:</b> the structure of a putative mode from agrobacterium tumefaciens.
19	<a href="#">c2f78A</a>	Alignment		99.8	21	<b>PDB header:</b> gene regulation <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator benm; <b>PDBTitle:</b> benm effector binding domain with its effector benzoate
20	<a href="#">c3oxnD</a>	Alignment		99.8	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> putative transcriptional regulator, lysr family; <b>PDBTitle:</b> the crystal structure of a putative transcriptional regulator from2 vibrio parahaemolyticus
21	<a href="#">d2fyia1</a>	Alignment	not modelled	99.8	18	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
22	<a href="#">d1utha</a>	Alignment	not modelled	99.7	14	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
23	<a href="#">c3jv9B</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, lysr family; <b>PDBTitle:</b> the structure of a reduced form of oxyr from n. meningitidis
24	<a href="#">d1al3a</a>	Alignment	not modelled	99.7	19	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
25	<a href="#">c1al3A</a>	Alignment	not modelled	99.7	19	<b>PDB header:</b> transcription regulation <b>Chain:</b> A: <b>PDB Molecule:</b> cys regulon transcriptional activator cysb; <b>PDBTitle:</b> cofactor binding fragment of cysb from klebsiella aerogenes
26	<a href="#">dli6aa</a>	Alignment	not modelled	99.7	22	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
27	<a href="#">c2uyeA</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> regulatory protein; <b>PDBTitle:</b> double mutant y110s,f111v dntR from burkholderia sp. strain2 dntR in complex with thiocyanate
28	<a href="#">c3ho7A</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> oxyr; <b>PDBTitle:</b> crystal structure of oxyr from porphyromonas gingivalis
						<b>PDB header:</b> transcription

29	<a href="#">c2ql3G_</a>	Alignment	not modelled	99.7	26	<b>Chain:</b> G: <b>PDB Molecule:</b> probable transcriptional regulator, lysr family protein; <b>PDBTitle:</b> crystal structure of the c-terminal domain of a probable lysr family2 transcriptional regulator from rhodococcus sp. rha1
30	<a href="#">d2esna2</a>	Alignment	not modelled	99.7	16	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
31	<a href="#">c3n6uA_</a>	Alignment	not modelled	99.7	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> lysr type regulator of tsambcd; <b>PDBTitle:</b> effector binding domain of tsar in complex with its inducer p-2 toluenesulfonate
32	<a href="#">c3fd3A_</a>	Alignment	not modelled	99.6	12	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> chromosome replication initiation inhibitor protein; <b>PDBTitle:</b> structure of the c-terminal domains of a lysr family protein from2 agrobacterium tumefaciens str. c58.
33	<a href="#">c3kosA_</a>	Alignment	not modelled	99.6	15	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional activator ampr; <b>PDBTitle:</b> structure of the ampr effector binding domain from citrobacter2 freundii
34	<a href="#">c3mz1D_</a>	Alignment	not modelled	99.5	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> the crystal structure of a possible transcription regulator protein2 from sinorhizobium meliloti 1021
35	<a href="#">c3hhfB_</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, lysr family; <b>PDBTitle:</b> structure of crga regulatory domain, a lysr-type transcriptional2 regulator from neisseria meningitidis.
36	<a href="#">c3onmB_</a>	Alignment	not modelled	99.5	17	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator Irha; <b>PDBTitle:</b> effector binding domain of lysr-type transcription factor rovm from y.2 pseudotuberculosis
37	<a href="#">c2qsxB_</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator, lysr family; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator lysr from2 vibrio parahaemolyticus
38	<a href="#">c2x4hA_</a>	Alignment	not modelled	98.2	16	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein sso2273; <b>PDBTitle:</b> crystal structure of the hypothetical protein sso2273 from2 sulfolobus solfataricus
39	<a href="#">c3boqB_</a>	Alignment	not modelled	98.0	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of marr family transcriptional regulator from2 silicibacter pomeroyi
40	<a href="#">c3ctaA_</a>	Alignment	not modelled	98.0	26	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> riboflavin kinase; <b>PDBTitle:</b> crystal structure of riboflavin kinase from thermoplasma2 acidophilum
41	<a href="#">d2fbha1</a>	Alignment	not modelled	97.8	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
42	<a href="#">c3nrvC_</a>	Alignment	not modelled	97.8	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> putative transcriptional regulator (marr/emrr family); <b>PDBTitle:</b> crystal structure of marr/emrr family transcriptional regulator from2 acinetobacter sp. adp1
43	<a href="#">c3bpxB_</a>	Alignment	not modelled	97.8	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator; <b>PDBTitle:</b> crystal structure of marr
44	<a href="#">c3g3zA_</a>	Alignment	not modelled	97.8	17	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> the structure of nmb1585, a marr family regulator from neisseria2 meningitidis
45	<a href="#">c2fa5B_</a>	Alignment	not modelled	97.7	15	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator marr/emrr family; <b>PDBTitle:</b> the crystal structure of an unliganded multiple antibiotic-2 resistance repressor (marr) from xanthomonas campestris
46	<a href="#">c2gxgA_</a>	Alignment	not modelled	97.7	18	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> 146aa long hypothetical transcriptional regulator; <b>PDBTitle:</b> crystal structure of emrr homolog from hyperthermophilic archaea2 sulfolobus tokodaii strain7
47	<a href="#">c2nnnB_</a>	Alignment	not modelled	97.7	14	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> probable transcriptional regulator; <b>PDBTitle:</b> crystal structure of probable transcriptional regulator from2 pseudomonas aeruginosa
48	<a href="#">d1lnwa_</a>	Alignment	not modelled	97.7	22	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
49	<a href="#">d1lj9a_</a>	Alignment	not modelled	97.7	16	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
50	<a href="#">c3e6mD_</a>	Alignment	not modelled	97.7	20	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> marr family transcriptional regulator; <b>PDBTitle:</b> the crystal structure of a marr family transcriptional2 regulator from silicibacter pomeroyi dss.
51	<a href="#">d2hr3a1</a>	Alignment	not modelled	97.7	23	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
52	<a href="#">c3fm5D_</a>	Alignment	not modelled	97.6	23	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> transcriptional regulator; <b>PDBTitle:</b> x-ray crystal structure of transcriptional regulator (marr family)2 from rhodococcus sp. rha1
53	<a href="#">c2nyxB_</a>	Alignment	not modelled	97.6	14	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> probable transcriptional regulatory protein, rv1404; <b>PDBTitle:</b> crystal structure of rv1404 from mycobacterium

					tuberculosis
54	<a href="#">c3cdhB_</a>	Alignment	not modelled	97.6	13 <b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of the marr family transcriptional regulator spo14532 from silicibacter pomeroyi dss-3
55	<a href="#">d2fxaa1</a>	Alignment	not modelled	97.6	14 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
56	<a href="#">d1jgsa_</a>	Alignment	not modelled	97.6	15 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
57	<a href="#">d2bv6a1</a>	Alignment	not modelled	97.6	12 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
58	<a href="#">c1f5tA_</a>	Alignment	not modelled	97.6	20 <b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> diphtheria toxin repressor; <b>PDBTitle:</b> diphtheria tox repressor (c102d mutant) complexed with2 nickel and dtxr consensus binding sequence
59	<a href="#">c2pexA_</a>	Alignment	not modelled	97.6	20 <b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator ohrr; <b>PDBTitle:</b> structure of reduced c22s ohrr from xanthomonas campestris
60	<a href="#">c1fx7C_</a>	Alignment	not modelled	97.6	22 <b>PDB header:</b> signaling protein <b>Chain:</b> C: <b>PDB Molecule:</b> iron-dependent repressor ider; <b>PDBTitle:</b> crystal structure of the iron-dependent regulator (ider)2 from mycobacterium tuberculosis
61	<a href="#">c3hruA_</a>	Alignment	not modelled	97.6	22 <b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> metalloregulator scar; <b>PDBTitle:</b> crystal structure of scar with bound zn2+
62	<a href="#">c1g3wA_</a>	Alignment	not modelled	97.5	22 <b>PDB header:</b> gene regulation <b>Chain:</b> A: <b>PDB Molecule:</b> diphtheria toxin repressor; <b>PDBTitle:</b> cd-cys102ser dtxr
63	<a href="#">c2h09A_</a>	Alignment	not modelled	97.5	23 <b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator mntr; <b>PDBTitle:</b> crystal structure of diphtheria toxin repressor like protein2 from e. coli
64	<a href="#">c3ecoB_</a>	Alignment	not modelled	97.5	20 <b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> mepr; <b>PDBTitle:</b> crystal structure of mepr, a transcription regulator of the2 staphylococcus aureus multidrug efflux pump mepa
65	<a href="#">d3broa1</a>	Alignment	not modelled	97.5	12 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
66	<a href="#">c2it0A_</a>	Alignment	not modelled	97.5	24 <b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> iron-dependent repressor ider; <b>PDBTitle:</b> crystal structure of a two-domain ider-dna complex crystal2 form ii
67	<a href="#">c2fxaB_</a>	Alignment	not modelled	97.5	17 <b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> protease production regulatory protein hpr; <b>PDBTitle:</b> structure of the protease production regulatory protein hpr from2 bacillus subtilis.
68	<a href="#">d1s3ja_</a>	Alignment	not modelled	97.5	16 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
69	<a href="#">c3f3xA_</a>	Alignment	not modelled	97.4	20 <b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, marr family, putative; <b>PDBTitle:</b> crystal structure of the transcriptional regulator bldr2 from sulfobolus solfataricus
70	<a href="#">c2rdpA_</a>	Alignment	not modelled	97.4	13 <b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator marr; <b>PDBTitle:</b> the structure of a marr family protein from bacillus2 stearothermophilus
71	<a href="#">d2etha1</a>	Alignment	not modelled	97.4	24 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
72	<a href="#">c3bjaA_</a>	Alignment	not modelled	97.4	14 <b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, marr family, putative; <b>PDBTitle:</b> crystal structure of putative marr-like transcription regulator2 (np_978771.1) from bacillus cereus atcc 10987 at 2.38 a resolution
73	<a href="#">d1p4xa1</a>	Alignment	not modelled	97.4	17 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
74	<a href="#">c3nqoB_</a>	Alignment	not modelled	97.4	16 <b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> marr-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a marr family transcriptional regulator (cd1569)2 from clostridium difficile 630 at 2.20 a resolution
75	<a href="#">d2fbia1</a>	Alignment	not modelled	97.4	19 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
76	<a href="#">c3cjnA_</a>	Alignment	not modelled	97.4	17 <b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of transcriptional regulator, marr family, from2 silicibacter pomeroyi
77	<a href="#">d2a61a1</a>	Alignment	not modelled	97.4	12 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
78	<a href="#">d2fbka1</a>	Alignment	not modelled	97.4	19 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
					<b>PDB header:</b> transcription regulator

79	<a href="#">c3hrmA</a>	Alignment	not modelled	97.4	15	<b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator sarz; <b>PDBTitle:</b> crystal structure of staphylococcus aureus protein sarz in sulfenic2 acid form
80	<a href="#">c2qwwB</a>	Alignment	not modelled	97.3	13	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of multiple antibiotic-resistance repressor (marr)2 (yp_013417.1) from listeria monocytogenes 4b f2365 at 2.07 a3 resolution
81	<a href="#">c3k0IA</a>	Alignment	not modelled	97.3	24	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> repressor protein; <b>PDBTitle:</b> crystal structure of putative marr family transcriptional2 regulator from acinetobacter sp. adp
82	<a href="#">d1z91a1</a>	Alignment	not modelled	97.3	16	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
83	<a href="#">d1ub9a</a>	Alignment	not modelled	97.3	22	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
84	<a href="#">d2frha1</a>	Alignment	not modelled	97.3	8	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
85	<a href="#">c3deuB</a>	Alignment	not modelled	97.3	21	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator slyA; <b>PDBTitle:</b> crystal structure of transcription regulatory protein slyA2 from salmonella typhimurium in complex with salicylate3 ligands
86	<a href="#">c3oopA</a>	Alignment	not modelled	97.2	12	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> lin2960 protein; <b>PDBTitle:</b> the structure of a protein with unknown function from listeria innocua2 clip11262
87	<a href="#">c3s2wB</a>	Alignment	not modelled	97.2	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> the crystal structure of a marr transcriptional regulator from2 methanosarcina mazei go1
88	<a href="#">d3deua1</a>	Alignment	not modelled	97.2	22	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
89	<a href="#">c2ev5B</a>	Alignment	not modelled	97.2	15	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator mntr; <b>PDBTitle:</b> bacillus subtilis manganese transport regulator (mntr)2 bound to calcium
90	<a href="#">d3ctaa1</a>	Alignment	not modelled	97.1	30	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
91	<a href="#">c3bj6B</a>	Alignment	not modelled	97.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of marr family transcription regulator sp03579
92	<a href="#">d1p4xa2</a>	Alignment	not modelled	97.0	12	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
93	<a href="#">d1hsja1</a>	Alignment	not modelled	96.9	14	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
94	<a href="#">c3jw4C</a>	Alignment	not modelled	96.9	11	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcriptional regulator, marr/emrr family; <b>PDBTitle:</b> the structure of a putative marr family transcriptional regulator from2 clostridium acetobutylicum
95	<a href="#">c3ongB</a>	Alignment	not modelled	96.8	7	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> regulator of polyketide synthase expression; <b>PDBTitle:</b> crystal structure of regulator of polyketide synthase expression2 bad_0249 from bifidobacterium adolescentis
96	<a href="#">c1p4xA</a>	Alignment	not modelled	96.8	16	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> staphylococcal accessory regulator a homologue; <b>PDBTitle:</b> crystal structure of sars protein from staphylococcus aureus
97	<a href="#">c3kp3B</a>	Alignment	not modelled	96.7	19	<b>PDB header:</b> transcription regulator/antibiotic <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator tcar; <b>PDBTitle:</b> staphylococcus epidermidis in complex with ampicillin
98	<a href="#">d2f2ea1</a>	Alignment	not modelled	96.6	21	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> HxIR-like
99	<a href="#">c2oqgA</a>	Alignment	not modelled	96.6	14	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> possible transcriptional regulator, arsr family protein; <b>PDBTitle:</b> arsr-like transcriptional regulator from rhodococcus sp. rha1
100	<a href="#">c1r22B</a>	Alignment	not modelled	96.5	19	<b>PDB header:</b> transcription repressor <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional repressor smtb; <b>PDBTitle:</b> crystal structure of the cyanobacterial metallothionein2 repressor smtb (c14s/c61s/c121s mutant) in the zn2alpha5-3 form
101	<a href="#">d1rlua</a>	Alignment	not modelled	96.5	14	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> ArsR-like transcriptional regulators
102	<a href="#">d1twya</a>	Alignment	not modelled	96.5	12	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
103	<a href="#">c1twyG</a>	Alignment	not modelled	96.4	12	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> G: <b>PDB Molecule:</b> abc transporter, periplasmic substrate-binding protein; <b>PDBTitle:</b> crystal structure of an abc-type phosphate transport receptor from2 vibrio cholerae
						<b>PDB header:</b> antiviral protein



104	<a href="#">c2wteB_</a>	Alignment	not modelled	96.4	20	<b>Chain:</b> B: <b>PDB Molecule:</b> csa3; <b>PDBTitle:</b> the structure of the crispr-associated protein, csa3, from2 sulfolobus solfataricus at 1.8 angstrom resolution.
105	<a href="#">c2zkzC_</a>	Alignment	not modelled	96.4	13	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> transcriptional repressor pagr; <b>PDBTitle:</b> crystal structure of the transcriptional repressor pagr of bacillus2 anthracis
106	<a href="#">c2kkoB_</a>	Alignment	not modelled	96.4	17	<b>PDB header:</b> dna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> possible transcriptional regulatory protein <b>PDBTitle:</b> solution nmr structure of the homodimeric winged helix-turn-2 helix dna-binding domain (fragment 1-100) mb0332 from3 mycobacterium bovis, a possible arsr-family transcriptional4 regulator. northeast structural genomics consortium target5 mbr242e.
107	<a href="#">c3r0aB_</a>	Alignment	not modelled	96.3	8	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> possible transcriptional regulator from methanosarcina mazei go1 (gi2 21227196)
108	<a href="#">c3cuoB_</a>	Alignment	not modelled	96.1	10	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized hth-type transcriptional regulator ygav; <b>PDBTitle:</b> crystal structure of the predicted dna-binding transcriptional2 regulator from e. coli
109	<a href="#">c3bddD_</a>	Alignment	not modelled	96.1	18	<b>PDB header:</b> transcription <b>Chain:</b> D: <b>PDB Molecule:</b> regulatory protein marr; <b>PDBTitle:</b> crystal structure of a putative multiple antibiotic-resistance2 repressor (ssu05_1136) from streptococcus suis 89/1591 at 2.20 a3 resolution
110	<a href="#">c3f6oB_</a>	Alignment	not modelled	96.1	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> probable transcriptional regulator, arsr family <b>PDBTitle:</b> crystal structure of arsr family transcriptional regulator,2 rha00566
111	<a href="#">dlz7ua1</a>	Alignment	not modelled	96.0	13	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> HxIR-like
112	<a href="#">dlr1ta_</a>	Alignment	not modelled	95.9	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> ArsR-like transcriptional regulators
113	<a href="#">dlr7ja_</a>	Alignment	not modelled	95.8	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Archaeal DNA-binding protein
114	<a href="#">dlu2wa1</a>	Alignment	not modelled	95.7	20	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> ArsR-like transcriptional regulators
115	<a href="#">dlsfxa_</a>	Alignment	not modelled	95.7	12	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> TrmB-like
116	<a href="#">c3tgnA_</a>	Alignment	not modelled	95.6	14	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> adc operon repressor adcr; <b>PDBTitle:</b> crystal structure of the zinc-dependent marr family transcriptional2 regulator adcr in the zn(ii)-bound state
117	<a href="#">c3jthA_</a>	Alignment	not modelled	95.6	21	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcription activator hlyu; <b>PDBTitle:</b> crystal structure of a transcriptional regulator hlyu from2 vibrio vulnificus cmcp6
118	<a href="#">dlstza1</a>	Alignment	not modelled	95.6	14	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Heat-inducible transcription repressor HrcA, N-terminal domain
119	<a href="#">c3df8A_</a>	Alignment	not modelled	95.6	25	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> possible hxlR family transcriptional factor; <b>PDBTitle:</b> the crystal structure of a possible hxlR family transcriptional factor2 from thermoplasma volcanium gss1
120	<a href="#">dlbiaa1</a>	Alignment	not modelled	95.6	18	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Biotin repressor-like