























#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">d1w3ba_</a>	 Alignment		99.9	14	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
2	<a href="#">c2xpiA_</a>	 Alignment		99.9	13	<b>PDB header:</b> cell cycle <b>Chain:</b> A: <b>PDB Molecule:</b> anaphase-promoting complex subunit cut9; <b>PDBTitle:</b> crystal structure of apc/c hetero-tetramer cut9-hcn1
3	<a href="#">c3iegB_</a>	 Alignment		99.9	14	<b>PDB header:</b> chaperone <b>Chain:</b> B: <b>PDB Molecule:</b> dnaj homolog subfamily c member 3; <b>PDBTitle:</b> crystal structure of p58(ipk) tpr domain at 2.5 a
4	<a href="#">c1fchB_</a>	 Alignment		99.9	15	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> peroxisomal targeting signal 1 receptor; <b>PDBTitle:</b> crystal structure of the pts1 complexed to the tpr region2 of human pex5
5	<a href="#">c3fp4A_</a>	 Alignment		99.9	16	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> tpr repeat-containing protein yhr117w; <b>PDBTitle:</b> crystal structure of tom71 complexed with ssa1 c-terminal2 fragment
6	<a href="#">c2y4tA_</a>	 Alignment		99.9	13	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> dnaj homolog subfamily c member 3; <b>PDBTitle:</b> crystal structure of the human co-chaperone p58(ipk)
7	<a href="#">c3cvpA_</a>	 Alignment		99.9	11	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> peroxisome targeting signal 1 receptor pex5; <b>PDBTitle:</b> structure of peroxisomal targeting signal 1 (pts1) binding2 domain of trypanosoma brucei peroxin 5 (tbpex5)complexed3 to pts1 peptide (10-skl)
8	<a href="#">d1fcha_</a>	 Alignment		99.9	16	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
9	<a href="#">c2gw1A_</a>	 Alignment		99.9	19	<b>PDB header:</b> protein transport <b>Chain:</b> A: <b>PDB Molecule:</b> mitochondrial precursor proteins import receptor; <b>PDBTitle:</b> crystal structure of the yeast tom70
10	<a href="#">d2ooea1</a>	 Alignment		99.9	14	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> HAT/Suf repeat
11	<a href="#">d1dcea1</a>	 Alignment		99.9	8	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> Protein prenyltransferase <b>Family:</b> Protein prenyltransferase





















12	<a href="#">c3hymB_</a>	Alignment		99.9	11	<b>PDB header:</b> cell cycle, ligase <b>Chain:</b> B: <b>PDB Molecule:</b> cell division cycle protein 16 homolog; <b>PDBTitle:</b> insights into anaphase promoting complex tpr subdomain2 assembly from a cdc26-apc6 structure
13	<a href="#">d1hz4a_</a>	Alignment		99.9	14	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Transcription factor MalT domain III
14	<a href="#">c2uy1A_</a>	Alignment		99.8	12	<b>PDB header:</b> rna-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> cleavage stimulation factor 77; <b>PDBTitle:</b> crystal structure of cstf-77
15	<a href="#">c3mkrA_</a>	Alignment		99.8	13	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> coatomer subunit epsilon; <b>PDBTitle:</b> crystal structure of yeast alpha/epsilon-cop subcomplex of the cop12 vesicular coat
16	<a href="#">d1qsaa1</a>	Alignment		99.8	12	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> Bacterial muramidases <b>Family:</b> Bacterial muramidases
17	<a href="#">c3draA_</a>	Alignment		99.8	9	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein <b>PDBTitle:</b> candida albicans protein geranylgeranyltransferase-i2 complexed with ggpp
18	<a href="#">c2ho1B_</a>	Alignment		99.8	17	<b>PDB header:</b> protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> type 4 fimbrial biogenesis protein pilf; <b>PDBTitle:</b> functional characterization of pseudomonas aeruginosa pilf
19	<a href="#">c2vq2A_</a>	Alignment		99.8	16	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative fimbrial biogenesis and twitching <b>PDBTitle:</b> crystal structure of pilw, widely conserved type iv pilus2 biogenesis factor
20	<a href="#">c3q75A_</a>	Alignment		99.8	10	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> farnesyltransferase alpha subunit; <b>PDBTitle:</b> cryptococcus neoformans protein farnesyltransferase in complex with2 fpt-ii and tkcvvm peptide
21	<a href="#">c3pe3D_</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> udp-n-acetylglucosamine--peptide n- <b>PDBTitle:</b> structure of human o-glcnae transferase and its complex with a peptide2 substrate
22	<a href="#">d1xnfa_</a>	Alignment	not modelled	99.7	12	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
23	<a href="#">c3mv3B_</a>	Alignment	not modelled	99.7	7	<b>PDB header:</b> protein transport <b>Chain:</b> B: <b>PDB Molecule:</b> coatomer subunit epsilon; <b>PDBTitle:</b> crystal structure of a-cop in complex with e-cop
24	<a href="#">d1d8da_</a>	Alignment	not modelled	99.7	11	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> Protein prenyltransferase <b>Family:</b> Protein prenyltransferase
25	<a href="#">d2h6fa1</a>	Alignment	not modelled	99.7	10	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> Protein prenyltransferase <b>Family:</b> Protein prenyltransferase
26	<a href="#">c2q7fA_</a>	Alignment	not modelled	99.7	19	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> yrrb protein; <b>PDBTitle:</b> crystal structure of yrrb: a tpr protein with an unusual peptide-2 binding site
27	<a href="#">c1tnol_</a>	Alignment	not modelled	99.7	11	<b>PDB header:</b> transferase <b>Chain:</b> I: <b>PDB Molecule:</b> geranylgeranyltransferase type i alpha subunit; <b>PDBTitle:</b> rat protein geranylgeranyltransferase type-i complexed with2 a ggpp analog and a kkskktkvim peptide derived from k-3 ras4b
28	<a href="#">c3urzB_</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of a hypothetical protein (bacova 03105) from2 bacteroides ovatus atcc 8483 at 2.19 a

						resolution
29	<a href="#">c3q15A</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> hydrolase/kinase <b>Chain:</b> A: <b>PDB Molecule:</b> response regulator aspartate phosphatase h; <b>PDBTitle:</b> crystal structure of raph complexed with spo0f
30	<a href="#">c2pl2A</a>	Alignment	not modelled	99.7	21	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical conserved protein ttc0263; <b>PDBTitle:</b> crystal structure of ttc0263: a thermophilic tpr protein in thermus2 thermophilus hb27
31	<a href="#">c3sf4B</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> signaling protein/protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> g-protein-signaling modulator 2; <b>PDBTitle:</b> crystal structure of the complex between the conserved cell polarity2 proteins inscuteable and lgn
32	<a href="#">c2ifuA</a>	Alignment	not modelled	99.6	13	<b>PDB header:</b> endocytosis/exocytosis <b>Chain:</b> A: <b>PDB Molecule:</b> gamma-snap; <b>PDBTitle:</b> crystal structure of a gamma-snap from danio rerio
33	<a href="#">c3as5A</a>	Alignment	not modelled	99.6	18	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> mama; <b>PDBTitle:</b> mama amb-1 p212121
34	<a href="#">d2c21a1</a>	Alignment	not modelled	99.5	9	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
35	<a href="#">d1hh8a</a>	Alignment	not modelled	99.5	13	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
36	<a href="#">c2r5sB</a>	Alignment	not modelled	99.5	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein vp0806; <b>PDBTitle:</b> the crystal structure of a domain of protein vp0806 (unknown function)2 from vibrio parahaemolyticus rimd 2210633
37	<a href="#">c3qkyA</a>	Alignment	not modelled	99.5	13	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> outer membrane assembly lipoprotein yfio; <b>PDBTitle:</b> crystal structure of rhodothermus marinus bamd
38	<a href="#">c1xi4D</a>	Alignment	not modelled	99.5	13	<b>PDB header:</b> endocytosis/exocytosis <b>Chain:</b> D: <b>PDB Molecule:</b> clathrin heavy chain; <b>PDBTitle:</b> clathrin d6 coat
39	<a href="#">c3gw4B</a>	Alignment	not modelled	99.5	20	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of uncharacterized protein from deinococcus2 radiodurans. northeast structural genomics consortium target drr162b.
40	<a href="#">c1wao4</a>	Alignment	not modelled	99.4	7	<b>PDB header:</b> hydrolase <b>Chain:</b> 4: <b>PDB Molecule:</b> serine/threonine protein phosphatase 5; <b>PDBTitle:</b> pp5 structure
41	<a href="#">c2c21D</a>	Alignment	not modelled	99.4	8	<b>PDB header:</b> chaperone <b>Chain:</b> D: <b>PDB Molecule:</b> carboxy terminus of hsp70-interacting protein; <b>PDBTitle:</b> crystal structure of the chip u-box e3 ubiquitin ligase
42	<a href="#">c2yhca</a>	Alignment	not modelled	99.4	9	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> upf0169 lipoprotein yfio; <b>PDBTitle:</b> structure of bamd from e. coli
43	<a href="#">d2onda1</a>	Alignment	not modelled	99.4	9	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> HAT/Suf repeat
44	<a href="#">c3ly8A</a>	Alignment	not modelled	99.4	13	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional activator cadc; <b>PDBTitle:</b> crystal structure of mutant d471e of the periplasmic domain of cadc
45	<a href="#">c2hyzA</a>	Alignment	not modelled	99.4	24	<b>PDB header:</b> de novo protein <b>Chain:</b> A: <b>PDB Molecule:</b> synthetic consensus tpr protein; <b>PDBTitle:</b> crystal structure of an 8 repeat consensus tpr superhelix2 (orthorhombic crystal form)
46	<a href="#">c3nf1A</a>	Alignment	not modelled	99.3	9	<b>PDB header:</b> motor protein, transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> kinesin light chain 1; <b>PDBTitle:</b> crystal structure of the tpr domain of kinesin light chain 1
47	<a href="#">d1qqea</a>	Alignment	not modelled	99.3	10	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
48	<a href="#">c1slyA</a>	Alignment	not modelled	99.3	10	<b>PDB header:</b> glycosyltransferase <b>Chain:</b> A: <b>PDB Molecule:</b> 70-kda soluble lytic transglycosylase; <b>PDBTitle:</b> complex of the 70-kda soluble lytic transglycosylase with2 bulgecin a
49	<a href="#">c2xcba</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> regulatory protein pcrh; <b>PDBTitle:</b> crystal structure of pcrh in complex with the chaperone2 binding region of popd
50	<a href="#">c2e2eA</a>	Alignment	not modelled	99.3	12	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> formate-dependent nitrite reductase complex nrfg subunit; <b>PDBTitle:</b> tpr domain of nrfg mediates the complex formation between heme lyase2 and formate-dependent nitrite reductase in escherichia coli o157:h7
51	<a href="#">c3q49B</a>	Alignment	not modelled	99.3	9	<b>PDB header:</b> ligase/chaperone <b>Chain:</b> B: <b>PDB Molecule:</b> stip1 homology and u box-containing protein 1; <b>PDBTitle:</b> crystal structure of the tpr domain of chip complexed with hsp70-c2 peptide
52	<a href="#">c3gyzB</a>	Alignment	not modelled	99.3	13	<b>PDB header:</b> chaperone <b>Chain:</b> B: <b>PDB Molecule:</b> chaperone protein ipgc; <b>PDBTitle:</b> crystal structure of ipgc from shigella flexneri
53	<a href="#">d1elwa</a>	Alignment	not modelled	99.3	9	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
						<b>PDB header:</b> oxidoreductase

54	<a href="#">c3qdnA</a>	Alignment	not modelled	99.2	14	<b>Chain:</b> A: <b>PDB Molecule:</b> putative thioredoxin protein; <b>PDBTitle:</b> putative thioredoxin protein from salmonella typhimurium
55	<a href="#">d1hxia</a>	Alignment	not modelled	99.2	12	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
56	<a href="#">c2kckA</a>	Alignment	not modelled	99.2	10	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> tpr repeat; <b>PDBTitle:</b> nmr solution structure of the northeast structural genomics2 consortium (nesg) target mrr121a
57	<a href="#">c2vsnB</a>	Alignment	not modelled	99.2	10	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> xcogt; <b>PDBTitle:</b> structure and topological arrangement of an o-glcna2 transferase homolog: insight into molecular control of3 intracellular glycosylation
58	<a href="#">c2vviA</a>	Alignment	not modelled	99.2	9	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> sgta protein; <b>PDBTitle:</b> crystal structure of the tpr domain of human sgt
59	<a href="#">c2xevB</a>	Alignment	not modelled	99.2	17	<b>PDB header:</b> metal binding <b>Chain:</b> B: <b>PDB Molecule:</b> ybgf; <b>PDBTitle:</b> crystal structure of the tpr domain of xanthomonas2 campestris ybgf
60	<a href="#">c3ceqB</a>	Alignment	not modelled	99.2	15	<b>PDB header:</b> motor protein, transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> kinesin light chain 2; <b>PDBTitle:</b> the tpr domain of human kinesin light chain 2 (hklc2)
61	<a href="#">c3sz7A</a>	Alignment	not modelled	99.2	12	<b>PDB header:</b> chaperone regulator <b>Chain:</b> A: <b>PDB Molecule:</b> hsc70 cochaperone (sgt); <b>PDBTitle:</b> crystal structure of the sgt2 tpr domain from aspergillus fumigatus
62	<a href="#">d2buga1</a>	Alignment	not modelled	99.1	7	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
63	<a href="#">d1elra</a>	Alignment	not modelled	99.1	15	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
64	<a href="#">d1a17a</a>	Alignment	not modelled	99.1	13	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
65	<a href="#">d1nznA</a>	Alignment	not modelled	99.1	11	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
66	<a href="#">d1iyga</a>	Alignment	not modelled	99.1	12	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
67	<a href="#">c2l6jA</a>	Alignment	not modelled	99.1	14	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> tpr repeat-containing protein associated with hsp90; <b>PDBTitle:</b> tah1 complexed by meevd
68	<a href="#">c2dbaA</a>	Alignment	not modelled	99.0	13	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> smooth muscle cell associated protein-1, isoform <b>PDBTitle:</b> the solution structure of the tetratricopeptide repeat of2 human smooth muscle cell associated protein-1, isoform 2
69	<a href="#">d1zu2a1</a>	Alignment	not modelled	99.0	17	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
70	<a href="#">c3q3hA</a>	Alignment	not modelled	99.0	7	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hmw1c-like glycosyltransferase; <b>PDBTitle:</b> crystal structure of the actinobacillus pleuropneumoniae hmw1c2 glycosyltransferase in complex with udp-glc
71	<a href="#">c1ihgA</a>	Alignment	not modelled	99.0	15	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> cyclophilin 40; <b>PDBTitle:</b> bovine cyclophilin 40, monoclinic form
72	<a href="#">c3rkva</a>	Alignment	not modelled	99.0	18	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> putative peptidylprolyl isomerase; <b>PDBTitle:</b> c-terminal domain of protein c56c10.10, a putative peptidylprolyl2 isomerase, from caenorhabditis elegans
73	<a href="#">d1pc2a</a>	Alignment	not modelled	99.0	14	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
74	<a href="#">c2katA</a>	Alignment	not modelled	99.0	17	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> solution structure of protein bpp2914 from bordetella2 parapertussis. northeast structural genomics consortium3 target bpr206
75	<a href="#">c2kcvA</a>	Alignment	not modelled	99.0	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> tetratricopeptide repeat domain protein; <b>PDBTitle:</b> solution nmr structure of tetratricopeptide repeat domain2 protein sru_0103 from salinibacter ruber, northeast3 structural genomics consortium (nesg) target srr115c
76	<a href="#">d1kt1a1</a>	Alignment	not modelled	98.9	12	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
77	<a href="#">d1p5qa1</a>	Alignment	not modelled	98.9	14	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
78	<a href="#">d2hr2a1</a>	Alignment	not modelled	98.9	12	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> CT2138-like
79	<a href="#">c1kt0A</a>	Alignment	not modelled	98.9	11	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> 51 kda fkb50-binding protein; <b>PDBTitle:</b> structure of the large fkbp-like protein, fkbp51, involved in steroid2 receptor complexes

80	<a href="#">c1na3A</a>	Alignment	not modelled	98.9	28	<b>PDB header:</b> de novo protein <b>Chain:</b> A: <b>PDB Molecule:</b> designed protein ctp2; <b>PDBTitle:</b> design of stable alpha-helical arrays from an idealized tpr2 motif
81	<a href="#">c3k9iA</a>	Alignment	not modelled	98.9	13	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> bh0479 protein; <b>PDBTitle:</b> crystal structure of putative protein binding protein (np_241345.1)2 from bacillus halodurans at 2.71 a resolution
82	<a href="#">c2kc7A</a>	Alignment	not modelled	98.9	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> bfr218_protein; <b>PDBTitle:</b> solution nmr structure of bacteroides fragilis protein2 bfr218
83	<a href="#">c2fbaA</a>	Alignment	not modelled	98.9	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> 70 kda peptidylprolyl isomerase, putative; <b>PDBTitle:</b> plasmodium falciparum putative fk506-binding protein2 pfl2275c, c-terminal tpr-containing domain
84	<a href="#">d2fba1</a>	Alignment	not modelled	98.9	15	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
85	<a href="#">c2vgxA</a>	Alignment	not modelled	98.8	10	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> chaperone sycd; <b>PDBTitle:</b> structure of the yersinia enterocolitica type iii secretion2 translocator chaperone sycd
86	<a href="#">c2avpA</a>	Alignment	not modelled	98.8	25	<b>PDB header:</b> de novo protein <b>Chain:</b> A: <b>PDB Molecule:</b> synthetic consensus tpr protein; <b>PDBTitle:</b> crystal structure of an 8 repeat consensus tpr superhelix
87	<a href="#">c1qz2B</a>	Alignment	not modelled	98.8	14	<b>PDB header:</b> isomerase/chaperone <b>Chain:</b> B: <b>PDB Molecule:</b> fk506-binding protein 4; <b>PDBTitle:</b> crystal structure of fkbp52 c-terminal domain complex with2 the c-terminal peptide meevd of hsp90
88	<a href="#">d1zbpa1</a>	Alignment	not modelled	98.8	13	<b>Fold:</b> ImpE-like <b>Superfamily:</b> ImpE-like <b>Family:</b> ImpE-like
89	<a href="#">d1ihga1</a>	Alignment	not modelled	98.8	15	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
90	<a href="#">c1ltxA</a>	Alignment	not modelled	98.7	12	<b>PDB header:</b> transferase/protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> rab geranylgeranyltransferase alpha subunit; <b>PDBTitle:</b> structure of rab escort protein-1 in complex with rab2 geranylgeranyl transferase and isoprenoid
91	<a href="#">c3fflC</a>	Alignment	not modelled	98.6	10	<b>PDB header:</b> cell cycle <b>Chain:</b> C: <b>PDB Molecule:</b> anaphase-promoting complex subunit 7; <b>PDBTitle:</b> crystal structure of the n-terminal domain of anaphase-2 promoting complex subunit 7
92	<a href="#">c2if4A</a>	Alignment	not modelled	98.6	11	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> atfkbp42; <b>PDBTitle:</b> crystal structure of a multi-domain immunophilin from2 arabidopsis thaliana
93	<a href="#">c3beeB</a>	Alignment	not modelled	98.6	17	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> putative yfre protein; <b>PDBTitle:</b> crystal structure of putative yfre protein from vibrio2 parahaemolyticus
94	<a href="#">d1tjca</a>	Alignment	not modelled	98.5	15	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
95	<a href="#">c2xm6A</a>	Alignment	not modelled	98.5	12	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> protein corresponding to locus c5321 from cft073 e.coli <b>PDBTitle:</b> crystal structure of the protein corresponding to locus c5321 from2 cft073 e.coli strain
96	<a href="#">d1ouva</a>	Alignment	not modelled	98.4	10	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> HCP-like <b>Family:</b> HCP-like
97	<a href="#">d1y8ma1</a>	Alignment	not modelled	98.4	17	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
98	<a href="#">c3n71A</a>	Alignment	not modelled	98.3	9	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> histone lysine methyltransferase smyd1; <b>PDBTitle:</b> crystal structure of cardiac specific histone methyltransferase smyd1
99	<a href="#">d2ff4a2</a>	Alignment	not modelled	98.1	11	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> BTAD-like
100	<a href="#">d2pqrb1</a>	Alignment	not modelled	98.0	18	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
101	<a href="#">c3e4bD</a>	Alignment	not modelled	97.9	14	<b>PDB header:</b> protein binding <b>Chain:</b> D: <b>PDB Molecule:</b> algk; <b>PDBTitle:</b> crystal structure of algk from pseudomonas fluorescens wcs374r
102	<a href="#">c3lvhA</a>	Alignment	not modelled	97.9	13	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> clathrin heavy chain 1; <b>PDBTitle:</b> crystal structure of a clathrin heavy chain and clathrin light chain2 complex
103	<a href="#">c3mekA</a>	Alignment	not modelled	97.6	9	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> set and mynd domain-containing protein 3; <b>PDBTitle:</b> crystal structure of human histone-lysine n-2 methyltransferase smyd3 in complex with s-adenosyl-l-3 methionine
104	<a href="#">c3qvvA</a>	Alignment	not modelled	97.5	9	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> set and mynd domain-containing protein 2; <b>PDBTitle:</b> crystal structure of histone lysine methyltransferase smyd2 in complex2 with the cofactor product adohcy



105	<a href="#">c3oxgA</a>	 Alignment	not modelled	97.4	9	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> set and mynd domain-containing protein 3; <b>PDBTitle:</b> human lysine methyltransferase smyd3 in complex with adohcy (form iii)
106	<a href="#">c2qfcB</a>	 Alignment	not modelled	96.9	10	<b>PDB header:</b> transcription regulation <b>Chain:</b> B: <b>PDB Molecule:</b> plcr protein; <b>PDBTitle:</b> crystal structure of bacillus thuringiensis plcr complexed with papr
107	<a href="#">d2gmga1</a>	 Alignment		96.7	25	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> PF0610-like
108	<a href="#">c2lahA</a>	 Alignment	not modelled	96.6	11	<b>PDB header:</b> cell cycle, apoptosis <b>Chain:</b> A: <b>PDB Molecule:</b> mitotic checkpoint serine/threonine-protein kinase bub1; <b>PDBTitle:</b> solution nmr structure of mitotic checkpoint serine/threonine-protein2 kinase bub1 n-terminal domain from homo sapiens, northeast structural3 genomics consortium target hr5460a (methods development)
109	<a href="#">c2kdxA</a>	 Alignment		96.4	18	<b>PDB header:</b> metal-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> hydrogenase/urease nickel incorporation protein <b>PDBTitle:</b> solution structure of hypa protein
110	<a href="#">c3bxA</a>	 Alignment	not modelled	96.4	11	<b>PDB header:</b> hydrolase, protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> 26s proteasome regulatory complex subunit p42b; <b>PDBTitle:</b> crystal structure of rpn6 from drosophila melanogaster, gd(3+) complex
111	<a href="#">d1iipa1</a>	 Alignment	not modelled	96.3	19	<b>Fold:</b> alpha-alpha superhelix <b>Superfamily:</b> TPR-like <b>Family:</b> Tetratricopeptide repeat (TPR)
112	<a href="#">c3eslA</a>	 Alignment	not modelled	96.3	11	<b>PDB header:</b> cell cycle <b>Chain:</b> A: <b>PDB Molecule:</b> checkpoint serine/threonine-protein kinase bub1; <b>PDBTitle:</b> crystal structure of the conserved n-terminal domain of the2 mitotic checkpoint component bub1
113	<a href="#">c3a44D</a>	 Alignment		96.3	18	<b>PDB header:</b> metal binding protein <b>Chain:</b> D: <b>PDB Molecule:</b> hydrogenase nickel incorporation protein hypa; <b>PDBTitle:</b> crystal structure of hypa in the dimeric form
114	<a href="#">c2ff4B</a>	 Alignment	not modelled	96.1	17	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> probable regulatory protein embr; <b>PDBTitle:</b> mycobacterium tuberculosis embr in complex with low affinity2 phosphopeptide
115	<a href="#">c3mv2A</a>	 Alignment	not modelled	95.4	9	<b>PDB header:</b> protein transport <b>Chain:</b> A: <b>PDB Molecule:</b> coatomer subunit alpha; <b>PDBTitle:</b> crystal structure of a-cop in complex with e-cop
116	<a href="#">c3rjvA</a>	 Alignment	not modelled	95.3	11	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> putative sel1 repeat protein; <b>PDBTitle:</b> crystal structure of a putative sel1 repeat protein (kpn_04481) from2 klebsiella pneumoniae subsp. pneumoniae at 1.65 a resolution
117	<a href="#">c2hr5B</a>	 Alignment	not modelled	95.2	17	<b>PDB header:</b> metal binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> rubrerythrin; <b>PDBTitle:</b> pf1283- rubrerythrin from pyrococcus furiosus iron bound form
118	<a href="#">d1dx8a</a>	 Alignment		94.0	26	<b>Fold:</b> Rubredoxin-like <b>Superfamily:</b> Rubredoxin-like <b>Family:</b> Rubredoxin
119	<a href="#">c2wviA</a>	 Alignment	not modelled	94.0	10	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> mitotic checkpoint serine/threonine-protein <b>PDBTitle:</b> crystal structure of the n-terminal domain of bubr1
120	<a href="#">c1yuzB</a>	 Alignment	not modelled	94.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> nigerythrin; <b>PDBTitle:</b> partially reduced state of nigerythrin