



#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2yyzA_	 Alignment		100.0	35	PDB header: transport protein Chain: A: PDB Molecule: sugar abc transporter, atp-binding protein; PDBTitle: crystal structure of sugar abc transporter, atp-binding protein
2	c1oxTB_	 Alignment		100.0	27	PDB header: transport protein Chain: B: PDB Molecule: abc transporter, atp binding protein; PDBTitle: crystal structure of glcv, the abc-atpase of the glucose abc2 transporter from sulfolobus solfataricus
3	c1qlbD_	 Alignment		100.0	28	PDB header: transport protein Chain: D: PDB Molecule: maltose/maltodextrin transport atp-binding protein malk; PDBTitle: crystal structure of e. coli malk in the nucleotide-free form
4	c1z47B_	 Alignment		100.0	28	PDB header: ligand binding protein Chain: B: PDB Molecule: putative abc-transporter atp-binding protein; PDBTitle: structure of the atpase subunit cysa of the putative2 sulfate atp-binding cassette (abc) transporter from3 alicyclobacillus acidocaldarius
5	c2olkD_	 Alignment		100.0	35	PDB header: hydrolase Chain: D: PDB Molecule: amino acid abc transporter; PDBTitle: abc protein artp in complex with adp-beta-s
6	c2it1B_	 Alignment		100.0	31	PDB header: transport protein Chain: B: PDB Molecule: 362aa long hypothetical maltose/maltodextrin PDBTitle: structure of ph0203 protein from pyrococcus horikoshii
7	d3dhwc1	 Alignment		100.0	33	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
8	d1g2912	 Alignment		100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
9	c3fvqB_	 Alignment		100.0	32	PDB header: hydrolase Chain: B: PDB Molecule: fe(3+) ions import atp-binding protein fbpc; PDBTitle: crystal structure of the nucleotide binding domain fbpc2 complexed with atp
10	d1oxxk2	 Alignment		100.0	30	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
11	c3dhwc_	 Alignment		100.0	33	PDB header: membrane protein/hydrolase Chain: C: PDB Molecule: methionine import atp-binding protein metn; PDBTitle: crystal structure of methionine importer metni

12	c1vciA_	Alignment		100.0	29	PDB header: transport protein Chain: A: PDB Molecule: sugar-binding transport atp-binding protein; PDBTitle: crystal structure of the atp-binding cassette of multisugar2 transporter from pyrococcus horikoshii ot3 complexed with3 atp
13	d1b0ua_	Alignment		100.0	36	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
14	c3d31B_	Alignment		100.0	26	PDB header: transport protein Chain: B: PDB Molecule: sulfate/molybdate abc transporter, atp-binding PDBTitle: modbc from methanosarcina acetivorans
15	c2d62A_	Alignment		100.0	28	PDB header: sugar binding protein Chain: A: PDB Molecule: multiple sugar-binding transport atp-binding PDBTitle: crystal structure of multiple sugar binding transport atp-2 binding protein
16	d1v43a3	Alignment		100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
17	d3d31a2	Alignment		100.0	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
18	c3gfoA_	Alignment		100.0	28	PDB header: atp binding protein Chain: A: PDB Molecule: cobalt import atp-binding protein cbio 1; PDBTitle: structure of cbio1 from clostridium perfringens: part of2 the abc transporter complex cbionq.
19	c2yz2B_	Alignment		100.0	27	PDB header: hydrolase Chain: B: PDB Molecule: putative abc transporter atp-binding protein tm_0222; PDBTitle: crystal structure of the abc transporter in the cobalt transport2 system
20	c3gd7C_	Alignment		100.0	16	PDB header: hydrolase Chain: C: PDB Molecule: fusion complex of cystic fibrosis transmembrane PDBTitle: crystal structure of human nbd2 complexed with n6-2 phenylethyl-atp (p-atp)
21	d2pmka1	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
22	d1ji0a_	Alignment	not modelled	100.0	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
23	d1l2ta_	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
24	d1g6ha_	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
25	d2hyda1	Alignment	not modelled	100.0	26	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
26	d1jj7a_	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
27	d1vpla_	Alignment	not modelled	100.0	25	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
28	d1mv5a_	Alignment	not modelled	100.0	26	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like

29	c3g5uB_	Alignment	not modelled	100.0	28	PDB header: membrane protein Chain: B: PDB Molecule: multidrug resistance protein 1a; PDBTitle: structure of p-glycoprotein reveals a molecular basis for2 poly-specific drug binding
30	c2pcjB_	Alignment	not modelled	100.0	30	PDB header: hydrolase Chain: B: PDB Molecule: lipoprotein-releasing system atp-binding protein Iold; PDBTitle: crystal structure of abc transporter (aq_297) from aquifex aeolicus2 vf5
31	d3b60a1	Alignment	not modelled	100.0	31	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
32	d2awna2	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
33	c2d2fA_	Alignment	not modelled	100.0	24	PDB header: protein binding Chain: A: PDB Molecule: sufc protein; PDBTitle: crystal structure of atypical cytoplasmic abc-atpase sufc from thermus2 thermophilus hb8
34	c2d3wB_	Alignment	not modelled	100.0	25	PDB header: biosynthetic protein Chain: B: PDB Molecule: probable atp-dependent transporter sufc; PDBTitle: crystal structure of escherichia coli sufc, an atpase2 compenent of the suf iron-sulfur cluster assembly machinery
35	c3nhaA_	Alignment	not modelled	100.0	26	PDB header: transport protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 6, mitochondrial; PDBTitle: nucleotide binding domain of human abcb6 (adp mg bound structure)
36	d2onka1	Alignment	not modelled	100.0	31	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
37	c2nq2C_	Alignment	not modelled	100.0	29	PDB header: metal transport Chain: C: PDB Molecule: hypothetical abc transporter atp-binding protein PDBTitle: an inward-facing conformation of a putative metal-chelate2 type abc transporter.
38	c2hydB_	Alignment	not modelled	100.0	26	PDB header: transport protein Chain: B: PDB Molecule: abc transporter homolog; PDBTitle: multidrug abc transporter sav1866
39	c2ihyB_	Alignment	not modelled	100.0	23	PDB header: hydrolase Chain: B: PDB Molecule: abc transporter, atp-binding protein; PDBTitle: structure of the staphylococcus aureus putative atpase subunit of an2 atp-binding cassette (abc) transporter
40	c2yl4A_	Alignment	not modelled	100.0	30	PDB header: membrane protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 10, PDBTitle: structure of the human mitochondrial abc transporter, abcb10
41	c2cbzA_	Alignment	not modelled	100.0	21	PDB header: transport Chain: A: PDB Molecule: multidrug resistance-associated protein 1; PDBTitle: structure of the human multidrug resistance protein 12 nucleotide binding domain 1
42	c3b5wE_	Alignment	not modelled	100.0	29	PDB header: membrane protein Chain: E: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of eschericia coli msba
43	c3b5xB_	Alignment	not modelled	100.0	30	PDB header: membrane protein Chain: B: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of msba from vibrio cholerae
44	d1xmia_	Alignment	not modelled	100.0	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
45	c1yqtA_	Alignment	not modelled	100.0	28	PDB header: hydrolase/translation Chain: A: PDB Molecule: rnase l inhibitor; PDBTitle: rnase-l inhibitor
46	d1pf4a1	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
47	c2pjzA_	Alignment	not modelled	100.0	20	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: hypothetical protein st1066; PDBTitle: the crystal structure of putative cobalt transport atp-2 binding protein (cbio-2), st1066
48	c2pzfB_	Alignment	not modelled	100.0	21	PDB header: hydrolase Chain: B: PDB Molecule: cystic fibrosis transmembrane conductance regulator; PDBTitle: minimal human cfr first nucleotide binding domain as a head-to-tail2 dimer with delta f508
49	d1r0wa_	Alignment	not modelled	100.0	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
50	c3ozxA_	Alignment	not modelled	100.0	25	PDB header: hydrolase, translation Chain: A: PDB Molecule: rnase l inhibitor; PDBTitle: crystal structure of abce1 of sulfolubus solfataricus (-fes domain)
51	c2ghiD_	Alignment	not modelled	100.0	27	PDB header: transport protein Chain: D: PDB Molecule: transport protein; PDBTitle: crystal structure of plasmodium yoelii multidrug resistance2 protein 2
52	c3bk7A_	Alignment	not modelled	100.0	25	PDB header: hydrolase/translation Chain: A: PDB Molecule: abc transporter atp-binding protein; PDBTitle: structure of the complete abce1/rnaase-l inhibitor protein2 from pyrococcus abyssi
						Fold: P-loop containing nucleoside triphosphate hydrolases

53	d1l7vc_	Alignment	not modelled	100.0	23	Superrfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
54	c2r6fA_	Alignment	not modelled	100.0	19	PDB header: hydrolase Chain: A: PDB Molecule: excinuclease abc subunit a; PDBTitle: crystal structure of bacillus stearothermophilus uvra
55	c2ygrD_	Alignment	not modelled	100.0	26	PDB header: hydrolase Chain: D: PDB Molecule: uvrabc system protein a; PDBTitle: mycobacterium tuberculosis uvra
56	d1sgwa_	Alignment	not modelled	100.0	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
57	c2iw3B_	Alignment	not modelled	100.0	25	PDB header: translation Chain: B: PDB Molecule: elongation factor 3a; PDBTitle: elongation factor 3 in complex with adp
58	c3pihA_	Alignment	not modelled	100.0	25	PDB header: hydrolase/dna Chain: A: PDB Molecule: uvrabc system protein a; PDBTitle: t. maritima uvra in complex with fluorescein-modified dna
59	c2vf7B_	Alignment	not modelled	100.0	23	PDB header: dna-binding protein Chain: B: PDB Molecule: excinuclease abc, subunit a.; PDBTitle: crystal structure of uvra2 from deinococcus radiodurans
60	d1cr2a_	Alignment	not modelled	99.9	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
61	d1w1wa_	Alignment	not modelled	99.9	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
62	c3tauB_	Alignment	not modelled	99.9	11	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of a putative guanylate monophosphate kinase from2 listeria monocytogenes egd-e
63	c2j41A_	Alignment	not modelled	99.9	11	PDB header: transferase Chain: A: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of staphylococcus aureus guanylate2 monophosphate kinase
64	c3a4mB_	Alignment	not modelled	99.8	11	PDB header: transferase Chain: B: PDB Molecule: l-seryl-trna(sec) kinase; PDBTitle: crystal structure of archaeal o-phosphoseryl-trna(sec)2 kinase
65	d2qy9a2	Alignment	not modelled	99.8	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
66	d1lsls2	Alignment	not modelled	99.8	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
67	d1vmaa2	Alignment	not modelled	99.7	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
68	c2o5vA_	Alignment	not modelled	99.7	18	PDB header: replication/recombination Chain: A: PDB Molecule: dna replication and repair protein recf; PDBTitle: recombination mediator recf
69	c1xexB_	Alignment	not modelled	99.7	18	PDB header: cell cycle Chain: B: PDB Molecule: smc protein; PDBTitle: structural biochemistry of atp-driven dimerization and dna2 stimulated activation of smc atpases.
70	c1f2uD_	Alignment	not modelled	99.7	21	PDB header: replication Chain: D: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of rad50 abc-atpase
71	c3geiB_	Alignment	not modelled	99.6	12	PDB header: hydrolase Chain: B: PDB Molecule: trna modification gtpase mnme; PDBTitle: crystal structure of mnme from chlorobium tepidum in complex2 with gcp
72	d1okkd2	Alignment	not modelled	99.6	18	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
73	c1u9iA_	Alignment	not modelled	99.6	16	PDB header: circadian clock protein Chain: A: PDB Molecule: kaic; PDBTitle: crystal structure of circadian clock protein kaic with phosphorylation2 sites
74	c1ii8B_	Alignment	not modelled	99.6	23	PDB header: replication Chain: B: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of the p. furiosus rad50 atpase domain
75	d1np6a_	Alignment	not modelled	99.5	9	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
76	c3lncB_	Alignment	not modelled	99.5	14	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of guanylate kinase from anaplasma2 phagocytophilum
77	c1q57G_	Alignment	not modelled	99.4	11	PDB header: transferase Chain: G: PDB Molecule: dna primase/helicase; PDBTitle: the crystal structure of the bifunctional primase-helicase of2 bacteriophage t7
78	d2i3ba1	Alignment	not modelled	99.3	11	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
79	d1va8a1	Alignment	not modelled	99.3	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate

79	d1ye0a1	Alignment	not modelled	99.3	12	hydrolases Family: RecA protein-like (ATPase-domain)
80	d1qzxa3	Alignment	not modelled	99.3	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
81	d1e69a	Alignment	not modelled	99.2	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
82	c1pznG	Alignment	not modelled	99.1	15	PDB header: recombination Chain: G: PDB Molecule: dna repair and recombination protein rad51; PDBTitle: rad51 (rada)
83	c2dr3A	Alignment	not modelled	99.1	11	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: upf0273 protein ph0284; PDBTitle: crystal structure of reca superfamily atpase ph0284 from pyrococcus2 horikoshii ot3
84	c2w0mA	Alignment	not modelled	99.0	14	PDB header: unknown function Chain: A: PDB Molecule: sso2452; PDBTitle: crystal structure of sso2452 from sulfolobus solfataricus2 p2
85	c3auyB	Alignment	not modelled	98.8	19	PDB header: recombination Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: crystal structure of rad50 bound to adp
86	d1nlfa	Alignment	not modelled	98.8	20	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
87	c3cmvG	Alignment	not modelled	98.7	11	PDB header: recombination Chain: G: PDB Molecule: protein reca; PDBTitle: mechanism of homologous recombination from the reca-2 ssdna/dsdna structures
88	d1ewqa2	Alignment	not modelled	98.6	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
89	c1wxqA	Alignment	not modelled	98.5	11	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: gtp-binding protein; PDBTitle: crystal structure of gtp binding protein from pyrococcus horikoshii2 ot3
90	d1tf7a1	Alignment	not modelled	98.5	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
91	d2i1qa2	Alignment	not modelled	98.4	10	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
92	c2zjbB	Alignment	not modelled	98.3	13	PDB header: recombination Chain: B: PDB Molecule: meiotic recombination protein dmc1/lim15 homolog; PDBTitle: crystal structure of the human dmc1-m200v polymorphic2 variant
93	d1wb9a2	Alignment	not modelled	98.3	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
94	d1znwa1	Alignment	not modelled	98.3	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nucleotide and nucleoside kinases
95	c2o8bA	Alignment	not modelled	98.3	19	PDB header: dna binding protein/dna Chain: A: PDB Molecule: dna mismatch repair protein msh2; PDBTitle: human mutsalpha (msh2/msh6) bound to adp and a g t mismatch
96	c3bh0A	Alignment	not modelled	98.2	13	PDB header: replication Chain: A: PDB Molecule: dnab-like replicative helicase; PDBTitle: atpase domain of g40p
97	c1ewqA	Alignment	not modelled	98.2	14	PDB header: replication/dna Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure taq muts complexed with a heteroduplex2 dna at 2.2 a resolution
98	d1mo6a1	Alignment	not modelled	98.2	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
99	c3thxB	Alignment	not modelled	98.1	14	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh3; PDBTitle: human mutsbeta complexed with an idl of 3 bases (loop3) and adp
100	d1tf7a2	Alignment	not modelled	98.1	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
101	d1yrba1	Alignment	not modelled	98.1	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
102	d1v5wa	Alignment	not modelled	98.1	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
103	c3qkuB	Alignment	not modelled	98.1	19	PDB header: replication Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: mre11 rad50 binding domain in complex with rad50 and amp-pnp
104	c2ztsB	Alignment	not modelled	98.0	22	PDB header: atp-binding protein Chain: B: PDB Molecule: putative uncharacterized protein ph0186; PDBTitle: crystal structure of kaic-like protein ph0186 from2

					hyperthermophilic archaea pyrococcus horikoshii ot3
105	c3qg5A_	Alignment	not modelled	98.0	31 PDB header: hydrolase Chain: A: PDB Molecule: rad50; PDBTitle: the mre11:rad50 complex forms an atp dependent molecular clamp in dna2 double-strand break repair
106	c2o8dB_	Alignment	not modelled	98.0	19 PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh6; PDBTitle: human mutsalpha (msh2/msh6) bound to adp and a g du mispair
107	c1szpC_	Alignment	not modelled	98.0	15 PDB header: dna binding protein Chain: C: PDB Molecule: dna repair protein rad51; PDBTitle: a crystal structure of the rad51 filament
108	c1wbdA_	Alignment	not modelled	98.0	19 PDB header: dna-binding Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of e. coli dna mismatch repair enzyme2 muts, e38q mutant, in complex with a g.t mismatch
109	d1xp8a1	Alignment	not modelled	98.0	17 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
110	c1ewrA_	Alignment	not modelled	98.0	19 PDB header: hydrolase Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of taq muts
111	c1xp8A_	Alignment	not modelled	97.9	21 PDB header: dna binding protein Chain: A: PDB Molecule: reca protein; PDBTitle: "deinococcus radiodurans reca in complex with atp-gamma-s"
112	c2cvhB_	Alignment	not modelled	97.9	15 PDB header: dna binding protein Chain: B: PDB Molecule: dna repair and recombination protein radb; PDBTitle: crystal structure of the radb recombinase
113	d1n0wa_	Alignment	not modelled	97.9	18 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
114	c2vyeA_	Alignment	not modelled	97.8	14 PDB header: hydrolase Chain: A: PDB Molecule: replicative dna helicase; PDBTitle: crystal structure of the dnc-ssdna complex
115	d1pzna2	Alignment	not modelled	97.8	14 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
116	d1szpa2	Alignment	not modelled	97.8	13 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
117	d1ubea1	Alignment	not modelled	97.8	20 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
118	c1t4gA_	Alignment	not modelled	97.8	11 PDB header: recombination Chain: A: PDB Molecule: dna repair and recombination protein rada; PDBTitle: atpase in complex with amp-pnp
119	d1u94a1	Alignment	not modelled	97.8	18 Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
120	c3ldaA_	Alignment	not modelled	97.7	16 PDB header: dna binding protein Chain: A: PDB Molecule: dna repair protein rad51; PDBTitle: yeast rad51 h352y filament interface mutant