
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">dlnnxa_</a>	 Alignment		100.0	97	<b>Fold:</b> OB-fold <b>Superfamily:</b> Hypothetical protein YgiW <b>Family:</b> Hypothetical protein YgiW
2	<a href="#">d1l0wa1</a>	 Alignment		97.4	17	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Anticodon-binding domain
3	<a href="#">d1b8aa1</a>	 Alignment		97.4	17	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Anticodon-binding domain
4	<a href="#">c1wydB_</a>	 Alignment		97.3	17	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> hypothetical aspartyl-trna synthetase; <b>PDBTitle:</b> crystal structure of aspartyl-trna synthetase from <i>sulfolobus tokodaii</i>
5	<a href="#">c1b8aB_</a>	 Alignment		97.2	18	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> protein (aspartyl-trna synthetase); <b>PDBTitle:</b> aspartyl-trna synthetase
6	<a href="#">d1c0aa1</a>	 Alignment		97.1	19	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Anticodon-binding domain
7	<a href="#">d1n9wa1</a>	 Alignment		97.0	20	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Anticodon-binding domain
8	<a href="#">c3bjub_</a>	 Alignment		96.8	15	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> lysyl-trna synthetase; <b>PDBTitle:</b> crystal structure of tetrameric form of human lysyl-trna2 synthetase
9	<a href="#">c1eqrC_</a>	 Alignment		96.8	17	<b>PDB header:</b> ligase <b>Chain:</b> C: <b>PDB Molecule:</b> aspartyl-trna synthetase; <b>PDBTitle:</b> crystal structure of free aspartyl-trna synthetase from <i>escherichia coli</i>
10	<a href="#">c3e9hB_</a>	 Alignment		96.8	16	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> lysyl-trna synthetase; <b>PDBTitle:</b> lysyl-trna synthetase from <i>bacillus stearothermophilus</i> 2 complexed with l-lysylsulfamoyl adenosine
11	<a href="#">c3m4qA_</a>	 Alignment		96.7	19	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> asparaginyl-trna synthetase, putative; <b>PDBTitle:</b> entamoeba histolytica asparaginyl-trna synthetase (asnrs)

12	<a href="#">dleloa1</a>	Alignment		96.6	16	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Anticodon-binding domain
13	<a href="#">c3i7fA_</a>	Alignment		96.6	23	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> aspartyl-trna synthetase; <b>PDBTitle:</b> aspartyl trna synthetase from entamoeba histolytica
14	<a href="#">d1bbua1</a>	Alignment		96.5	15	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Anticodon-binding domain
15	<a href="#">c3kf6A_</a>	Alignment		96.5	19	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> protein stn1; <b>PDBTitle:</b> crystal structure of s. pombe stn1-ten1 complex
16	<a href="#">c1n9wA_</a>	Alignment		96.4	19	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> aspartyl-trna synthetase 2; <b>PDBTitle:</b> crystal structure of the non-discriminating and archaeal-2 type aspartyl-trna synthetase from thermus thermophilus
17	<a href="#">dleova1</a>	Alignment		96.2	15	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Anticodon-binding domain
18	<a href="#">c1x55A_</a>	Alignment		96.2	16	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> asparaginyl-trna synthetase; <b>PDBTitle:</b> crystal structure of asparaginyl-trna synthetase from pyrococcus2 horikoshii complexed with asparaginyl-adenylate analogue
19	<a href="#">c1e22A_</a>	Alignment		96.0	18	<b>PDB header:</b> ligase <b>Chain:</b> A: <b>PDB Molecule:</b> lysyl-trna synthetase; <b>PDBTitle:</b> lysyl-trna synthetase (lysu) hexagonal form complexed with2 lysine and the non-hydrolysable atp analogue amp-pcp
20	<a href="#">d2pi2a1</a>	Alignment		96.0	21	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Single strand DNA-binding domain, SSB
21	<a href="#">c1efwA_</a>	Alignment	not modelled	95.7	17	<b>PDB header:</b> ligase/rna <b>Chain:</b> A: <b>PDB Molecule:</b> aspartyl-trna synthetase; <b>PDBTitle:</b> crystal structure of aspartyl-trna synthetase from thermus2 thermophilus complexed to trnaasp from escherichia coli
22	<a href="#">c2pi2A_</a>	Alignment	not modelled	95.6	21	<b>PDB header:</b> replication, dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> replication protein a 32 kda subunit; <b>PDBTitle:</b> full-length replication protein a subunits rpa14 and rpa32
23	<a href="#">c2xgtB_</a>	Alignment	not modelled	95.2	21	<b>PDB header:</b> ligase <b>Chain:</b> B: <b>PDB Molecule:</b> asparaginyl-trna synthetase, cytoplasmic; <b>PDBTitle:</b> asparaginyl-trna synthetase from brugia malayi complexed2 with the sulphamoyl analogue of asparaginyl-adenylate
24	<a href="#">c3mxnB_</a>	Alignment	not modelled	95.0	17	<b>PDB header:</b> replication <b>Chain:</b> B: <b>PDB Molecule:</b> recq-mediated genome instability protein 2; <b>PDBTitle:</b> crystal structure of the rmi core complex
25	<a href="#">c3e0eA_</a>	Alignment	not modelled	94.9	23	<b>PDB header:</b> replication <b>Chain:</b> A: <b>PDB Molecule:</b> replication protein a; <b>PDBTitle:</b> crystal structure of a domain of replication protein a from2 methanococcus maripaludis. northeast structural genomics3 target mrr110b
26	<a href="#">c1asyA_</a>	Alignment	not modelled	94.6	17	<b>PDB header:</b> complex (aminoacyl-trna synthase/trna) <b>Chain:</b> A: <b>PDB Molecule:</b> aspartyl-trna synthetase; <b>PDBTitle:</b> class ii aminoacyl transfer rna synthetases: crystal2 structure of yeast aspartyl-trna synthetase complexed with3 trna asp
27	<a href="#">d1krta_</a>	Alignment	not modelled	93.0	15	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Anticodon-binding domain
						<b>PDB header:</b> replication

28	<a href="#">c3dm3A_</a>	Alignment	not modelled	92.5	18	<b>Chain:</b> A: <b>PDB Molecule:</b> replication factor a; <b>PDBTitle:</b> crystal structure of a domain of a replication factor a2 protein, from methanocaldococcus jannaschii. northeast3 structural genomics target mjr118e
29	<a href="#">d1gm5a2</a>	Alignment	not modelled	91.8	14	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> RecG "wedge" domain
30	<a href="#">d2oq0a1</a>	Alignment	not modelled	91.1	16	<b>Fold:</b> OB-fold <b>Superfamily:</b> HIN-2000 domain-like <b>Family:</b> HIN-200/IF120x domain
31	<a href="#">c3kf8C_</a>	Alignment	not modelled	90.2	29	<b>PDB header:</b> structural protein <b>Chain:</b> C: <b>PDB Molecule:</b> protein stn1; <b>PDBTitle:</b> crystal structure of c. tropicalis stn1-ten1 complex
32	<a href="#">c2oq0D_</a>	Alignment	not modelled	86.0	16	<b>PDB header:</b> protein binding <b>Chain:</b> D: <b>PDB Molecule:</b> gamma-interferon-inducible protein ifi-16; <b>PDBTitle:</b> crystal structure of the first hin-200 domain of interferon-inducible2 protein 16
33	<a href="#">c3b6yB_</a>	Alignment	not modelled	85.4	19	<b>PDB header:</b> protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> gamma-interferon-inducible protein ifi-16; <b>PDBTitle:</b> crystal structure of the second hin-200 domain of interferon-inducible2 protein 16
34	<a href="#">c2k50A_</a>	Alignment	not modelled	81.2	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> replication factor a related protein; <b>PDBTitle:</b> solution nmr structure of the replication factor a related2 protein from methanobacterium thermoautotrophicum.3 northeast structural genomics target tr91a.
35	<a href="#">c3e0jG_</a>	Alignment	not modelled	79.5	18	<b>PDB header:</b> transferase <b>Chain:</b> G: <b>PDB Molecule:</b> dna polymerase subunit delta-2; <b>PDBTitle:</b> x-ray structure of the complex of regulatory subunits of2 human dna polymerase delta
36	<a href="#">c2k75A_</a>	Alignment	not modelled	74.2	16	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein ta0387; <b>PDBTitle:</b> solution nmr structure of the ob domain of ta0387 from2 thermoplasma acidophilum. northeast structural genomics3 consortium target tar80b.
37	<a href="#">c1gm5A_</a>	Alignment	not modelled	71.5	14	<b>PDB header:</b> helicase <b>Chain:</b> A: <b>PDB Molecule:</b> recg; <b>PDBTitle:</b> structure of recg bound to three-way dna junction
38	<a href="#">d2pi2e1</a>	Alignment	not modelled	54.5	14	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Single strand DNA-binding domain, SSB
39	<a href="#">c3hbcA_</a>	Alignment	not modelled	51.4	15	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> choloylglycine hydrolase; <b>PDBTitle:</b> crystal structure of choloylglycine hydrolase from bacteroides2 thetaiotaomicron vpi
40	<a href="#">c2pqaB_</a>	Alignment	not modelled	49.9	14	<b>PDB header:</b> replication <b>Chain:</b> B: <b>PDB Molecule:</b> replication protein a 14 kda subunit; <b>PDBTitle:</b> crystal structure of full-length human rpa 14/32 heterodimer
41	<a href="#">c2kenA_</a>	Alignment	not modelled	46.1	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> conserved protein; <b>PDBTitle:</b> solution nmr structure of the ob domain (residues 67-166)2 of mm0293 from methanosarcina mazei. northeast structural3 genomics consortium target mar214a.
42	<a href="#">d1t9ha1</a>	Alignment	not modelled	44.7	23	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Cold shock DNA-binding domain-like
43	<a href="#">c2hezB_</a>	Alignment	not modelled	38.9	17	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> bile salt hydrolase; <b>PDBTitle:</b> bifidobacterium longum bile salt hydrolase
44	<a href="#">c3cp0A_</a>	Alignment	not modelled	37.7	21	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> membrane protein implicated in regulation of membrane <b>PDBTitle:</b> crystal structure of the soluble domain of membrane protein implicated2 in regulation of membrane protease activity from corynebacterium3 glutamicum
45	<a href="#">d1cz5a1</a>	Alignment	not modelled	37.0	23	<b>Fold:</b> Double psi beta-barrel <b>Superfamily:</b> ADC-like <b>Family:</b> Cdc48 N-terminal domain-like
46	<a href="#">c2k14A_</a>	Alignment	not modelled	36.9	20	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> yuaf protein; <b>PDBTitle:</b> solution structure of the soluble domain of the nfd2 protein yuaf from bacillus subtilis
47	<a href="#">d1jt8a_</a>	Alignment	not modelled	36.6	17	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Cold shock DNA-binding domain-like
48	<a href="#">c3h43F_</a>	Alignment	not modelled	32.2	21	<b>PDB header:</b> hydrolase <b>Chain:</b> F: <b>PDB Molecule:</b> proteasome-activating nucleotidase; <b>PDBTitle:</b> n-terminal domain of the proteasome-activating nucleotidase2 of methanocaldococcus jannaschii
49	<a href="#">c3ka5A_</a>	Alignment	not modelled	31.1	28	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> ribosome-associated protein y (psrp-1); <b>PDBTitle:</b> crystal structure of ribosome-associated protein y (psrp-1)2 from clostridium acetobutylicum. northeast structural3 genomics consortium target id car123a
50	<a href="#">c2wg6L_</a>	Alignment	not modelled	27.7	19	<b>PDB header:</b> transcription,hydrolase <b>Chain:</b> L: <b>PDB Molecule:</b> general control protein gcn4, <b>PDBTitle:</b> proteasome-activating nucleotidase (pan) n-domain (57-134)2 from archaeoglobus fulgidus fused to gcn4, p61a mutant
51	<a href="#">c3obyB_</a>	Alignment	not modelled	27.2	18	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> protein pelota homolog; <b>PDBTitle:</b> crystal structure of archaeoglobus fulgidus pelota reveals inter-2 domain structural plasticity
52	<a href="#">d2pua2</a>	Alignment	not modelled	25.1	44	<b>Fold:</b> Ntn hydrolase-like <b>Superfamily:</b> N-terminal nucleophile aminohydrolases (Ntn

52	<a href="#">d2pvda_</a>	Alignment	not modelled	23.1	44	hydrolases) <b>Family:</b> Penicillin V acylase
53	<a href="#">d2do3a1</a>	Alignment	not modelled	25.0	21	<b>Fold:</b> SH3-like barrel <b>Superfamily:</b> Translation proteins SH3-like domain <b>Family:</b> SPT5 KOW domain-like
54	<a href="#">d2cs7a1</a>	Alignment	not modelled	24.6	16	<b>Fold:</b> IL8-like <b>Superfamily:</b> PhtA domain-like <b>Family:</b> PhtA domain-like
55	<a href="#">d2exda1</a>	Alignment	not modelled	24.1	18	<b>Fold:</b> OB-fold <b>Superfamily:</b> NfeD domain-like <b>Family:</b> NfeD domain-like
56	<a href="#">c2oqkA_</a>	Alignment	not modelled	24.0	19	<b>PDB header:</b> translation <b>Chain:</b> A: <b>PDB Molecule:</b> putative translation initiation factor eif-1a; <b>PDBTitle:</b> crystal structure of putative cryptosporidium parvum translation2 initiation factor eif-1a
57	<a href="#">c2bx6A_</a>	Alignment	not modelled	23.8	10	<b>PDB header:</b> transduction protein <b>Chain:</b> A: <b>PDB Molecule:</b> xrp2 protein; <b>PDBTitle:</b> crystal structure of the human retinitis pigmentosa2 protein 2 (rp2)
58	<a href="#">d1qcsa1</a>	Alignment	not modelled	23.4	17	<b>Fold:</b> Double psi beta-barrel <b>Superfamily:</b> ADC-like <b>Family:</b> Cdc48 N-terminal domain-like
59	<a href="#">c2bjgB_</a>	Alignment	not modelled	23.3	22	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> choloylglycine hydrolase; <b>PDBTitle:</b> crystal structure of conjugated bile acid hydrolase from2 clostridium perfringens in complex with reaction products3 taurine and deoxycholate
60	<a href="#">d1qkia2</a>	Alignment	not modelled	22.9	27	<b>Fold:</b> FwdE/GAPDH domain-like <b>Superfamily:</b> Glyceraldehyde-3-phosphate dehydrogenase-like, C-terminal domain <b>Family:</b> Glucose 6-phosphate dehydrogenase-like
61	<a href="#">c2jqoA_</a>	Alignment	not modelled	22.0	15	<b>PDB header:</b> structural genomics <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein yoba; <b>PDBTitle:</b> nmr solution structure of bacillus subtilis yoba 21-120:2 northeast structural genomics consortium target sr547
62	<a href="#">c3k2tA_</a>	Alignment	not modelled	21.4	20	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> lmo2511 protein; <b>PDBTitle:</b> crystal structure of lmo2511 protein from listeria2 monocytogenes, northeast structural genomics consortium3 target lkr84a
63	<a href="#">c1cz5A_</a>	Alignment	not modelled	21.3	23	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> vcp-like atpase; <b>PDBTitle:</b> nmr structure of vat-n: the n-terminal domain of vat (vcp-2 like atpase of thermoplasma)
64	<a href="#">d1h9aa2</a>	Alignment	not modelled	21.2	33	<b>Fold:</b> FwdE/GAPDH domain-like <b>Superfamily:</b> Glyceraldehyde-3-phosphate dehydrogenase-like, C-terminal domain <b>Family:</b> Glucose 6-phosphate dehydrogenase-like
65	<a href="#">c1ltE_</a>	Alignment	not modelled	20.0	23	<b>PDB header:</b> replication <b>Chain:</b> E: <b>PDB Molecule:</b> dna replication initiator (cdc21/cdc54); <b>PDBTitle:</b> the dodecamer structure of mcm from archaeal m.2 thermoautotrophicum
66	<a href="#">d1vr3a1</a>	Alignment	not modelled	19.9	13	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Acireductone dioxygenase
67	<a href="#">c3f6hA_</a>	Alignment	not modelled	19.4	12	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-isopropylmalate synthase; <b>PDBTitle:</b> crystal structure of the regulatory domain of licms in2 complexed with isoleucine - type iii
68	<a href="#">d2vgna1</a>	Alignment	not modelled	19.0	17	<b>Fold:</b> Sm-like fold <b>Superfamily:</b> Dom34/Pelota N-terminal domain-like <b>Family:</b> Dom34/Pelota N-terminal domain-like
69	<a href="#">d1g4ma2</a>	Alignment	not modelled	18.8	12	<b>Fold:</b> Immunoglobulin-like beta-sandwich <b>Superfamily:</b> E set domains <b>Family:</b> Arrestin/Vps26-like
70	<a href="#">c3e0dA_</a>	Alignment	not modelled	18.7	19	<b>PDB header:</b> transferase/dna <b>Chain:</b> A: <b>PDB Molecule:</b> dna polymerase iii subunit alpha; <b>PDBTitle:</b> insights into the replisome from the crystal structure of2 the ternary complex of the eubacterial dna polymerase iii3 alpha-subunit
71	<a href="#">d1sr3a_</a>	Alignment	not modelled	18.3	19	<b>Fold:</b> OB-fold <b>Superfamily:</b> Heme chaperone CcmE <b>Family:</b> Heme chaperone CcmE
72	<a href="#">c3lgjA_</a>	Alignment	not modelled	18.3	23	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> single-stranded dna-binding protein; <b>PDBTitle:</b> crystal structure of single-stranded binding protein (ssb) from2 bartonella henselae
73	<a href="#">c1h9aA_</a>	Alignment	not modelled	18.3	33	<b>PDB header:</b> oxidoreductase (choh(d) - nad(p)) <b>Chain:</b> A: <b>PDB Molecule:</b> glucose 6-phosphate 1-dehydrogenase; <b>PDBTitle:</b> complex of active mutant (q365->c) of glucose 6-phosphate2 dehydrogenase from l. mesenteroides with coenzyme nadp
74	<a href="#">c2k5hA_</a>	Alignment	not modelled	18.1	17	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> conserved protein; <b>PDBTitle:</b> solution nmr structure of protein encoded by mth693 from2 methanobacterium thermoautotrophicum: northeast structural3 genomics consortium target tt824a
75	<a href="#">d1ltta_</a>	Alignment	not modelled	18.0	23	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> DNA replication initiator (cdc21/cdc54) N-terminal domain
76	<a href="#">d1v1qa_</a>	Alignment	not modelled	17.8	13	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Single strand DNA-binding domain, SSB
77	<a href="#">c2vnmA_</a>	Alignment	not modelled	17.5	13	<b>PDB header:</b> cell cycle <b>Chain:</b> A: <b>PDB Molecule:</b> dom34;

77	<a href="#">c2vgmB_</a>	Alignment	not modelled	17.3	13	<b>PDBTitle:</b> structure of yeast dom34 : a protein related to translation2 termination factor erf1 and involved in no-go decay. <b>PDB header:</b> oxidoreductase (choh(d)-nadp)
78	<a href="#">c2bhlB_</a>	Alignment	not modelled	17.5	27	<b>Chain:</b> B: <b>PDB Molecule:</b> glucose-6-phosphate 1-dehydrogenase; <b>PDBTitle:</b> x-ray structure of human glucose-6-phosphate dehydrogenase2 (deletion variant) complexed with glucose-6-phosphate
79	<a href="#">d2cu3a1</a>	Alignment	not modelled	17.4	15	<b>Fold:</b> beta-Grasp (ubiquitin-like) <b>Superfamily:</b> MoaD/ThiS <b>Family:</b> ThiS
80	<a href="#">d1u0la1</a>	Alignment	not modelled	17.1	24	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Cold shock DNA-binding domain-like
81	<a href="#">d1o7ia_</a>	Alignment	not modelled	17.1	12	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Single strand DNA-binding domain, SSB
82	<a href="#">c2kl0A_</a>	Alignment	not modelled	16.5	30	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative thiamin biosynthesis this; <b>PDBTitle:</b> solution nmr structure of rhodopseudomonas palustris rpa3574,2 northeast structural genomics consortium (nesg) target rpr325
83	<a href="#">d1clfa2</a>	Alignment	not modelled	16.2	16	<b>Fold:</b> Immunoglobulin-like beta-sandwich <b>Superfamily:</b> E set domains <b>Family:</b> Arrestin/Vps26-like
84	<a href="#">c3cl5A_</a>	Alignment	not modelled	16.0	38	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> hemagglutinin-esterase; <b>PDBTitle:</b> structure of coronavirus hemagglutinin-esterase in complex with 4,9-o-2 diacetyl sialic acid
85	<a href="#">c1qkiE_</a>	Alignment	not modelled	15.9	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> glucose-6-phosphate 1-dehydrogenase; <b>PDBTitle:</b> x-ray structure of human glucose 6-phosphate dehydrogenase2 (variant canton r459l) complexed with structural nadp+
86	<a href="#">d1j6qa_</a>	Alignment	not modelled	15.9	21	<b>Fold:</b> OB-fold <b>Superfamily:</b> Heme chaperone CcmE <b>Family:</b> Heme chaperone CcmE
87	<a href="#">c1j6qA_</a>	Alignment	not modelled	15.9	21	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> cytochrome c maturation protein e; <b>PDBTitle:</b> solution structure and characterization of the heme2 chaperone ccme
88	<a href="#">c1tygG_</a>	Alignment	not modelled	15.9	32	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> G: <b>PDB Molecule:</b> yjbs; <b>PDBTitle:</b> structure of the thiazole synthase/this complex
89	<a href="#">d1tygb_</a>	Alignment	not modelled	15.5	30	<b>Fold:</b> beta-Grasp (ubiquitin-like) <b>Superfamily:</b> MoaD/ThiS <b>Family:</b> ThiS
90	<a href="#">c2oqcB_</a>	Alignment	not modelled	15.1	12	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> penicillin v acylase; <b>PDBTitle:</b> crystal structure of penicillin v acylase from bacillus subtilis
91	<a href="#">d1hr0w_</a>	Alignment	not modelled	14.7	20	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Cold shock DNA-binding domain-like
92	<a href="#">d1y9qa2</a>	Alignment	not modelled	14.7	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Probable transcriptional regulator VC1968, C-terminal domain
93	<a href="#">c2pjhB_</a>	Alignment	not modelled	14.2	18	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> transitional endoplasmic reticulum atpase; <b>PDBTitle:</b> strctural model of the p97 n domain- npl4 ubd complex
94	<a href="#">c3cwiA_</a>	Alignment	not modelled	14.1	25	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> thiamine-biosynthesis protein this; <b>PDBTitle:</b> crystal structure of thiamine biosynthesis protein (this)2 from geobacter metallireducens. northeast structural3 genomics consortium target gmr137
95	<a href="#">c3i4oA_</a>	Alignment	not modelled	13.9	19	<b>PDB header:</b> translation <b>Chain:</b> A: <b>PDB Molecule:</b> translation initiation factor if-1; <b>PDBTitle:</b> crystal structure of translation initiation factor 1 from2 mycobacterium tuberculosis
96	<a href="#">c2gu9B_</a>	Alignment	not modelled	13.8	10	<b>PDB header:</b> immune system <b>Chain:</b> B: <b>PDB Molecule:</b> tetracenomycin polyketide synthesis protein; <b>PDBTitle:</b> crystal structure of xc5357 from xanthomonas campestris: a2 putative tetracenomycin polyketide synthesis protein3 adopting a novel cupin subfamily structure
97	<a href="#">c2yk5A_</a>	Alignment	not modelled	13.6	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> cmp-n-acetylneuraminate-beta-galactosamide-alpha-2,3- <b>PDBTitle:</b> structure of neisseria los-specific sialyltransferase (nst),2 in complex with cmp.
98	<a href="#">d1t44g_</a>	Alignment	not modelled	13.4	24	<b>Fold:</b> Gelsolin-like <b>Superfamily:</b> Actin depolymerizing proteins <b>Family:</b> Gelsolin-like
99	<a href="#">d1ah9a_</a>	Alignment	not modelled	13.2	16	<b>Fold:</b> OB-fold <b>Superfamily:</b> Nucleic acid-binding proteins <b>Family:</b> Cold shock DNA-binding domain-like