


# Phyre<sup>2</sup>

Email	i.a.kelley@imperial.ac.uk
Description	P0CE60
Date	Thu Jan 5 11:30:30 GMT 2012
Unique Job ID	3da48ea27e8546c4

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	d1musa_			98.5	10	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Transposase inhibitor (Tn5 transposase)
2	d1b7ea_			98.1	13	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Transposase inhibitor (Tn5 transposase)
3	d1cxqa_			91.1	22	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
4	d1asua_			85.6	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
5	d1c0ma2			67.9	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
6	c1bg1A_			66.6	14	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> protein (transcription factor stat3b); <b>PDBTitle:</b> transcription factor stat3b/dna complex
7	c3nf9A_			64.5	13	<b>PDB header:</b> hydrolase/hydrolase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> integrase; <b>PDBTitle:</b> structural basis for a new mechanism of inhibition of hiv integrase2 identified by fragment screening and structure based design
8	c1yvlB_			62.4	14	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> signal transducer and activator of transcription <b>PDBTitle:</b> structure of unphosphorylated stat1
9	c3hefB_			51.6	15	<b>PDB header:</b> viral protein <b>Chain:</b> B: <b>PDB Molecule:</b> gene 1 protein; <b>PDBTitle:</b> crystal structure of the bacteriophage sf6 terminase small2 subunit
10	c1c0mA_			47.2	19	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (integrase); <b>PDBTitle:</b> crystal structure of rsv two-domain integrase
11	d1bcoa2			46.2	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> mu transposase, core domain

12	<a href="#">d1hyva</a>	<a href="#">Alignment</a>		40.9	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
13	<a href="#">c1bf5A</a>	<a href="#">Alignment</a>		36.9	17	<b>PDB header:</b> gene regulation/dna <b>Chain:</b> A: <b>PDB Molecule:</b> signal transducer and activator of transcription <b>PDBTitle:</b> tyrosine phosphorylated stat-1/dna complex
14	<a href="#">c3f9KV</a>	<a href="#">Alignment</a>		36.4	13	<b>PDB header:</b> viral protein, recombination <b>Chain:</b> V: <b>PDB Molecule:</b> integrase; <b>PDBTitle:</b> two domain fragment of hiv-2 integrase in complex with ledgf ibd
15	<a href="#">d1exqa</a>	<a href="#">Alignment</a>		31.9	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
16	<a href="#">c1bcoA</a>	<a href="#">Alignment</a>		30.9	16	<b>PDB header:</b> transposase <b>Chain:</b> A: <b>PDB Molecule:</b> bacteriophage mu transposase; <b>PDBTitle:</b> bacteriophage mu transposase core domain
17	<a href="#">d1k78a1</a>	<a href="#">Alignment</a>		30.8	23	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> Homeodomain-like <b>Family:</b> Paired domain
18	<a href="#">c3nzqB</a>	<a href="#">Alignment</a>		29.0	17	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> biosynthetic arginine decarboxylase; <b>PDBTitle:</b> crystal structure of biosynthetic arginine decarboxylase adc (spea)2 from escherichia coli, northeast structural genomics consortium3 target er600
19	<a href="#">d6paxa1</a>	<a href="#">Alignment</a>		24.9	21	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> Homeodomain-like <b>Family:</b> Paired domain
20	<a href="#">d1a9xa1</a>	<a href="#">Alignment</a>		21.6	12	<b>Fold:</b> Carbamoyl phosphate synthetase, large subunit connection domain <b>Superfamily:</b> Carbamoyl phosphate synthetase, large subunit connection domain <b>Family:</b> Carbamoyl phosphate synthetase, large subunit connection domain
21	<a href="#">c3n2oA</a>	<a href="#">Alignment</a>	not modelled	20.4	32	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> biosynthetic arginine decarboxylase; <b>PDBTitle:</b> x-ray crystal structure of arginine decarboxylase complexed with 2 arginine from vibrio vulnificus
22	<a href="#">c1k6yB</a>	<a href="#">Alignment</a>	not modelled	19.7	15	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> integrase; <b>PDBTitle:</b> crystal structure of a two-domain fragment of hiv-1 integrase
23	<a href="#">d1c6va</a>	<a href="#">Alignment</a>	not modelled	18.7	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
24	<a href="#">c3iwfA</a>	<a href="#">Alignment</a>	not modelled	14.1	4	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcription regulator rpir family; <b>PDBTitle:</b> the crystal structure of the n-terminal domain of a rpir2 transcriptional regulator from staphylococcus epidermidis to 1.4a
25	<a href="#">c2jg6A</a>	<a href="#">Alignment</a>	not modelled	11.6	9	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> dna-3-methyladenine glycosidase; <b>PDBTitle:</b> crystal structure of a 3-methyladenine dna glycosylase i2 from staphylococcus aureus
26	<a href="#">d1slma1</a>	<a href="#">Alignment</a>	not modelled	10.2	27	<b>Fold:</b> PGBD-like <b>Superfamily:</b> PGBD-like <b>Family:</b> MMP N-terminal domain
27	<a href="#">c3nzpA</a>	<a href="#">Alignment</a>	not modelled	10.2	25	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> arginine decarboxylase; <b>PDBTitle:</b> crystal structure of the biosynthetic arginine decarboxylase spearm from campylobacter jejuni, northeast structural genomics consortium target3 br53
28	<a href="#">c2vkpA</a>	<a href="#">Alignment</a>	not modelled	9.7	12	<b>PDB header:</b> protein-binding <b>Chain:</b> A: <b>PDB Molecule:</b> btb/poz domain-containing protein 6; <b>PDBTitle:</b> crystal structure of btb domain from btbd6

29	<a href="#">c3cwgA</a>		Alignment	not modelled	9.5	13	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> signal transducer and activator of transcription <b>PDBTitle:</b> unphosphorylated mouse stat3 core fragment
30	<a href="#">c1y1uA</a>		Alignment	not modelled	9.1	16	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> signal transducer and activator of transcription 5a; <b>PDBTitle:</b> structure of unphosphorylated stat5a
31	<a href="#">c3eusB</a>		Alignment	not modelled	8.9	16	<b>PDB header:</b> dna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> dna-binding protein; <b>PDBTitle:</b> the crystal structure of the dna binding protein from silicibacter2 pomeroyi
32	<a href="#">c2o3fC</a>		Alignment	not modelled	8.0	12	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> putative hth-type transcriptional regulator ybbh; <b>PDBTitle:</b> structural genomics, the crystal structure of the n-2 terminal domain of the putative transcriptional regulator3 ybbh from bacillus subtilis subsp. subtilis str. 168.
33	<a href="#">d2o3fa1</a>		Alignment	not modelled	8.0	12	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> Homeodomain-like <b>Family:</b> RpiR-like
34	<a href="#">d1nkua</a>		Alignment	not modelled	8.0	10	<b>Fold:</b> DNA-glycosylase <b>Superfamily:</b> DNA-glycosylase <b>Family:</b> 3-Methyladenine DNA glycosylase I (Tag)
35	<a href="#">c1ex4A</a>		Alignment	not modelled	7.7	17	<b>PDB header:</b> viral protein <b>Chain:</b> A: <b>PDB Molecule:</b> integrase; <b>PDBTitle:</b> hiv-1 integrase catalytic core and c-terminal domain
36	<a href="#">d1a6qa1</a>		Alignment	not modelled	6.9	27	<b>Fold:</b> Another 3-helical bundle <b>Superfamily:</b> Protein serine/threonine phosphatase 2C, C-terminal domain <b>Family:</b> Protein serine/threonine phosphatase 2C, C-terminal domain
37	<a href="#">c2kvca</a>		Alignment	not modelled	5.8	20	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative uncharacterized protein; <b>PDBTitle:</b> solution structure of the mycobacterium tuberculosis protein rv0543c,2 a member of the duf3349 superfamily. seattle structural genomics3 center for infectious disease target mytud.17112.a
38	<a href="#">d1v77a</a>		Alignment	not modelled	5.8	7	<b>Fold:</b> 7-stranded beta/alpha barrel <b>Superfamily:</b> PHP domain-like <b>Family:</b> RNase P subunit p30
39	<a href="#">d1sbza</a>		Alignment	not modelled	5.5	19	<b>Fold:</b> Homo-oligomeric flavin-containing Cys decarboxylases, HFCD <b>Superfamily:</b> Homo-oligomeric flavin-containing Cys decarboxylases, HFCD <b>Family:</b> Homo-oligomeric flavin-containing Cys decarboxylases, HFCD
40	<a href="#">c3hpgC</a>		Alignment	not modelled	5.3	13	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> integrase; <b>PDBTitle:</b> visna virus integrase (residues 1-219) in complex with ledgf2 ibd: examples of open integrase dimer-dimer interfaces
41	<a href="#">c3g7pA</a>		Alignment	not modelled	5.2	15	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> nitrogen fixation protein; <b>PDBTitle:</b> crystal structure of a nifx-associated protein of unknown function2 (afe_1514) from acidithiobacillus ferrooxidans atcc at 2.00 a3 resolution
42	<a href="#">c2lm4A</a>		Alignment	not modelled	5.1	14	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> succinate dehydrogenase assembly factor 2, mitochondrial; <b>PDBTitle:</b> solution nmr structure of mitochondrial succinate dehydrogenase2 assembly factor 2 from saccharomyces cerevisiae, northeast structural3 genomics consortium target yt682a