

# Phyre<sup>2</sup>

Email	i.a.kelley@imperial.ac.uk
Description	P0A9V8
Date	Thu Jan 5 11:11:30 GMT 2012
Unique Job ID	4115bd89f8a05c16

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c1vpdA</a>			100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> tartronate semialdehyde reductase; <b>PDBTitle:</b> x-ray crystal structure of tartronate semialdehyde reductase2 [salmonella typhimurium lt2]
2	<a href="#">c1yb4A</a>			100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> tartronic semialdehyde reductase; <b>PDBTitle:</b> crystal structure of the tartronic semialdehyde reductase from2 salmonella typhimurium lt2
3	<a href="#">c3ckyA</a>			100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> 2-hydroxymethyl glutarate dehydrogenase; <b>PDBTitle:</b> structural and kinetic properties of a beta-hydroxyacid dehydrogenase2 involved in nicotinate fermentation
4	<a href="#">c3cumA</a>			100.0	33	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> probable 3-hydroxisobutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of a possible 3-hydroxisobutyrate dehydrogenase2 from pseudomonas aeruginosa pao1
5	<a href="#">c2cvzD</a>			100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D; <b>PDB Molecule:</b> 3-hydroxisobutyrate dehydrogenase; <b>PDBTitle:</b> structure of hydroxisobutyrate dehydrogenase from thermus2 thermophilus hb8
6	<a href="#">c3g0oA</a>			100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> 3-hydroxisobutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of 3-hydroxisobutyrate dehydrogenase2 (ygbj) from salmonella typhimurium
7	<a href="#">c3pefA</a>			100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase, nad-binding; <b>PDBTitle:</b> crystal structure of gamma-hydroxybutyrate dehydrogenase from2 geobacter metallireducens in complex with nadp+
8	<a href="#">c3dojA</a>			100.0	30	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> dehydrogenase-like protein; <b>PDBTitle:</b> structure of glyoxylate reductase 1 from arabidopsis2 (atglyr1)
9	<a href="#">c2gf2B</a>			100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B; <b>PDB Molecule:</b> 3-hydroxisobutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of human hydroxisobutyrate dehydrogenase
10	<a href="#">c2uyyD</a>			100.0	25	<b>PDB header:</b> cytokine <b>Chain:</b> D; <b>PDB Molecule:</b> n-pac protein; <b>PDBTitle:</b> structure of the cytokine-like nuclear factor n-pac
11	<a href="#">c3l6dB</a>			100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B; <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of putative oxidoreductase from pseudomonas putida2 k2440

12	<a href="#">c2p4qA</a>	Alignment		100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase, decarboxylating 1; <b>PDBTitle:</b> crystal structure analysis of gnd1 in saccharomyces cerevisiae
13	<a href="#">c1pgjA</a>	Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase; <b>PDBTitle:</b> x-ray structure of 6-phosphogluconate dehydrogenase from the protozoan2 parasite t. brucei
14	<a href="#">c1pggA</a>	Alignment		100.0	20	<b>PDB header:</b> oxidoreductase (choh(d)-nadp+(a)) <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase; <b>PDBTitle:</b> crystallographic study of coenzyme, coenzyme analogue and substrate2 binding in 6-phosphogluconate dehydrogenase: implications for nadp3 specificity and the enzyme mechanism
15	<a href="#">c2iz1C</a>	Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase, decarboxylating; <b>PDBTitle:</b> 6pdh complexed with pex inhibitor synchrotron data
16	<a href="#">c3fwnB</a>	Alignment		100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase, decarboxylating; <b>PDBTitle:</b> dimeric 6-phosphogluconate dehydrogenase complexed with 6-2 phosphogluconate and 2'-monophosphoadenosine-5'-diphosphate
17	<a href="#">c3qhaB</a>	Alignment		100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of a putative oxidoreductase from mycobacterium2 avium 104
18	<a href="#">c3qsgA</a>	Alignment		100.0	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> nad-binding phosphogluconate dehydrogenase-like protein; <b>PDBTitle:</b> crystal structure of nad-binding phosphogluconate dehydrogenase-like2 protein from alicyclobacillus acidocaldarius
19	<a href="#">c2y0dB</a>	Alignment		100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> udp-glucose dehydrogenase; <b>PDBTitle:</b> bcec mutation y10k
20	<a href="#">c1mv8A</a>	Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> gdp-mannose 6-dehydrogenase; <b>PDBTitle:</b> 1.55 a crystal structure of a ternary complex of gdp-mannose2 dehydrogenase from psuedomonas aeruginosa
21	<a href="#">c3gg2B</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> sugar dehydrogenase, udp-glucose/gdp-mannose <b>PDBTitle:</b> crystal structure of udp-glucose 6-dehydrogenase from2 porphyromonas gingivalis bound to product udp-glucuronate
22	<a href="#">c2q3eH</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> udp-glucose 6-dehydrogenase; <b>PDBTitle:</b> structure of human udp-glucose dehydrogenase complexed with nadh and2 udp-glucose
23	<a href="#">c3prjB</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> udp-glucose 6-dehydrogenase; <b>PDBTitle:</b> role of packing defects in the evolution of allostery and induced fit2 in human udp-glucose dehydrogenase.
24	<a href="#">c2o3jC</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> udp-glucose 6-dehydrogenase; <b>PDBTitle:</b> structure of caenorhabditis elegans udp-glucose dehydrogenase
25	<a href="#">c3g79A</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> ndp-n-acetyl-d-galactosaminuronic acid dehydrogenase; <b>PDBTitle:</b> crystal structure of ndp-n-acetyl-d-galactosaminuronic acid2 dehydrogenase from methanoscarcina mazei go1
26	<a href="#">c3plnA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> udp-glucose 6-dehydrogenase; <b>PDBTitle:</b> crystal structure of klebsiella pneumoniae udp-glucose 6-dehydrogenase2 complexed with udp-glucose
27	<a href="#">c3ojIA</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> cap50; <b>PDBTitle:</b> native structure of the udp-n-acetyl-mannosamine dehydrogenase cap502 from staphylococcus aureus
28	<a href="#">c1i36A</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> conserved hypothetical protein mth1747; <b>PDBTitle:</b> structure of conserved protein mth1747 of unknown function2 reveals structural similarity with 3-hydroxyacid3

						dehydrogenases
29	<a href="#">c1dliA</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> udp-glucose dehydrogenase; <b>PDBTitle:</b> the first structure of udp-glucose dehydrogenase (udpgdh) reveals the2 catalytic residues necessary for the two-fold oxidation
30	<a href="#">c2ep9A</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> l-gulonate 3-dehydrogenase; <b>PDBTitle:</b> crystal structure of the rabbit l-gulonate 3-dehydrogenase2 (nadh form)
31	<a href="#">d1vpda2</a>	Alignment	not modelled	100.0	35	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
32	<a href="#">d3cuma2</a>	Alignment	not modelled	99.9	37	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
33	<a href="#">c1bg6A</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> n-(1-d-carboxylethyl)-l-norvaline dehydrogenase; <b>PDBTitle:</b> crystal structure of the n-(1-d-carboxylethyl)-l-norvaline2 dehydrogenase from arthrobacter sp. strain 1c
34	<a href="#">c3k96B</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol-3-phosphate dehydrogenase [nad(p)+]; <b>PDBTitle:</b> 2.1 angstrom resolution crystal structure of glycerol-3-phosphate2 dehydrogenase (gpsa) from coxiella burnetii
35	<a href="#">c1m67A</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol-3-phosphate dehydrogenase; <b>PDBTitle:</b> crystal structure of leishmania mexicana gpdh complexed with inhibitor 2-bromo-6-hydroxy-purine
36	<a href="#">c3d1IB</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative nadp oxidoreductase bf3122; <b>PDBTitle:</b> crystal structure of putative nadp oxidoreductase bf3122 from2 bacteroides fragilis
37	<a href="#">c1m75B</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of the n208s mutant of l-3-hydroxyacyl-2 coa dehydrogenase in complex with nad and acetoacetyl-coa
38	<a href="#">c3mogA</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> probable 3-hydroxybutyryl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of 3-hydroxybutyryl-coa dehydrogenase from2 escherichia coli k12 substr. mg1655
39	<a href="#">c3k6jA</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> protein f01g10.3, confirmed by transcript evidence; <b>PDBTitle:</b> crystal structure of the dehydrogenase part of multifunctional enzyme 12 from c.elegans
40	<a href="#">d2cvza2</a>	Alignment	not modelled	99.9	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
41	<a href="#">c2izzE</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> pyrroline-5-carboxylate reductase 1; <b>PDBTitle:</b> crystal structure of human pyrroline-5-carboxylate2 reductase
42	<a href="#">c3triB</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> pyrroline-5-carboxylate reductase; <b>PDBTitle:</b> structure of a pyrroline-5-carboxylate reductase (proc) from coxiella2 burnetii
43	<a href="#">c2ahrB</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative pyrroline carboxylate reductase; <b>PDBTitle:</b> crystal structures of 1-pyrroline-5-carboxylate reductase from human2 pathogen streptococcus pyogenes
44	<a href="#">d2pgda2</a>	Alignment	not modelled	99.9	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
45	<a href="#">c2graA</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> pyrroline-5-carboxylate reductase 1; <b>PDBTitle:</b> crystal structure of human pyrroline-5-carboxylate reductase complexed2 with nadp
46	<a href="#">d1pgja2</a>	Alignment	not modelled	99.9	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
47	<a href="#">c3b1fA</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from streptococcus2 mutans
48	<a href="#">c1zcjA</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> peroxisomal bifunctional enzyme; <b>PDBTitle:</b> crystal structure of 3-hydroxyacyl-coa dehydrogenase
49	<a href="#">c3hn2A</a>	Alignment	not modelled	99.9	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-dehydropantoate 2-reductase; <b>PDBTitle:</b> crystal structure of 2-dehydropantoate 2-reductase from geobacter2 metallireducens gs-15
50	<a href="#">c3dzba</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from streptococcus2 thermophilus
51	<a href="#">c2x58B</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> peroxisomal bifunctional enzyme; <b>PDBTitle:</b> the crystal structure of mfe1 liganded with coa
52	<a href="#">c2d3tB</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> lyase, oxidoreductase/transferase <b>Chain:</b> B: <b>PDB Molecule:</b> fatty acid oxidation complex alpha subunit; <b>PDBTitle:</b> fatty acid beta-oxidation multienzyme complex from2 pseudomonas fragi, form v
						<b>PDB header:</b> isomerase, oxidoreductase

53	<a href="#">c2pv7B</a>	Alignment	not modelled	99.9	14	<b>Chain:</b> B: <b>PDB Molecule:</b> t-protein [includes: chorismate mutase (ec 5.4.99.5) (cm) <b>PDBTitle:</b> crystal structure of chorismate mutase / prephenate dehydrogenase2 (tyra) (1574749) from haemophilus influenzae rd at 2.00 a resolution
54	<a href="#">c1txgA</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol-3-phosphate dehydrogenase [nad(p)+]; <b>PDBTitle:</b> structure of glycerol-3-phosphate dehydrogenase from archaeoglobus2 fulgidus
55	<a href="#">c3gt0A</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> pyrroline-5-carboxylate reductase; <b>PDBTitle:</b> crystal structure of pyrroline-5-carboxylate reductase from bacillus2 cereus. northeast structural genomics consortium target bcr38b
56	<a href="#">c1zejA</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of the 3-hydroxyacyl-coa dehydrogenase (hbd-9, 2 af2017) from archaeoglobus fulgidus dsm 4304 at 2.00 a resolution
57	<a href="#">c2ag8A</a>	Alignment	not modelled	99.8	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> pyrroline-5-carboxylate reductase; <b>PDBTitle:</b> nadp complex of pyrroline-5-carboxylate reductase from neisseria2 meningitidis
58	<a href="#">c2g5cD</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from aquifex aeolicus
59	<a href="#">c3hwrA</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-dehydropantoate 2-reductase; <b>PDBTitle:</b> crystal structure of pane/apba family ketopantoate reductase2 (yp_299159.1) from ralstonia eutropha jmp134 at 2.15 a resolution
60	<a href="#">c2ew2B</a>	Alignment	not modelled	99.8	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-dehydropantoate 2-reductase, putative; <b>PDBTitle:</b> crystal structure of the putative 2-dehydropantoate 2-reductase from2 enterococcus faecalis
61	<a href="#">c2wtbA</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> fatty acid multifunctional protein (atmfp2); <b>PDBTitle:</b> arabidopsis thaliana multifunctional protein, mfp2
62	<a href="#">c2ofpB</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ketopantoate reductase; <b>PDBTitle:</b> crystal structure of escherichia coli ketopantoate reductase in a ternary complex with nadp+ and pantoate
63	<a href="#">d1i36a2</a>	Alignment	not modelled	99.8	14	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
64	<a href="#">c2rcyB</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> pyrroline carboxylate reductase; <b>PDBTitle:</b> crystal structure of plasmodium falciparum pyrroline carboxylate2 reductase (mal13p1.284) with nadp bound
65	<a href="#">c2f1kD</a>	Alignment	not modelled	99.8	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of synechocystis arogenate dehydrogenase
66	<a href="#">d2cvza1</a>	Alignment	not modelled	99.8	25	<b>Fold:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Superfamily:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Family:</b> Hydroxyisobutyrate and 6-phosphogluconate dehydrogenase domain
67	<a href="#">c3ggpA</a>	Alignment	not modelled	99.8	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from a. aeolicus in2 complex with hydroxyphenyl propionate and nad+
68	<a href="#">c1z82A</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol-3-phosphate dehydrogenase; <b>PDBTitle:</b> crystal structure of glycerol-3-phosphate dehydrogenase (tm0378) from2 thermotoga maritima at 2.00 a resolution
69	<a href="#">c1ks9A</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-dehydropantoate 2-reductase; <b>PDBTitle:</b> ketopantoate reductase from escherichia coli
70	<a href="#">d1vpda1</a>	Alignment	not modelled	99.8	30	<b>Fold:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Superfamily:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Family:</b> Hydroxyisobutyrate and 6-phosphogluconate dehydrogenase domain
71	<a href="#">c3ghyA</a>	Alignment	not modelled	99.8	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> ketopantoate reductase protein; <b>PDBTitle:</b> crystal structure of a putative ketopantoate reductase from ralstonia2 solanacearum molk2
72	<a href="#">d1f0ya2</a>	Alignment	not modelled	99.8	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
73	<a href="#">c3g17H</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> H: <b>PDB Molecule:</b> similar to 2-dehydropantoate 2-reductase; <b>PDBTitle:</b> structure of putative 2-dehydropantoate 2-reductase from2 staphylococcus aureus
74	<a href="#">c2i76B</a>	Alignment	not modelled	99.8	11	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> crystal structure of protein tm1727 from thermotoga maritima
75	<a href="#">c1yj8C</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> glycerol-3-phosphate dehydrogenase; <b>PDBTitle:</b> initial structural analysis of plasmodium falciparum glycerol-3-2 phosphate dehydrogenase
76	<a href="#">c3kttdC</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative prephenate dehydrogenase

						(cgl0226)2 from corynebacterium glutamicum atcc 13032 at 2.60 a resolution
77	<a href="#">c1wpqB</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol-3-phosphate dehydrogenase [nad+], <b>PDBTitle:</b> ternary complex of glycerol 3-phosphate dehydrogenase 12 with nad and dihydroxyacetone
78	<a href="#">d1wdka3</a>	Alignment	not modelled	99.8	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
79	<a href="#">c1np3B</a>	Alignment	not modelled	99.8	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> crystal structure of class i acetohydroxy acid isomero-reductase from2 pseudomonas aeruginosa
80	<a href="#">d1mv8a2</a>	Alignment	not modelled	99.8	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
81	<a href="#">d3cuma1</a>	Alignment	not modelled	99.7	27	<b>Fold:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Superfamily:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Family:</b> Hydroxysobutyrate and 6-phosphogluconate dehydrogenase domain
82	<a href="#">c2rafC</a>	Alignment	not modelled	99.7	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative dinucleotide-binding oxidoreductase; <b>PDBTitle:</b> crystal structure of putative dinucleotide-binding2 oxidoreductase (np_786167.1) from lactobacillus plantarum3 at 1.60 a resolution
83	<a href="#">c3dttA</a>	Alignment	not modelled	99.7	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nadp oxidoreductase; <b>PDBTitle:</b> crystal structure of a putative f420 dependent nadp-reductase2 (arth_0613) from arthrobacter sp. fb24 at 1.70 a resolution
84	<a href="#">c2vq3B</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> metalloreductase steap3; <b>PDBTitle:</b> crystal structure of the membrane proximal oxidoreductase2 domain of human steap3, the dominant ferric reductase of3 the erythroid transferrin cycle
85	<a href="#">d2pv7a2</a>	Alignment	not modelled	99.7	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
86	<a href="#">c3egoB</a>	Alignment	not modelled	99.7	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> probable 2-dehydropantoate 2-reductase; <b>PDBTitle:</b> crystal structure of probable 2-dehydropantoate 2-reductase2 pane from bacillus subtilis
87	<a href="#">d1jaya</a>	Alignment	not modelled	99.7	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
88	<a href="#">d2f1ka2</a>	Alignment	not modelled	99.7	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
89	<a href="#">c3c24A</a>	Alignment	not modelled	99.7	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of a putative oxidoreductase (yp_511008.1) from jannaschia sp. ccs1 at 1.62 a resolution
90	<a href="#">d1nlea2</a>	Alignment	not modelled	99.7	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
91	<a href="#">d2ahra2</a>	Alignment	not modelled	99.7	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
92	<a href="#">d2g5ca2</a>	Alignment	not modelled	99.6	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
93	<a href="#">d1dlja2</a>	Alignment	not modelled	99.6	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
94	<a href="#">c3i83B</a>	Alignment	not modelled	99.6	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-dehydropantoate 2-reductase; <b>PDBTitle:</b> crystal structure of 2-dehydropantoate 2-reductase from methylococcus2 capsulatus
95	<a href="#">d1txga2</a>	Alignment	not modelled	99.6	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
96	<a href="#">d1yqga2</a>	Alignment	not modelled	99.5	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
97	<a href="#">d1bg6a2</a>	Alignment	not modelled	99.5	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
98	<a href="#">d2i76a2</a>	Alignment	not modelled	99.5	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
99	<a href="#">d1np3a2</a>	Alignment	not modelled	99.5	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
100	<a href="#">c2qytA</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-dehydropantoate 2-reductase; <b>PDBTitle:</b> crystal structure of 2-dehydropantoate 2-reductase from

						porphyromonas2 gingivalis w83
101	<a href="#">c3c7cB_</a>	Alignment	not modelled	99.5	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> octopine dehydrogenase; <b>PDBTitle:</b> a structural basis for substrate and stereo selectivity in2 octopine dehydrogenase (odh-nadh-l-arginine)
102	<a href="#">c3dfuB_</a>	Alignment	not modelled	99.3	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein from 6-phosphogluconate <b>PDBTitle:</b> crystal structure of a putative rosmann-like dehydrogenase (cgl2689)2 from corynebacterium glutamicum at 2.07 a resolution
103	<a href="#">d1gdha1</a>	Alignment	not modelled	99.3	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
104	<a href="#">c3n7uD_</a>	Alignment	not modelled	99.3	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> formate dehydrogenase; <b>PDBTitle:</b> nad-dependent formate dehydrogenase from higher-plant arabidopsis2 thaliana in complex with nad and azide
105	<a href="#">d2naca1</a>	Alignment	not modelled	99.3	8	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
106	<a href="#">c1gdhA_</a>	Alignment	not modelled	99.2	15	<b>PDB header:</b> oxidoreductase(chol (d)-nad(p)+ (a)) <b>Chain:</b> A: <b>PDB Molecule:</b> d-glycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of a nad-dependent d-glycerate2 dehydrogenase at 2.4 angstroms resolution
107	<a href="#">d1mx3a1</a>	Alignment	not modelled	99.2	10	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
108	<a href="#">c2nacA_</a>	Alignment	not modelled	99.1	9	<b>PDB header:</b> oxidoreductase(aldehyde(d),nad+(a)) <b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent formate dehydrogenase; <b>PDBTitle:</b> high resolution structures of holo and apo formate dehydrogenase
109	<a href="#">c3gg9C_</a>	Alignment	not modelled	99.1	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase oxidoreductase protein; <b>PDBTitle:</b> crystal structure of putative d-3-phosphoglycerate dehydrogenase2 oxidoreductase from ralstonia solanacearum
110	<a href="#">c2omeA_</a>	Alignment	not modelled	99.1	9	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> c-terminal-binding protein 2; <b>PDBTitle:</b> crystal structure of human cbp2 dehydrogenase complexed with nad(h)
111	<a href="#">d1uxja1</a>	Alignment	not modelled	99.1	10	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
112	<a href="#">c2w2kB_</a>	Alignment	not modelled	99.1	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> d-mandelate dehydrogenase; <b>PDBTitle:</b> crystal structure of the apo forms of rhodotorula graminis2 d-mandelate dehydrogenase at 1.8a.
113	<a href="#">d1qp8a1</a>	Alignment	not modelled	99.1	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
114	<a href="#">c2rirA_</a>	Alignment	not modelled	99.1	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dipicolinate synthase, a chain; <b>PDBTitle:</b> crystal structure of dipicolinate synthase, a chain, from bacillus2 subtilis
115	<a href="#">d1ygya1</a>	Alignment	not modelled	99.1	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
116	<a href="#">c2j6iC_</a>	Alignment	not modelled	99.1	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> formate dehydrogenase; <b>PDBTitle:</b> candida boidinii formate dehydrogenase (fdh) c-terminal2 mutant
117	<a href="#">c2g76A_</a>	Alignment	not modelled	99.1	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of human 3-phosphoglycerate dehydrogenase
118	<a href="#">d1j4aa1</a>	Alignment	not modelled	99.1	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
119	<a href="#">c1wwkA_</a>	Alignment	not modelled	99.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of phosphoglycerate dehydrogenase from pyrococcus2 horikoshii ot3
120	<a href="#">c2ekIA_</a>	Alignment	not modelled	99.0	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> structure of st1218 protein from sulfolobus tokodaii