
































Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">d1sbpa_</a>	 Alignment		100.0	94	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
2	<a href="#">d1y9ua_</a>	 Alignment		100.0	19	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
3	<a href="#">c2h5yC_</a>	 Alignment		100.0	15	<b>PDB header:</b> metal transport <b>Chain:</b> C: <b>PDB Molecule:</b> molybdate-binding periplasmic protein; <b>PDBTitle:</b> crystallographic structure of the molybdate-binding protein of <i>Xanthomonas citri</i> at 1.7 ang resolution bound to molybdate
4	<a href="#">d1atga_</a>	 Alignment		100.0	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
5	<a href="#">c3fj7A_</a>	 Alignment		100.0	19	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> major antigenic peptide pnb3; <b>PDBTitle:</b> crystal structure of I-phospholactate bound pnb3
6	<a href="#">c2qryD_</a>	 Alignment		100.0	15	<b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> thiamine-binding periplasmic protein; <b>PDBTitle:</b> periplasmic thiamin binding protein
7	<a href="#">c3c9hB_</a>	 Alignment		100.0	14	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> abc transporter, substrate binding protein; <b>PDBTitle:</b> crystal structure of the substrate binding protein of the abc2 transporter from <i>Agrobacterium tumefaciens</i>
8	<a href="#">c3lr1A_</a>	 Alignment		100.0	14	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> tungstate abc transporter, periplasmic tungstate- <b>PDBTitle:</b> the crystal structure of the tungstate abc transporter from <i>Geobacter sulfurreducens</i>
9	<a href="#">d1amfa_</a>	 Alignment		100.0	17	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
10	<a href="#">d1y4ta_</a>	 Alignment		99.9	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
11	<a href="#">d1xvxa_</a>	 Alignment		99.9	14	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like

12	<a href="#">dlxc1a_</a>	Alignment		99.9	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
13	<a href="#">c2pt1A_</a>	Alignment		99.9	17	<b>PDB header:</b> metal transport <b>Chain:</b> A: <b>PDB Molecule:</b> iron transport protein; <b>PDBTitle:</b> futa1 synechocystis pcc 6803
14	<a href="#">dlq35a_</a>	Alignment		99.9	20	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
15	<a href="#">c3muqB_</a>	Alignment		99.9	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized conserved protein; <b>PDBTitle:</b> the crystal structure of a conserved functionally unknown protein from2 vibrio parahaemolyticus rimd 2210633
16	<a href="#">c3cg3A_</a>	Alignment		99.9	16	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> upf0100 protein ph0151; <b>PDBTitle:</b> crystal structure of p. horikoshii periplasmic binding2 protein moda/wtpa with bound tungstate
17	<a href="#">dlxvya_</a>	Alignment		99.9	14	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
18	<a href="#">c3rpwA_</a>	Alignment		99.9	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter; <b>PDBTitle:</b> the crystal structure of an abc transporter from rhodopseudomonas2 palustris cga009
19	<a href="#">dl1nfa_</a>	Alignment		99.9	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
20	<a href="#">c2vozA_</a>	Alignment		99.9	15	<b>PDB header:</b> metal-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic iron-binding protein; <b>PDBTitle:</b> apo futa2 from synechocystis pcc6803
21	<a href="#">c3pu5A_</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> extracellular solute-binding protein; <b>PDBTitle:</b> the crystal structure of a putative extracellular solute-binding2 protein from bordetella parapertussis
22	<a href="#">c2v84A_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> spermidine/putrescine abc transporter, periplasmic <b>PDBTitle:</b> crystal structure of the tp0655 (tppotd) lipoprotein of2 treponema pallidum
23	<a href="#">c3kn3C_</a>	Alignment	not modelled	99.9	12	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> putative periplasmic protein; <b>PDBTitle:</b> crystal structure of lysr substrate binding domain (25-263) of2 putative periplasmic protein from wolinnella succinogenes
24	<a href="#">c3cg1A_</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> upf0100 protein pf0080; <b>PDBTitle:</b> crystal structure of p. furiosus periplasmic binding protein2 moda/wtpa with bound tungstate
25	<a href="#">dl99a_</a>	Alignment	not modelled	99.9	16	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
26	<a href="#">d2onsa1</a>	Alignment	not modelled	99.9	17	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
27	<a href="#">c3osrA_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> fluorescent protein, transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding periplasmic protein, green fluorescent <b>PDBTitle:</b> maltose-bound maltose sensor engineered by insertion of circularly2 permuted green fluorescent protein into e. coli maltose binding3 protein at position 311
28	<a href="#">c3k6wA_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> solute-binding protein ma_0280;

28	<a href="#">c3kwa_</a>	Alignment	not modelled	99.9	16	<b>PDBTitle:</b> apo and ligand bound structures of moda from the archaeon2 methanosarcina acetivorans
29	<a href="#">d1pota_</a>	Alignment	not modelled	99.9	17	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
30	<a href="#">c3cfxA_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> upf0100 protein ma_0280; <b>PDBTitle:</b> crystal structure of m. acetivorans periplasmic binding protein2 moda/wtpa with bound tungstate
31	<a href="#">c3ob4A_</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> allergen <b>Chain:</b> A: <b>PDB Molecule:</b> maltose abc transporter periplasmic protein, arah 2; <b>PDBTitle:</b> mbp-fusion protein of the major peanut allergen ara h 2
32	<a href="#">c3py7A_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> viral protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding periplasmic protein,paxillin ld1,protein e6 <b>PDBTitle:</b> crystal structure of full-length bovine papillomavirus oncoprotein e62 in complex with ld1 motif of paxillin at 2.3a resolution
33	<a href="#">c3o3uN_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> transport protein, signaling protein <b>Chain:</b> N: <b>PDB Molecule:</b> maltose-binding periplasmic protein, advanced glycosylation <b>PDBTitle:</b> crystal structure of human receptor for advanced glycation endproducts2 (rage)
34	<a href="#">c1ursa_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> maltose-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding protein; <b>PDBTitle:</b> x-ray structures of the maltose-maltodextrin binding2 protein of the thermoacidophilic bacterium alicyclobacillus3 acidocaldarius
35	<a href="#">d1ursa_</a>	Alignment	not modelled	99.9	13	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
36	<a href="#">c3f5fA_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> transport, transferase <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding periplasmic protein, heparan <b>PDBTitle:</b> crystal structure of heparan sulfate 2-o-sulfotransferase2 from gallus gallus as a maltose binding protein fusion.
37	<a href="#">c3mp6A_</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> histone binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding periplasmic protein, linker, saga- <b>PDBTitle:</b> complex structure of sgf29 and dimethylated h3k4
38	<a href="#">c3c4mA_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> fusion protein of maltose-binding periplasmic protein and <b>PDBTitle:</b> structure of human parathyroid hormone in complex with the2 extracellular domain of its g-protein-coupled receptor (pth1r)
39	<a href="#">c3oaiB_</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> membrane protein, cell adhesion <b>Chain:</b> B: <b>PDB Molecule:</b> maltose-binding periplasmic protein, myelin protein p0; <b>PDBTitle:</b> crystal structure of the extra-cellular domain of human myelin protein2 zero
40	<a href="#">c2gh9A_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose/maltodextrin-binding protein; <b>PDBTitle:</b> thermus thermophilus maltotriose binding protein bound with2 maltotriose
41	<a href="#">c1r6zA_</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> gene regulation <b>Chain:</b> A: <b>PDB Molecule:</b> chimera of maltose-binding periplasmic protein and <b>PDBTitle:</b> the crystal structure of the argonaute2 paz domain (as a mbp fusion)
42	<a href="#">c2xd3A_</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose/maltodextrin-binding protein; <b>PDBTitle:</b> the crystal structure of malx from streptococcus pneumoniae2 in complex with maltopentaose.
43	<a href="#">c2vgqA_</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> immune system/transport <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding periplasmic protein, <b>PDBTitle:</b> crystal structure of human ips-1 card
44	<a href="#">c2nvuB_</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> protein turnover, ligase <b>Chain:</b> B: <b>PDB Molecule:</b> maltose binding protein/nedd8-activating enzyme <b>PDBTitle:</b> structure of appbp1-uba3~nedd8-nedd8-mgatp-ubc12(c111a), a2 trapped ubiquitin-like protein activation complex
45	<a href="#">c2zykA_</a>	Alignment	not modelled	99.8	12	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> solute-binding protein; <b>PDBTitle:</b> crystal structure of cyclo/maltodextrin-binding protein2 complexed with gamma-cyclodextrin
46	<a href="#">c1y4cA_</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> de novo protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose binding protein fused with designed <b>PDBTitle:</b> designed helical protein fusion mbp
47	<a href="#">c3d4cA_</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> cell adhesion <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding periplasmic protein, linker, zona pellucida <b>PDBTitle:</b> zp-n domain of mammalian sperm receptor zp3 (crystal form i)
48	<a href="#">c3dm0A_</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> sugar binding protein,signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding periplasmic protein fused with <b>PDBTitle:</b> maltose binding protein fusion with rack1 from a. thaliana
49	<a href="#">c3csgA_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> de novo protein, sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding protein monobody ys1 fusion; <b>PDBTitle:</b> crystal structure of monobody ys1(mbp-74)/maltose binding2 protein fusion complex
50	<a href="#">c1twyG_</a>	Alignment	not modelled	99.8	11	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> G: <b>PDB Molecule:</b> abc transporter, periplasmic substrate-binding protein; <b>PDBTitle:</b> crystal structure of an abc-type phosphate transport receptor from2 vibrio cholerae

51	<a href="#">d1twya_</a>	Alignment	not modelled	99.8	11	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
52	<a href="#">c3qufB_</a>	Alignment	not modelled	99.8	12	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> extracellular solute-binding protein, family 1; <b>PDBTitle:</b> the structure of a family 1 extracellular solute-binding protein from <i>Bifidobacterium longum</i> subsp. <i>infantis</i>
53	<a href="#">c2b3fD_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> sugar binding protein <b>Chain:</b> D: <b>PDB Molecule:</b> glucose-binding protein; <b>PDBTitle:</b> thermus thermophilus glucose/galactose binding protein2 bound with galactose
54	<a href="#">c3h4zC_</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> allergen <b>Chain:</b> C: <b>PDB Molecule:</b> maltose-binding periplasmic protein fused with allergen <b>PDBTitle:</b> crystal structure of an mbp-der p 7 fusion protein
55	<a href="#">c3uorB_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> abc transporter sugar binding protein; <b>PDBTitle:</b> the structure of the sugar-binding protein male from the phytopathogen <i>Xanthomonas citri</i>
56	<a href="#">c1mh3A_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> sugar binding, dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose binding-a1 homeodomain protein chimera; <b>PDBTitle:</b> maltose binding-a1 homeodomain protein chimera, crystal2 form i
57	<a href="#">c3osqA_</a>	Alignment	not modelled	99.8	23	<b>PDB header:</b> fluorescent protein, transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose-binding periplasmic protein, green fluorescent <b>PDBTitle:</b> maltose-bound maltose sensor engineered by insertion of circularly2 permuted green fluorescent protein into e. coli maltose binding3 protein at position 175
58	<a href="#">c1hsjA_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> transcription/sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> fusion protein consisting of staphylococcus <b>PDBTitle:</b> sarr mbp fusion structure
59	<a href="#">d1elja_</a>	Alignment	not modelled	99.8	12	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
60	<a href="#">d1laxa_</a>	Alignment	not modelled	99.8	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
61	<a href="#">d1eu8a_</a>	Alignment	not modelled	99.8	14	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
62	<a href="#">c3ehuA_</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> fusion protein of crfr1 extracellular domain and mbp; <b>PDBTitle:</b> crystal structure of the extracellular domain of human corticotropin2 releasing factor receptor type 1 (crfr1) in complex with crf
63	<a href="#">c1svxB_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> de novo protein/sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> maltose-binding periplasmic protein; <b>PDBTitle:</b> crystal structure of a designed selected ankyrin repeat2 protein in complex with the maltose binding protein
64	<a href="#">c2fncA_</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> maltose abc transporter, periplasmic maltose-binding <b>PDBTitle:</b> thermotoga maritima maltotriose binding protein bound with2 maltotriose.
65	<a href="#">c3oo6A_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter binding protein acbh; <b>PDBTitle:</b> crystal structures and biochemical characterization of the bacterial2 solute receptor acbh reveal an unprecedented exclusive substrate3 preference for b-d-galactopyranose
66	<a href="#">c3k02A_</a>	Alignment	not modelled	99.8	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> acarbose/maltose binding protein gach; <b>PDBTitle:</b> crystal structures of the gach receptor of streptomyces glaucescens2 gla.o in the unliganded form and in complex with acarbose and an3 acarbose homolog. comparison with acarbose-loaded maltose binding4 protein of salmonella typhimurium.
67	<a href="#">c3cfzA_</a>	Alignment	not modelled	99.8	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> upf0100 protein mj1186; <b>PDBTitle:</b> crystal structure of m. jannaschii periplasmic binding2 protein moda/wtpa with bound tungstate
68	<a href="#">c3iouB_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> maltose-binding protein, huntingtin fusion <b>PDBTitle:</b> huntingtin amino-terminal region with 17 gln residues -2 crystal c94
69	<a href="#">c2i58B_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> sugar abc transporter, sugar-binding protein; <b>PDBTitle:</b> crystal structure of rafe from streptococcus pneumoniae complexed with2 raffinose
70	<a href="#">c1mg1A_</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> viral protein <b>Chain:</b> A: <b>PDB Molecule:</b> protein (htlv-1 gp21 ectodomain/maltose-binding protein <b>PDBTitle:</b> htlv-1 gp21 ectodomain/maltose-binding protein chimera
71	<a href="#">c2uvvA_</a>	Alignment	not modelled	99.7	12	<b>PDB header:</b> sugar-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc type periplasmic sugar-binding protein; <b>PDBTitle:</b> structure of a periplasmic oligogalacturonide binding2 protein from yersinia enterocolitica
72	<a href="#">d3thia_</a>	Alignment	not modelled	99.7	18	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
73	<a href="#">c2z8fB_</a>	Alignment	not modelled	99.7	11	<b>PDB header:</b> sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> galacto-n-biose/lacto-n-biose i transporter substrate- <b>PDBTitle:</b> the galacto-n-biose-/lacto-n-biose i-binding protein (gl-

						bp) of the2 abc transporter from bifidobacterium longum in complex with lacto-n-3 tetraose
74	<a href="#">d1pc3a_</a>	Alignment	not modelled	99.7	17	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
75	<a href="#">c2w7yA_</a>	Alignment	not modelled	99.6	15	<b>PDB header:</b> sugar-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> probable sugar abc transporter, sugar-binding <b>PDBTitle:</b> structure of a streptococcus pneumoniae solute-binding2 protein in complex with the blood group a-trisaccharide.
76	<a href="#">c3i3vC_</a>	Alignment	not modelled	99.6	13	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> probable secreted solute-binding lipoprotein; <b>PDBTitle:</b> crystal structure of probable secreted solute-binding2 lipoprotein from streptomyces coelicolor
77	<a href="#">d1lixha_</a>	Alignment	not modelled	99.5	16	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
78	<a href="#">d1j1na_</a>	Alignment	not modelled	99.4	14	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
79	<a href="#">d1y3na1</a>	Alignment	not modelled	99.3	15	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
80	<a href="#">c3ombA_</a>	Alignment	not modelled	99.1	13	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> extracellular solute-binding protein, family 1; <b>PDBTitle:</b> crystal structure of extracellular solute-binding protein from2 bifidobacterium longum subsp. infantis
81	<a href="#">c2dvzA_</a>	Alignment	not modelled	98.7	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative exported protein; <b>PDBTitle:</b> structure of a periplasmic transporter
82	<a href="#">c2f5xC_</a>	Alignment	not modelled	98.6	11	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> bugd; <b>PDBTitle:</b> structure of periplasmic binding protein bugd
83	<a href="#">c2qpqC_</a>	Alignment	not modelled	98.6	11	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> protein bug27; <b>PDBTitle:</b> structure of bug27 from bordetella pertussis
84	<a href="#">c3ir1F_</a>	Alignment	not modelled	98.2	10	<b>PDB header:</b> protein binding <b>Chain:</b> F: <b>PDB Molecule:</b> outer membrane lipoprotein gna1946; <b>PDBTitle:</b> crystal structure of lipoprotein gna1946 from neisseria2 meningitidis
85	<a href="#">c1p99A_</a>	Alignment	not modelled	98.2	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein pg110; <b>PDBTitle:</b> 1.7a crystal structure of protein pg110 from staphylococcus2 aureus
86	<a href="#">d1p99a_</a>	Alignment	not modelled	98.2	14	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
87	<a href="#">c3k2dA_</a>	Alignment	not modelled	98.1	12	<b>PDB header:</b> immune system <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type metal ion transport system, periplasmic component; <b>PDBTitle:</b> crystal structure of immunogenic lipoprotein a from vibrio vulnificus
88	<a href="#">c3gxaA_</a>	Alignment	not modelled	98.1	10	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> outer membrane lipoprotein gna1946; <b>PDBTitle:</b> crystal structure of gna1946
89	<a href="#">d1xs5a_</a>	Alignment	not modelled	98.1	12	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
90	<a href="#">c3tqwA_</a>	Alignment	not modelled	98.1	16	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> methionine-binding protein; <b>PDBTitle:</b> structure of a abc transporter, periplasmic substrate-binding protein2 from coxiella burnetii
91	<a href="#">c3n5lA_</a>	Alignment	not modelled	98.0	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> binding protein component of abc phosphonate transporter; <b>PDBTitle:</b> crystal structure of a binding protein component of abc phosphonate2 transporter (pa3383) from pseudomonas aeruginosa at 1.97 a resolution
92	<a href="#">d2v3qa1</a>	Alignment	not modelled	97.6	12	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
93	<a href="#">c3cvqC_</a>	Alignment	not modelled	97.6	14	<b>PDB header:</b> metal binding protein <b>Chain:</b> C: <b>PDB Molecule:</b> putative metal binding protein; <b>PDBTitle:</b> crystal structure of a periplasmic putative metal binding protein
94	<a href="#">c3l6gA_</a>	Alignment	not modelled	97.2	16	<b>PDB header:</b> glycine betaine-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> betaine abc transporter permease and substrate binding <b>PDBTitle:</b> crystal structure of lactococcal opuac in its open conformation
95	<a href="#">c3e4rA_</a>	Alignment	not modelled	97.2	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> nitrate transport protein; <b>PDBTitle:</b> crystal structure of the alkanesulfonate binding protein2 (ssua) from the phytopathogenic bacteria xanthomonas3 axonopodis pv. citri bound to hepes
96	<a href="#">c3r6uA_</a>	Alignment	not modelled	96.6	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> choline-binding protein; <b>PDBTitle:</b> crystal structure of choline binding protein opubc from bacillus2 subtilis
97	<a href="#">c2x26A_</a>	Alignment	not modelled	96.0	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic aliphatic sulphonates-binding protein; <b>PDBTitle:</b> crystal structure of the periplasmic aliphatic



						sulphonate2 binding protein ssua from escherichia coli
98	<a href="#">c3tmgA</a>	Alignment	not modelled	95.8	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glycine betaine, l-proline abc transporter, <b>PDBTitle:</b> crystal structure of glycine betaine, l-proline abc transporter,2 glycine/betaine/l-proline-binding protein (prox) from borrelia3 burgdorferi
99	<a href="#">c3uifA</a>	Alignment	not modelled	95.5	14	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> sulfonate abc transporter, periplasmic sulfonate-binding <b>PDBTitle:</b> crystal structure of putative sulfonate abc transporter, periplasmic2 sulfonate-binding protein ssua from methylobacillus flagellatus kt
100	<a href="#">c3qslA</a>	Alignment	not modelled	95.5	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative exported protein; <b>PDBTitle:</b> structure of cae31940 from bordetella bronchiseptica rb50
101	<a href="#">c3hn0A</a>	Alignment	not modelled	95.4	9	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> nitrate transport protein; <b>PDBTitle:</b> crystal structure of an abc transporter (bdi_1369) from2 parabacteroides distasonis at 1.75 a resolution
102	<a href="#">c2x7pA</a>	Alignment	not modelled	95.4	10	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> possible thiamine biosynthesis enzyme; <b>PDBTitle:</b> the conserved candida albicans ca3427 gene product defines a new2 family of proteins exhibiting the generic periplasmic binding3 protein structural fold
103	<a href="#">c2rejA</a>	Alignment	not modelled	94.3	10	<b>PDB header:</b> choline-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative glycine betaine abc transporter protein; <b>PDBTitle:</b> abc-transporter choline binding protein in unliganded semi-2 closed conformation
104	<a href="#">d1r9la</a>	Alignment	not modelled	93.6	13	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
105	<a href="#">c3ix1B</a>	Alignment	not modelled	93.2	10	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> B: <b>PDB Molecule:</b> n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding <b>PDBTitle:</b> periplasmic n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding2 protein from bacillus halodurans
106	<a href="#">c3ix1A</a>	Alignment	not modelled	93.2	10	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding <b>PDBTitle:</b> periplasmic n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding2 protein from bacillus halodurans
107	<a href="#">c3un6A</a>	Alignment	not modelled	92.9	10	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein saouhsc_00137; <b>PDBTitle:</b> 2.0 angstrom crystal structure of ligand binding component of abc-type2 import system from staphylococcus aureus with zinc bound
108	<a href="#">d1sw5a</a>	Alignment	not modelled	92.3	7	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
109	<a href="#">c3pppA</a>	Alignment	not modelled	90.9	15	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glycine betaine/carnitine/choline-binding protein; <b>PDBTitle:</b> structures of the substrate-binding protein provide insights into the2 multiple compatible solutes binding specificities of bacillus3 subtilis abc transporter opuc
110	<a href="#">d2fyia1</a>	Alignment	not modelled	89.5	16	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
111	<a href="#">d2a5sa1</a>	Alignment	not modelled	86.4	11	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
112	<a href="#">c3kzgB</a>	Alignment	not modelled	81.6	10	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> arginine 3rd transport system periplasmic binding <b>PDBTitle:</b> crystal structure of an arginine 3rd transport system2 periplasmic binding protein from legionella pneumophila
113	<a href="#">c3o66A</a>	Alignment	not modelled	80.6	13	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glycine betaine/carnitine/choline abc transporter; <b>PDBTitle:</b> crystal structure of glycine betaine/carnitine/choline abc transporter
114	<a href="#">c2ql3G</a>	Alignment	not modelled	78.8	13	<b>PDB header:</b> transcription <b>Chain:</b> G: <b>PDB Molecule:</b> probable transcriptional regulator, lysr family protein; <b>PDBTitle:</b> crystal structure of the c-terminal domain of a probable lysr family2 transcriptional regulator from rhodococcus sp. rha1
115	<a href="#">d1us5a</a>	Alignment	not modelled	75.9	11	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
116	<a href="#">c2hxrA</a>	Alignment	not modelled	75.1	13	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator cynr; <b>PDBTitle:</b> structure of the ligand binding domain of e. coli cynr, a2 transcriptional regulator controlling cyanate metabolism
117	<a href="#">d1al3a</a>	Alignment	not modelled	72.6	11	<b>Fold:</b> Periplasmic binding protein-like II <b>Superfamily:</b> Periplasmic binding protein-like II <b>Family:</b> Phosphate binding protein-like
118	<a href="#">c1al3A</a>	Alignment	not modelled	72.6	11	<b>PDB header:</b> transcription regulation <b>Chain:</b> A: <b>PDB Molecule:</b> cys regulon transcriptional activator cysb; <b>PDBTitle:</b> cofactor binding fragment of cysb from klebsiella aerogenes
119	<a href="#">c3ho7A</a>	Alignment	not modelled	72.6	16	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> oxyr; <b>PDBTitle:</b> crystal structure of oxyr from porphyromonas gingivalis
						<b>PDB header:</b> transport protein

120	<a href="#">c2g29A_</a>	Alignment	not modelled	71.6	9	<b>Chain:</b> A: <b>PDB Molecule:</b> nitrate transport protein nrta; <b>PDBTitle:</b> crystal structure of the periplasmic nitrate-binding2 protein nrta from synechocystis pcc 6803
-----	-------------------------	-----------	--------------	------	---	---