

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2yyzA_	 Alignment		100.0	42	PDB header: transport protein Chain: A: PDB Molecule: sugar abc transporter, atp-binding protein; PDBTitle: crystal structure of sugar abc transporter, atp-binding protein
2	c2it1B_	 Alignment		100.0	38	PDB header: transport protein Chain: B: PDB Molecule: 362aa long hypothetical maltose/maltodextrin PDBTitle: structure of ph0203 protein from pyrococcus horikoshii
3	c1vciA_	 Alignment		100.0	47	PDB header: transport protein Chain: A: PDB Molecule: sugar-binding transport atp-binding protein; PDBTitle: crystal structure of the atp-binding cassette of multisugar2 transporter from pyrococcus horikoshii ot3 complexed with3 atp
4	c1q1bD_	 Alignment		100.0	48	PDB header: transport protein Chain: D: PDB Molecule: maltose/maltodextrin transport atp-binding protein malk; PDBTitle: crystal structure of e. coli malk in the nucleotide-free form
5	c1ox1B_	 Alignment		100.0	34	PDB header: transport protein Chain: B: PDB Molecule: abc transporter, atp binding protein; PDBTitle: crystal structure of glcv, the abc-atpase of the glucose abc2 transporter from sulfolobus solfataricus
6	c3fvqB_	 Alignment		100.0	33	PDB header: hydrolase Chain: B: PDB Molecule: fe(3+) ions import atp-binding protein fbpc; PDBTitle: crystal structure of the nucleotide binding domain fbpc2 complexed with atp
7	c1z47B_	 Alignment		100.0	36	PDB header: ligand binding protein Chain: B: PDB Molecule: putative abc-transporter atp-binding protein; PDBTitle: structure of the atpase subunit cysa of the putative2 sulfate atp-binding cassette (abc) transporter from3 alicyclobacillus acidocaldarius
8	c2d62A_	 Alignment		100.0	46	PDB header: sugar binding protein Chain: A: PDB Molecule: multiple sugar-binding transport atp-binding PDBTitle: crystal structure of multiple sugar binding transport atp-2 binding protein
9	c3gd7C_	 Alignment		100.0	25	PDB header: hydrolase Chain: C: PDB Molecule: fusion complex of cystic fibrosis transmembrane PDBTitle: crystal structure of human nbd2 complexed with n6-2 phenylethyl-atp (p-atp)
10	c3d31B_	 Alignment		100.0	35	PDB header: transport protein Chain: B: PDB Molecule: sulfate/molybdate abc transporter, atp-binding PDBTitle: modbc from methanosarcina acetivorans
11	d1oxk2	 Alignment		100.0	41	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like

12	d1g2912	Alignment		100.0	61	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
13	c2olkD_	Alignment		100.0	32	PDB header: hydrolase Chain: D: PDB Molecule: amino acid abc transporter; PDBTitle: abc protein artp in complex with adp-beta-s
14	d1v43a3	Alignment		100.0	57	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
15	d3dhwc1	Alignment		100.0	34	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
16	c3dhwC_	Alignment		100.0	34	PDB header: membrane protein/hydrolase Chain: C: PDB Molecule: methionine import atp-binding protein metn; PDBTitle: crystal structure of methionine importer metni
17	d3d31a2	Alignment		100.0	40	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
18	d1b0ua_	Alignment		100.0	34	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
19	d1vp1a_	Alignment		100.0	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
20	c3gfoA_	Alignment		100.0	26	PDB header: atp binding protein Chain: A: PDB Molecule: cobalt import atp-binding protein cbio 1; PDBTitle: structure of cbio1 from clostridium perfringens: part of2 the abc transporter complex cbionq.
21	d1g6ha_	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
22	d1ji0a_	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
23	c2pcjB_	Alignment	not modelled	100.0	32	PDB header: hydrolase Chain: B: PDB Molecule: lipoprotein-releasing system atp-binding protein lold; PDBTitle: crystal structure of abc transporter (aq_297) from aquifex aeolicus2 vf5
24	d2pmka1	Alignment	not modelled	100.0	25	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
25	c3g5uB_	Alignment	not modelled	100.0	27	PDB header: membrane protein Chain: B: PDB Molecule: multidrug resistance protein 1a; PDBTitle: structure of p-glycoprotein reveals a molecular basis for2 poly-specific drug binding
26	c2yz2B_	Alignment	not modelled	100.0	29	PDB header: hydrolase Chain: B: PDB Molecule: putative abc transporter atp-binding protein tm_0222; PDBTitle: crystal structure of the abc transporter in the cobalt transport2 system
27	d1l2ta_	Alignment	not modelled	100.0	33	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
28	d1ii7a_	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate

28	c1jj7a_	Alignment	not modelled	100.0	29	hydrolases Family: ABC transporter ATPase domain-like
29	c2nq2C_	Alignment	not modelled	100.0	26	PDB header: metal transport Chain: C: PDB Molecule: hypothetical abc transporter atp-binding protein PDBTitle: an inward-facing conformation of a putative metal-chelate2 type abc transporter.
30	d1mv5a_	Alignment	not modelled	100.0	25	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
31	c2d2fA_	Alignment	not modelled	100.0	27	PDB header: protein binding Chain: A: PDB Molecule: sufc protein; PDBTitle: crystal structure of atypical cytoplasmic abc-atpase sufc from thermus2 thermophilus hb8
32	d2onka1	Alignment	not modelled	100.0	37	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
33	d3b60a1	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
34	c3nhaA_	Alignment	not modelled	100.0	24	PDB header: transport protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 6, mitochondrial; PDBTitle: nucleotide binding domain of human abcb6 (adp mg bound structure)
35	d2hya1	Alignment	not modelled	100.0	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
36	c2hydB_	Alignment	not modelled	100.0	28	PDB header: transport protein Chain: B: PDB Molecule: abc transporter homolog; PDBTitle: multidrug abc transporter sav1866
37	c2yl4A_	Alignment	not modelled	100.0	28	PDB header: membrane protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 10, PDBTitle: structure of the human mitochondrial abc transporter, abcb10
38	d2awna2	Alignment	not modelled	100.0	58	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
39	c2d3wB_	Alignment	not modelled	100.0	25	PDB header: biosynthetic protein Chain: B: PDB Molecule: probable atp-dependent transporter sufc; PDBTitle: crystal structure of escherichia coli sufc, an atpase2 compenent of the suf iron-sulfur cluster assembly machinery
40	c2cbzA_	Alignment	not modelled	100.0	25	PDB header: transport Chain: A: PDB Molecule: multidrug resistance-associated protein 1; PDBTitle: structure of the human multidrug resistance protein 12 nucleotide binding domain 1
41	c3b5xB_	Alignment	not modelled	100.0	27	PDB header: membrane protein Chain: B: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of msba from vibrio cholerae
42	c3b5wE_	Alignment	not modelled	100.0	29	PDB header: membrane protein Chain: E: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of eschericia coli msba
43	d1pf4a1	Alignment	not modelled	100.0	26	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
44	c2ihyB_	Alignment	not modelled	100.0	20	PDB header: hydrolase Chain: B: PDB Molecule: abc transporter, atp-binding protein; PDBTitle: structure of the staphylococcus aureus putative atpase subunit of an2 atp-binding cassette (abc) transporter
45	c1yqtA_	Alignment	not modelled	100.0	28	PDB header: hydrolyase/translation Chain: A: PDB Molecule: rnase l inhibitor; PDBTitle: rnase-l inhibitor
46	c2pzfB_	Alignment	not modelled	100.0	25	PDB header: hydrolase Chain: B: PDB Molecule: cystic fibrosis transmembrane conductance regulator; PDBTitle: minimal human cfr first nucleotide binding domain as a head-to-tail2 dimer with delta f508
47	c3ozxA_	Alignment	not modelled	100.0	23	PDB header: hydrolase, translation Chain: A: PDB Molecule: rnase l inhibitor; PDBTitle: crystal structure of abce1 of sulfolubus solfataricus (-fes domain)
48	c2pjzA_	Alignment	not modelled	100.0	24	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: hypothetical protein st1066; PDBTitle: the crystal structure of putative cobalt transport atp-2 binding protein (cbio-2), st1066
49	d1xmia_	Alignment	not modelled	100.0	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
50	d1r0wa_	Alignment	not modelled	100.0	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
51	c2ghiD_	Alignment	not modelled	100.0	26	PDB header: transport protein Chain: D: PDB Molecule: transport protein; PDBTitle: crystal structure of plasmodium yoelii multidrug resistance2 protein 2
52	d1sgwa_	Alignment	not modelled	100.0	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like

53	d1l7vc_	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
54	c3bk7A_	Alignment	not modelled	100.0	27	PDB header: hydrolase/translation Chain: A: PDB Molecule: abc transporter atp-binding protein; PDBTitle: structure of the complete abce1/rnaase-l inhibitor protein2 from pyrococcus abyssi
55	c2r6fA_	Alignment	not modelled	100.0	18	PDB header: hydrolase Chain: A: PDB Molecule: excinuclease abc subunit a; PDBTitle: crystal structure of bacillus stearothermophilus uvra
56	c2iw3B_	Alignment	not modelled	100.0	22	PDB header: translation Chain: B: PDB Molecule: elongation factor 3a; PDBTitle: elongation factor 3 in complex with adp
57	c2ygrD_	Alignment	not modelled	100.0	22	PDB header: hydrolase Chain: D: PDB Molecule: uvrabc system protein a; PDBTitle: mycobacterium tuberculosis uvra
58	c3pihA_	Alignment	not modelled	100.0	23	PDB header: hydrolase/dna Chain: A: PDB Molecule: uvrabc system protein a; PDBTitle: t. maritima uvra in complex with fluorescein-modified dna
59	c2vf7B_	Alignment	not modelled	100.0	29	PDB header: dna-binding protein Chain: B: PDB Molecule: excinuclease abc, subunit a.; PDBTitle: crystal structure of uvra2 from deinococcus radiodurans
60	c3tauB_	Alignment	not modelled	99.9	15	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of a putative guanylate monophosphate kinase from2 listeria monocytogenes egd-e
61	d1cr2a_	Alignment	not modelled	99.9	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
62	c2j41A_	Alignment	not modelled	99.9	15	PDB header: transferase Chain: A: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of staphylococcus aureus guanylate2 monophosphate kinase
63	d1wlwa_	Alignment	not modelled	99.9	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
64	c3a4mB_	Alignment	not modelled	99.8	11	PDB header: transferase Chain: B: PDB Molecule: l-seryl-trna(sec) kinase; PDBTitle: crystal structure of archaeal o-phosphoseryl-trna(sec)2 kinase
65	d1ls1a2	Alignment	not modelled	99.7	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
66	d2qy9a2	Alignment	not modelled	99.7	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
67	c1xexB_	Alignment	not modelled	99.6	17	PDB header: cell cycle Chain: B: PDB Molecule: smc protein; PDBTitle: structural biochemistry of atp-driven dimerization and dna2 stimulated activation of smc atpases.
68	c1f2uD_	Alignment	not modelled	99.6	24	PDB header: replication Chain: D: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of rad50 abc-atpase
69	d1vmaa2	Alignment	not modelled	99.6	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
70	c2o5vA_	Alignment	not modelled	99.6	20	PDB header: replication/recombination Chain: A: PDB Molecule: dna replication and repair protein recf; PDBTitle: recombination mediator recf
71	c1u9iA_	Alignment	not modelled	99.5	12	PDB header: circadian clock protein Chain: A: PDB Molecule: kaic; PDBTitle: crystal structure of circadian clock protein kaic with phosphorylation2 sites
72	c3lncB_	Alignment	not modelled	99.5	12	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of guanylate kinase from anaplasma2 phagocytophilum
73	c3geiB_	Alignment	not modelled	99.5	13	PDB header: hydrolase Chain: B: PDB Molecule: trna modification gtpase mnme; PDBTitle: crystal structure of mnme from chlorobium tepidum in complex2 with gcp
74	d2awna1	Alignment	not modelled	99.5	29	Fold: OB-fold Superfamily: MOP-like Family: ABC-transporter additional domain
75	c1ii8B_	Alignment	not modelled	99.5	23	PDB header: replication Chain: B: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of the p. furiosus rad50 atpase domain
76	d1okkd2	Alignment	not modelled	99.4	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
77	d1np6a_	Alignment	not modelled	99.4	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
78	d1oxxk1	Alignment	not modelled	99.3	18	Fold: OB-fold Superfamily: MOP-like Family: ABC-transporter additional domain
						Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like

79	d1ye8a1	Alignment	not modelled	99.3	16	Superrfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
80	d2i3ba1	Alignment	not modelled	99.2	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
81	c1q57G	Alignment	not modelled	99.1	14	PDB header: transferase Chain: G: PDB Molecule: dna primase/helicase; PDBTitle: the crystal structure of the bifunctional primase-helicase of2 bacteriophage t7
82	d1e69a	Alignment	not modelled	99.1	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
83	d1g2914	Alignment	not modelled	99.1	23	Fold: OB-fold Superfamily: MOP-like Family: ABC-transporter additional domain
84	d1qzxa3	Alignment	not modelled	99.1	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
85	d3d31a1	Alignment	not modelled	99.0	19	Fold: OB-fold Superfamily: MOP-like Family: ABC-transporter additional domain
86	d1v43a2	Alignment	not modelled	98.9	21	Fold: OB-fold Superfamily: MOP-like Family: ABC-transporter additional domain
87	c2dr3A	Alignment	not modelled	98.9	9	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: upf0273 protein ph0284; PDBTitle: crystal structure of reca superfamily atpase ph0284 from pyrococcus2 horikoshii ot3
88	c2w0mA	Alignment	not modelled	98.7	11	PDB header: unknown function Chain: A: PDB Molecule: sso2452; PDBTitle: crystal structure of sso2452 from sulfolobus solfataricus2 p2
89	d1n1fa	Alignment	not modelled	98.7	10	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
90	d1ewqa2	Alignment	not modelled	98.7	25	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
91	c1pznG	Alignment	not modelled	98.7	12	PDB header: recombination Chain: G: PDB Molecule: dna repair and recombination protein rad51; PDBTitle: rad51 (rada)
92	c3auyB	Alignment	not modelled	98.5	16	PDB header: recombination Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: crystal structure of rad50 bound to adp
93	d1wb9a2	Alignment	not modelled	98.5	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
94	c2o8bA	Alignment	not modelled	98.5	17	PDB header: dna binding protein/dna Chain: A: PDB Molecule: dna mismatch repair protein msh2; PDBTitle: human mutsalph (msh2/msh6) bound to adp and a g t mispair
95	c3thxB	Alignment	not modelled	98.5	25	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh3; PDBTitle: human mutsbeta complexed with an idl of 3 bases (loop3) and adp
96	c1wxqA	Alignment	not modelled	98.5	13	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: gtp-binding protein; PDBTitle: crystal structure of gtp binding protein from pyrococcus horikoshii2 ot3
97	c1ewqA	Alignment	not modelled	98.4	25	PDB header: replication/dna Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure taq muts complexed with a heteroduplex2 dna at 2.2 a resolution
98	c2o8dB	Alignment	not modelled	98.4	22	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh6; PDBTitle: human mutsalph (msh2/msh6) bound to adp and a g du mispair
99	c3cmvG	Alignment	not modelled	98.3	13	PDB header: recombination Chain: G: PDB Molecule: protein reca; PDBTitle: mechanism of homologous recombination from the reca-2 ssdna/dsdna structures
100	c1wbda	Alignment	not modelled	98.3	25	PDB header: dna-binding Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of e. coli dna mismatch repair enzyme2 muts, e38q mutant, in complex with a g.t mismatch
101	c1ewrA	Alignment	not modelled	98.3	26	PDB header: hydrolase Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of taq muts
102	d1tf7a1	Alignment	not modelled	98.2	11	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
103	d1yrba1	Alignment	not modelled	98.1	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
104	d1znwa1	Alignment	not modelled	98.1	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nucleotide and nucleoside kinases PDB header: binding protein

105	c1h9mB_	Alignment	not modelled	98.0	16	Chain: B: PDB Molecule: molybdenum-binding-protein; PDBTitle: two crystal structures of the cytoplasmic molybdate-binding2 protein modg suggest a novel cooperative binding mechanism3 and provide insights into ligand-binding specificity.4 peg-grown form with molybdate bound
106	d2i1qa2	Alignment	not modelled	98.0	8	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
107	c3qg5A_	Alignment	not modelled	97.9	32	PDB header: hydrolase Chain: A: PDB Molecule: rad50; PDBTitle: the mre11:rad50 complex forms an atp dependent molecular clamp in dna2 double-strand break repair
108	c3bh0A_	Alignment	not modelled	97.9	11	PDB header: replication Chain: A: PDB Molecule: dnab-like replicative helicase; PDBTitle: atpase domain of g40p
109	c3qkuB_	Alignment	not modelled	97.9	26	PDB header: replication Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: mre11 rad50 binding domain in complex with rad50 and amp-pnp
110	d1tf7a2	Alignment	not modelled	97.8	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
111	c2vyeA_	Alignment	not modelled	97.8	12	PDB header: hydrolase Chain: A: PDB Molecule: replicative dna helicase; PDBTitle: crystal structure of the dnac-ssdna complex
112	c1h9sA_	Alignment	not modelled	97.8	11	PDB header: transcription regulator Chain: A: PDB Molecule: molybdenum transport protein mode; PDBTitle: molybdate bound complex of dimop domain of mode from e.coli
113	c1szpC_	Alignment	not modelled	97.8	16	PDB header: dna binding protein Chain: C: PDB Molecule: dna repair protein rad51; PDBTitle: a crystal structure of the rad51 filament
114	d1n0wa_	Alignment	not modelled	97.7	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
115	d1mo6a1	Alignment	not modelled	97.7	20	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
116	d1xp8a1	Alignment	not modelled	97.7	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
117	c2recB_	Alignment	not modelled	97.7	19	PDB header: helicase PDB COMPND:
118	d1s96a_	Alignment	not modelled	97.7	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nucleotide and nucleoside kinases
119	d1kgda_	Alignment	not modelled	97.7	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nucleotide and nucleoside kinases
120	d1szpa2	Alignment	not modelled	97.6	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)