
























#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c3d36B_</a>	 Alignment		100.0	25	<b>PDB header:</b> transferase/transferase inhibitor <b>Chain:</b> B: <b>PDB Molecule:</b> sporulation kinase b; <b>PDBTitle:</b> how to switch off a histidine kinase: crystal structure of2 geobacillus stearothermophilus kinb with the inhibitor sda
2	<a href="#">c3d2rB_</a>	 Alignment		100.0	16	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> [pyruvate dehydrogenase [lipoamide]] kinase isozyme 4; <b>PDBTitle:</b> crystal structure of pyruvate dehydrogenase kinase isoform 4 in2 complex with adp
3	<a href="#">c2q8fA_</a>	 Alignment		100.0	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> [pyruvate dehydrogenase [lipoamide]] kinase isozyme 1; <b>PDBTitle:</b> structure of pyruvate dehydrogenase kinase isoform 1
4	<a href="#">c2c2aA_</a>	 Alignment		100.0	27	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor histidine kinase; <b>PDBTitle:</b> structure of the entire cytoplasmic portion of a sensor2 histidine kinase protein
5	<a href="#">c2bu8A_</a>	 Alignment		100.0	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> pyruvate dehydrogenase kinase isoenzyme 2; <b>PDBTitle:</b> crystal structures of human pyruvate dehydrogenase kinase 22 containing physiological and synthetic ligands
6	<a href="#">c1y8oA_</a>	 Alignment		100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> [pyruvate dehydrogenase [lipoamide]] kinase isozyme 3; <b>PDBTitle:</b> crystal structure of the pdk3-12 complex
7	<a href="#">c1g1vA_</a>	 Alignment		100.0	19	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> [3-methyl-2-oxobutanoate dehydrogenase <b>PDBTitle:</b> branched-chain alpha-ketoacid dehydrogenase kinase (bck)2 complexed with atp-gamma-s
8	<a href="#">c3a0rA_</a>	 Alignment		100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor protein; <b>PDBTitle:</b> crystal structure of histidine kinase thka (tm1359) in complex with2 response regulator protein trra (tm1360)
9	<a href="#">c3a0tA_</a>	 Alignment		100.0	26	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor protein; <b>PDBTitle:</b> catalytic domain of histidine kinase thka (tm1359) in2 complex with adp and mg ion (trigonal)
10	<a href="#">d2c2aa2</a>	 Alignment		100.0	30	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> Histidine kinase
11	<a href="#">d1jm6a2</a>	 Alignment		100.0	24	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> alpha-ketoacid dehydrogenase kinase, C-terminal domain

12	<a href="#">c1b3qA_</a>	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (chemotaxis protein chea); <b>PDBTitle:</b> crystal structure of chea-289, a signal transducing histidine kinase
13	<a href="#">d1gkza2</a>	Alignment		100.0	24	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> alpha-ketoacid dehydrogenase kinase, C-terminal domain
14	<a href="#">d1ld0a_</a>	Alignment		100.0	20	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> Histidine kinase
15	<a href="#">d1bxda_</a>	Alignment		100.0	33	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> Histidine kinase
16	<a href="#">c2ch4A_</a>	Alignment		99.9	26	<b>PDB header:</b> transferase/chemotaxis <b>Chain:</b> A: <b>PDB Molecule:</b> chemotaxis protein chea; <b>PDBTitle:</b> complex between bacterial chemotaxis histidine kinase chea2 domains p4 and p5 and receptor-adaptor protein chew
17	<a href="#">d1ysra1</a>	Alignment		99.9	23	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> Histidine kinase
18	<a href="#">d1i58a_</a>	Alignment		99.9	27	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> Histidine kinase
19	<a href="#">c3jz3B_</a>	Alignment		99.9	26	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> sensor protein qsec; <b>PDBTitle:</b> structure of the cytoplasmic segment of histidine kinase qsec
20	<a href="#">d1r62a_</a>	Alignment		99.8	21	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> Histidine kinase
21	<a href="#">d2hkja3</a>	Alignment	not modelled	99.8	19	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> DNA gyrase/MutL, N-terminal domain
22	<a href="#">c3gieA_</a>	Alignment	not modelled	99.8	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor histidine kinase desk; <b>PDBTitle:</b> crystal structure of desk_h188e in complex with amp-pcp
23	<a href="#">c3ehgA_</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor kinase (yocf protein); <b>PDBTitle:</b> crystal structure of the atp-binding domain of desk in complex with2 atp
24	<a href="#">c2zkbB_</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> type 2 dna topoisomerase 6 subunit b; <b>PDBTitle:</b> crystal structure of an intact type ii dna topoisomerase:2 insights into dna transfer mechanisms
25	<a href="#">c1mx0D_</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> isomerase <b>Chain:</b> D: <b>PDB Molecule:</b> type ii dna topoisomerase vi subunit b; <b>PDBTitle:</b> structure of topoisomerase subunit
26	<a href="#">c2q2eB_</a>	Alignment	not modelled	99.6	20	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> type 2 dna topoisomerase 6 subunit b; <b>PDBTitle:</b> crystal structure of the topoisomerase vi holoenzyme from2 methanosarcina mazei
27	<a href="#">c3zxaA_</a>	Alignment	not modelled	99.6	22	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hypoxia sensor histidine kinase response regulator dost; <b>PDBTitle:</b> crystal structure of the atp-binding domain of mycobacterium2 tuberculosis dost <b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase

28	<a href="#">d1h7sa2</a>	Alignment	not modelled	99.5	16	<b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> DNA gyrase/MutL, N-terminal domain
29	<a href="#">c3zxoB_</a>	Alignment	not modelled	99.5	24	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> redox sensor histidine kinase response regulator devs; <b>PDBTitle:</b> crystal structure of the mutant atp-binding domain of 2 mycobacterium tuberculosis doss
30	<a href="#">d1bkna2</a>	Alignment	not modelled	99.5	18	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> DNA gyrase/MutL, N-terminal domain
31	<a href="#">d1th8a_</a>	Alignment	not modelled	99.5	20	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> Histidine kinase
32	<a href="#">d1ixma_</a>	Alignment	not modelled	99.4	14	<b>Fold:</b> Sporulation response regulatory protein Spo0B <b>Superfamily:</b> Sporulation response regulatory protein Spo0B <b>Family:</b> Sporulation response regulatory protein Spo0B
33	<a href="#">d1y8oa2</a>	Alignment	not modelled	99.4	22	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> alpha-ketoacid dehydrogenase kinase, C-terminal domain
34	<a href="#">d1b63a2</a>	Alignment	not modelled	99.4	15	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> DNA gyrase/MutL, N-terminal domain
35	<a href="#">c3zrwB_</a>	Alignment	not modelled	99.0	17	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> af1503 protein, osmolarity sensor protein envz; <b>PDBTitle:</b> the structure of the dimeric hamp-dhp fusion a291v mutant
36	<a href="#">c3na3A_</a>	Alignment	not modelled	99.0	24	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> dna mismatch repair protein mlh1; <b>PDBTitle:</b> mutl protein homolog 1 isoform 1 from homo sapiens
37	<a href="#">c3lnrA_</a>	Alignment	not modelled	98.6	9	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> aerotaxis transducer aer2; <b>PDBTitle:</b> crystal structure of poly-hamp domains from the p. aeruginosa soluble2 receptor aer2
38	<a href="#">c3h41B_</a>	Alignment	not modelled	98.5	19	<b>PDB header:</b> dna binding protein, protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> dna mismatch repair protein pms1; <b>PDBTitle:</b> crystal structure of n terminal domain of a dna repair protein
39	<a href="#">c1bkna_</a>	Alignment	not modelled	98.5	18	<b>PDB header:</b> dna repair <b>Chain:</b> A: <b>PDB Molecule:</b> mutl; <b>PDBTitle:</b> crystal structure of an n-terminal 40kd fragment of e. coli2 dna mismatch repair protein mutl
40	<a href="#">d1kija2</a>	Alignment	not modelled	98.4	18	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> DNA gyrase/MutL, N-terminal domain
41	<a href="#">d1pvga2</a>	Alignment	not modelled	98.4	18	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> DNA gyrase/MutL, N-terminal domain
42	<a href="#">d1ei1a2</a>	Alignment	not modelled	98.4	16	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> DNA gyrase/MutL, N-terminal domain
43	<a href="#">d1s16a2</a>	Alignment	not modelled	98.4	17	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Family:</b> DNA gyrase/MutL, N-terminal domain
44	<a href="#">c1zxnB_</a>	Alignment	not modelled	98.3	18	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> dna topoisomerase ii, alpha isozyme; <b>PDBTitle:</b> human dna topoisomerase iia atpase/adp
45	<a href="#">c1kijB_</a>	Alignment	not modelled	98.2	20	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> dna gyrase subunit b; <b>PDBTitle:</b> crystal structure of the 43k atpase domain of thermus thermophilus2 gyrase b in complex with novobiocin
46	<a href="#">c1y4sA_</a>	Alignment	not modelled	98.2	18	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> chaperone protein htpg; <b>PDBTitle:</b> conformation rearrangement of heat shock protein 90 upon2 adp binding
47	<a href="#">c1ei1B_</a>	Alignment	not modelled	98.1	14	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> dna gyrase b; <b>PDBTitle:</b> dimerization of e. coli dna gyrase b provides a structural mechanism2 for activating the atpase catalytic center
48	<a href="#">c3iedA_</a>	Alignment	not modelled	98.1	11	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> heat shock protein; <b>PDBTitle:</b> crystal structure of n-terminal domain of plasmodium falciparum hsp902 (pf14_0417) in complex with amppn
49	<a href="#">c1qzrA_</a>	Alignment	not modelled	98.1	20	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> dna topoisomerase ii; <b>PDBTitle:</b> crystal structure of the atpase region of saccharomyces cerevisiae2 topoisomerase ii bound to icrf-187 (dexrazoxane)
50	<a href="#">c1ea6A_</a>	Alignment	not modelled	98.1	16	<b>PDB header:</b> dna repair <b>Chain:</b> A: <b>PDB Molecule:</b> pms1 protein homolog 2; <b>PDBTitle:</b> n-terminal 40kda fragment of nhpms2 complexed with adp
51	<a href="#">d1uyla_</a>	Alignment	not modelled	98.0	13	<b>Fold:</b> ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase <b>Superfamily:</b> ATPase domain of HSP90 chaperone/DNA

						<p>topoisomerase II/histidine kinase</p> <p><b>Family:</b>Heat shock protein 90, HSP90, N-terminal domain</p>
52	<a href="#">c2fwyA</a>	Alignment	not modelled	97.9	13	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>heat shock protein hsp 90-alpha;</p> <p><b>PDBTitle:</b> structure of human hsp90-alpha bound to the potent water2 soluble inhibitor pu-h64</p>
53	<a href="#">cls16B</a>	Alignment	not modelled	97.9	15	<p><b>PDB header:</b>isomerase</p> <p><b>Chain:</b> B: <b>PDB Molecule:</b>topoisomerase iv subunit b;</p> <p><b>PDBTitle:</b> crystal structure of e. coli topoisomerase iv pare 43kda subunit2 complexed with adpnp</p>
54	<a href="#">c2iopD</a>	Alignment	not modelled	97.9	15	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> D: <b>PDB Molecule:</b>chaperone protein htpg;</p> <p><b>PDBTitle:</b> crystal structure of full-length htpg, the escherichia coli2 hsp90, bound to adp</p>
55	<a href="#">c2cg9A</a>	Alignment	not modelled	97.9	21	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>atp-dependent molecular chaperone hsp82;</p> <p><b>PDBTitle:</b> crystal structure of an hsp90-sba1 closed chaperone complex</p>
56	<a href="#">d2asxa1</a>	Alignment	not modelled	97.9	17	<p><b>Fold:</b>HAMP domain-like</p> <p><b>Superfamily:</b>HAMP domain-like</p> <p><b>Family:</b>HAMP domain</p>
57	<a href="#">c2akpA</a>	Alignment	not modelled	97.8	17	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>atp-dependent molecular chaperone hsp82;</p> <p><b>PDBTitle:</b> hsp90 delta24-n210 mutant</p>
58	<a href="#">dls14a</a>	Alignment	not modelled	97.8	18	<p><b>Fold:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Superfamily:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Family:</b>DNA gyrase/MutL, N-terminal domain</p>
59	<a href="#">d2iwxal</a>	Alignment	not modelled	97.8	17	<p><b>Fold:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Superfamily:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Family:</b>Heat shock protein 90, HSP90, N-terminal domain</p>
60	<a href="#">c2iorA</a>	Alignment	not modelled	97.7	17	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>chaperone protein htpg;</p> <p><b>PDBTitle:</b> crystal structure of the n-terminal domain of htpg, the2 escherichia coli hsp90, bound to adp</p>
61	<a href="#">c3g7bB</a>	Alignment	not modelled	97.7	16	<p><b>PDB header:</b>isomerase</p> <p><b>Chain:</b> B: <b>PDB Molecule:</b>dna gyrase subunit b;</p> <p><b>PDBTitle:</b> staphylococcus aureus gyrase b co-complex with inhibitor</p>
62	<a href="#">c1zwhA</a>	Alignment	not modelled	97.7	17	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>atp-dependent molecular chaperone hsp82;</p> <p><b>PDBTitle:</b> yeast hsp82 in complex with the novel hsp90 inhibitor radester amine</p>
63	<a href="#">c3pehB</a>	Alignment	not modelled	97.7	17	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> B: <b>PDB Molecule:</b>endoplasmic homolog;</p> <p><b>PDBTitle:</b> crystal structure of the n-terminal domain of an hsp90 from plasmodium2 falciparum, pfl1070c in the presence of a thienopyrimidine derivative</p>
64	<a href="#">c3ke6A</a>	Alignment	not modelled	97.7	27	<p><b>PDB header:</b>unknown function</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>protein rv1364c/mtl1410;</p> <p><b>PDBTitle:</b> the crystal structure of the rsbu and rsbw domains of rv1364c from2 mycobacterium tuberculosis</p>
65	<a href="#">dluyma</a>	Alignment	not modelled	97.7	15	<p><b>Fold:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Superfamily:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Family:</b>Heat shock protein 90, HSP90, N-terminal domain</p>
66	<a href="#">c3lnuA</a>	Alignment	not modelled	97.6	15	<p><b>PDB header:</b>isomerase</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>topoisomerase iv subunit b;</p> <p><b>PDBTitle:</b> crystal structure of pare subunit</p>
67	<a href="#">c2o1wB</a>	Alignment	not modelled	97.6	21	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> B: <b>PDB Molecule:</b>endoplasmic;</p> <p><b>PDBTitle:</b> structure of n-terminal plus middle domains (n+m) of grp94</p>
68	<a href="#">d2gqpa1</a>	Alignment	not modelled	97.5	20	<p><b>Fold:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Superfamily:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Family:</b>Heat shock protein 90, HSP90, N-terminal domain</p>
69	<a href="#">d1qy5a</a>	Alignment	not modelled	97.5	20	<p><b>Fold:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Superfamily:</b>ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase</p> <p><b>Family:</b>Heat shock protein 90, HSP90, N-terminal domain</p>
70	<a href="#">d1joya</a>	Alignment	not modelled	97.4	15	<p><b>Fold:</b>ROP-like</p> <p><b>Superfamily:</b>Homodimeric domain of signal transducing histidine kinase</p> <p><b>Family:</b>Homodimeric domain of signal transducing histidine kinase</p>
71	<a href="#">d2c2aa1</a>	Alignment	not modelled	97.2	20	<p><b>Fold:</b>ROP-like</p> <p><b>Superfamily:</b>Homodimeric domain of signal transducing histidine kinase</p> <p><b>Family:</b>Homodimeric domain of signal transducing histidine kinase</p>
72	<a href="#">c2o1uA</a>	Alignment	not modelled	97.2	26	<p><b>PDB header:</b>chaperone</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>endoplasmic;</p> <p><b>PDBTitle:</b> structure of full length grp94 with amp-pnp bound</p>
73	<a href="#">c2rm8A</a>	Alignment	not modelled	95.7	23	<p><b>PDB header:</b>signaling protein</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>sensory rhodopsin ii transducer;</p> <p><b>PDBTitle:</b> the solution structure of phototactic transducer protein2 htrii linker region from natronomonas pharaonis</p>
74	<a href="#">c3cwvB</a>	Alignment	not modelled	94.0	11	<p><b>PDB header:</b>isomerase</p> <p><b>Chain:</b> B: <b>PDB Molecule:</b>dna gyrase, b subunit, truncated;</p> <p><b>PDBTitle:</b> crystal structure of b-subunit of the dna gyrase from myxococcus2 xanthus</p>
						<p><b>PDB header:</b>structural genomics, unknown function</p> <p><b>Chain:</b> A: <b>PDB Molecule:</b>uncharacterized protein;</p>

75	<a href="#">c3lmmA_</a>	Alignment	not modelled	81.9	28	<b>PDBTitle:</b> crystal structure of the dip2311 protein from2 corynebacterium diphtheriae, northeast structural genomics3 consortium target cdr35
76	<a href="#">c3n0rA_</a>	Alignment	not modelled	66.2	13	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> response regulator; <b>PDBTitle:</b> structure of the phyr stress response regulator at 1.25 angstrom2 resolution
77	<a href="#">c2kseA_</a>	Alignment		55.7	19	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor protein qsec; <b>PDBTitle:</b> backbone structure of the membrane domain of e. coli2 histidine kinase receptor qsec, center for structures of3 membrane proteins (csmg) target 4311c
78	<a href="#">dlg0oa_</a>	Alignment	not modelled	55.3	28	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
79	<a href="#">c2zpaB_</a>	Alignment	not modelled	43.0	25	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein yphi; <b>PDBTitle:</b> crystal structure of trna(met) cytidine acetyltransferase
80	<a href="#">c3s8mA_</a>	Alignment	not modelled	42.5	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-acp reductase; <b>PDBTitle:</b> the crystal structure of fabv
81	<a href="#">c3ctmH_</a>	Alignment	not modelled	39.7	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> carbonyl reductase; <b>PDBTitle:</b> crystal structure of a carbonyl reductase from candida2 parapsilosis with anti-prelog stereo-specificity
82	<a href="#">clvybyB_</a>	Alignment	not modelled	37.9	14	<b>PDB header:</b> translation <b>Chain:</b> B: <b>PDB Molecule:</b> translation elongation factor p; <b>PDBTitle:</b> conserved hypothetical protein cth-95 from clostridium2 thermocellum
83	<a href="#">c3o38D_</a>	Alignment	not modelled	37.6	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> short chain dehydrogenase; <b>PDBTitle:</b> crystal structure of a short chain dehydrogenase from mycobacterium2 smegmatis
84	<a href="#">c3t6oA_</a>	Alignment	not modelled	30.0	14	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> sulfate transporter/antisigma-factor antagonist stas; <b>PDBTitle:</b> the structure of an anti-sigma-factor antagonist (stas) domain protein2 from plantomyces limnophilus.
85	<a href="#">clzn0B_</a>	Alignment	not modelled	28.9	16	<b>PDB header:</b> translation/biosynthetic protein/rna <b>Chain:</b> B: <b>PDB Molecule:</b> elongation factor g; <b>PDBTitle:</b> coordinates of rrf and ef-g fitted into cryo-em map of the2 50s subunit bound with both ef-g (gdpnp) and rrf
86	<a href="#">clqr0A_</a>	Alignment	not modelled	26.6	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> 4'-phosphopantetheinyl transferase sfp; <b>PDBTitle:</b> crystal structure of the 4'-phosphopantetheinyl transferase sfp-2 coenzyme a complex
87	<a href="#">dlw6ua_</a>	Alignment	not modelled	22.8	20	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Tyrosine-dependent oxidoreductases
88	<a href="#">dldsya_</a>	Alignment	not modelled	21.9	19	<b>Fold:</b> C2 domain-like <b>Superfamily:</b> C2 domain (Calcium/lipid-binding domain, CaLB) <b>Family:</b> Synaptotagmin-like (S variant)
89	<a href="#">dlvr7a1</a>	Alignment	not modelled	21.7	14	<b>Fold:</b> S-adenosylmethionine decarboxylase <b>Superfamily:</b> S-adenosylmethionine decarboxylase <b>Family:</b> Bacterial S-adenosylmethionine decarboxylase
90	<a href="#">c3oyyA_</a>	Alignment	not modelled	21.4	15	<b>PDB header:</b> translation <b>Chain:</b> A: <b>PDB Molecule:</b> elongation factor p; <b>PDBTitle:</b> structure of pseudomonas aeruginosa elongation factor p
91	<a href="#">c2rdo7_</a>	Alignment	not modelled	21.4	18	<b>PDB header:</b> ribosome <b>Chain:</b> 7: <b>PDB Molecule:</b> elongation factor g; <b>PDBTitle:</b> 50s subunit with ef-g(gdpnp) and rrf bound
92	<a href="#">dlfub3</a>	Alignment	not modelled	21.2	21	<b>Fold:</b> RuvA C-terminal domain-like <b>Superfamily:</b> UBA-like <b>Family:</b> TS-N domain
93	<a href="#">c3r3sD_</a>	Alignment	not modelled	21.2	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> oxidoreductase; <b>PDBTitle:</b> structure of the ygha oxidoreductase from salmonella enterica
94	<a href="#">c3clwF_</a>	Alignment	not modelled	21.1	18	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> F: <b>PDB Molecule:</b> conserved exported protein; <b>PDBTitle:</b> crystal structure of conserved exported protein from bacteroides2 fragilis
95	<a href="#">c2bm0A_</a>	Alignment	not modelled	19.8	14	<b>PDB header:</b> elongation factor <b>Chain:</b> A: <b>PDB Molecule:</b> elongation factor g; <b>PDBTitle:</b> ribosomal elongation factor g (ef-g) fusidic acid resistant2 mutant t84a
96	<a href="#">dlxb2b1</a>	Alignment	not modelled	19.6	16	<b>Fold:</b> RuvA C-terminal domain-like <b>Superfamily:</b> UBA-like <b>Family:</b> TS-N domain
97	<a href="#">clvr7A_</a>	Alignment	not modelled	19.5	14	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> s-adenosylmethionine decarboxylase proenzyme; <b>PDBTitle:</b> crystal structure of s-adenosylmethionine decarboxylase proenzyme2 (tm0655) from thermotoga maritima at 1.2 a resolution
98	<a href="#">c3ijrF_</a>	Alignment	not modelled	19.4	35	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> oxidoreductase, short chain dehydrogenase/reductase family; <b>PDBTitle:</b> 2.05 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor' in complex3 with nad+
99	<a href="#">dlaipc1</a>	Alignment	not modelled	19.3	21	<b>Fold:</b> RuvA C-terminal domain-like <b>Superfamily:</b> UBA-like <b>Family:</b> TS-N domain

