




# Phyre2

Email	l.a.kelley@imperial.ac.uk
Description	P31456
Date	Thu Jan 5 11:47:48 GMT 2012
Unique Job ID	4c5f9e928f22544e

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c2qa2A_</a>	 Alignment		100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> polyketide oxygenase cabc; <b>PDBTitle:</b> crystal structure of cabc, an aromatic hydroxylase from anugycline2 biosynthesis, determined to 2.7 a resolution
2	<a href="#">c3i3lA_</a>	 Alignment		100.0	16	<b>PDB header:</b> hydrolase <b>Chain:</b> A; <b>PDB Molecule:</b> alkylhalidase cmls; <b>PDBTitle:</b> crystal structure of cmls, a flavin-dependent halogenase
3	<a href="#">c3fmwC_</a>	 Alignment		100.0	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C; <b>PDB Molecule:</b> oxygenase; <b>PDBTitle:</b> the crystal structure of mtmoiv, a baeyer-villiger2 monooxygenase from the mithramycin biosynthetic pathway in3 streptomyces argillaceus.
4	<a href="#">c2dkhA_</a>	 Alignment		100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> 3-hydroxybenzoate hydroxylase; <b>PDBTitle:</b> crystal structure of 3-hydroxybenzoate hydroxylase from comamonas2 testosteroni, in complex with the substrate
5	<a href="#">c3e1tA_</a>	 Alignment		100.0	17	<b>PDB header:</b> flavoprotein <b>Chain:</b> A; <b>PDB Molecule:</b> halogenase; <b>PDBTitle:</b> structure and action of the myxobacterial chondrochloren2 halogenase cndh, a new variant of fad-dependent halogenases
6	<a href="#">c1phhA_</a>	 Alignment		100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> p-hydroxybenzoate hydroxylase; <b>PDBTitle:</b> crystal structure of p-hydroxybenzoate hydroxylase complexed with its2 reaction product 3,4-dihydroxybenzoate
7	<a href="#">c3nixF_</a>	 Alignment		100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F; <b>PDB Molecule:</b> flavoprotein/dehydrogenase; <b>PDBTitle:</b> crystal structure of flavoprotein/dehydrogenase from cytophaga2 hutchinsonii. northeast structural genomics consortium target chr43.
8	<a href="#">c3atrA_</a>	 Alignment		100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> conserved archaeal protein; <b>PDBTitle:</b> geranylgeranyl reductase (ggr) from sulfolobus acidocaldarius co-2 crystallized with its ligand
9	<a href="#">c1pn0A_</a>	 Alignment		100.0	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> phenol 2-monooxygenase; <b>PDBTitle:</b> phenol hydroxylase from trichosporon cutaneum
10	<a href="#">c3ihgA_</a>	 Alignment		100.0	14	<b>PDB header:</b> flavoprotein, oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> rdme; <b>PDBTitle:</b> crystal structure of a ternary complex of aklavinone-112 hydroxylase with fad and aklavinone
11	<a href="#">c3allA_</a>	 Alignment		100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A; <b>PDB Molecule:</b> 2-methyl-3-hydroxypyridine-5-carboxylic acid oxygenase; <b>PDBTitle:</b> crystal structure of 2-methyl-3-hydroxypyridine-5-carboxylic acid2 oxygenase, mutant y270a

12	<a href="#">c2r0gB_</a>	Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> rebc; <b>PDBTitle:</b> chromopyrrolic acid-soaked rebc with bound 7-carboxy-k252c
13	<a href="#">c3gmbB_</a>	Alignment		100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-methyl-3-hydroxypyridine-5-carboxylic acid <b>PDBTitle:</b> crystal structure of 2-methyl-3-hydroxypyridine-5-carboxylic2 acid oxygenase
14	<a href="#">c3cgvA_</a>	Alignment		100.0	18	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> geranylgeranyl reductase related protein; <b>PDBTitle:</b> crystal structure of geranylgeranyl bacteriochlorophyll reductase-like2 fixc homolog (np_393992.1) from thermoplasma acidophilum at 1.60 a3 resolution
15	<a href="#">c2rgjA_</a>	Alignment		100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> flavin-containing monooxygenase; <b>PDBTitle:</b> crystal structure of flavin-containing monooxygenase phzs
16	<a href="#">c2x3nA_</a>	Alignment		100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> probable fad-dependent monooxygenase; <b>PDBTitle:</b> crystal structure of pqsI, a probable fad-dependent2 monooxygenase from pseudomonas aeruginosa
17	<a href="#">c3c4aA_</a>	Alignment		100.0	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> probable tryptophan hydroxylase viod; <b>PDBTitle:</b> crystal structure of viod hydroxylase in complex with fad2 from chromobacterium violaceum. northeast structural3 genomics consortium target cvr158
18	<a href="#">c2xdoC_</a>	Alignment		100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> tex2 protein; <b>PDBTitle:</b> structure of the tetracycline degrading monooxygenase tex2 from2 bacteroides thetaiotaomicron
19	<a href="#">c2pyxA_</a>	Alignment		100.0	17	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> tryptophan halogenase; <b>PDBTitle:</b> crystal structure of tryptophan halogenase (yp_750003.1) from2 shewanella frigidimarina ncimb 400 at 1.50 a resolution
20	<a href="#">c2ardA_</a>	Alignment		100.0	13	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> tryptophan halogenase prna; <b>PDBTitle:</b> the structure of tryptophan 7-halogenase (prna) suggests a mechanism2 for regioselective chlorination
21	<a href="#">c2e4gB_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> biosynthetic protein, flavoprotein <b>Chain:</b> B: <b>PDB Molecule:</b> tryptophan halogenase; <b>PDBTitle:</b> rebh with bound l-trp
22	<a href="#">c2gmhA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> electron transfer flavoprotein-ubiquinone <b>PDBTitle:</b> structure of porcine electron transfer flavoprotein-2 ubiquinone oxidoreductase in complexed with ubiquinone
23	<a href="#">c2weuD_</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> antifungal protein <b>Chain:</b> D: <b>PDB Molecule:</b> tryptophan 5-halogenase; <b>PDBTitle:</b> crystal structure of tryptophan 5-halogenase (pyrh) complex2 with substrate tryptophan
24	<a href="#">c2vouA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2,6-dihydroxypyridine hydroxylase; <b>PDBTitle:</b> structure of 2,6-dihydroxypyridine-3-hydroxylase from2 arthrobacter nicotinovorans
25	<a href="#">d1k0ia1</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
26	<a href="#">d2gmha1</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
27	<a href="#">c2bryA_</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> transport <b>Chain:</b> A: <b>PDB Molecule:</b> nedd9 interacting protein with calponin homology <b>PDBTitle:</b> crystal structure of the native monooxygenase domain of2 mical at 1.45 a resolution
28	<a href="#">d3c96a1</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain

29	<a href="#">c3ihmB</a>	Alignment	not modelled	100.0	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> styrene monooxygenase a; <b>PDBTitle:</b> structure of the oxygenase component of a pseudomonas styrene2 monooxygenase
30	<a href="#">d1pn0a1</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
31	<a href="#">d2voua1</a>	Alignment	not modelled	100.0	17	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
32	<a href="#">c3nrnA</a>	Alignment	not modelled	99.9	10	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein pf1083; <b>PDBTitle:</b> crystal structure of pf1083 protein from pyrococcus furiosus,2 northeast structural genomics consortium target pfr223
33	<a href="#">c3dmeB</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> conserved exported protein; <b>PDBTitle:</b> crystal structure of conserved exported protein from2 bordetella pertussis. northeast structural genomics target3 ber141
34	<a href="#">c3da1A</a>	Alignment	not modelled	99.8	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol-3-phosphate dehydrogenase; <b>PDBTitle:</b> x-ray structure of the glycerol-3-phosphate dehydrogenase2 from bacillus halodurans complexed with fad. northeast3 structural genomics consortium target bhr167.
35	<a href="#">c2oInA</a>	Alignment	not modelled	99.8	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nikd protein; <b>PDBTitle:</b> nikd, an unusual amino acid oxidase essential for2 nikkomycin biosynthesis: closed form at 1.15 a resolution
36	<a href="#">c1yvVb</a>	Alignment	not modelled	99.7	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> amine oxidase, flavin-containing; <b>PDBTitle:</b> x-ray structure of p. syringae q888a4 oxidoreductase at2 resolution 2.5a. northeast structural genomics consortium3 target psr10.
37	<a href="#">c3bhkA</a>	Alignment	not modelled	99.7	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> monomeric sarcosine oxidase; <b>PDBTitle:</b> crystal structure of r49k mutant of monomeric sarcosine oxidase2 crystallized in phosphate as precipitant
38	<a href="#">c2r4jA</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> aerobic glycerol-3-phosphate dehydrogenase; <b>PDBTitle:</b> crystal structure of escherichia coli semet substituted2 glycerol-3-phosphate dehydrogenase in complex with dhap
39	<a href="#">c1y56B</a>	Alignment	not modelled	99.7	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> sarcosine oxidase; <b>PDBTitle:</b> crystal structure of l-proline dehydrogenase from p.horikoshii
40	<a href="#">c3ps9A</a>	Alignment	not modelled	99.7	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> trna 5-methylaminomethyl-2-thiouridine biosynthesis <b>PDBTitle:</b> crystal structure of mnmC from e. coli
41	<a href="#">d2qqfa1</a>	Alignment	not modelled	99.7	16	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> HI0933 N-terminal domain-like
42	<a href="#">c1pj6A</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> n,n-dimethylglycine oxidase; <b>PDBTitle:</b> crystal structure of dimethylglycine oxidase of arthrobacter2 globiformis in complex with folic acid
43	<a href="#">c2gahB</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> heterotetrameric sarcosine oxidase beta-subunit; <b>PDBTitle:</b> heterotetrameric sarcosine: structure of a diflavin2 metalloenzyme at 1.85 a resolution
44	<a href="#">c3pvcA</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> oxidoreductase, transferase <b>Chain:</b> A: <b>PDB Molecule:</b> trna 5-methylaminomethyl-2-thiouridine biosynthesis <b>PDBTitle:</b> crystal structure of apo mnmC from yersinia pestis
45	<a href="#">c3djeA</a>	Alignment	not modelled	99.7	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> fructosyl amine: oxygen oxidoreductase; <b>PDBTitle:</b> crystal structure of the deglycating enzyme fructosamine2 oxidase from aspergillus fumigatus (amadoriase ii) in3 complex with fsa
46	<a href="#">c3nyeA</a>	Alignment	not modelled	99.6	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-arginine dehydrogenase; <b>PDBTitle:</b> crystal structure of pseudomonas aeruginosa d-arginine dehydrogenase2 in complex with imino-arginine
47	<a href="#">c1lXR</a>	Alignment	not modelled	99.6	19	<b>PDB header:</b> transferase/protein binding <b>Chain:</b> R: <b>PDB Molecule:</b> rab escort protein 1; <b>PDBTitle:</b> structure of rab escort protein-1 in complex with rab2 geranylgeranyl transferase and isoprenoid
48	<a href="#">c3qj4A</a>	Alignment	not modelled	99.6	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> renalase; <b>PDBTitle:</b> crystal structure of human renalase (isoform 1)
49	<a href="#">c3ka7A</a>	Alignment	not modelled	99.6	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> oxidoreductase; <b>PDBTitle:</b> crystal structure of an oxidoreductase from methanosarcina2 mazel. northeast structural genomics consortium target id3 mar208
50	<a href="#">c2zxiC</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> fad-binding protein <b>Chain:</b> C: <b>PDB Molecule:</b> trna uridine 5-carboxymethylaminomethyl <b>PDBTitle:</b> structure of aquifex aeolicus gida in the form ii crystal
51	<a href="#">d1neka2</a>	Alignment	not modelled	99.6	13	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> Succinate dehydrogenase/fumarate reductase flavoprotein N-terminal domain
52	<a href="#">d1qo8a2</a>	Alignment	not modelled	99.6	17	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> Succinate dehydrogenase/fumarate reductase flavoprotein N-terminal domain
53	<a href="#">c2uzzD</a>	Alignment	not modelled	99.6	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> n-methyl-l-tryptophan oxidase;

						<b>PDBTitle:</b> x-ray structure of n-methyl-l-tryptophan oxidase (mtox)
54	<a href="#">c1ryiB_</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glycine oxidase; <b>PDBTitle:</b> structure of glycine oxidase with bound inhibitor glycolate
55	<a href="#">d2bs2a2</a>	Alignment	not modelled	99.6	17	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> Succinate dehydrogenase/fumarate reductase flavoprotein N-terminal domain
56	<a href="#">c3f8rD_</a>	Alignment	not modelled	99.6	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> thioredoxin reductase (trxb-3); <b>PDBTitle:</b> crystal structure of <i>Sulfolobus solfataricus</i> thioredoxin2 reductase b3 in complex with two nadp molecules
57	<a href="#">d1kf6a2</a>	Alignment	not modelled	99.6	14	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> Succinate dehydrogenase/fumarate reductase flavoprotein N-terminal domain
58	<a href="#">d2gf3a1</a>	Alignment	not modelled	99.6	16	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
59	<a href="#">c2rgoA_</a>	Alignment	not modelled	99.6	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-glycerophosphate oxidase; <b>PDBTitle:</b> structure of alpha-glycerophosphate oxidase from <i>Streptococcus</i> sp.: a template for the mitochondrial alpha-3 glycerophosphate dehydrogenase
60	<a href="#">c3fbsB_</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> oxidoreductase; <b>PDBTitle:</b> the crystal structure of the oxidoreductase from <i>Agrobacterium tumefaciens</i>
61	<a href="#">c3k7tB_</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 6-hydroxy-l-nicotine oxidase; <b>PDBTitle:</b> crystal structure of apo-form 6-hydroxy-l-nicotine oxidase, 2 crystal form p3121
62	<a href="#">c3g05B_</a>	Alignment	not modelled	99.6	15	<b>PDB header:</b> rna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> trna uridine 5-carboxymethylaminomethyl modification enzyme <b>PDBTitle:</b> crystal structure of n-terminal domain (2-550) of <i>E. coli</i> mmng
63	<a href="#">d1d4ca2</a>	Alignment	not modelled	99.5	16	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> Succinate dehydrogenase/fumarate reductase flavoprotein N-terminal domain
64	<a href="#">c2vvlD_</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> monoamine oxidase n; <b>PDBTitle:</b> the structure of mao-n-d3, a variant of monoamine oxidase2 from <i>Aspergillus niger</i> .
65	<a href="#">c3dgzA_</a>	Alignment	not modelled	99.5	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> thioredoxin reductase 2; <b>PDBTitle:</b> crystal structure of mouse mitochondrial thioredoxin reductase, c-2 terminal 3-residue truncation
66	<a href="#">d1jnra2</a>	Alignment	not modelled	99.5	14	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> Succinate dehydrogenase/fumarate reductase flavoprotein N-terminal domain
67	<a href="#">c3cesB_</a>	Alignment	not modelled	99.5	15	<b>PDB header:</b> rna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> trna uridine 5-carboxymethylaminomethyl modification enzyme <b>PDBTitle:</b> crystal structure of <i>E. coli</i> mmng (gida), a highly-conserved trna2 modifying enzyme
68	<a href="#">c2rghA_</a>	Alignment	not modelled	99.5	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> alpha-glycerophosphate oxidase; <b>PDBTitle:</b> structure of alpha-glycerophosphate oxidase from <i>Streptococcus</i> sp.: a template for the mitochondrial alpha-3 glycerophosphate dehydrogenase
69	<a href="#">c3cp8C_</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> trna uridine 5-carboxymethylaminomethyl <b>PDBTitle:</b> crystal structure of gida from <i>Chlorobium tepidum</i>
70	<a href="#">c1zkqA_</a>	Alignment	not modelled	99.5	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> thioredoxin reductase 2, mitochondrial; <b>PDBTitle:</b> crystal structure of mouse thioredoxin reductase type 2
71	<a href="#">c1s3bB_</a>	Alignment	not modelled	99.5	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> amine oxidase [flavin-containing] b; <b>PDBTitle:</b> crystal structure of maob in complex with n-methyl-n-2 propargyl-1(r)-aminoin dan
72	<a href="#">c2zbwA_</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> thioredoxin reductase; <b>PDBTitle:</b> crystal structure of thioredoxin reductase-like protein from <i>Thermus</i> 2 thermophilus hb8
73	<a href="#">d2ivda1</a>	Alignment	not modelled	99.5	15	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
74	<a href="#">d1rp0a1</a>	Alignment	not modelled	99.5	17	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> Thi4-like
75	<a href="#">c2ivdA_</a>	Alignment	not modelled	99.5	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> protoporphyrinogen oxidase; <b>PDBTitle:</b> structure of protoporphyrinogen oxidase from <i>Mycococcus</i> 2 xanthus with acifluorfen
76	<a href="#">c3i6dA_</a>	Alignment	not modelled	99.5	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> protoporphyrinogen oxidase; <b>PDBTitle:</b> crystal structure of ppo from <i>Bacillus subtilis</i> with af
77	<a href="#">d1y0pa2</a>	Alignment	not modelled	99.5	14	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> Succinate dehydrogenase/fumarate reductase flavoprotein N-terminal domain
78	<a href="#">c3jskN_</a>	Alignment	not modelled	99.5	12	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> N: <b>PDB Molecule:</b> cybbp37 protein; <b>PDBTitle:</b> thiazole synthase from <i>Neurospora crassa</i>

79	<a href="#">c2eq8E_</a>	Alignment	not modelled	99.5	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> E: <b>PDB Molecule:</b> pyruvate dehydrogenase complex, dihydrolipoamide <b>PDBTitle:</b> crystal structure of lipoamide dehydrogenase from thermus thermophilus2 hb8 with psbdp
80	<a href="#">c1bwcA_</a>	Alignment	not modelled	99.5	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (glutathione reductase); <b>PDBTitle:</b> structure of human glutathione reductase complexed with ajoene2 inhibitor and subversive substrate
81	<a href="#">c2gqfA_</a>	Alignment	not modelled	99.5	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein hi0933; <b>PDBTitle:</b> crystal structure of flavoprotein hi0933 from haemophilus influenzae2 rd
82	<a href="#">c3ab1B_</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ferredoxin--nadp reductase; <b>PDBTitle:</b> crystal structure of ferredoxin nadp+ oxidoreductase
83	<a href="#">c1c0iA_</a>	Alignment	not modelled	99.5	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-amino acid oxidase; <b>PDBTitle:</b> crystal structure of d-amino acid oxidase in complex with2 two anthranilate molecules
84	<a href="#">c1yq4A_</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> succinate dehydrogenase flavoprotein subunit; <b>PDBTitle:</b> avian respiratory complex ii with 3-nitropropionate and ubiquinone
85	<a href="#">c2a8xA_</a>	Alignment	not modelled	99.4	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dihydrolipoyl dehydrogenase; <b>PDBTitle:</b> crystal structure of lipoamide dehydrogenase from2 mycobacterium tuberculosis
86	<a href="#">d1w4xa1</a>	Alignment	not modelled	99.4	17	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD/NAD-linked reductases, N-terminal and central domains
87	<a href="#">c3ic9D_</a>	Alignment	not modelled	99.4	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> dihydrolipoamide dehydrogenase; <b>PDBTitle:</b> the structure of dihydrolipoamide dehydrogenase from colwellia2 psychrerythraea 34h.
88	<a href="#">c3ctyA_</a>	Alignment	not modelled	99.4	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> thioredoxin reductase; <b>PDBTitle:</b> crystal structure of t. acidophilum thioredoxin reductase
89	<a href="#">c2q7vA_</a>	Alignment	not modelled	99.4	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> thioredoxin reductase; <b>PDBTitle:</b> crystal structure of deinococcus radiodurans thioredoxin2 reductase
90	<a href="#">d1ryia1</a>	Alignment	not modelled	99.4	13	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
91	<a href="#">d2i0za1</a>	Alignment	not modelled	99.4	20	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> HI0933 N-terminal domain-like
92	<a href="#">d1reoa1</a>	Alignment	not modelled	99.4	20	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
93	<a href="#">c2aczA_</a>	Alignment	not modelled	99.4	17	<b>PDB header:</b> oxidoreductase/electron transport <b>Chain:</b> A: <b>PDB Molecule:</b> succinate dehydrogenase flavoprotein subunit; <b>PDBTitle:</b> complex ii (succinate dehydrogenase) from e. coli with atpenin a52 inhibitor co-crystallized at the ubiquinone binding site
94	<a href="#">c1lpfB_</a>	Alignment	not modelled	99.4	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> dihydrolipoamide dehydrogenase; <b>PDBTitle:</b> three-dimensional structure of lipoamide dehydrogenase from2 pseudomonas fluorescens at 2.8 angstroms resolution.3 analysis of redox and thermostability properties
95	<a href="#">c2eq7B_</a>	Alignment	not modelled	99.4	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-oxoglutarate dehydrogenase e3 component; <b>PDBTitle:</b> crystal structure of lipoamide dehydrogenase from thermus thermophilus2 hb8 with psbdo
96	<a href="#">c2yg4B_</a>	Alignment	not modelled	99.4	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putrescine oxidase; <b>PDBTitle:</b> structure-based redesign of cofactor binding in putrescine2 oxidase: wild type bound to putrescine
97	<a href="#">c2hqmB_</a>	Alignment	not modelled	99.4	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glutathione reductase; <b>PDBTitle:</b> crystal structure of glutathione reductase glr1 from the yeast2 saccharomyces cerevisiae
98	<a href="#">c2nvkX_</a>	Alignment	not modelled	99.4	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> X: <b>PDB Molecule:</b> thioredoxin reductase; <b>PDBTitle:</b> crystal structure of thioredoxin reductase from drosophila2 melanogaster
99	<a href="#">d1pj5a2</a>	Alignment	not modelled	99.4	16	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
100	<a href="#">c1geuA_</a>	Alignment	not modelled	99.4	15	<b>PDB header:</b> oxidoreductase(flavoenzyme) <b>Chain:</b> A: <b>PDB Molecule:</b> glutathione reductase; <b>PDBTitle:</b> anatomy of an engineered nad-binding site
101	<a href="#">c3urhB_</a>	Alignment	not modelled	99.4	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> dihydrolipoyl dehydrogenase; <b>PDBTitle:</b> crystal structure of a dihydrolipoamide dehydrogenase from2 sinorhizobium meliloti 1021
102	<a href="#">c1jrxA_</a>	Alignment	not modelled	99.4	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> flavocytochrome c; <b>PDBTitle:</b> crystal structure of arg402ala mutant flavocytochrome c32 from shewanella frigidimarina
103	<a href="#">d2iida1</a>	Alignment	not modelled	99.4	21	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain

104	<a href="#">c1qo8A_</a>	Alignment	not modelled	99.4	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> flavocytochrome c3 fumarate reductase; <b>PDBTitle:</b> the structure of the open conformation of a flavocytochrome2 c3 fumarate reductase
105	<a href="#">d1b5qa1</a>	Alignment	not modelled	99.4	16	<b>Fold:</b> FAD/NAD(P)-binding domain <b>Superfamily:</b> FAD/NAD(P)-binding domain <b>Family:</b> FAD-linked reductases, N-terminal domain
106	<a href="#">c3v76A_</a>	Alignment	not modelled	99.4	16	<b>PDB header:</b> flavoprotein <b>Chain:</b> A: <b>PDB Molecule:</b> flavoprotein; <b>PDBTitle:</b> the crystal structure of a flavoprotein from sinorhizobium meliloti
107	<a href="#">c1v59B_</a>	Alignment	not modelled	99.4	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> dihydrolipoamide dehydrogenase; <b>PDBTitle:</b> crystal structure of yeast lipoamide dehydrogenase2 complexed with nad+
108	<a href="#">c3o0hA_</a>	Alignment	not modelled	99.4	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glutathione reductase; <b>PDBTitle:</b> crystal structure of glutathione reductase from bartonella henselae
109	<a href="#">c3gwdA_</a>	Alignment	not modelled	99.4	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> cyclohexanone monooxygenase; <b>PDBTitle:</b> closed crystal structure of cyclohexanone monooxygenase
110	<a href="#">c1ebdB_</a>	Alignment	not modelled	99.4	18	<b>PDB header:</b> complex (oxidoreductase/transferase) <b>Chain:</b> B: <b>PDB Molecule:</b> dihydrolipoamide dehydrogenase; <b>PDBTitle:</b> dihydrolipoamide dehydrogenase complexed with the binding2 domain of the dihydrolipoamide acetylase
111	<a href="#">c1ojtA_</a>	Alignment	not modelled	99.4	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> surface protein; <b>PDBTitle:</b> structure of dihydrolipoamide dehydrogenase
112	<a href="#">c1f6mF_</a>	Alignment	not modelled	99.3	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> thioredoxin reductase; <b>PDBTitle:</b> crystal structure of a complex between thioredoxin2 reductase, thioredoxin, and the nadp+ analog, aadp+
113	<a href="#">c3rhaA_</a>	Alignment	not modelled	99.3	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putrescine oxidase; <b>PDBTitle:</b> the crystal structure of oxidoreductase from arthrobacter aureus
114	<a href="#">c2c3dB_</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 2-oxopropyl-com reductase; <b>PDBTitle:</b> 2.15 angstrom crystal structure of 2-ketopropyl coenzyme m2 oxidoreductase carboxylase with a coenzyme m disulfide3 bound at the active site
115	<a href="#">c3p4rM_</a>	Alignment	not modelled	99.3	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> M: <b>PDB Molecule:</b> fumarate reductase flavoprotein subunit; <b>PDBTitle:</b> crystal structure of menaquinol:fumarate oxidoreductase in complex2 with glutarate
116	<a href="#">c1f8sA_</a>	Alignment	not modelled	99.3	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> l-amino acid oxidase; <b>PDBTitle:</b> crystal structure of l-amino acid oxidase from calloselasma2 rhodostoma, complexed with three molecules of o-aminobenzoate.
117	<a href="#">c3r9uA_</a>	Alignment	not modelled	99.3	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> thioredoxin reductase; <b>PDBTitle:</b> thioredoxin-disulfide reductase from campylobacter jejuni.
118	<a href="#">c3lzxB_</a>	Alignment	not modelled	99.3	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ferredoxin--nadp reductase 2; <b>PDBTitle:</b> crystal structure of ferredoxin-nadp+ oxidoreductase from bacillus2 subtilis (form ii)
119	<a href="#">c2cfyB_</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> thioredoxin reductase 1; <b>PDBTitle:</b> crystal structure of human thioredoxin reductase 1
120	<a href="#">c1d4cB_</a>	Alignment	not modelled	99.3	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> flavocytochrome c fumarate reductase; <b>PDBTitle:</b> crystal structure of the uncomplexed form of the2 flavocytochrome c fumarate reductase of shewanella3 putrefaciens strain mr-1