

































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c2hcbC_</a>	 Alignment		100.0	40	<b>PDB header:</b> replication <b>Chain:</b> C: <b>PDB Molecule:</b> chromosomal replication initiator protein dnaa; <b>PDBTitle:</b> structure of amppcp-bound dnaa from aquifex aeolicus
2	<a href="#">c2z4rB_</a>	 Alignment		100.0	41	<b>PDB header:</b> dna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> chromosomal replication initiator protein dnaa; <b>PDBTitle:</b> crystal structure of domain iii from the thermotoga2 maritima replication initiation protein dnaa
3	<a href="#">d1l8qa2</a>	 Alignment		100.0	43	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
4	<a href="#">c3bosA_</a>	 Alignment		100.0	25	<b>PDB header:</b> hydrolase regulator,dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative dna replication factor; <b>PDBTitle:</b> crystal structure of a putative dna replication regulator hda2 (sama_1916) from shewanella amazonensis sb2b at 1.75 a resolution
5	<a href="#">d1j1va_</a>	 Alignment		100.0	98	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> TrpR-like <b>Family:</b> Chromosomal replication initiation factor DnaA C-terminal domain IV
6	<a href="#">d1l8qa1</a>	 Alignment		99.9	33	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> TrpR-like <b>Family:</b> Chromosomal replication initiation factor DnaA C-terminal domain IV
7	<a href="#">c3pfiB_</a>	 Alignment		99.9	20	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> holliday junction atp-dependent dna helicase ruvb; <b>PDBTitle:</b> 2.7 angstrom resolution crystal structure of a probable holliday2 junction dna helicase (ruvb) from campylobacter jejuni subsp. jejuni3 nctc 11168 in complex with adenosine-5'-diphosphate
8	<a href="#">c3pvpA_</a>	 Alignment		99.9	39	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> A: <b>PDB Molecule:</b> chromosomal replication initiator protein dnaa; <b>PDBTitle:</b> structure of mycobacterium tuberculosis dnaa-dbd in complex with box22 dna
9	<a href="#">c1in8A_</a>	 Alignment		99.9	23	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> holliday junction dna helicase ruvb; <b>PDBTitle:</b> thermotoga maritima ruvb t158v
10	<a href="#">c3hu2C_</a>	 Alignment		99.9	17	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> transitional endoplasmic reticulum atpase; <b>PDBTitle:</b> structure of p97 n-d1 r86a mutant in complex with atpgs
11	<a href="#">c2kjqA_</a>	 Alignment		99.9	19	<b>PDB header:</b> replication <b>Chain:</b> A: <b>PDB Molecule:</b> dnaa-related protein; <b>PDBTitle:</b> solution structure of protein nmb1076 from neisseria meningitidis.2 northeast structural genomics consortium target mr101b.

12	<a href="#">c3cf1C_</a>	Alignment		99.9	18	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> transitional endoplasmic reticulum atpase; <b>PDBTitle:</b> structure of p97/vcp in complex with adp/adp.alfx
13	<a href="#">d1in4a2</a>	Alignment		99.9	21	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
14	<a href="#">c3b9pA_</a>	Alignment		99.9	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> cg5977-pa, isoform a; <b>PDBTitle:</b> spastin
15	<a href="#">c2ce7B_</a>	Alignment		99.9	20	<b>PDB header:</b> cell division protein <b>Chain:</b> B: <b>PDB Molecule:</b> cell division protein ftsh; <b>PDBTitle:</b> edta treated
16	<a href="#">c2dhrC_</a>	Alignment		99.9	22	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> ftsh; <b>PDBTitle:</b> whole cytosolic region of atp-dependent metalloprotease2 ftsh (g399l)
17	<a href="#">d2ce7a2</a>	Alignment		99.9	20	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
18	<a href="#">c2zamA_</a>	Alignment		99.9	16	<b>PDB header:</b> protein transport <b>Chain:</b> A: <b>PDB Molecule:</b> vacuolar protein sorting-associated protein 4b; <b>PDBTitle:</b> crystal structure of mouse skd1/vps4b apo-form
19	<a href="#">c1xwiA_</a>	Alignment		99.9	16	<b>PDB header:</b> protein transport <b>Chain:</b> A: <b>PDB Molecule:</b> skd1 protein; <b>PDBTitle:</b> crystal structure of vps4b
20	<a href="#">c1iy2A_</a>	Alignment		99.9	23	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> atp-dependent metalloprotease ftsh; <b>PDBTitle:</b> crystal structure of the ftsh atpase domain from thermophilus
21	<a href="#">c3eihB_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> protein transport <b>Chain:</b> B: <b>PDB Molecule:</b> vacuolar protein sorting-associated protein 4; <b>PDBTitle:</b> crystal structure of s.cerevisiae vps4 in the presence of atpgammas
22	<a href="#">c3d8bB_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> fidgetin-like protein 1; <b>PDBTitle:</b> crystal structure of human fidgetin-like protein 1 in complex with adp
23	<a href="#">d1ixza_</a>	Alignment	not modelled	99.9	22	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
24	<a href="#">c3pvsA_</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> recombination <b>Chain:</b> A: <b>PDB Molecule:</b> replication-associated recombination protein a; <b>PDBTitle:</b> structure and biochemical activities of escherichia coli mgsa
25	<a href="#">c3ec2A_</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> replication <b>Chain:</b> A: <b>PDB Molecule:</b> dna replication protein dnac; <b>PDBTitle:</b> crystal structure of the dnac helicase loader
26	<a href="#">d1ixsb2</a>	Alignment	not modelled	99.9	23	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
27	<a href="#">c1s3sA_</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> transitional endoplasmic reticulum atpase (ter <b>PDBTitle:</b> crystal structure of aaa atpase p97/vcp nd1 in complex with2 p47 c
						<b>PDB header:</b> dna-binding protein

28	<a href="#">c2chgB_</a>	Alignment	not modelled	99.9	12	<b>Chain:</b> B: <b>PDB Molecule:</b> replication factor c small subunit; <b>PDBTitle:</b> replication factor c domains 1 and 2
29	<a href="#">c3h4mC_</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> proteasome-activating nucleotidase; <b>PDBTitle:</b> aaa atpase domain of the proteasome- activating nucleotidase
30	<a href="#">c2w58B_</a>	Alignment	not modelled	99.9	23	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> primosome component (helicase loader); <b>PDBTitle:</b> crystal structure of the dnaI
31	<a href="#">d1sxjb2</a>	Alignment	not modelled	99.9	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
32	<a href="#">d1iqpa2</a>	Alignment	not modelled	99.9	15	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
33	<a href="#">d1sxja2</a>	Alignment	not modelled	99.9	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
34	<a href="#">c2r65A_</a>	Alignment	not modelled	99.9	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> cell division protease ftsh homolog; <b>PDBTitle:</b> crystal structure of helicobacter pylori atp dependent protease, ftsh2 adp complex
35	<a href="#">d1sxjc2</a>	Alignment	not modelled	99.8	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
36	<a href="#">d1njfa_</a>	Alignment	not modelled	99.8	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
37	<a href="#">d1sxjd2</a>	Alignment	not modelled	99.8	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
38	<a href="#">c1hqcb_</a>	Alignment	not modelled	99.8	23	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> ruvb; <b>PDBTitle:</b> structure of ruvb from thermus thermophilus hb8
39	<a href="#">c2c9oC_</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> ruvb-like 1; <b>PDBTitle:</b> 3d structure of the human ruvb-like helicase ruvbl1
40	<a href="#">c1sxjA_</a>	Alignment	not modelled	99.8	17	<b>PDB header:</b> replication <b>Chain:</b> A: <b>PDB Molecule:</b> activator 1 95 kda subunit; <b>PDBTitle:</b> crystal structure of the eukaryotic clamp loader2 (replication factor c, rfc) bound to the dna sliding clamp3 (proliferating cell nuclear antigen, pcna)
41	<a href="#">c2qgzA_</a>	Alignment	not modelled	99.8	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative primosome component; <b>PDBTitle:</b> crystal structure of a putative primosome component from2 streptococcus pyogenes serotype m3. northeast structural3 genomics target dr58
42	<a href="#">c1ny5A_</a>	Alignment	not modelled	99.8	18	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator (ntrc family); <b>PDBTitle:</b> crystal structure of sigm54 activator (aaa+ atpase) in the inactive2 state
43	<a href="#">d1fnna2</a>	Alignment	not modelled	99.8	18	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
44	<a href="#">d1w5sa2</a>	Alignment	not modelled	99.8	16	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
45	<a href="#">c2qz4A_</a>	Alignment	not modelled	99.8	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> paraplegin; <b>PDBTitle:</b> human paraplegin, aaa domain in complex with adp
46	<a href="#">c2x8aA_</a>	Alignment	not modelled	99.8	16	<b>PDB header:</b> nuclear protein <b>Chain:</b> A: <b>PDB Molecule:</b> nuclear valosin-containing protein-like; <b>PDBTitle:</b> human nuclear valosin containing protein like (nvl), c-2 terminal aaa-atpase domain
47	<a href="#">d1r7ra3</a>	Alignment	not modelled	99.8	18	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
48	<a href="#">d1e32a2</a>	Alignment	not modelled	99.8	18	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
49	<a href="#">c3dzdA_</a>	Alignment	not modelled	99.8	19	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator (ntrc family); <b>PDBTitle:</b> crystal structure of sigma54 activator ntrc4 in the inactive2 state
50	<a href="#">d1lv7a_</a>	Alignment	not modelled	99.8	16	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
51	<a href="#">d1sxje2</a>	Alignment	not modelled	99.8	17	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
52	<a href="#">cliqpF_</a>	Alignment	not modelled	99.8	14	<b>PDB header:</b> replication <b>Chain:</b> F: <b>PDB Molecule:</b> rfcs; <b>PDBTitle:</b> crystal structure of the clamp loader small subunit from2 pyrococcus furiosus
53	<a href="#">d1ny5a2</a>	Alignment	not modelled	99.7	17	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain

54	<a href="#">c2c99A</a>	Alignment	not modelled	99.7	13	<b>PDB header:</b> transcription regulation <b>Chain:</b> A: <b>PDB Molecule:</b> psp operon transcriptional activator; <b>PDBTitle:</b> structural basis of the nucleotide driven conformational2 changes in the aaa domain of transcription activator pspf
55	<a href="#">c1sxB</a>	Alignment	not modelled	99.7	11	<b>PDB header:</b> replication <b>Chain:</b> B: <b>PDB Molecule:</b> activator 1 37 kda subunit; <b>PDBTitle:</b> crystal structure of the eukaryotic clamp loader2 (replication factor c, rfc) bound to the dna sliding clamp3 (proliferating cell nuclear antigen, pcna)
56	<a href="#">d1r6bx2</a>	Alignment	not modelled	99.7	15	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
57	<a href="#">c2chvE</a>	Alignment	not modelled	99.7	13	<b>PDB header:</b> dna-binding protein <b>Chain:</b> E: <b>PDB Molecule:</b> replication factor c small subunit; <b>PDBTitle:</b> replication factor c adpnp complex
58	<a href="#">c3pxiB</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> negative regulator of genetic competence clpc/meccb; <b>PDBTitle:</b> structure of meca108:clpc
59	<a href="#">c1qvrB</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> chaperone <b>Chain:</b> B: <b>PDB Molecule:</b> clpb protein; <b>PDBTitle:</b> crystal structure analysis of clpb
60	<a href="#">c1xxhB</a>	Alignment	not modelled	99.7	16	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> dna polymerase iii subunit gamma; <b>PDBTitle:</b> atpgs bound e. coli clamp loader complex
61	<a href="#">c3hteC</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> motor protein <b>Chain:</b> C: <b>PDB Molecule:</b> atp-dependent clp protease atp-binding subunit clpx; <b>PDBTitle:</b> crystal structure of nucleotide-free hexameric clpx
62	<a href="#">c1r6bX</a>	Alignment	not modelled	99.7	12	<b>PDB header:</b> hydrolase <b>Chain:</b> X: <b>PDB Molecule:</b> clpa protein; <b>PDBTitle:</b> high resolution crystal structure of clpa
63	<a href="#">c1sxC</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> replication <b>Chain:</b> C: <b>PDB Molecule:</b> activator 1 40 kda subunit; <b>PDBTitle:</b> crystal structure of the eukaryotic clamp loader2 (replication factor c, rfc) bound to the dna sliding clamp3 (proliferating cell nuclear antigen, pcna)
64	<a href="#">c1sxE</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> replication <b>Chain:</b> E: <b>PDB Molecule:</b> activator 1 40 kda subunit; <b>PDBTitle:</b> crystal structure of the eukaryotic clamp loader2 (replication factor c, rfc) bound to the dna sliding clamp3 (proliferating cell nuclear antigen, pcna)
65	<a href="#">c1ojfF</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> response regulator <b>Chain:</b> F: <b>PDB Molecule:</b> transcriptional regulatory protein zrarc; <b>PDBTitle:</b> crystal structure of a sigma54-activator suggests the2 mechanism for the conformational switch necessary for3 sigma54 binding
66	<a href="#">c1fnnB</a>	Alignment	not modelled	99.6	19	<b>PDB header:</b> cell cycle <b>Chain:</b> B: <b>PDB Molecule:</b> cell division control protein 6; <b>PDBTitle:</b> crystal structure of cdc6p from pyrobaculum aerophilum
67	<a href="#">c2qbyA</a>	Alignment	not modelled	99.6	18	<b>PDB header:</b> replication/dna <b>Chain:</b> A: <b>PDB Molecule:</b> cell division control protein 6 homolog 1; <b>PDBTitle:</b> crystal structure of a heterodimer of cdc6/orc1 initiators2 bound to origin dna (from s. solfataricus)
68	<a href="#">d1g41a</a>	Alignment	not modelled	99.6	16	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
69	<a href="#">d1oz4a3</a>	Alignment	not modelled	99.6	18	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
70	<a href="#">d1lofha</a>	Alignment	not modelled	99.6	18	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
71	<a href="#">c1nsfA</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> protein transport <b>Chain:</b> A: <b>PDB Molecule:</b> n-ethylmaleimide sensitive factor; <b>PDBTitle:</b> d2 hexamerization domain of n-ethylmaleimide sensitive factor (nsf)
72	<a href="#">c1sxD</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> replication <b>Chain:</b> D: <b>PDB Molecule:</b> activator 1 41 kda subunit; <b>PDBTitle:</b> crystal structure of the eukaryotic clamp loader2 (replication factor c, rfc) bound to the dna sliding clamp3 (proliferating cell nuclear antigen, pcna)
73	<a href="#">d1um8a</a>	Alignment	not modelled	99.6	16	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
74	<a href="#">c3te6A</a>	Alignment	not modelled	99.6	11	<b>PDB header:</b> gene regulation <b>Chain:</b> A: <b>PDB Molecule:</b> regulatory protein sir3; <b>PDBTitle:</b> crystal structure of the s. cerevisiae sir3 aaa+ domain
75	<a href="#">d1jbka</a>	Alignment	not modelled	99.6	16	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
76	<a href="#">d1g8pa</a>	Alignment	not modelled	99.6	20	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
77	<a href="#">d1r6bx3</a>	Alignment	not modelled	99.6	11	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
78	<a href="#">d1qvra3</a>	Alignment	not modelled	99.6	17	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain

79	<a href="#">c3pxgA</a>	Alignment	not modelled	99.6	16	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> negative regulator of genetic competence clpc/mech; <b>PDBTitle:</b> structure of meca121 and clpc1-485 complex
80	<a href="#">c3nbxX</a>	Alignment	not modelled	99.6	17	<b>PDB header:</b> hydrolase <b>Chain:</b> X: <b>PDB Molecule:</b> atpase rava; <b>PDBTitle:</b> crystal structure of e. coli rava (regulatory atpase variant a) in2 complex with adp
81	<a href="#">c2v1uA</a>	Alignment	not modelled	99.6	20	<b>PDB header:</b> replication <b>Chain:</b> A: <b>PDB Molecule:</b> cell division control protein 6 homolog; <b>PDBTitle:</b> structure of the aeropyrum pernix orc1 protein in complex2 with dna
82	<a href="#">d1qvra2</a>	Alignment	not modelled	99.6	19	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
83	<a href="#">c2qbyB</a>	Alignment	not modelled	99.6	20	<b>PDB header:</b> replication/dna <b>Chain:</b> B: <b>PDB Molecule:</b> cell division control protein 6 homolog 3; <b>PDBTitle:</b> crystal structure of a heterodimer of cdc6/orc1 initiators2 bound to origin dna (from s. solfatarius)
84	<a href="#">d1a5ta2</a>	Alignment	not modelled	99.5	12	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
85	<a href="#">d1d2na</a>	Alignment	not modelled	99.5	12	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
86	<a href="#">c2r44A</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of a putative atpase (chu_0153) from cytophaga2 hutchinsonii atcc 33406 at 2.00 a resolution
87	<a href="#">c2e0gA</a>	Alignment		99.5	100	<b>PDB header:</b> replication <b>Chain:</b> A: <b>PDB Molecule:</b> chromosomal replication initiator protein dnaa; <b>PDBTitle:</b> dnaa n-terminal domain
88	<a href="#">c1w5sB</a>	Alignment	not modelled	99.5	16	<b>PDB header:</b> replication <b>Chain:</b> B: <b>PDB Molecule:</b> origin recognition complex subunit 2 orc2; <b>PDBTitle:</b> structure of the aeropyrum pernix orc2 protein (adp form)
89	<a href="#">c1jr3E</a>	Alignment	not modelled	99.4	15	<b>PDB header:</b> transferase <b>Chain:</b> E: <b>PDB Molecule:</b> dna polymerase iii, delta' subunit; <b>PDBTitle:</b> crystal structure of the processivity clamp loader gamma2 complex of e. coli dna polymerase iii
90	<a href="#">c2p65A</a>	Alignment	not modelled	99.4	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein pf08_0063; <b>PDBTitle:</b> crystal structure of the first nucleotide binding domain of2 chaperone clpb1, putative, (pv089580) from plasmodium vivax
91	<a href="#">c3kljA</a>	Alignment	not modelled	99.3	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> atp-dependent protease lon; <b>PDBTitle:</b> crystal structure of lon protease from thermococcus onnurineus na1
92	<a href="#">c3f8tA</a>	Alignment	not modelled	99.3	15	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> predicted atpase involved in replication control, <b>PDBTitle:</b> crystal structure analysis of a full-length mcm homolog2 from methanopyrus kandleri
93	<a href="#">c3co5B</a>	Alignment	not modelled	99.2	12	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative two-component system transcriptional response <b>PDBTitle:</b> crystal structure of sigma-54 interaction domain of putative2 transcriptional response regulator from neisseria gonorrhoeae
94	<a href="#">d1e94e</a>	Alignment	not modelled	99.2	20	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
95	<a href="#">d1gvnb</a>	Alignment	not modelled	99.1	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Plasmid maintenance system epsilon/zeta, toxin zeta subunit
96	<a href="#">c3m6aC</a>	Alignment	not modelled	99.1	15	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> atp-dependent protease la 1; <b>PDBTitle:</b> crystal structure of bacillus subtilis lon c-terminal domain
97	<a href="#">d2gnoa2</a>	Alignment	not modelled	99.0	11	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
98	<a href="#">d1jr3d2</a>	Alignment	not modelled	98.9	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
99	<a href="#">c2p5tD</a>	Alignment	not modelled	98.9	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> pez2; <b>PDBTitle:</b> molecular and structural characterization of the pezat chromosomal2 toxin-antitoxin system of the human pathogen streptococcus pneumoniae
100	<a href="#">c1xxiF</a>	Alignment	not modelled	98.9	16	<b>PDB header:</b> transferase <b>Chain:</b> F: <b>PDB Molecule:</b> dna polymerase iii, delta subunit; <b>PDBTitle:</b> adp bound e. coli clamp loader complex
101	<a href="#">d2fnaa2</a>	Alignment	not modelled	98.8	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
						<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> minichromosome maintenance protein



102	<a href="#">c3f9vA_</a>	Alignment	not modelled	98.7	12	mcm; <b>PDBTitle:</b> crystal structure of a near full-length archaeal mcm: functional2 insights for an aaa+ hexameric helicase
103	<a href="#">d1ye8a1</a>	Alignment	not modelled	98.7	11	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
104	<a href="#">c2fnaA_</a>	Alignment	not modelled	98.6	14	<b>PDB header:</b> atp-binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> conserved hypothetical protein; <b>PDBTitle:</b> crystal structure of an archaeal aaa+ atpase (sso1545) from sulfobolus2 solfataricus p2 at 2.00 a resolution
105	<a href="#">c2qenA_</a>	Alignment	not modelled	98.6	14	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> walker-type atpase; <b>PDBTitle:</b> the walker-type atpase paby2304 of pyrococcus abyssi
106	<a href="#">d1svma_</a>	Alignment	not modelled	98.5	11	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Extended AAA-ATPase domain
107	<a href="#">d2i3ba1</a>	Alignment	not modelled	98.4	19	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
108	<a href="#">c2qq0B_</a>	Alignment	not modelled	98.3	24	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> thymidine kinase; <b>PDBTitle:</b> thymidine kinase from thermotoga maritima in complex with2 thymidine + apnnp
109	<a href="#">c3b85A_</a>	Alignment	not modelled	98.2	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphate starvation-inducible protein; <b>PDBTitle:</b> crystal structure of predicted phosphate starvation-induced atpase2 phoh2 from corynebacterium glutamicum
110	<a href="#">c3dmdA_</a>	Alignment	not modelled	98.2	14	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> signal recognition particle receptor; <b>PDBTitle:</b> structures and conformations in solution of the signal recognition2 particle receptor from the archaeon pyrococcus furiosus
111	<a href="#">c3iytG_</a>	Alignment	not modelled	98.2	16	<b>PDB header:</b> apoptosis <b>Chain:</b> G: <b>PDB Molecule:</b> apoptotic protease-activating factor 1; <b>PDBTitle:</b> structure of an apoptosome-procaspase-9 card complex
112	<a href="#">c3cmvG_</a>	Alignment	not modelled	98.2	15	<b>PDB header:</b> recombination <b>Chain:</b> G: <b>PDB Molecule:</b> protein reca; <b>PDBTitle:</b> mechanism of homologous recombination from the reca-2 ssdna/dsdna structures
113	<a href="#">c2j7pA_</a>	Alignment	not modelled	98.1	15	<b>PDB header:</b> signal recognition <b>Chain:</b> A: <b>PDB Molecule:</b> signal recognition particle protein; <b>PDBTitle:</b> gmppnp-stabilized ng domain complex of the srp gtpases ffh2 and ftsy
114	<a href="#">c2yhsA_</a>	Alignment	not modelled	98.1	19	<b>PDB header:</b> cell cycle <b>Chain:</b> A: <b>PDB Molecule:</b> cell division protein ftsy; <b>PDBTitle:</b> structure of the e. coli srp receptor ftsy
115	<a href="#">c2og2A_</a>	Alignment	not modelled	98.1	16	<b>PDB header:</b> protein transport <b>Chain:</b> A: <b>PDB Molecule:</b> putative signal recognition particle receptor; <b>PDBTitle:</b> crystal structure of chloroplast ftsy from arabidopsis2 thaliana
116	<a href="#">c3b9qA_</a>	Alignment	not modelled	98.1	16	<b>PDB header:</b> protein transport <b>Chain:</b> A: <b>PDB Molecule:</b> chloroplast srp receptor homolog, alpha subunit <b>PDBTitle:</b> the crystal structure of cpfts2 from arabidopsis thaliana
117	<a href="#">c2cnwF_</a>	Alignment	not modelled	98.1	17	<b>PDB header:</b> signal recognition <b>Chain:</b> F: <b>PDB Molecule:</b> cell division protein ftsy; <b>PDBTitle:</b> gdpalf4 complex of the srp gtpases ffh and ftsy
118	<a href="#">d1lw7a2</a>	Alignment	not modelled	98.0	19	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nucleotide and nucleoside kinases
119	<a href="#">c3e1sA_</a>	Alignment	not modelled	98.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> exodeoxyribonuclease v, subunit recd; <b>PDBTitle:</b> structure of an n-terminal truncation of deinococcus radiodurans recd2
120	<a href="#">c2ja1A_</a>	Alignment	not modelled	98.0	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> thymidine kinase; <b>PDBTitle:</b> thymidine kinase from b. cereus with ttp bound as phosphate2 donor.