

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c3r3sD_	 Alignment		100.0	93	PDB header: oxidoreductase Chain: D: PDB Molecule: oxidoreductase; PDBTitle: structure of the ygha oxidoreductase from salmonella enterica
2	c3ijrF_	 Alignment		100.0	45	PDB header: oxidoreductase Chain: F: PDB Molecule: oxidoreductase, short chain dehydrogenase/reductase family; PDBTitle: 2.05 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor' in complex3 with nad+
3	dlyxma1	 Alignment		100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
4	dlgeea_	 Alignment		100.0	29	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
5	d2pd4a1	 Alignment		100.0	28	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
6	dlqsga_	 Alignment		100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
7	c3icca_	 Alignment		100.0	29	PDB header: oxidoreductase Chain: A: PDB Molecule: putative 3-oxoacyl-(acyl carrier protein) reductase; PDBTitle: crystal structure of a putative 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis at 1.87 a resolution
8	dlq0oa_	 Alignment		100.0	28	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
9	c3itdA_	 Alignment		100.0	27	PDB header: oxidoreductase Chain: A: PDB Molecule: 17beta-hydroxysteroid dehydrogenase; PDBTitle: crystal structure of an inactive 17beta-hydroxysteroid dehydrogenase2 (y167f mutated form) from fungus cochliobolus lunatus
10	c3svtA_	 Alignment		100.0	28	PDB header: oxidoreductase Chain: A: PDB Molecule: short-chain type dehydrogenase/reductase; PDBTitle: structure of a short-chain type dehydrogenase/reductase from2 mycobacterium ulcerans
11	c3toxG_	 Alignment		100.0	32	PDB header: oxidoreductase Chain: G: PDB Molecule: short chain dehydrogenase; PDBTitle: crystal structure of a short chain dehydrogenase in complex with2 nad(p) from sinorhizobium meliloti 1021

12	c3grkE_	Alignment		100.0	26	PDB header: oxidoreductase Chain: E: PDB Molecule: enoyl-(acyl-carrier-protein) reductase (nadh); PDBTitle: crystal structure of short chain dehydrogenase reductase2 sdr glucose-ribitol dehydrogenase from brucella melitensis
13	d1fmca_	Alignment		100.0	29	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
14	d1iy8a_	Alignment		100.0	28	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
15	c2zatC_	Alignment		100.0	29	PDB header: oxidoreductase Chain: C: PDB Molecule: dehydrogenase/reductase sdr family member 4; PDBTitle: crystal structure of a mammalian reductase
16	c3t7cC_	Alignment		100.0	25	PDB header: oxidoreductase Chain: C: PDB Molecule: carveol dehydrogenase; PDBTitle: crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nad
17	d1ja9a_	Alignment		100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
18	c3uf0A_	Alignment		100.0	28	PDB header: oxidoreductase Chain: A: PDB Molecule: short-chain dehydrogenase/reductase sdr; PDBTitle: crystal structure of a putative nad(p) dependent gluconate 5-2 dehydrogenase from beutenbergia cavernae(efi target efi-502044) with3 bound nadp (low occupancy)
19	d1w6ua_	Alignment		100.0	24	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
20	d2ae2a_	Alignment		100.0	29	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
21	c3rihB_	Alignment	not modelled	100.0	27	PDB header: oxidoreductase Chain: B: PDB Molecule: short chain dehydrogenase or reductase; PDBTitle: crystal structure of a putative short chain dehydrogenase or reductase2 from mycobacterium abscessus
22	d1zema1	Alignment	not modelled	100.0	25	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
23	d1xhla_	Alignment	not modelled	100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
24	c2qioA_	Alignment	not modelled	100.0	20	PDB header: unknown function Chain: A: PDB Molecule: enoyl-(acyl-carrier-protein) reductase; PDBTitle: x-ray structure of enoyl-acyl carrier protein reductase from bacillus2 anthracis with triclosan
25	c3ek2D_	Alignment	not modelled	100.0	26	PDB header: oxidoreductase Chain: D: PDB Molecule: enoyl-(acyl-carrier-protein) reductase (nadh); PDBTitle: crystal structure of eonyl-(acyl carrier protein) reductase2 from burkholderia pseudomallei 1719b
26	d1ae1a_	Alignment	not modelled	100.0	31	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
27	c3cxtA_	Alignment	not modelled	100.0	27	PDB header: oxidoreductase Chain: A: PDB Molecule: dehydrogenase with different specificities; PDBTitle: quaternary complex structure of gluconate 5-dehydrogenase from2 streptococcus suis type 2
28	c3uveC_	Alignment	not modelled	100.0	26	PDB header: oxidoreductase Chain: C: PDB Molecule: carveol dehydrogenase ((+)-trans-carveol dehydrogenase);

						PDBTitle: crystal structure of carveol dehydrogenase ((+)-trans-carveol2 dehydrogenase) from mycobacterium avium
29	c2uvdE_	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: E: PDB Molecule: 3-oxoacyl-(acyl-carrier-protein) reductase; PDBTitle: the crystal structure of a 3-oxoacyl-(acyl carrier protein)2 reductase from bacillus anthracis (ba3989)
30	c3lf2B_	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: B: PDB Molecule: short chain oxidoreductase q9hya2; PDBTitle: nadph bound structure of the short chain oxidoreductase q9hya2 from2 pseudomonas aeruginosa pao1 containing an atypical catalytic center
31	c3o38D_	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: D: PDB Molecule: short chain dehydrogenase; PDBTitle: crystal structure of a short chain dehydrogenase from mycobacterium2 smegmatis
32	c3k31B_	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: B: PDB Molecule: enoyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of enoyl-(acyl-carrier-protein) reductase from2 anaplasma phagocytophilum in complex with nad at 1.9a resolution
33	c3gr6A_	Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: A: PDB Molecule: enoyl-[acyl-carrier-protein] reductase [nadh]; PDBTitle: crystal structure of the staphylococcus aureus enoyl-acyl2 carrier protein reductase (fabI) in complex with nadp and3 tricosan
34	d2rhca1	Alignment	not modelled	100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
35	c2p91A_	Alignment	not modelled	100.0	26	PDB header: oxidoreductase Chain: A: PDB Molecule: enoyl-[acyl-carrier-protein] reductase [nadh]; PDBTitle: crystal structure of enoyl-[acyl-carrier-protein] reductase (nadh)2 from aquifex aeolicus vf5
36	c2cfcB_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: B: PDB Molecule: 2-(r)-hydroxypropyl-com dehydrogenase; PDBTitle: structural basis for stereo selectivity in the (r)- and2 (s)-hydroxypropylethane thiosulfonate dehydrogenases
37	d1ydea1	Alignment	not modelled	100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
38	c1w4zA_	Alignment	not modelled	100.0	26	PDB header: antibiotic biosynthesis Chain: A: PDB Molecule: ketoacyl reductase; PDBTitle: structure of actinorhodin polyketide (actiii) reductase
39	c3oidA_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: enoyl-[acyl-carrier-protein] reductase [nadh]; PDBTitle: crystal structure of enoyl-acp reductases iii (fabI) from b. subtilis2 (complex with nadp and tcl)
40	d1xkqa_	Alignment	not modelled	100.0	28	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
41	c3v2gA_	Alignment	not modelled	100.0	30	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of a dehydrogenase/reductase from sinorhizobium2 meliloti 1021
42	d1k2wa_	Alignment	not modelled	100.0	28	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
43	c3afnC_	Alignment	not modelled	100.0	30	PDB header: oxidoreductase Chain: C: PDB Molecule: carbonyl reductase; PDBTitle: crystal structure of aldose reductase a1-r complexed with nadp
44	c3pgxB_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: B: PDB Molecule: carveol dehydrogenase; PDBTitle: crystal structure of a putative carveol dehydrogenase from2 mycobacterium paratuberculosis bound to nicotinamide adenine3 dinucleotide
45	d1nffa_	Alignment	not modelled	100.0	30	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
46	c3bmrA_	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: A: PDB Molecule: pteridine reductase; PDBTitle: structure of pteridine reductase 1 (ptr1) from trypanosoma2 brucei in ternary complex with cofactor (nadp+) and3 inhibitor (compound ax6)
47	c2jyD_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: D: PDB Molecule: enoyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of francisella tularensis enoyl reductase2 (ftfabI) with bound nad
48	d2c07a1	Alignment	not modelled	100.0	24	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
49	c2c07A_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-(acyl-carrier protein) reductase; PDBTitle: oxoacyl-acp reductase of plasmodium falciparum
50	d1pr9a_	Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
51	d2bgka1	Alignment	not modelled	100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
						Fold: NAD(P)-binding Rossmann-fold domains

52	d1ulua_	Alignment	not modelled	100.0	27	Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
53	c3pk0B_	Alignment	not modelled	100.0	27	PDB header: oxidoreductase Chain: B: PDB Molecule: short-chain dehydrogenase/reductase sdr; PDBTitle: crystal structure of short-chain dehydrogenase/reductase sdr from2 mycobacterium smegmatis
54	c3sjua_	Alignment	not modelled	100.0	22	PDB header: oxidoreductase Chain: A: PDB Molecule: keto reductase; PDBTitle: hedamycin polyketide ketoreductase bound to nadph
55	d1q7ba_	Alignment	not modelled	100.0	27	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
56	c3nugA_	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-(acyl-carrier protein) reductase; PDBTitle: crystal structure of wild type tetrameric pyridoxal 4- dehydrogenase2 from mesorhizobium loti
57	c2q2qG_	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: G: PDB Molecule: beta-d-hydroxybutyrate dehydrogenase; PDBTitle: structure of d-3-hydroxybutyrate dehydrogenase from pseudomonas putida
58	c3imfA_	Alignment	not modelled	100.0	26	PDB header: oxidoreductase Chain: A: PDB Molecule: short chain dehydrogenase; PDBTitle: 1.99 angstrom resolution crystal structure of a short chain2 dehydrogenase from bacillus anthracis str. 'ames ancestor'
59	c3ak4C_	Alignment	not modelled	100.0	31	PDB header: oxidoreductase Chain: C: PDB Molecule: nadh-dependent quinuclidinone reductase; PDBTitle: crystal structure of nadh-dependent quinuclidinone reductase from2 agrobacterium tumefaciens
60	d1gega_	Alignment	not modelled	100.0	27	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
61	d1ulsa_	Alignment	not modelled	100.0	28	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
62	c3ftpD_	Alignment	not modelled	100.0	29	PDB header: oxidoreductase Chain: D: PDB Molecule: 3-oxoacyl-[acyl-carrier protein] reductase; PDBTitle: crystal structure of 3-ketoacyl-(acyl-carrier-protein)2 reductase from burkholderia pseudomallei at 2.05 a3 resolution
63	c3ezlA_	Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: A: PDB Molecule: acetoacetyl-coa reductase; PDBTitle: crystal structure of acetylacetyl-coa reductase from2 burkholderia pseudomallei 1710b
64	d1hdca_	Alignment	not modelled	100.0	25	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
65	c2z1nA_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: dehydrogenase; PDBTitle: crystal structure of ape0912 from aeropyrum pernix k1
66	c3gk3D_	Alignment	not modelled	100.0	22	PDB header: oxidoreductase Chain: D: PDB Molecule: acetoacetyl-coa reductase; PDBTitle: crystal structure of acetoacetyl-coa reductase from2 burkholderia pseudomallei 1710b
67	c2b4qB_	Alignment	not modelled	100.0	27	PDB header: oxidoreductase Chain: B: PDB Molecule: rhamnolipids biosynthesis 3-oxoacyl-[acyl- PDBTitle: pseudomonas aeruginosa rhlg/nadp active-site complex
68	c3ai3A_	Alignment	not modelled	100.0	26	PDB header: oxidoreductase Chain: A: PDB Molecule: nadh-sorbose reductase; PDBTitle: the crystal structure of l-sorbose reductase from gluconobacter2 frateurii complexed with nadph and l-sorbose
69	d1h5qa_	Alignment	not modelled	100.0	25	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
70	c2p68A_	Alignment	not modelled	100.0	27	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of aq_1716 from aquifex aeolicus vf5
71	c2pd6D_	Alignment	not modelled	100.0	26	PDB header: oxidoreductase Chain: D: PDB Molecule: estradiol 17-beta-dehydrogenase 8; PDBTitle: structure of human hydroxysteroid dehydrogenase type 8, hsd17b8
72	d1zk4a1	Alignment	not modelled	100.0	30	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
73	d2ew8a1	Alignment	not modelled	100.0	31	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
74	c3pxxE_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: E: PDB Molecule: carveol dehydrogenase; PDBTitle: crystal structure of carveol dehydrogenase from mycobacterium avium2 bound to nicotinamide adenine dinucleotide
75	c3oecA_	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: A: PDB Molecule: carveol dehydrogenase (mytha.01326.c, a0r518 homolog); PDBTitle: crystal structure of carveol dehydrogenase from mycobacterium2 thermoresistibile
76	d2d1ya1	Alignment	not modelled	100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
77	d1hxha_	Alignment	not modelled	100.0	25	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains

						Family: Tyrosine-dependent oxidoreductases
78	c3gdfA_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: probable nadp-dependent mannitol dehydrogenase; PDBTitle: crystal structure of the nadp-dependent mannitol dehydrogenase from2 cladosporium herbarum.
79	dlx1ta1	Alignment	not modelled	100.0	27	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
80	c3emkA_	Alignment	not modelled	100.0	30	PDB header: oxidoreductase Chain: A: PDB Molecule: glucose/ribitol dehydrogenase; PDBTitle: 2.5a crystal structure of glucose/ribitol dehydrogenase2 from brucella melitensis
81	c3sx2F_	Alignment	not modelled	100.0	20	PDB header: oxidoreductase Chain: F: PDB Molecule: putative 3-ketoacyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of a putative 3-ketoacyl-(acyl-carrier-protein)2 reductase from mycobacterium paratuberculosis in complex with nad
82	d1ledoa_	Alignment	not modelled	100.0	27	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
83	c3lylB_	Alignment	not modelled	100.0	28	PDB header: oxidoreductase Chain: B: PDB Molecule: 3-oxoacyl-(acyl-carrier-protein) reductase; PDBTitle: structure of 3-oxoacyl-acylcarrier protein reductase, fabg2 from francisella tularensis
84	d1vl8a_	Alignment	not modelled	100.0	27	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
85	c2wdzD_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: D: PDB Molecule: short-chain dehydrogenase/reductase; PDBTitle: crystal structure of the short chain dehydrogenase2 galactitol-dehydrogenase (gatdh) of rhodobacter3 sphaeroides in complex with nad+ and 1,2-pentandiol
86	d2a4ka1	Alignment	not modelled	100.0	31	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
87	c3ppiA_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-hydroxyacyl-coa dehydrogenase type-2; PDBTitle: crystal structure of 3-hydroxyacyl-coa dehydrogenase type-2 from2 mycobacterium avium
88	c3ctmH_	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: H: PDB Molecule: carbonyl reductase; PDBTitle: crystal structure of a carbonyl reductase from candida2 parapsilosis with anti-prelog stereo-specificity
89	c3rkuC_	Alignment	not modelled	100.0	22	PDB header: oxidoreductase Chain: C: PDB Molecule: oxidoreductase ymr226c; PDBTitle: substrate fingerprint and the structure of nadp+ dependent serine2 dehydrogenase from saccharomyces cerevisiae complexed with nadp+
90	d1mxha_	Alignment	not modelled	100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
91	c3rl1B_	Alignment	not modelled	100.0	31	PDB header: oxidoreductase Chain: B: PDB Molecule: short-chain type dehydrogenase/reductase; PDBTitle: crystal structure of a short-chain type dehydrogenase/reductase from2 mycobacterium marinum
92	c3gvcB_	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: B: PDB Molecule: probable short-chain type PDBTitle: crystal structure of probable short-chain dehydrogenase-2 reductase from mycobacterium tuberculosis
93	c3osuA_	Alignment	not modelled	100.0	27	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-oxoacyl-[acyl-carrier-protein] reductase; PDBTitle: crystal structure of the 3-oxoacyl-acyl carrier protein reductase,2 fabg, from staphylococcus aureus
94	c2qhxB_	Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: B: PDB Molecule: pteridine reductase 1; PDBTitle: structure of pteridine reductase from leishmania major2 complexed with a ligand
95	d1bdba_	Alignment	not modelled	100.0	24	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
96	c3uxyC_	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: C: PDB Molecule: short-chain dehydrogenase/reductase sdr; PDBTitle: the crystal structure of short chain dehydrogenase from rhodobacter2 sphaeroides
97	d1o5ia_	Alignment	not modelled	100.0	24	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
98	d1cyda_	Alignment	not modelled	100.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
99	c3v8bC_	Alignment	not modelled	100.0	29	PDB header: oxidoreductase Chain: C: PDB Molecule: putative dehydrogenase, possibly 3-oxoacyl-[acyl-carrier PDBTitle: crystal structure of a 3-ketoacyl-acp reductase from sinorhizobium2 meliloti 1021
100	c2dteB_	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: B: PDB Molecule: glucose 1-dehydrogenase related protein; PDBTitle: structure of thermoplasma acidophilum aldohexose dehydrogenase (aldt)2 in complex with nadh

101	d2ag5a1	Alignment	not modelled	100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
102	c3llsB	Alignment	not modelled	100.0	27	PDB header: oxidoreductase Chain: B: PDB Molecule: 3-ketoacyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase from2 mycobacterium tuberculosis
103	d1p33a	Alignment	not modelled	100.0	22	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
104	d1e6wa	Alignment	not modelled	100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
105	c2ph3B	Alignment	not modelled	100.0	27	PDB header: oxidoreductase Chain: B: PDB Molecule: 3-oxoacyl-[acyl carrier protein] reductase; PDBTitle: crystal structure of 3-oxoacyl-[acyl carrier protein] reductase2 ttha0415 from thermus thermophilus
106	c3i4fD	Alignment	not modelled	100.0	20	PDB header: oxidoreductase Chain: D: PDB Molecule: 3-oxoacyl-(acyl-carrier protein) reductase; PDBTitle: structure of putative 3-oxoacyl-reductase from bacillus thuringiensis
107	d1xg5a	Alignment	not modelled	100.0	22	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
108	d1spxa	Alignment	not modelled	100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
109	c3n74A	Alignment	not modelled	100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-ketoacyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase from2 brucella melitensis
110	c3v2hB	Alignment	not modelled	100.0	25	PDB header: oxidoreductase Chain: B: PDB Molecule: d-beta-hydroxybutyrate dehydrogenase; PDBTitle: the crystal structure of d-beta-hydroxybutyrate dehydrogenase from2 sinorhizobium meliloti
111	c2et6A	Alignment	not modelled	100.0	28	PDB header: oxidoreductase Chain: A: PDB Molecule: (3r)-hydroxyacyl-coa dehydrogenase; PDBTitle: (3r)-hydroxyacyl-coa dehydrogenase domain of candida tropicalis2 peroxisomal multifunctional enzyme type 2
112	c3qljB	Alignment	not modelled	100.0	30	PDB header: oxidoreductase Chain: B: PDB Molecule: short chain dehydrogenase; PDBTitle: crystal structure of a short chain dehydrogenase from mycobacterium2 avium
113	c3f9iB	Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: B: PDB Molecule: 3-oxoacyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of 3-ketoacyl-(acyl-carrier-protein) reductase2 rickettsia prowazekii
114	d1uaya	Alignment	not modelled	100.0	29	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
115	c3un1D	Alignment	not modelled	100.0	22	PDB header: oxidoreductase Chain: D: PDB Molecule: probable oxidoreductase; PDBTitle: crystal structure of an oxidoreductase from sinorhizobium meliloti2 1021
116	c3sc4A	Alignment	not modelled	100.0	20	PDB header: oxidoreductase Chain: A: PDB Molecule: short chain dehydrogenase (a0qtm2 homolog); PDBTitle: crystal structure of a short chain dehydrogenase (a0qtm2 homolog)2 mycobacterium thermoresistibile
117	d2h7ma1	Alignment	not modelled	100.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
118	d2gdza1	Alignment	not modelled	100.0	21	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Tyrosine-dependent oxidoreductases
119	c3diiB	Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: B: PDB Molecule: short-chain dehydrogenase/reductase sdr; PDBTitle: crystal structure of a carbohydrate specific scor enzyme2 from clostridium thermocellum, ligand-free form
120	c2nm0B	Alignment	not modelled	100.0	28	PDB header: oxidoreductase Chain: B: PDB Molecule: probable 3-oxacyl-(acyl-carrier-protein) reductase; PDBTitle: crystal structure of sco1815: a beta-ketoacyl-acyl carrier protein2 reductase from streptomyces coelicolor a3(2)