
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c2olkD_</a>	 Alignment		100.0	40	<b>PDB header:</b> hydrolase <b>Chain:</b> D: <b>PDB Molecule:</b> amino acid abc transporter; <b>PDBTitle:</b> abc protein artp in complex with adp-beta-s
2	<a href="#">c2yyzA_</a>	 Alignment		100.0	33	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> sugar abc transporter, atp-binding protein; <b>PDBTitle:</b> crystal structure of sugar abc transporter, atp-binding protein
3	<a href="#">c3fvqB_</a>	 Alignment		100.0	31	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> fe(3+) ions import atp-binding protein fbpc; <b>PDBTitle:</b> crystal structure of the nucleotide binding domain fbpc2 complexed with atp
4	<a href="#">d1g2912</a>	 Alignment		100.0	32	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
5	<a href="#">d1b0ua_</a>	 Alignment		100.0	37	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
6	<a href="#">c2it1B_</a>	 Alignment		100.0	36	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> 362aa long hypothetical maltose/maltodextrin <b>PDBTitle:</b> structure of ph0203 protein from pyrococcus horikoshii
7	<a href="#">c1qlbD_</a>	 Alignment		100.0	32	<b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> maltose/maltodextrin transport atp-binding protein malk; <b>PDBTitle:</b> crystal structure of e. coli malk in the nucleotide-free form
8	<a href="#">c1oxtb_</a>	 Alignment		100.0	29	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> abc transporter, atp binding protein; <b>PDBTitle:</b> crystal structure of glcv, the abc-atpase of the glucose abc2 transporter from sulfolobus solfataricus
9	<a href="#">c3g5uB_</a>	 Alignment		100.0	30	<b>PDB header:</b> membrane protein <b>Chain:</b> B: <b>PDB Molecule:</b> multidrug resistance protein 1a; <b>PDBTitle:</b> structure of p-glycoprotein reveals a molecular basis for2 poly-specific drug binding
10	<a href="#">d1oxxk2</a>	 Alignment		100.0	30	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
11	<a href="#">c1z47B_</a>	 Alignment		100.0	30	<b>PDB header:</b> ligand binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> putative abc-transporter atp-binding protein; <b>PDBTitle:</b> structure of the atpase subunit cysa of the putative2 sulfate atp-binding cassette (abc) transporter from3 alicyclobacillus acidocaldarius

12	<a href="#">d3dhwc1</a>	Alignment		100.0	35	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
13	<a href="#">d1v43a3</a>	Alignment		100.0	34	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
14	<a href="#">c1vcia_</a>	Alignment		100.0	33	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transport atp-binding protein; <b>PDBTitle:</b> crystal structure of the atp-binding cassette of multisugar2 transporter from pyrococcus horikoshii ot3 complexed with3 atp
15	<a href="#">c3dhwc_</a>	Alignment		100.0	35	<b>PDB header:</b> membrane protein/hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> methionine import atp-binding protein metn; <b>PDBTitle:</b> crystal structure of methionine importer metni
16	<a href="#">d2pmka1</a>	Alignment		100.0	30	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
17	<a href="#">c2d62A_</a>	Alignment		100.0	31	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> multiple sugar-binding transport atp-binding <b>PDBTitle:</b> crystal structure of multiple sugar binding transport atp-2 binding protein
18	<a href="#">d3b60a1</a>	Alignment		100.0	29	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
19	<a href="#">c3nhaA_</a>	Alignment		100.0	27	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> atp-binding cassette sub-family b member 6, mitochondrial; <b>PDBTitle:</b> nucleotide binding domain of human abcb6 (adp mg bound structure)
20	<a href="#">c2hydB_</a>	Alignment		100.0	31	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> abc transporter homolog; <b>PDBTitle:</b> multidrug abc transporter sav1866
21	<a href="#">d3d31a2</a>	Alignment	not modelled	100.0	30	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
22	<a href="#">d1vpla_</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
23	<a href="#">d2hya1</a>	Alignment	not modelled	100.0	31	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
24	<a href="#">c3gfoA_</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> atp binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> cobalt import atp-binding protein cbio 1; <b>PDBTitle:</b> structure of cbio1 from clostridium perfringens: part of2 the abc transporter complex cbionq.
25	<a href="#">d1mv5a_</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
26	<a href="#">d1g6ha_</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
27	<a href="#">c3gd7C_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> fusion complex of cystic fibrosis transmembrane <b>PDBTitle:</b> crystal structure of human nbd2 complexed with n6-2 phenylethyl-atp (p-atp)
28	<a href="#">d1ji0a_</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases

						<b>Family:</b> ABC transporter ATPase domain-like <b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> sulfate/molybdate abc transporter, atp-binding <b>PDBTitle:</b> modbc from methanosarcina acetivorans
29	<a href="#">c3d31B_</a>	Alignment	not modelled	100.0	30	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
30	<a href="#">d1jj7a_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> atp-binding cassette sub-family b member 10, <b>PDBTitle:</b> structure of the human mitochondrial abc transporter, abcb10
31	<a href="#">c2yl4A_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> membrane protein <b>Chain:</b> E: <b>PDB Molecule:</b> lipid a export atp-binding/permease protein msba; <b>PDBTitle:</b> crystal structure of eschericia coli msba
32	<a href="#">c3b5wE_</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> sufc protein; <b>PDBTitle:</b> crystal structure of atypical cytoplasmic abc-atpase sufcr from thermus2 thermophilus hb8
33	<a href="#">c2d2fA_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> membrane protein <b>Chain:</b> B: <b>PDB Molecule:</b> lipid a export atp-binding/permease protein msba; <b>PDBTitle:</b> crystal structure of msba from vibrio cholerae
34	<a href="#">c3b5xB_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> putative abc transporter atp-binding protein tm_0222; <b>PDBTitle:</b> crystal structure of the abc transporter in the cobalt transport2 system
35	<a href="#">c2yz2B_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> lipoprotein-releasing system atp-binding protein lold; <b>PDBTitle:</b> crystal structure of abc transporter (aq_297) from aquifex aeolicus2 vf5
36	<a href="#">c2pcjB_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> transport <b>Chain:</b> A: <b>PDB Molecule:</b> multidrug resistance-associated protein 1; <b>PDBTitle:</b> structure of the human multidrug resistance protein 12 nucleotide binding domain 1
37	<a href="#">c2cbzA_</a>	Alignment	not modelled	100.0	27	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
38	<a href="#">d1pf4a1</a>	Alignment	not modelled	100.0	29	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
39	<a href="#">d1l2ta_</a>	Alignment	not modelled	100.0	32	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
40	<a href="#">c2d3wB_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> B: <b>PDB Molecule:</b> probable atp-dependent transporter sufcr; <b>PDBTitle:</b> crystal structure of escherichia coli sufcr, an atpase2 compenent of the suf iron-sulfur cluster assembly machinery
41	<a href="#">d2onka1</a>	Alignment	not modelled	100.0	32	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
42	<a href="#">c2pzfB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> cystic fibrosis transmembrane conductance regulator; <b>PDBTitle:</b> minimal human cfr first nucleotide binding domain as a head-to-tail2 dimer with delta f508
43	<a href="#">c2nq2C_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> metal transport <b>Chain:</b> C: <b>PDB Molecule:</b> hypothetical abc transporter atp-binding protein <b>PDBTitle:</b> an inward-facing conformation of a putative metal-chelate2 type abc transporter.
44	<a href="#">c2ihyB_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> abc transporter, atp-binding protein; <b>PDBTitle:</b> structure of the staphylococcus aureus putative atpase subunit of an2 atp-binding cassette (abc) transporter
45	<a href="#">d2awna2</a>	Alignment	not modelled	100.0	34	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
46	<a href="#">d1xmia_</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
47	<a href="#">c2ghiD_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> transport protein; <b>PDBTitle:</b> crystal structure of plasmodium yoelii multidrug resistance2 protein 2
48	<a href="#">d1r0wa_</a>	Alignment	not modelled	100.0	27	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
49	<a href="#">c2pjzA_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein st1066; <b>PDBTitle:</b> the crystal structure of putative cobalt transport atp-2 binding protein (cbio-2), st1066
50	<a href="#">d1sgwa_</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
51	<a href="#">d1l7vc_</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
52	<a href="#">c1yqtA_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> hydrolyase/translation <b>Chain:</b> A: <b>PDB Molecule:</b> rnase l inhibitor; <b>PDBTitle:</b> rnase-l inhibitor

53	<a href="#">c3ozxA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> hydrolase, translation <b>Chain:</b> A: <b>PDB Molecule:</b> rnase I inhibitor; <b>PDBTitle:</b> crystal structure of abce1 of sulfolobus solfataricus (-fes domain)
54	<a href="#">c2r6fA</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> excinuclease abc subunit a; <b>PDBTitle:</b> crystal structure of bacillus stearothermophilus uvra
55	<a href="#">c2iw3B</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> translation <b>Chain:</b> B: <b>PDB Molecule:</b> elongation factor 3a; <b>PDBTitle:</b> elongation factor 3 in complex with adp
56	<a href="#">c3bk7A</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> hydrolyase/translation <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter atp-binding protein; <b>PDBTitle:</b> structure of the complete abce1/rnaase-I inhibitor protein2 from pyrococcus abyssi
57	<a href="#">c2ygrD</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> hydrolase <b>Chain:</b> D: <b>PDB Molecule:</b> uvrabc system protein a; <b>PDBTitle:</b> mycobacterium tuberculosis uvra
58	<a href="#">c3pihA</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> hydrolase/dna <b>Chain:</b> A: <b>PDB Molecule:</b> uvrabc system protein a; <b>PDBTitle:</b> t. maritima uvra in complex with fluorescein-modified dna
59	<a href="#">c2vf7B</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> dna-binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> excinuclease abc, subunit a.; <b>PDBTitle:</b> crystal structure of uvra2 from deinococcus radiodurans
60	<a href="#">d1w1wa</a>	Alignment	not modelled	99.9	20	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
61	<a href="#">d1cr2a</a>	Alignment	not modelled	99.9	12	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
62	<a href="#">c3tauB</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> guanylate kinase; <b>PDBTitle:</b> crystal structure of a putative guanylate monophosphate kinase from2 listeria monocytogenes egd-e
63	<a href="#">c2j41A</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> guanylate kinase; <b>PDBTitle:</b> crystal structure of staphylococcus aureus guanylate2 monophosphate kinase
64	<a href="#">c3a4mB</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> l-seryl-trna(sec) kinase; <b>PDBTitle:</b> crystal structure of archaeal o-phosphoseryl-trna(sec)2 kinase
65	<a href="#">d2qy9a2</a>	Alignment	not modelled	99.7	15	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
66	<a href="#">d1ls1a2</a>	Alignment	not modelled	99.6	18	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
67	<a href="#">c1xexB</a>	Alignment	not modelled	99.6	22	<b>PDB header:</b> cell cycle <b>Chain:</b> B: <b>PDB Molecule:</b> smc protein; <b>PDBTitle:</b> structural biochemistry of atp-driven dimerization and dna2 stimulated activation of smc atpases.
68	<a href="#">c2o5vA</a>	Alignment	not modelled	99.6	23	<b>PDB header:</b> replication/recombination <b>Chain:</b> A: <b>PDB Molecule:</b> dna replication and repair protein recf; <b>PDBTitle:</b> recombination mediator recf
69	<a href="#">c3geiB</a>	Alignment	not modelled	99.6	11	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> trna modification gtpase mnme; <b>PDBTitle:</b> crystal structure of mnme from chlorobium tepidum in complex2 with gcp
70	<a href="#">d1vmaa2</a>	Alignment	not modelled	99.6	17	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
71	<a href="#">c1f2uD</a>	Alignment	not modelled	99.5	21	<b>PDB header:</b> replication <b>Chain:</b> D: <b>PDB Molecule:</b> rad50 abc-atpase; <b>PDBTitle:</b> crystal structure of rad50 abc-atpase
72	<a href="#">c3lncB</a>	Alignment	not modelled	99.5	9	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> guanylate kinase; <b>PDBTitle:</b> crystal structure of guanylate kinase from anaplasma2 phagocytophilum
73	<a href="#">d1okkd2</a>	Alignment	not modelled	99.4	16	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
74	<a href="#">c1ii8B</a>	Alignment	not modelled	99.4	26	<b>PDB header:</b> replication <b>Chain:</b> B: <b>PDB Molecule:</b> rad50 abc-atpase; <b>PDBTitle:</b> crystal structure of the p. furiosus rad50 atpase domain
75	<a href="#">d1e69a</a>	Alignment	not modelled	99.4	20	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
76	<a href="#">c1u9iA</a>	Alignment	not modelled	99.3	16	<b>PDB header:</b> circadian clock protein <b>Chain:</b> A: <b>PDB Molecule:</b> kaic; <b>PDBTitle:</b> crystal structure of circadian clock protein kaic with phosphorylation2 sites
77	<a href="#">d1np6a</a>	Alignment	not modelled	99.3	13	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
78	<a href="#">c1q57G</a>	Alignment	not modelled	99.2	10	<b>PDB header:</b> transferase <b>Chain:</b> G: <b>PDB Molecule:</b> dna primase/helicase; <b>PDBTitle:</b> the crystal structure of the bifunctional primase-helicase of2 bacteriophage t7
						<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases

79	<a href="#">d1ye8a1</a>	Alignment	not modelled	99.1	13	<b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
80	<a href="#">d1qzxa3</a>	Alignment	not modelled	99.0	15	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
81	<a href="#">d2i3ba1</a>	Alignment	not modelled	98.9	13	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
82	<a href="#">c3auyB</a>	Alignment	not modelled	98.8	25	<b>PDB header:</b> recombination <b>Chain:</b> B: <b>PDB Molecule:</b> dna double-strand break repair rad50 atpase; <b>PDBTitle:</b> crystal structure of rad50 bound to adp
83	<a href="#">c2dr3A</a>	Alignment	not modelled	98.6	12	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> upf0273 protein ph0284; <b>PDBTitle:</b> crystal structure of reca superfamily atpase ph0284 from pyrococcus2 horikoshii ot3
84	<a href="#">c2w0mA</a>	Alignment	not modelled	98.6	14	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> sso2452; <b>PDBTitle:</b> crystal structure of sso2452 from sulfolobus solfataricus2 p2
85	<a href="#">c3cmvG</a>	Alignment	not modelled	98.5	11	<b>PDB header:</b> recombination <b>Chain:</b> G: <b>PDB Molecule:</b> protein reca; <b>PDBTitle:</b> mechanism of homologous recombination from the reca-2 ssdna/dsdna structures
86	<a href="#">d1ewqa2</a>	Alignment	not modelled	98.5	23	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
87	<a href="#">c1pznG</a>	Alignment	not modelled	98.4	12	<b>PDB header:</b> recombination <b>Chain:</b> G: <b>PDB Molecule:</b> dna repair and recombination protein rad51; <b>PDBTitle:</b> rad51 (rada)
88	<a href="#">c1wxqA</a>	Alignment	not modelled	98.4	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> gtp-binding protein; <b>PDBTitle:</b> crystal structure of gtp binding protein from pyrococcus horikoshii2 ot3
89	<a href="#">c2o8bA</a>	Alignment	not modelled	98.3	21	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> A: <b>PDB Molecule:</b> dna mismatch repair protein msh2; <b>PDBTitle:</b> human mutsalph (msh2/msh6) bound to adp and a g t mispair
90	<a href="#">d1nlfa</a>	Alignment	not modelled	98.3	16	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
91	<a href="#">c3thxB</a>	Alignment	not modelled	98.3	25	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> B: <b>PDB Molecule:</b> dna mismatch repair protein msh3; <b>PDBTitle:</b> human mutsbeta complexed with an idl of 3 bases (loop3) and adp
92	<a href="#">c2o8dB</a>	Alignment	not modelled	98.3	21	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> B: <b>PDB Molecule:</b> dna mismatch repair protein msh6; <b>PDBTitle:</b> human mutsalph (msh2/msh6) bound to adp and a g du mispair
93	<a href="#">c1ewqA</a>	Alignment	not modelled	98.2	23	<b>PDB header:</b> replication/dna <b>Chain:</b> A: <b>PDB Molecule:</b> dna mismatch repair protein muts; <b>PDBTitle:</b> crystal structure of taq muts complexed with a heteroduplex2 dna at 2.2 a resolution
94	<a href="#">d1wb9a2</a>	Alignment	not modelled	98.2	26	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
95	<a href="#">c1ewrA</a>	Alignment	not modelled	98.0	25	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> dna mismatch repair protein muts; <b>PDBTitle:</b> crystal structure of taq muts
96	<a href="#">c3qg5A</a>	Alignment	not modelled	97.9	35	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> rad50; <b>PDBTitle:</b> the mre11:rad50 complex forms an atp dependent molecular clamp in dna2 double-strand break repair
97	<a href="#">c3qkuB</a>	Alignment	not modelled	97.9	23	<b>PDB header:</b> replication <b>Chain:</b> B: <b>PDB Molecule:</b> dna double-strand break repair rad50 atpase; <b>PDBTitle:</b> mre11 rad50 binding domain in complex with rad50 and amp-pnp
98	<a href="#">c1wbdA</a>	Alignment	not modelled	97.9	25	<b>PDB header:</b> dna-binding <b>Chain:</b> A: <b>PDB Molecule:</b> dna mismatch repair protein muts; <b>PDBTitle:</b> crystal structure of e. coli dna mismatch repair enzyme2 muts, e38q mutant, in complex with a g.t mismatch
99	<a href="#">d1znwa1</a>	Alignment	not modelled	97.9	13	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nucleotide and nucleoside kinases
100	<a href="#">c2zjbB</a>	Alignment	not modelled	97.7	13	<b>PDB header:</b> recombination <b>Chain:</b> B: <b>PDB Molecule:</b> meiotic recombination protein dmc1/lim15 homolog; <b>PDBTitle:</b> crystal structure of the human dmc1-m200v polymorphic2 variant
101	<a href="#">d1tf7a1</a>	Alignment	not modelled	97.7	18	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
102	<a href="#">c1us8A</a>	Alignment	not modelled	97.6	16	<b>PDB header:</b> dna repair <b>Chain:</b> A: <b>PDB Molecule:</b> dna double-strand break repair rad50 atpase; <b>PDBTitle:</b> the rad50 signature motif: essential to atp binding and2 biological function
103	<a href="#">d2ilqa2</a>	Alignment	not modelled	97.6	14	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
						<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases



104	<a href="#">d1v5wa_</a>	Alignment	not modelled	97.6	12	<b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
105	<a href="#">c1ii8A_</a>	Alignment	not modelled	97.5	21	<b>PDB header:</b> replication <b>Chain:</b> A: <b>PDB Molecule:</b> rad50 abc-atpase; <b>PDBTitle:</b> crystal structure of the p. furiosus rad50 atpase domain
106	<a href="#">c3bh0A_</a>	Alignment	not modelled	97.5	15	<b>PDB header:</b> replication <b>Chain:</b> A: <b>PDB Molecule:</b> dnab-like replicative helicase; <b>PDBTitle:</b> atpase domain of g40p
107	<a href="#">d1yrba1</a>	Alignment	not modelled	97.5	12	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
108	<a href="#">d1n0wa_</a>	Alignment	not modelled	97.4	17	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
109	<a href="#">c3u5zM_</a>	Alignment	not modelled	97.4	18	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> M: <b>PDB Molecule:</b> dna polymerase accessory protein 44; <b>PDBTitle:</b> structure of t4 bacteriophage clamp loader bound to the t4 clamp,2 primer-template dna, and atp analog
110	<a href="#">d1qhla_</a>	Alignment	not modelled	97.3	29	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> ABC transporter ATPase domain-like
111	<a href="#">c3ldaA_</a>	Alignment	not modelled	97.3	17	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> dna repair protein rad51; <b>PDBTitle:</b> yeast rad51 h352y filament interface mutant
112	<a href="#">d1zp6a1</a>	Alignment	not modelled	97.3	23	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Atu3015-like
113	<a href="#">c1znyA_</a>	Alignment	not modelled	97.3	41	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> guanylate kinase; <b>PDBTitle:</b> crystal structure of mycobacterium tuberculosis guanylate kinase in2 complex with gdp
114	<a href="#">d1odfa_</a>	Alignment	not modelled	97.3	19	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Phosphoribulokinase/pantothenate kinase
115	<a href="#">c2vyeA_</a>	Alignment	not modelled	97.3	8	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> replicative dna helicase; <b>PDBTitle:</b> crystal structure of the dnc-ssdna complex
116	<a href="#">d1jala1</a>	Alignment	not modelled	97.3	19	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> G proteins
117	<a href="#">d1tf7a2</a>	Alignment	not modelled	97.2	13	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> RecA protein-like (ATPase-domain)
118	<a href="#">c1szpC_</a>	Alignment	not modelled	97.2	17	<b>PDB header:</b> dna binding protein <b>Chain:</b> C: <b>PDB Molecule:</b> dna repair protein rad51; <b>PDBTitle:</b> a crystal structure of the rad51 filament
119	<a href="#">d1s96a_</a>	Alignment	not modelled	97.2	30	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nucleotide and nucleoside kinases
120	<a href="#">c2plrB_</a>	Alignment	not modelled	97.2	35	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> probable thymidylate kinase; <b>PDBTitle:</b> crystal structure of dtmp kinase (st1543) from sulfolobus tokodaii2 strain7