
































# Phyre2

Email	I.a.kelley@imperial.ac.uk
Description	P0CE50
Date	Thu Jan 5 11:30:18 GMT 2012
Unique Job ID	68576a5ca97d62f1

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">d1musa_</a>	 Alignment		98.2	12	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Transposase inhibitor (Tn5 transposase)
2	<a href="#">d1b7ea_</a>	 Alignment		97.5	13	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Transposase inhibitor (Tn5 transposase)
3	<a href="#">d1cxqa_</a>	 Alignment		84.2	22	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
4	<a href="#">c3hefB_</a>	 Alignment		79.7	14	<b>PDB header:</b> viral protein <b>Chain:</b> B: <b>PDB Molecule:</b> gene 1 protein; <b>PDBTitle:</b> crystal structure of the bacteriophage sf6 terminase small2 subunit
5	<a href="#">d1asua_</a>	 Alignment		70.0	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
6	<a href="#">c3nf9A_</a>	 Alignment		47.7	14	<b>PDB header:</b> hydrolase/hydrolase inhibitor <b>Chain:</b> A: <b>PDB Molecule:</b> integrase; <b>PDBTitle:</b> structural basis for a new mechanism of inhibition of hiv integrase2 identified by fragment screening and structure based design
7	<a href="#">d1a9xa1</a>	 Alignment		39.7	16	<b>Fold:</b> Carbamoyl phosphate synthetase, large subunit connection domain <b>Superfamily:</b> Carbamoyl phosphate synthetase, large subunit connection domain <b>Family:</b> Carbamoyl phosphate synthetase, large subunit connection domain
8	<a href="#">d1c0ma2</a>	 Alignment		35.3	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
9	<a href="#">c1c0mA_</a>	 Alignment		30.6	19	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (integrase); <b>PDBTitle:</b> crystal structure of rsv two-domain integrase
10	<a href="#">d1slma1</a>	 Alignment		29.6	27	<b>Fold:</b> PGBD-like <b>Superfamily:</b> PGBD-like <b>Family:</b> MMP N-terminal domain
11	<a href="#">c3ohwB_</a>	 Alignment		22.4	16	<b>PDB header:</b> protein binding <b>Chain:</b> B: <b>PDB Molecule:</b> phycobilisome lcm core-membrane linker polypeptide; <b>PDBTitle:</b> x-ray structure of phycobilisome lcm core-membrane linker polypeptide2 (fragment 721-860) from synechocystis sp. pcc 6803, northeast3 structural genomics consortium target sgr209e

12	<a href="#">c2ky4A</a>	Alignment		22.4	16	<b>PDB header:</b> photosynthesis <b>Chain:</b> A: <b>PDB Molecule:</b> phycobilisome linker polypeptide; <b>PDBTitle:</b> solution nmr structure of the pbs linker domain of phycobilisome2 linker polypeptide from anabaena sp. northeast structural genomics3 consortium target nsr123e
13	<a href="#">c2l3wA</a>	Alignment		20.8	20	<b>PDB header:</b> photosynthesis <b>Chain:</b> A: <b>PDB Molecule:</b> phycobilisome rod linker polypeptide; <b>PDBTitle:</b> solution nmr structure of the pbs linker domain of phycobilisome rod2 linker polypeptide from synechococcus elongatus, northeast structural3 genomics consortium target snr168a
14	<a href="#">d1k78a1</a>	Alignment		19.8	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> Homeodomain-like <b>Family:</b> Paired domain
15	<a href="#">c3pruD</a>	Alignment		19.4	13	<b>PDB header:</b> photosynthesis <b>Chain:</b> D: <b>PDB Molecule:</b> phycobilisome 32.1 kda linker polypeptide, phycocyanin- <b>PDBTitle:</b> crystal structure of phycobilisome 32.1 kda linker polypeptide,2 phycocyanin-associated, rod 1 (fragment 14-158) from synechocystis3 sp. pcc 6803, northeast structural genomics consortium target sgr182a
16	<a href="#">c2l06A</a>	Alignment		18.7	22	<b>PDB header:</b> protein binding <b>Chain:</b> A: <b>PDB Molecule:</b> phycobilisome lcm core-membrane linker polypeptide; <b>PDBTitle:</b> solution nmr structure of the pbs linker polypeptide domain (fragment2 254-400) of phycobilisome linker protein apce from synechocystis sp.3 pcc 6803. northeast structural genomics consortium target sgr209c
17	<a href="#">d1hyva</a>	Alignment		18.2	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
18	<a href="#">c1q2iA</a>	Alignment		17.8	28	<b>PDB header:</b> antitumor protein <b>Chain:</b> A: <b>PDB Molecule:</b> pnc27; <b>PDBTitle:</b> nmr solution structure of a peptide from the mdm-2 binding2 domain of the p53 protein that is selectively cytotoxic to3 cancer cells
19	<a href="#">d1exqa</a>	Alignment		16.0	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
20	<a href="#">c3pvpA</a>	Alignment		15.9	14	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> A: <b>PDB Molecule:</b> chromosomal replication initiator protein dnaa; <b>PDBTitle:</b> structure of mycobacterium tuberculosis dnaa-dbd in complex with box22 dna
21	<a href="#">c3f9kV</a>	Alignment	not modelled	15.1	14	<b>PDB header:</b> viral protein, recombination <b>Chain:</b> V: <b>PDB Molecule:</b> integrase; <b>PDBTitle:</b> two domain fragment of hiv-2 integrase in complex with ledgf ibd
22	<a href="#">d1su3a1</a>	Alignment	not modelled	14.8	28	<b>Fold:</b> PGBD-like <b>Superfamily:</b> PGBD-like <b>Family:</b> MMP N-terminal domain
23	<a href="#">c2o8kA</a>	Alignment	not modelled	14.2	27	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> rna polymerase sigma factor rpon; <b>PDBTitle:</b> nmr structure of the sigma-54 rpon domain bound to the-242 promoter element
24	<a href="#">c3u1nC</a>	Alignment	not modelled	14.2	12	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> sam domain and hd domain-containing protein 1; <b>PDBTitle:</b> structure of the catalytic core of human samhd1
25	<a href="#">c1k6yB</a>	Alignment	not modelled	12.7	19	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> integrase; <b>PDBTitle:</b> crystal structure of a two-domain fragment of hiv-1 integrase
26	<a href="#">c1x6iB</a>	Alignment	not modelled	12.2	13	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> hypothetical protein ygfy; <b>PDBTitle:</b> crystal structure of ygfy from escherichia coli
27	<a href="#">c1bg1A</a>	Alignment	not modelled	10.9	11	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> protein (transcription factor stat3b); <b>PDBTitle:</b> transcription factor stat3b/dna complex
28	<a href="#">d2fug11</a>	Alignment	not modelled	9.9	19	<b>Fold:</b> Bromodomain-like <b>Superfamily:</b> Nqo1C-terminal domain-like <b>Family:</b> Nqo1C-terminal domain-like
29	<a href="#">d1nkua</a>	Alignment	not modelled	9.1	13	<b>Fold:</b> DNA-glycosylase <b>Superfamily:</b> DNA-glycosylase <b>Family:</b> 3-Methyladenine DNA glycosylase I (Tag)

30	<a href="#">d2d1ha1</a>	Alignment	not modelled	8.3	17	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> TrmB-like
31	<a href="#">c3iwfa_</a>	Alignment	not modelled	8.3	4	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcription regulator rpir family; <b>PDBTitle:</b> the crystal structure of the n-terminal domain of a rpir2 transcriptional regulator from staphylococcus epidermidis to 1.4a
32	<a href="#">c2kvcA_</a>	Alignment	not modelled	8.2	20	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative uncharacterized protein; <b>PDBTitle:</b> solution structure of the mycobacterium tuberculosis protein rv0543c,2 a member of the duf3349 superfamily. seattle structural genomics3 center for infectious disease target mytud.17112.a
33	<a href="#">d1sfka_</a>	Alignment	not modelled	7.6	19	<b>Fold:</b> Flavivirus capsid protein C <b>Superfamily:</b> Flavivirus capsid protein C <b>Family:</b> Flavivirus capsid protein C
34	<a href="#">d1slma2</a>	Alignment	not modelled	7.4	24	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
35	<a href="#">d1c6va_</a>	Alignment	not modelled	7.3	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Retroviral integrase, catalytic domain
36	<a href="#">d1vcoa2</a>	Alignment	not modelled	6.8	18	<b>Fold:</b> P-loop containing nucleoside triphosphate hydrolases <b>Superfamily:</b> P-loop containing nucleoside triphosphate hydrolases <b>Family:</b> Nitrogenase iron protein-like
37	<a href="#">d1r6ra_</a>	Alignment	not modelled	5.9	10	<b>Fold:</b> Flavivirus capsid protein C <b>Superfamily:</b> Flavivirus capsid protein C <b>Family:</b> Flavivirus capsid protein C
38	<a href="#">c1r6rA_</a>	Alignment	not modelled	5.9	10	<b>PDB header:</b> viral protein <b>Chain:</b> A: <b>PDB Molecule:</b> genome polyprotein; <b>PDBTitle:</b> solution structure of dengue virus capsid protein reveals a2 new fold
39	<a href="#">c1yvlB_</a>	Alignment	not modelled	5.7	9	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> signal transducer and activator of transcription <b>PDBTitle:</b> structure of unphosphorylated stat1
40	<a href="#">c1ud0B_</a>	Alignment	not modelled	5.6	20	<b>PDB header:</b> chaperone <b>Chain:</b> B: <b>PDB Molecule:</b> 70 kda heat-shock-like protein; <b>PDBTitle:</b> crystal structure of the c-terminal 10-kda subdomain of hsc70
41	<a href="#">d1h3fa1</a>	Alignment	not modelled	5.6	9	<b>Fold:</b> Adenine nucleotide alpha hydrolase-like <b>Superfamily:</b> Nucleotidyl transferase <b>Family:</b> Class I aminoacyl-tRNA synthetases (RS), catalytic domain
42	<a href="#">c2vkpA_</a>	Alignment	not modelled	5.6	12	<b>PDB header:</b> protein-binding <b>Chain:</b> A: <b>PDB Molecule:</b> btb/poz domain-containing protein 6; <b>PDBTitle:</b> crystal structure of btb domain from btbdb6
43	<a href="#">c3d3kD_</a>	Alignment	not modelled	5.4	12	<b>PDB header:</b> protein binding <b>Chain:</b> D: <b>PDB Molecule:</b> enhancer of mrna-decapping protein 3; <b>PDBTitle:</b> crystal structure of human edc3p
44	<a href="#">c1m6vE_</a>	Alignment	not modelled	5.4	16	<b>PDB header:</b> ligase <b>Chain:</b> E: <b>PDB Molecule:</b> carbamoyl phosphate synthetase large chain; <b>PDBTitle:</b> crystal structure of the g359f (small subunit) point mutant of2 carbamoyl phosphate synthetase
45	<a href="#">d1jlva_</a>	Alignment	not modelled	5.3	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> TrpR-like <b>Family:</b> Chromosomal replication initiation factor DnaA C-terminal domain IV
46	<a href="#">c2lkyA_</a>	Alignment	not modelled	5.2	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> solution structure of msme_1053, the second duf3349 annotated protein2 in the genome of mycobacterium smegmatis, seattle structural genomics3 center for infectious disease target mysma.17112.b