

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c3gbtA_	 Alignment		100.0	20	PDB header: transferase Chain: A: PDB Molecule: gluconate kinase; PDBTitle: crystal structure of gluconate kinase from lactobacillus acidophilus
2	c3jvpA_	 Alignment		100.0	20	PDB header: transferase Chain: A: PDB Molecule: ribulokinase; PDBTitle: crystal structure of ribulokinase from bacillus halodurans
3	c3flcX_	 Alignment		100.0	24	PDB header: transferase Chain: X: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of the his-tagged h232r mutant of glycerol kinase2 from enterococcus casseliflavus with glycerol
4	c3ifrB_	 Alignment		100.0	25	PDB header: transferase Chain: B: PDB Molecule: carbohydrate kinase, fggy; PDBTitle: the crystal structure of xylulose kinase from rhodospirillum rubrum
5	c2d4wA_	 Alignment		100.0	24	PDB header: transferase Chain: A: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of glycerol kinase from cellulomonas sp.2 nt3060
6	c2zf5O_	 Alignment		100.0	26	PDB header: transferase Chain: O: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of highly thermostable glycerol kinase from a2 hyperthermophilic archaeon
7	c3gg4B_	 Alignment		100.0	21	PDB header: transferase Chain: B: PDB Molecule: glycerol kinase; PDBTitle: the crystal structure of glycerol kinase from yersinia2 pseudotuberculosis
8	c3hz6A_	 Alignment		100.0	19	PDB header: transferase Chain: A: PDB Molecule: xylulokinase; PDBTitle: crystal structure of xylulokinase from chromobacterium violaceum
9	c3g25B_	 Alignment		100.0	23	PDB header: transferase Chain: B: PDB Molecule: glycerol kinase; PDBTitle: 1.9 angstrom crystal structure of glycerol kinase (glpk) from2 staphylococcus aureus in complex with glycerol.
10	c2nlxA_	 Alignment		100.0	25	PDB header: transferase Chain: A: PDB Molecule: xylulose kinase; PDBTitle: crystal structure of the apo e. coli xylulose kinase
11	c2dnpB_	 Alignment		100.0	27	PDB header: transferase Chain: B: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of the glycerol kinase from thermus2 thermophilus hb8

12	c1glbG_	Alignment		100.0	25	PDB header: phosphotransferase Chain: G: PDB Molecule: glycerol kinase; PDBTitle: structure of the regulatory complex of escherichia coli iiglc with2 glycerol kinase
13	c3ezwD_	Alignment		100.0	25	PDB header: transferase Chain: D: PDB Molecule: glycerol kinase; PDBTitle: crystal structure of a hyperactive escherichia coli glycerol kinase2 mutant gly230 --> asp obtained using microfluidic crystallization3 devices
14	c2w40C_	Alignment		100.0	20	PDB header: transferase Chain: C: PDB Molecule: glycerol kinase, putative; PDBTitle: crystal structure of plasmodium falciparum glycerol kinase2 with bound glycerol
15	c1xupO_	Alignment		100.0	25	PDB header: transferase Chain: O: PDB Molecule: glycerol kinase; PDBTitle: enterococcus casseliflavus glycerol kinase complexed with glycerol
16	c2cgkB_	Alignment		100.0	19	PDB header: transferase Chain: B: PDB Molecule: l-rhamnulose kinase; PDBTitle: crystal structure of l-rhamnulose kinase from escherichia2 coli in an open uncomplexed conformation.
17	c3i8bA_	Alignment		100.0	22	PDB header: transferase Chain: A: PDB Molecule: xylulose kinase; PDBTitle: the crystal structure of xylulose kinase from2 bifidobacterium adolescentis
18	c3h6eB_	Alignment		100.0	16	PDB header: transferase Chain: B: PDB Molecule: carbohydrate kinase, fggy; PDBTitle: the crystal structure of a carbohydrate kinase from novosphingobium2 aromaticivorans
19	d2p3ra1	Alignment		100.0	27	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glycerol kinase
20	d1r59o1	Alignment		100.0	28	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glycerol kinase
21	d2p3ra2	Alignment	not modelled	100.0	24	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glycerol kinase
22	d1r59o2	Alignment	not modelled	100.0	22	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glycerol kinase
23	d1huxa_	Alignment	not modelled	99.5	18	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: BadF/BadG/BcrA/BcrD-like
24	c3h1qB_	Alignment	not modelled	99.4	22	PDB header: structural protein Chain: B: PDB Molecule: ethanolamine utilization protein eutj; PDBTitle: crystal structure of ethanolamine utilization protein eutj from2 carboxydotherrhus hydrogenoformans
25	c2e2pA_	Alignment	not modelled	99.1	17	PDB header: transferase Chain: A: PDB Molecule: hexokinase; PDBTitle: crystal structure of sulfolobus tokodaii hexokinase in2 complex with adp
26	c3eo3B_	Alignment	not modelled	99.0	19	PDB header: isomerase, transferase Chain: B: PDB Molecule: bifunctional udp-n-acetylglucosamine 2-epimerase/n- PDBTitle: crystal structure of the n-acetylmannosamine kinase domain of human2 gne protein
27	d1zc6a1	Alignment	not modelled	98.9	21	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: BadF/BadG/BcrA/BcrD-like
28	d2ewsai	Alignment	not modelled	98.9	18	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Fumble-like
						PDB header: transferase

29	c3r8eA_	Alignment	not modelled	98.8	15	Chain: A: PDB Molecule: hypothetical sugar kinase; PDBTitle: crystal structure of a hypothetical sugar kinase (chu_1875) from2 cytophaga hutchinsonii atcc 33406 at 1.65 a resolution
30	c2ivoC_	Alignment	not modelled	98.8	16	PDB header: hydrolase Chain: C: PDB Molecule: up1; PDBTitle: structure of up1 protein
31	c3enoB_	Alignment	not modelled	98.7	18	PDB header: hydrolase/unknown function Chain: B: PDB Molecule: putative o-sialoglycoprotein endopeptidase; PDBTitle: crystal structure of pyrococcus furiosus pcc1 in complex2 with thermoplasma acidophilum kae1
32	d1z05a3	Alignment	not modelled	98.6	12	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
33	d2hoea3	Alignment	not modelled	98.5	16	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
34	c1z05A_	Alignment	not modelled	98.5	11	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator, rok family; PDBTitle: crystal structure of the rok family transcriptional regulator, homolog2 of e.coli mlc protein.
35	c1zc6A_	Alignment	not modelled	98.5	24	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: probable n-acetylglucosamine kinase; PDBTitle: crystal structure of putative n-acetylglucosamine kinase from2 chromobacterium violaceum. northeast structural genomics target3 cvr23.
36	c2qm1D_	Alignment	not modelled	98.4	14	PDB header: transferase Chain: D: PDB Molecule: glucokinase; PDBTitle: crystal structure of glucokinase from enterococcus faecalis
37	d1z6ra2	Alignment	not modelled	98.4	13	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
38	c1z6rC_	Alignment	not modelled	98.4	13	PDB header: transcription Chain: C: PDB Molecule: mlc protein; PDBTitle: crystal structure of mlc from escherichia coli
39	d2ch5a2	Alignment	not modelled	98.4	13	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: BadF/BadG/BcrA/BcrD-like
40	c2ch5D_	Alignment	not modelled	98.3	12	PDB header: transferase Chain: D: PDB Molecule: nagk protein; PDBTitle: crystal structure of human n-acetylglucosamine kinase in2 complex with n-acetylglucosamine
41	c2hoeA_	Alignment	not modelled	98.3	16	PDB header: transferase Chain: A: PDB Molecule: n-acetylglucosamine kinase; PDBTitle: crystal structure of n-acetylglucosamine kinase (tm1224) from2 thermotoga maritima at 2.46 a resolution
42	c1ig8A_	Alignment	not modelled	98.2	14	PDB header: transferase Chain: A: PDB Molecule: hexokinase pii; PDBTitle: crystal structure of yeast hexokinase pii with the correct2 amino acid sequence
43	c2ap1A_	Alignment	not modelled	98.1	16	PDB header: transferase Chain: A: PDB Molecule: putative regulator protein; PDBTitle: crystal structure of the putative regulatory protein
44	c1dkgD_	Alignment	not modelled	98.0	23	PDB header: complex (hsp24/hsp70) Chain: D: PDB Molecule: molecular chaperone dnak; PDBTitle: crystal structure of the nucleotide exchange factor grpe2 bound to the atpase domain of the molecular chaperone dnak
45	d1woqa1	Alignment	not modelled	97.9	14	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
46	c2v7zA_	Alignment	not modelled	97.9	22	PDB header: chaperone Chain: A: PDB Molecule: heat shock cognate 71 kda protein; PDBTitle: crystal structure of the 70-kda heat shock cognate protein2 from rattus norvegicus in post-atp hydrolysis state
47	c3htvA_	Alignment	not modelled	97.9	14	PDB header: transferase Chain: A: PDB Molecule: d-allose kinase; PDBTitle: crystal structure of d-allose kinase (np_418508.1) from escherichia2 coli k12 at 1.95 a resolution
48	d1dkgd2	Alignment	not modelled	97.8	23	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
49	d2ap1a2	Alignment	not modelled	97.8	16	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
50	d1q18a1	Alignment	not modelled	97.8	14	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glucokinase
51	c1hpmA_	Alignment	not modelled	97.8	21	PDB header: hydrolase (acting on acid anhydrides) Chain: A: PDB Molecule: 44k atpase fragment (n-terminal) of 7o kd heat- PDBTitle: how potassium affects the activity of the molecular2 chaperone hsc70. ii. potassium binds specifically in the3 atpase active site
52	d1sz2a1	Alignment	not modelled	97.7	14	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Glucokinase
53	c3vgkB_	Alignment	not modelled	97.7	20	PDB header: transferase Chain: B: PDB Molecule: glucokinase; PDBTitle: crystal structure of a rok family glucokinase from streptomyces2 griseus
54	c3d2fC_	Alignment	not modelled	97.7	14	PDB header: chaperone Chain: C: PDB Molecule: heat shock protein homolog sse1;

					PDBTitle: crystal structure of a complex of sse1p and hsp70
55	c1e4gT_	Alignment	not modelled	97.7	9 PDB header: bacterial cell division Chain: T: PDB Molecule: cell division protein ftsa; PDBTitle: ftsa (atp-bound form) from thermotoga maritima
56	c2v7yA_	Alignment	not modelled	97.6	22 PDB header: chaperone Chain: A: PDB Molecule: chaperone protein dnak; PDBTitle: crystal structure of the molecular chaperone dnak from2 geobacillus kaustophilus hta426 in post-atp hydrolysis3 state
57	d1e4ft1	Alignment	not modelled	97.6	10 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
58	d1jcea2	Alignment	not modelled	97.6	16 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
59	d2e8aa2	Alignment	not modelled	97.6	23 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
60	c3mcpA_	Alignment	not modelled	97.6	16 PDB header: transferase Chain: A: PDB Molecule: glucokinase; PDBTitle: crystal structure of glucokinase (bdi_1628) from parabacteroides2 distasonis atcc 8503 at 3.00 a resolution
61	d1bupa2	Alignment	not modelled	97.5	22 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
62	c3iucC_	Alignment	not modelled	97.5	23 PDB header: chaperone Chain: C: PDB Molecule: heat shock 70kda protein 5 (glucose-regulated PDBTitle: crystal structure of the human 70kda heat shock protein 52 (bip/grp78) atpase domain in complex with adp
63	c2aa4B_	Alignment	not modelled	97.5	13 PDB header: transferase Chain: B: PDB Molecule: putative n-acetylmannosamine kinase; PDBTitle: crystal structure of escherichia coli putative n-2 acetylmannosamine kinase, new york structural genomics3 consortium
64	d1bg3a3	Alignment	not modelled	97.5	13 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
65	d2aa4a1	Alignment	not modelled	97.4	12 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
66	c3cqyA_	Alignment	not modelled	97.4	16 PDB header: transferase Chain: A: PDB Molecule: anhydro-n-acetylmuramic acid kinase; PDBTitle: crystal structure of a functionally unknown protein (so_1313) from2 shewanella oneidensis mr-1
67	c1jcgA_	Alignment	not modelled	97.4	15 PDB header: structural protein Chain: A: PDB Molecule: rod shape-determining protein mreB; PDBTitle: mreB from thermotoga maritima, amppnp
68	d1bdga1	Alignment	not modelled	97.4	15 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
69	d2gupa1	Alignment	not modelled	97.3	16 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
70	c1xc3A_	Alignment	not modelled	97.3	14 PDB header: transferase Chain: A: PDB Molecule: putative fructokinase; PDBTitle: structure of a putative fructokinase from bacillus subtilis
71	d1v4sa1	Alignment	not modelled	97.3	12 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
72	c1woqB_	Alignment	not modelled	97.2	17 PDB header: transferase Chain: B: PDB Molecule: inorganic polyphosphate/atp-glucomannokinase; PDBTitle: crystal structure of inorganic polyphosphate/atp-glucomannokinase from2 arthrobacter sp. strain km at 1.8 a resolution
73	c2gupA_	Alignment	not modelled	97.2	17 PDB header: transferase Chain: A: PDB Molecule: rok family protein; PDBTitle: structural genomics, the crystal structure of a rok family protein2 from streptococcus pneumoniae tigr4 in complex with sucrose
74	c2khoA_	Alignment	not modelled	97.1	23 PDB header: chaperone Chain: A: PDB Molecule: heat shock protein 70; PDBTitle: nmr-rdc / xray structure of e. coli hsp70 (dnak) chaperone2 (1-605) complexed with adp and substrate
75	c2q2rA_	Alignment	not modelled	97.1	12 PDB header: transferase Chain: A: PDB Molecule: glucokinase 1, putative; PDBTitle: trypanosoma cruzi glucokinase in complex with beta-d-glucose and adp
76	d1e4ft2	Alignment	not modelled	97.1	23 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
77	d1czan3	Alignment	not modelled	97.1	14 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
78	d1ig8a1	Alignment	not modelled	97.0	13 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
79	c1bdgA_	Alignment	not modelled	97.0	15 PDB header: hexokinase Chain: A: PDB Molecule: hexokinase; PDBTitle: hexokinase from schistosoma mansoni complexed with glucose
					Fold: Ribonuclease H-like motif

80	dlczan1	Alignment	not modelled	97.0	15	Superfamily: Actin-like ATPase domain Family: Hexokinase
81	dlbg3a1	Alignment	not modelled	96.9	14	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
82	c3tsuA	Alignment	not modelled	96.9	20	PDB header: transferase Chain: A: PDB Molecule: transcriptional regulatory protein; PDBTitle: crystal structure of e. coli hypf with amp-pnp and carbamoyl phosphate
83	c3hm8D	Alignment	not modelled	96.9	12	PDB header: transferase Chain: D: PDB Molecule: hexokinase-3; PDBTitle: crystal structure of the c-terminal hexokinase domain of human hk3
84	clv4sA	Alignment	not modelled	96.8	12	PDB header: transferase Chain: A: PDB Molecule: glucokinase isoform 2; PDBTitle: crystal structure of human glucokinase
85	dlxc3a1	Alignment	not modelled	96.7	13	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
86	d2d0oa2	Alignment	not modelled	96.7	21	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ATPase domain of dehydratase reactivase alpha subunit
87	c3en9B	Alignment	not modelled	96.7	15	PDB header: hydrolase Chain: B: PDB Molecule: o-sialoglycoprotein endopeptidase/protein kinase; PDBTitle: structure of the methanococcus jannaschii kae1-bud32 fusion2 protein
88	c3qbwA	Alignment	not modelled	96.6	18	PDB header: transferase Chain: A: PDB Molecule: anhydro-n-acetylmuramic acid kinase; PDBTitle: crystal structure of pseudomonas aeruginosa 1,6-anhydro-n-2 acetylmuramic acid kinase (anmk) bound to adenosine diphosphate
89	c2ychA	Alignment	not modelled	96.6	26	PDB header: cell cycle Chain: A: PDB Molecule: competence protein pilM; PDBTitle: pilM-pilN type iv pilus biogenesis complex
90	clqhaA	Alignment	not modelled	96.5	16	PDB header: transferase Chain: A: PDB Molecule: protein (hexokinase); PDBTitle: human hexokinase type i complexed with atp analogue amp-pnp
91	clzbsA	Alignment	not modelled	96.0	14	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: hypothetical protein pg1100; PDBTitle: crystal structure of the putative n-acetylglucosamine kinase (pg1100)2 from porphyromonas gingivalis, northeast structural genomics target3 pgr18
92	c2d0oA	Alignment	not modelled	96.0	19	PDB header: chaperone Chain: A: PDB Molecule: diol dehydratase-reactivating factor large PDBTitle: strcuture of diol dehydratase-reactivating factor complexed2 with adp and mg2+
93	d2i7na2	Alignment	not modelled	95.6	17	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Fumble-like
94	d3bzka5	Alignment	not modelled	95.6	13	Fold: Ribonuclease H-like motif Superfamily: Ribonuclease H-like Family: Tex RuvX-like domain-like
95	dlig8a2	Alignment	not modelled	95.5	18	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
96	c3t69A	Alignment	not modelled	95.5	36	PDB header: transferase Chain: A: PDB Molecule: putative 2-dehydro-3-deoxygalactonokinase; PDBTitle: crystal structure of a putative 2-dehydro-3-deoxygalactonokinase2 protein from sinorhizobium meliloti
97	c3lm2B	Alignment	not modelled	95.3	11	PDB header: transferase Chain: B: PDB Molecule: putative kinase; PDBTitle: crystal structure of putative kinase. (17743352) from agrobacterium2 tumefaciens str. c58 (dupont) at 1.70 a resolution
98	dlu6za2	Alignment	not modelled	95.2	18	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Ppx/GppA phosphatase
99	dlsaza1	Alignment	not modelled	94.9	11	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Acetokinase-like
100	c3hi0B	Alignment	not modelled	94.4	16	PDB header: hydrolase Chain: B: PDB Molecule: putative exopolysphatase; PDBTitle: crystal structure of putative exopolysphatase (17739545) from2 agrobacterium tumefaciens str. c58 (dupont) at 2.30 a resolution
101	d2elza1	Alignment	not modelled	94.4	13	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Acetokinase-like
102	d2i7pa1	Alignment	not modelled	94.3	18	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Fumble-like
103	d1bdga2	Alignment	not modelled	94.3	14	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
104	dlt6ca1	Alignment	not modelled	94.1	15	Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Ppx/GppA phosphatase
105	c3khyA	Alignment	not modelled	94.1	16	PDB header: transferase Chain: A: PDB Molecule: propionate kinase; PDBTitle: crystal structure of a propionate kinase from

					francisella2 tularensis subsp. tularensis schu s4
106	c1t6dB_	Alignment	not modelled	94.0	14 PDB header: hydrolase Chain: B: PDB Molecule: exopolyphosphatase; PDBTitle: miras phasing of the aquifex aeolicus ppx/gppa phosphatase: crystal2 structure of the type ii variant
107	d2zgYa2	Alignment	not modelled	94.0	11 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Actin/HSP70
108	d2ch5a1	Alignment	not modelled	93.9	17 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: BadF/BadG/BcrA/BcrD-like
109	d1g99a1	Alignment	not modelled	93.9	16 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Acetokinase-like
110	c3mdqA_	Alignment	not modelled	93.6	13 PDB header: hydrolase Chain: A: PDB Molecule: exopolyphosphatase; PDBTitle: crystal structure of an exopolyphosphatase (chu_0316) from cytophaga2 hutchinsonii atcc 33406 at 1.50 a resolution
111	c2floA_	Alignment	not modelled	93.6	16 PDB header: hydrolase Chain: A: PDB Molecule: exopolyphosphatase; PDBTitle: crystal structure of exopolyphosphatase (ppx) from e. coli o157:h7
112	d2aa4a2	Alignment	not modelled	93.5	15 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
113	d1czan4	Alignment	not modelled	93.3	18 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
114	d2ap1a1	Alignment	not modelled	93.3	24 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: ROK
115	d1v4sa2	Alignment	not modelled	93.1	13 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: Hexokinase
116	c1sazA_	Alignment	not modelled	93.0	18 PDB header: transferase Chain: A: PDB Molecule: probable butyrate kinase 2; PDBTitle: membership in the askha superfamily: enzymological2 properties and crystal structure of butyrate kinase 2 from3 thermotoga maritima
117	c1mwmA_	Alignment	not modelled	92.9	10 PDB header: structural protein Chain: A: PDB Molecule: parm; PDBTitle: parm from plasmid r1 adp form
118	c1tuuA_	Alignment	not modelled	92.9	19 PDB header: transferase Chain: A: PDB Molecule: acetate kinase; PDBTitle: acetate kinase crystallized with atpgs
119	d3bexa1	Alignment	not modelled	92.9	15 Fold: Ribonuclease H-like motif Superfamily: Actin-like ATPase domain Family: CoaX-like
120	c3cerD_	Alignment	not modelled	92.5	16 PDB header: structural genomics, unknown function Chain: D: PDB Molecule: possible exopolyphosphatase-like protein; PDBTitle: crystal structure of the exopolyphosphatase-like protein2 q8g5j2. northeast structural genomics consortium target3 blr13