


Phyre²

Email	i.a.kelley@imperial.ac.uk
Description	P0A8F8
Date	Thu Jan 5 11:07:44 GMT 2012
Unique Job ID	7b7d94aa4bf8961b

Detailed template information






#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2d7dA_			100.0	62	PDB header: hydrolase/dna Chain: A: PDB Molecule: uvrabc system protein b; PDBTitle: structural insights into the cryptic dna dependent atpase2 activity of uvrbc
2	d1t5la1			100.0	60	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
3	c1c4oA_			100.0	61	PDB header: replication Chain: A: PDB Molecule: dna nucleotide excision repair enzyme uvrbc; PDBTitle: crystal structure of the dna nucleotide excision repair enzyme uvrbc from thermus thermophilus
4	c3dmqA_			100.0	15	PDB header: hydrolase Chain: A: PDB Molecule: rna polymerase-associated protein rapa; PDBTitle: crystal structure of rapa, a swi2/snf2 protein that2 recycles rna polymerase during transcription
5	c3tmiaA_			100.0	13	PDB header: hydrolase/rna Chain: A: PDB Molecule: atp-dependent rna helicase ddx58; PDBTitle: structural basis for rna recognition and activation of rig-i
6	c3mwyW_			100.0	14	PDB header: hydrolase Chain: W: PDB Molecule: chromo domain-containing protein 1; PDBTitle: crystal structure of the chromodomain-atpase portion of the yeast chd12 chromatin remodeler
7	c1z3ix_			100.0	12	PDB header: recombination/dna binding Chain: X: PDB Molecule: similar to rad54-like; PDBTitle: structure of the swi2/snf2 chromatin remodeling domain of eukaryotic2 rad54
8	c2eyqaA_			100.0	16	PDB header: hydrolase Chain: A: PDB Molecule: transcription-repair coupling factor; PDBTitle: crystal structure of escherichia coli transcription-repair2 coupling factor
9	c1gm5A_			100.0	23	PDB header: helicase Chain: A: PDB Molecule: recg; PDBTitle: structure of recg bound to three-way dna junction
10	c1wp9D_			100.0	19	PDB header: hydrolase Chain: D: PDB Molecule: atp-dependent rna helicase, putative; PDBTitle: crystal structure of pyrococcus furiosus hef helicase domain
11	c2xgjA_			100.0	22	PDB header: hydrolase/rna Chain: A: PDB Molecule: atp-dependent rna helicase dob1; PDBTitle: structure of mtr4, a dexh helicase involved in nuclear rna2 processing and surveillance

12	c3tbkA			100.0	13	PDB header: hydrolase Chain: A: PDB Molecule: rig-i helicase domain; PDBTitle: mouse rig-i atpase domain
13	cloywA			100.0	20	PDB header: hydrolase Chain: A: PDB Molecule: atp-dependent dna helicase; PDBTitle: structure of the recq catalytic core
14	c3l9oA			100.0	18	PDB header: hydrolase Chain: A: PDB Molecule: atp-dependent rna helicase dob1; PDBTitle: crystal structure of mtr4, a co-factor of the nuclear exosome
15	c4a4zA			100.0	19	PDB header: hydrolase Chain: A: PDB Molecule: antiviral helicase ski2; PDBTitle: crystal structure of the s. cerevisiae dexh helicase ski2 bound to2 amppnp
16	d1c4oa1			100.0	57	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
17	c2v1xB			100.0	15	PDB header: hydrolase Chain: B: PDB Molecule: atp-dependent dna helicase q1; PDBTitle: crystal structure of human recq-like dna helicase
18	c1z63A			100.0	12	PDB header: hydrolase/dna complex Chain: A: PDB Molecule: helicase of the snf2/rad54 family; PDBTitle: sulfolobus solfataricus swi2/snf2 atpase core in complex2 with dsdna
19	c2ocaA			100.0	15	PDB header: hydrolase Chain: A: PDB Molecule: atp-dependent dna helicase uvsw; PDBTitle: the crystal structure of t4 uvsw
20	c3hjhA			100.0	19	PDB header: hydrolase Chain: A: PDB Molecule: transcription-repair-coupling factor; PDBTitle: a rigid n-terminal clamp restrains the motor domains of the bacterial2 transcription-repair coupling factor
21	c2va8A		not modelled	100.0	21	PDB header: hydrolase Chain: A: PDB Molecule: ski2-type helicase; PDBTitle: dna repair helicase hel308
22	c2fwrA		not modelled	100.0	17	PDB header: dna binding protein Chain: A: PDB Molecule: dna repair protein rad25; PDBTitle: structure of archaeoglobus fulgidis xpb
23	c1gl9B		not modelled	100.0	23	PDB header: topoisomerase Chain: B: PDB Molecule: reverse gyrase; PDBTitle: archaeoglobus fulgidus reverse gyrase complexed with adppn
24	c2p6uA		not modelled	100.0	22	PDB header: dna binding protein Chain: A: PDB Molecule: afuhel308 helicase; PDBTitle: apo structure of the hel308 superfamily 2 helicase
25	c2zj2A		not modelled	100.0	22	PDB header: hydrolase Chain: A: PDB Molecule: putative ski2-type helicase; PDBTitle: archaeal dna helicase hjm apo state in form 1
26	c2db3D		not modelled	100.0	24	PDB header: hydrolase/rna Chain: D: PDB Molecule: atp-dependent rna helicase vasa; PDBTitle: structural basis for rna unwinding by the dead-box protein2 drosophila vasa
27	c3bxzA		not modelled	100.0	18	PDB header: transport protein Chain: A: PDB Molecule: preprotein translocase subunit seca; PDBTitle: crystal structure of the isolated dead motor domains from2 escherichia coli seca
28	d2eyqa4		not modelled	100.0	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain PDB header: isomerase

29	c3oiyB	Alignment	not modelled	100.0	18	Chain: B; PDB Molecule: reverse gyrase helicase domain; PDBTitle: helicase domain of reverse gyrase from thermotoga maritima
30	c3i5yA	Alignment	not modelled	100.0	18	PDB header: hydrolase/rna Chain: A; PDB Molecule: atp-dependent rna helicase mss116; PDBTitle: structure of mss116p bound to ssrna containing a single 5-bru and amp-2 npn
31	c3ewsA	Alignment	not modelled	100.0	18	PDB header: hydrolase Chain: A; PDB Molecule: atp-dependent rna helicase ddx19b; PDBTitle: human dead box rna-helicase ddx19 in complex with adp
32	c2w74B	Alignment	not modelled	100.0	19	PDB header: hydrolase Chain: B; PDB Molecule: type i restriction enzyme ecor124ii r protein; PDBTitle: mutant (k220r) of the hsdr subunit of the ecor124i2 restriction enzyme in complex with atp
33	c3h1tA	Alignment	not modelled	100.0	22	PDB header: hydrolase Chain: A; PDB Molecule: type i site-specific restriction-modification PDBTitle: the fragment structure of a putative hsdr subunit of a type i restriction enzyme from vibrio vulnificus yj016
34	c1hv8B	Alignment	not modelled	100.0	22	PDB header: rna binding protein Chain: B; PDB Molecule: putative atp-dependent rna helicase mj0669; PDBTitle: crystal structure of a dead box protein from the2 hyperthermophile methanococcus jannaschii
35	c2z0mA	Alignment	not modelled	100.0	21	PDB header: rna binding protein Chain: A; PDB Molecule: 337aa long hypothetical atp-dependent rna PDBTitle: crystal structure of hypothetical atp-dependent rna2 helicase from sulfolobus tokodaii
36	c1xtkA	Alignment	not modelled	99.9	25	PDB header: gene regulation Chain: A; PDB Molecule: probable atp-dependent rna helicase p47; PDBTitle: structure of dcdd to dead mutation of human uap56
37	c1s2mA	Alignment	not modelled	99.9	20	PDB header: rna binding protein Chain: A; PDB Molecule: putative atp-dependent rna helicase dhh1; PDBTitle: crystal structure of the dead box protein dhh1p
38	c3pexA	Alignment	not modelled	99.9	24	PDB header: hydrolase Chain: A; PDB Molecule: atp-dependent rna helicase dbp5; PDBTitle: s. cerevisiae dbp5 l327v bound to gle1 h337r and ip6
39	c3fhtA	Alignment	not modelled	99.9	18	PDB header: hydrolase/rna Chain: A; PDB Molecule: atp-dependent rna helicase ddx19b; PDBTitle: crystal structure of human dbp5 in complex with amppnp and rna
40	c2hxyC	Alignment	not modelled	99.9	25	PDB header: hydrolase Chain: C; PDB Molecule: probable atp-dependent rna helicase ddx48; PDBTitle: crystal structure of human apo-eif4aiii
41	c2vsxA	Alignment	not modelled	99.9	22	PDB header: translation/hydrolase Chain: A; PDB Molecule: atp-dependent rna helicase eif4a; PDBTitle: crystal structure of a translation initiation complex
42	c3rc8A	Alignment	not modelled	99.9	16	PDB header: hydrolase/rna Chain: A; PDB Molecule: atp-dependent rna helicase supv3l1, mitochondrial; PDBTitle: human mitochondrial helicase suv3 in complex with short rna fragment
43	d2b2na1	Alignment	not modelled	99.9	20	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
44	c3kx2A	Alignment	not modelled	99.9	20	PDB header: hydrolase Chain: A; PDB Molecule: pre-mrna-splicing factor atp-dependent rna PDBTitle: crystal structure of prp43p in complex with adp
45	c1tf2A	Alignment	not modelled	99.9	18	PDB header: protein transport Chain: A; PDB Molecule: preprotein translocase seca subunit; PDBTitle: crystal structure of seca:adp in an open conformation from bacillus subtilis
46	c2v6jA	Alignment	not modelled	99.9	19	PDB header: hydrolase Chain: A; PDB Molecule: rna helicase; PDBTitle: kokobera virus helicase: mutant met47thr
47	c2i4iA	Alignment	not modelled	99.9	25	PDB header: hydrolase Chain: A; PDB Molecule: atp-dependent rna helicase ddx3x; PDBTitle: crystal structure of human dead-box rna helicase ddx3x
48	d2eyqa3	Alignment	not modelled	99.9	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
49	c2jlrA	Alignment	not modelled	99.9	20	PDB header: hydrolase Chain: A; PDB Molecule: serine protease subunit ns3; PDBTitle: dengue virus 4 ns3 helicase in complex with amppnp
50	d1gm5a3	Alignment	not modelled	99.9	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
51	c2fsgA	Alignment	not modelled	99.9	23	PDB header: protein transport Chain: A; PDB Molecule: preprotein translocase seca subunit; PDBTitle: complex seca:atp from escherichia coli
52	c2w00B	Alignment	not modelled	99.9	16	PDB header: hydrolase Chain: B; PDB Molecule: hsdr; PDBTitle: crystal structure of the hsdr subunit of the ecor124i2 restriction enzyme in complex with atp
53	c2z83A	Alignment	not modelled	99.9	21	PDB header: viral protein Chain: A; PDB Molecule: helicase/nucleoside triphosphatase; PDBTitle: crystal structure of catalytic domain of japanese2 encephalitis virus ns3 helicase/nucleoside triphosphatase3 at a resolution 1.8

54	c3dl8B		Alignment	not modelled	99.9	19	PDB header: protein transport Chain: B; PDB Molecule: protein translocase subunit seca; PDBTitle: structure of the complex of aquifex aeolicus secyeg and 2 bacillus subtilis seca
55	c2vbcA		Alignment	not modelled	99.9	21	PDB header: hydrolase Chain: A; PDB Molecule: dengue 4 ns3 full-length protein; PDBTitle: crystal structure of the ns3 protease-helicase from dengue2 virus
56	c1ymfA		Alignment	not modelled	99.9	21	PDB header: hydrolase Chain: A; PDB Molecule: genome polyprotein [contains: flavivirin PDBTitle: crystal structure of yellow fever virus ns3 helicase2 complexed with adp
57	c1a1vA		Alignment	not modelled	99.9	19	PDB header: hydrolase/dna Chain: A; PDB Molecule: protein (ns3 protein); PDBTitle: hepatitis c virus ns3 helicase domain complexed with single2 stranded dna
58	c2qeqA		Alignment	not modelled	99.9	19	PDB header: hydrolase Chain: A; PDB Molecule: flavivirin protease ns3 catalytic subunit; PDBTitle: crystal structure of kunjin virus ns3 helicase
59	c2wv9A		Alignment	not modelled	99.9	21	PDB header: hydrolase Chain: A; PDB Molecule: flavivirin protease ns2b regulatory subunit, flavivirin PDBTitle: crystal structure of the ns3 protease-helicase from murray2 valley encephalitis virus
60	d1rifA		Alignment	not modelled	99.9	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: DNA helicase UvsW
61	d2fwra2		Alignment	not modelled	99.9	18	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
62	d1t5la2		Alignment	not modelled	99.8	71	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
63	c2f55C		Alignment	not modelled	99.8	15	PDB header: hydrolase/dna Chain: C; PDB Molecule: polyprotein; PDBTitle: two hepatitis c virus ns3 helicase domains complexed with2 the same strand of dna
64	d2bmfa2		Alignment	not modelled	99.8	22	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RNA helicase
65	d1c4oa2		Alignment	not modelled	99.8	66	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
66	d1wp9a1		Alignment	not modelled	99.8	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
67	c3b6eA		Alignment	not modelled	99.8	15	PDB header: hydrolase Chain: A; PDB Molecule: interferon-induced helicase c domain-containing protein 1; PDBTitle: crystal structure of human dech-box rna helicase mda5 (melanoma2 differentiation-associated protein 5), dech-domain
68	d2fz4a1		Alignment	not modelled	99.8	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
69	d1oywa2		Alignment	not modelled	99.8	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
70	d1z3ix2		Alignment	not modelled	99.8	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
71	c3fe2B		Alignment	not modelled	99.7	18	PDB header: hydrolase Chain: B; PDB Molecule: probable atp-dependent rna helicase ddx5; PDBTitle: human dead-box rna helicase ddx5 (p68), conserved domain i in complex2 with adp
72	d1gkub1		Alignment	not modelled	99.7	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Helicase-like "domain" of reverse gyrase PDB header: hydrolase
73	c3dkpA		Alignment	not modelled	99.7	18	Chain: A; PDB Molecule: probable atp-dependent rna helicase ddx52; PDBTitle: human dead-box rna-helicase ddx52, conserved domain i in complex with2 adp
74	d1gl9b1		Alignment	not modelled	99.7	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Helicase-like "domain" of reverse gyrase
75	c3i32A		Alignment	not modelled	99.7	27	PDB header: rna binding protein,hydrolase Chain: A; PDB Molecule: heat resistant rna dependent atpase; PDBTitle: dimeric structure of a hera helicase fragment including the c-terminal2 reca domain, the dimerization domain, and the rna binding domain
76	c3earA		Alignment	not modelled	99.7	20	PDB header: hydrolase Chain: A; PDB Molecule: hera; PDBTitle: novel dimerization motif in the dead box rna helicase hera: form 1,2 partial dimer
77	d2p6ra3		Alignment	not modelled	99.7	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
78	d1o0ua		Alignment	not modelled	99.7	18	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases

78	c2kbeA	Alignment	not modelled	99.7	10	hydrolases Family: Tandem AAA-ATPase domain
79	c2kbeA	Alignment	not modelled	99.7	17	PDB header: hydrolase Chain: A: PDB Molecule: atp-dependent rna helicase dbp5; PDBTitle: solution structure of amino-terminal domain of dbp5p
80	d1z63a1	Alignment	not modelled	99.7	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
81	c2p6nA	Alignment	not modelled	99.7	21	PDB header: hydrolase Chain: A: PDB Molecule: atp-dependent rna helicase ddx41; PDBTitle: human dead-box rna helicase ddx41, helicase domain
82	d1oywa3	Alignment	not modelled	99.7	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
83	c2vl7A	Alignment	not modelled	99.7	15	PDB header: unknown function Chain: A: PDB Molecule: xpd; PDBTitle: structure of s. tokodaii xpd4
84	c1cu1B	Alignment	not modelled	99.7	21	PDB header: hydrolase Chain: B: PDB Molecule: protein (protease/helicase ns3); PDBTitle: crystal structure of an enzyme complex from hepatitis c2 virus
85	c3crw1	Alignment	not modelled	99.7	12	PDB header: hydrolase Chain: 1: PDB Molecule: xpd/rad3 related dna helicase; PDBTitle: "xpd_apo"
86	d1s2ma2	Alignment	not modelled	99.7	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
87	d1tf5a3	Alignment	not modelled	99.7	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
88	d2j0sa2	Alignment	not modelled	99.7	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
89	d1a1val	Alignment	not modelled	99.7	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RNA helicase
90	d1z3ix1	Alignment	not modelled	99.7	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
91	c3ly5A	Alignment	not modelled	99.7	22	PDB header: hydrolase Chain: A: PDB Molecule: atp-dependent rna helicase ddx18; PDBTitle: ddx18 dead-domain
92	c2gxqA	Alignment	not modelled	99.7	21	PDB header: hydrolase Chain: A: PDB Molecule: heat resistant rna dependent atpase; PDBTitle: hera n-terminal domain in complex with amp, crystal form 1
93	d2eyqa5	Alignment	not modelled	99.6	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
94	d1wp9a2	Alignment	not modelled	99.6	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
95	d1hv8a2	Alignment	not modelled	99.6	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
96	c3iuyB	Alignment	not modelled	99.6	15	PDB header: hydrolase Chain: B: PDB Molecule: probable atp-dependent rna helicase ddx53; PDBTitle: crystal structure of ddx53 dead-box domain
97	c2hjvB	Alignment	not modelled	99.6	19	PDB header: hydrolase Chain: B: PDB Molecule: atp-dependent rna helicase dbpa; PDBTitle: structure of the second domain (residues 207-368) of the2 bacillus subtilis yxin protein
98	c2oxcA	Alignment	not modelled	99.6	18	PDB header: hydrolase Chain: A: PDB Molecule: probable atp-dependent rna helicase ddx20; PDBTitle: human dead-box rna helicase ddx20, dead domain in complex2 with adp
99	d1hv8a1	Alignment	not modelled	99.6	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
100	d2j0sa1	Alignment	not modelled	99.6	20	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
101	c2pl3A	Alignment	not modelled	99.6	17	PDB header: hydrolase Chain: A: PDB Molecule: probable atp-dependent rna helicase ddx10; PDBTitle: human dead-box rna helicase ddx10, dead domain in complex with adp
102	d1s2ma1	Alignment	not modelled	99.6	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
103	d1gm5a4	Alignment	not modelled	99.6	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain

104	d1t5ia_		Alignment	not modelled	99.6	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
105	d1t6na_		Alignment	not modelled	99.6	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
106	c2fzIA_		Alignment	not modelled	99.6	22	PDB header: dna binding protein Chain: A: PDB Molecule: dna repair protein rad25, xpb; PDBTitle: structure of c-terminal domain of archaeoglobus fulgidus xpb
107	c3fmoB_		Alignment	not modelled	99.6	13	PDB header: oncoprotein/hydrolase Chain: B: PDB Molecule: atp-dependent rna helicase ddx19b; PDBTitle: crystal structure of the nucleoporin nup214 in complex with the dead-2 box helicase ddx19
108	d2fwra1		Alignment	not modelled	99.6	22	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
109	d1qdea_		Alignment	not modelled	99.6	18	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
110	d1wrba1		Alignment	not modelled	99.6	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
111	d2g2ja1		Alignment	not modelled	99.6	22	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
112	c3ilmB_		Alignment	not modelled	99.5	12	PDB header: hydrolase Chain: B: PDB Molecule: atp-dependent rna helicase a; PDBTitle: crystal structure analysis of a rna helicase
113	c3berA_		Alignment	not modelled	99.5	20	PDB header: hydrolase Chain: A: PDB Molecule: probable atp-dependent rna helicase ddx47; PDBTitle: human dead-box rna-helicase ddx47, conserved domain i in complex with2 amp
114	d1fuka_		Alignment	not modelled	99.5	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
115	c3fhcb_		Alignment	not modelled	99.5	12	PDB header: transport protein/hydrolase Chain: B: PDB Molecule: atp-dependent rna helicase ddx19b; PDBTitle: crystal structure of human dbp5 in complex with nup214
116	d1tf5a4		Alignment	not modelled	99.5	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
117	d1veca_		Alignment	not modelled	99.5	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
118	c1nl3B_		Alignment	not modelled	99.5	16	PDB header: protein transport Chain: B: PDB Molecule: preprotein translocase seca 1 subunit; PDBTitle: crystal structure of the seca protein translocation atpase2 from mycobacterium tuberculosis in apo form
119	d1nkta3		Alignment	not modelled	99.5	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Tandem AAA-ATPase domain
120	c3fmpD_		Alignment	not modelled	99.5	15	PDB header: oncoprotein/hydrolase Chain: D: PDB Molecule: atp-dependent rna helicase ddx19b; PDBTitle: crystal structure of the nucleoporin nup214 in complex with the dead-2 box helicase ddx19