
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c1zvva_</a>	 Alignment		100.0	28	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> glucose-resistance amylase regulator; <b>PDBTitle:</b> crystal structure of a ccpa-crh-dna complex
2	<a href="#">c1bdhA_</a>	 Alignment		100.0	32	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> protein (purine repressor); <b>PDBTitle:</b> purine repressor mutant-hypoxanthine-palindromic operator2 complex
3	<a href="#">c3kjd_</a>	 Alignment		100.0	23	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of a transcriptional regulator, lacI2 family protein from silicibacter pomeroyi
4	<a href="#">c3h5tA_</a>	 Alignment		100.0	23	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of a transcriptional regulator, lacI2 family protein from corynebacterium glutamicum
5	<a href="#">d2nzug1</a>	 Alignment		100.0	23	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
6	<a href="#">c3qk7C_</a>	 Alignment		100.0	21	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcriptional regulators; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator from yersinia2 pestis biovar microtus str. 91001
7	<a href="#">c3dbiA_</a>	 Alignment		100.0	30	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of sugar-binding transcriptional regulator (lacI2 family) from escherichia coli complexed with phosphate
8	<a href="#">c3k4hA_</a>	 Alignment		100.0	21	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator lacI from2 bacillus cereus subsp. cytotoxis nvh 391-98
9	<a href="#">c3kkeA_</a>	 Alignment		100.0	27	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> lacI family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a lacI family transcriptional regulator2 from mycobacterium smegmatis
10	<a href="#">d1tifa_</a>	 Alignment		100.0	22	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
11	<a href="#">c2o20H_</a>	 Alignment		100.0	23	<b>PDB header:</b> transcription <b>Chain:</b> H: <b>PDB Molecule:</b> catabolite control protein a; <b>PDBTitle:</b> crystal structure of transcription regulator ccpa of lactococcus2 lactis

12	<a href="#">c2iksA</a>	Alignment		100.0	16	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> dna-binding transcriptional dual regulator; <b>PDBTitle:</b> crystal structure of n-terminal truncated dna-binding transcriptional2 dual regulator from escherichia coli k12
13	<a href="#">c3mizB</a>	Alignment		100.0	24	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator protein, lacI <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator2 protein, lacI family from rhizobium etli
14	<a href="#">c3h5oB</a>	Alignment		100.0	24	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator gntr; <b>PDBTitle:</b> the crystal structure of transcription regulator gntr from2 chromobacterium violaceum
15	<a href="#">c3d8uA</a>	Alignment		100.0	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> purr transcriptional regulator; <b>PDBTitle:</b> the crystal structure of a purr family transcriptional regulator from2 vibrio parahaemolyticus rimd 2210633
16	<a href="#">d1dbqa</a>	Alignment		100.0	30	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
17	<a href="#">c3c3kA</a>	Alignment		100.0	24	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> alanine racemase; <b>PDBTitle:</b> crystal structure of an uncharacterized protein from actinobacillus2 succinogenes
18	<a href="#">c3hcbW</a>	Alignment		100.0	14	<b>PDB header:</b> rna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> maltose operon transcriptional repressor; <b>PDBTitle:</b> crystal structure of probable maltose operon transcriptional repressor2 malr from staphylococcus aureus
19	<a href="#">c3bblA</a>	Alignment		100.0	24	<b>PDB header:</b> regulatory protein <b>Chain:</b> A: <b>PDB Molecule:</b> regulatory protein of lacI family; <b>PDBTitle:</b> crystal structure of a regulatory protein of lacI family from2 chloroflexus aggregans
20	<a href="#">c3e3mA</a>	Alignment		100.0	22	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of a lacI family transcriptional2 regulator from silicibacter pomeroyi
21	<a href="#">c3brqA</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator ascg; <b>PDBTitle:</b> crystal structure of the escherichia coli transcriptional repressor2 ascg
22	<a href="#">d1jyea</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
23	<a href="#">c1jyeA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> lactose operon repressor; <b>PDBTitle:</b> structure of a dimeric lac repressor with c-terminal deletion and k8412 substitution
24	<a href="#">c2rgyA</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of transcriptional regulator of lacI family from2 burkholderia phymatum
25	<a href="#">c3k9cA</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family protein; <b>PDBTitle:</b> crystal structure of lacI transcriptional regulator from rhodococcus2 species.
26	<a href="#">c3gv0A</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of lacI family transcription regulator from2 agrobacterium tumefaciens
27	<a href="#">c3cs3A</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of sugar-binding transcriptional regulator (lacI2 family) from enterococcus faecalis
28	<a href="#">c3egcF</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> F: <b>PDB Molecule:</b> putative ribose operon repressor; <b>PDBTitle:</b> crystal structure of a putative ribose operon repressor from2 burkholderia thailandensis

29	<a href="#">c3ctpB_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic binding protein/laci transcriptional regulator; <b>PDBTitle:</b> crystal structure of periplasmic binding protein/laci transcriptional2 regulator from alkaliphilus metalliredigens qymf complexed with d-3 xylulofuranose
30	<a href="#">c3o74A_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> fructose transport system repressor frur; <b>PDBTitle:</b> crystal structure of cra transcriptional dual regulator from2 pseudomonas putida
31	<a href="#">c2qu7B_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative transcription regulator2 from staphylococcus saprophyticus subsp. saprophyticus
32	<a href="#">c3huuC_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcription regulator like protein; <b>PDBTitle:</b> crystal structure of transcription regulator like protein from2 staphylococcus haemolyticus
33	<a href="#">c2h0aA_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator; <b>PDBTitle:</b> crystal structure of probable transcription regulator from2 thermus thermophilus
34	<a href="#">c3g85A_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator (laci family); <b>PDBTitle:</b> crystal structure of laci family transcription regulator from2 clostridium acetobutylicum
35	<a href="#">c3hs3A_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> ribose operon repressor; <b>PDBTitle:</b> crystal structure of periplasmic binding ribose operon2 repressor protein from lactobacillus acidophilus
36	<a href="#">c3biIA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> probable laci-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a probable laci family transcriptional2 regulator from corynebacterium glutamicum
37	<a href="#">c3jy6B_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of laci transcriptional regulator from lactobacillus2 brevis
38	<a href="#">c3clkB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcription regulator; <b>PDBTitle:</b> crystal structure of a transcription regulator from lactobacillus2 plantarum
39	<a href="#">d1jx6a_</a>	Alignment	not modelled	100.0	12	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
40	<a href="#">c3gybB_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulators (laci-family) <b>PDBTitle:</b> crystal structure of a laci-family transcriptional2 regulatory protein from corynebacterium glutamicum
41	<a href="#">c2ioyB_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic sugar-binding protein; <b>PDBTitle:</b> crystal structure of thermoanaerobacter tengcongensis2 ribose binding protein
42	<a href="#">c3jvdA_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulators; <b>PDBTitle:</b> crystal structure of putative transcription regulation repressor (laci2 family) from corynebacterium glutamicum
43	<a href="#">d2dria_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
44	<a href="#">c3l6uA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type sugar transport system periplasmic <b>PDBTitle:</b> crystal structure of abc-type sugar transport system,2 periplasmic component from exigubacterium sibiricum
45	<a href="#">c2fn9A_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> ribose abc transporter, periplasmic ribose-binding protein; <b>PDBTitle:</b> thermotoga maritima ribose binding protein unliganded form
46	<a href="#">d1guda_</a>	Alignment	not modelled	99.9	18	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
47	<a href="#">d1byka_</a>	Alignment	not modelled	99.9	16	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
48	<a href="#">c3l49D_</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> abc sugar (ribose) transporter, periplasmic <b>PDBTitle:</b> crystal structure of abc sugar transporter subunit from2 rhodobacter sphaeroides 2.4.1
49	<a href="#">d8abpa_</a>	Alignment	not modelled	99.9	15	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
50	<a href="#">c3g1wB_</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> sugar abc transporter; <b>PDBTitle:</b> crystal structure of sugar abc transporter (sugar-binding protein)2 from bacillus halodurans
51	<a href="#">c3ma0A_</a>	Alignment	not modelled	99.9	19	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> d-xylose-binding periplasmic protein; <b>PDBTitle:</b> closed liganded crystal structure of xylose binding protein from2 escherichia coli
52	<a href="#">c2vk2A_</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter periplasmic-binding protein ytfq; <b>PDBTitle:</b> crystal structure of a galactofuranose binding protein
						<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional repressor of

53	<a href="#">c3e61A</a>	Alignment	not modelled	99.9	21	ribose operon; <b>PDBTitle:</b> crystal structure of a putative transcriptional repressor of ribose2 operon from staphylococcus saprophyticus subsp. saprophyticus
54	<a href="#">c3gbvB</a>	Alignment	not modelled	99.9	8	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative lacI-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative lacI transcriptional regulator from2 bacteroides fragilis
55	<a href="#">c3brsA</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic binding protein/lacI transcriptional regulator; <b>PDBTitle:</b> crystal structure of sugar transporter from clostridium2 phytofermentans
56	<a href="#">c3ksmA</a>	Alignment	not modelled	99.9	19	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type sugar transport system, periplasmic component; <b>PDBTitle:</b> crystal structure of abc-type sugar transport system, periplasmic2 component from hahella chejuensis
57	<a href="#">dlgcaa</a>	Alignment	not modelled	99.9	19	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
58	<a href="#">c2rjoA</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> twin-arginine translocation pathway signal protein; <b>PDBTitle:</b> crystal structure of twin-arginine translocation pathway signal2 protein from burkholderia phytofirmans
59	<a href="#">d2fvya1</a>	Alignment	not modelled	99.9	21	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
60	<a href="#">c2qvcC</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> sugar abc transporter, periplasmic sugar-binding <b>PDBTitle:</b> crystal structure of a periplasmic sugar abc transporter2 from thermotoga maritima
61	<a href="#">c2x7xA</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor protein; <b>PDBTitle:</b> fructose binding periplasmic domain of hybrid two component2 system bt1754
62	<a href="#">c3rotA</a>	Alignment	not modelled	99.9	11	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc sugar transporter, periplasmic sugar binding protein; <b>PDBTitle:</b> crystal structure of abc sugar transporter (periplasmic sugar binding2 protein) from legionella pneumophila
63	<a href="#">c3h75A</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic sugar-binding domain protein; <b>PDBTitle:</b> crystal structure of a periplasmic sugar-binding protein from the2 pseudomonas fluorescens
64	<a href="#">c3o1hB</a>	Alignment	not modelled	99.9	9	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic protein tort; <b>PDBTitle:</b> crystal structure of the tors sensor domain - tort complex in the2 presence of tmao
65	<a href="#">c3d02A</a>	Alignment	not modelled	99.8	15	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative lacI-type transcriptional regulator; <b>PDBTitle:</b> crystal structure of periplasmic sugar-binding protein2 (yp_001338366.1) from klebsiella pneumoniae subsp. pneumoniae mgh3 78578 at 1.30 a resolution
66	<a href="#">dl1tja</a>	Alignment	not modelled	99.8	12	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
67	<a href="#">d2bjca1</a>	Alignment	not modelled	99.7	59	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
68	<a href="#">d2hsga1</a>	Alignment	not modelled	99.7	52	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
69	<a href="#">dlefaa1</a>	Alignment	not modelled	99.7	54	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
70	<a href="#">dlqpza1</a>	Alignment	not modelled	99.7	46	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
71	<a href="#">dluxda</a>	Alignment	not modelled	99.7	45	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
72	<a href="#">c2qh8A</a>	Alignment	not modelled	99.6	8	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of conserved domain protein from vibrio2 cholerae o1 biovar eltor str. n16961
73	<a href="#">c2hqba</a>	Alignment	not modelled	99.6	12	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional activator of comK gene; <b>PDBTitle:</b> crystal structure of a transcriptional activator of comK2 gene from bacillus halodurans
74	<a href="#">c3lftA</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> structure genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> the crystal structure of the abc domain in complex with l-trp from2 streptococcus pneumonia to 1.35a
75	<a href="#">dl1cda</a>	Alignment	not modelled	99.6	57	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
76	<a href="#">dluxca</a>	Alignment	not modelled	99.6	45	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
						<b>PDB header:</b> transcription regulator

77	<a href="#">c2lcvA</a>	Alignment	not modelled	99.6	52	<b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional repressor cytr; <b>PDBTitle:</b> structure of the cytidine repressor dna-binding domain; an alternate2 calculation
78	<a href="#">c2fqxA</a>	Alignment	not modelled	99.6	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> membrane lipoprotein tmpc; <b>PDBTitle:</b> pnra from treponema pallidum complexed with guanosine
79	<a href="#">c2l8nA</a>	Alignment	not modelled	99.6	52	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional repressor cytr; <b>PDBTitle:</b> nmr structure of the cytidine repressor dna binding domain in presence2 of operator half-site dna
80	<a href="#">c3s99A</a>	Alignment	not modelled	99.1	12	<b>PDB header:</b> lipid binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> basic membrane lipoprotein; <b>PDBTitle:</b> crystal structure of a basic membrane lipoprotein from brucella2 melitensis, iodide soak
81	<a href="#">c3cecA</a>	Alignment	not modelled	96.8	29	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative antidote protein of plasmid maintenance system; <b>PDBTitle:</b> crystal structure of a putative antidote protein of plasmid2 maintenance system (npun_f2943) from nostoc punctiforme pcc 73102 at3 1.60 a resolution
82	<a href="#">c3trbA</a>	Alignment	not modelled	96.7	21	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> virulence-associated protein i; <b>PDBTitle:</b> structure of an addiction module antidote protein of a higa (higa)2 family from coxiella burnetii
83	<a href="#">c2ebyA</a>	Alignment	not modelled	96.6	21	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative hth-type transcriptional regulator ybaq; <b>PDBTitle:</b> crystal structure of a hypothetical protein from e. coli
84	<a href="#">c2w48D</a>	Alignment	not modelled	96.5	23	<b>PDB header:</b> transcription <b>Chain:</b> D: <b>PDB Molecule:</b> sorbitol operon regulator; <b>PDBTitle:</b> crystal structure of the full-length sorbitol operon2 regulator sorc from klebsiella pneumoniae
85	<a href="#">c3eusB</a>	Alignment	not modelled	96.3	18	<b>PDB header:</b> dna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> dna-binding protein; <b>PDBTitle:</b> the crystal structure of the dna binding protein from silicibacter2 pomeroyi
86	<a href="#">d2icta1</a>	Alignment	not modelled	96.3	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
87	<a href="#">c3bs3A</a>	Alignment	not modelled	96.2	34	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative dna-binding protein; <b>PDBTitle:</b> crystal structure of a putative dna-binding protein from bacteroides2 fragilis
88	<a href="#">d2b5aa1</a>	Alignment	not modelled	96.2	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
89	<a href="#">c1y9qA</a>	Alignment	not modelled	96.1	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, hth_3 family; <b>PDBTitle:</b> crystal structure of hth_3 family transcriptional regulator2 from vibrio cholerae
90	<a href="#">c3t76A</a>	Alignment	not modelled	96.1	22	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator vanug; <b>PDBTitle:</b> crystal structure of transcriptional regulator vanug, form ii
91	<a href="#">d1utxa</a>	Alignment	not modelled	96.1	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
92	<a href="#">c3clcC</a>	Alignment	not modelled	96.0	24	<b>PDB header:</b> transcription regulator/dna <b>Chain:</b> C: <b>PDB Molecule:</b> regulatory protein; <b>PDBTitle:</b> crystal structure of the restriction-modification controller protein2 c.esp1396i tetramer in complex with its natural 35 base-pair operator
93	<a href="#">d1rioa</a>	Alignment	not modelled	96.0	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
94	<a href="#">d1adra</a>	Alignment	not modelled	96.0	24	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
95	<a href="#">c3b7hA</a>	Alignment	not modelled	96.0	26	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> prophage lp1 protein 11; <b>PDBTitle:</b> crystal structure of the prophage lp1 protein 11
96	<a href="#">c1u78A</a>	Alignment	not modelled	95.9	18	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> A: <b>PDB Molecule:</b> transposable element tc3 transposase; <b>PDBTitle:</b> structure of the bipartite dna-binding domain of tc32 transposase bound to transposon dna
97	<a href="#">c2bnoA</a>	Alignment	not modelled	95.9	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> epoxidase; <b>PDBTitle:</b> the structure of hydroxypropylphosphonic acid epoxidase2 from s. wedmorenii.
98	<a href="#">d1y9qa1</a>	Alignment	not modelled	95.9	16	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Probable transcriptional regulator VC1968, N-terminal domain
99	<a href="#">d1lmb3</a>	Alignment	not modelled	95.9	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
100	<a href="#">d2ofya1</a>	Alignment	not modelled	95.8	26	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
101	<a href="#">c3op9A</a>	Alignment	not modelled	95.8	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> pli0006 protein; <b>PDBTitle:</b> crystal structure of transcriptional regulator from listeria innocua
102	<a href="#">c2o38A</a>	Alignment	not modelled	95.8	18	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> putative xre family transcriptional regulator



103	<a href="#">d2o38a1</a>	Alignment	not modelled	95.8	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> NE1354
104	<a href="#">c3omtA</a>	Alignment	not modelled	95.8	21	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> putative antitoxin component, chu_2935 protein, from xre family from2 prevotella buccae.
105	<a href="#">c2ef8A</a>	Alignment	not modelled	95.8	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcription factor; <b>PDBTitle:</b> crystal structure of c.ecot38is
106	<a href="#">c3f52A</a>	Alignment	not modelled	95.8	26	<b>PDB header:</b> transcription activator <b>Chain:</b> A: <b>PDB Molecule:</b> clp gene regulator (clgr); <b>PDBTitle:</b> crystal structure of the clp gene regulator clgr from c. glutamicum
107	<a href="#">d2a6ca1</a>	Alignment	not modelled	95.8	21	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> NE1354
108	<a href="#">d2r1j11</a>	Alignment	not modelled	95.8	24	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
109	<a href="#">d1y7ya1</a>	Alignment	not modelled	95.8	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
110	<a href="#">c2kpiA</a>	Alignment	not modelled	95.8	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sos-response transcriptional repressor, lexa; <b>PDBTitle:</b> solution structure of protein sos-response transcriptional2 repressor, lexa from eubacterium rectale. northeast3 structural genomics consortium target err9a
111	<a href="#">c3iwfA</a>	Alignment	not modelled	95.7	26	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcription regulator rpir family; <b>PDBTitle:</b> the crystal structure of the n-terminal domain of a rpir2 transcriptional regulator from staphylococcus epidermidis to 1.4a
112	<a href="#">d1x57a1</a>	Alignment	not modelled	95.7	11	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> EDF1-like
113	<a href="#">d1b0na2</a>	Alignment	not modelled	95.5	26	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
114	<a href="#">d1l1ib</a>	Alignment	not modelled	95.5	13	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
115	<a href="#">c3f6wE</a>	Alignment	not modelled	95.4	18	<b>PDB header:</b> dna binding protein <b>Chain:</b> E: <b>PDB Molecule:</b> xre-family like protein; <b>PDBTitle:</b> xre-family like protein from pseudomonas syringae pv. tomato str.2 dc3000
116	<a href="#">c2i0ka</a>	Alignment	not modelled	95.3	28	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> stage iii sporulation protein d; <b>PDBTitle:</b> nmr solution structure of a transcription factor spoiiiid in complex2 with dna
117	<a href="#">d1hlva1</a>	Alignment	not modelled	95.3	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> Homeodomain-like <b>Family:</b> Centromere-binding
118	<a href="#">d1nera</a>	Alignment	not modelled	95.3	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
119	<a href="#">c1b0nA</a>	Alignment	not modelled	95.2	26	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> protein (sinr protein); <b>PDBTitle:</b> sinr protein/sini protein complex
120	<a href="#">c3kxaD</a>	Alignment	not modelled	95.2	24	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> D: <b>PDB Molecule:</b> putative uncharacterized protein; <b>PDBTitle:</b> crystal structure of ngo0477 from neisseria gonorrhoeae