
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c3tqwA_	 Alignment		100.0	46	PDB header: transport protein Chain: A: PDB Molecule: methionine-binding protein; PDBTitle: structure of a abc transporter, periplasmic substrate-binding protein2 from coxiella burnetii
2	c3k2dA_	 Alignment		100.0	54	PDB header: immune system Chain: A: PDB Molecule: abc-type metal ion transport system, periplasmic component; PDBTitle: crystal structure of immunogenic lipoprotein a from vibrio vulnificus
3	c3gxaA_	 Alignment		100.0	32	PDB header: protein binding Chain: A: PDB Molecule: outer membrane lipoprotein gna1946; PDBTitle: crystal structure of gna1946
4	d1xs5a_	 Alignment		100.0	34	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
5	c3ir1F_	 Alignment		100.0	32	PDB header: protein binding Chain: F: PDB Molecule: outer membrane lipoprotein gna1946; PDBTitle: crystal structure of lipoprotein gna1946 from neisseria2 meningitidis
6	d1p99a_	 Alignment		100.0	38	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
7	c1p99A_	 Alignment		100.0	38	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: hypothetical protein pg110; PDBTitle: 1.7a crystal structure of protein pg110 from staphylococcus2 aureus
8	c3e4rA_	 Alignment		99.9	17	PDB header: transport protein Chain: A: PDB Molecule: nitrate transport protein; PDBTitle: crystal structure of the alkanesulfonate binding protein2 (ssua) from the phytopathogenic bacteria xanthomonas3 axonopodis pv. citri bound to hepes
9	c3un6A_	 Alignment		99.9	18	PDB header: unknown function Chain: A: PDB Molecule: hypothetical protein saouhsc_00137; PDBTitle: 2.0 angstrom crystal structure of ligand binding component of abc-type2 import system from staphylococcus aureus with zinc bound
10	c2x26A_	 Alignment		99.9	20	PDB header: transport protein Chain: A: PDB Molecule: periplasmic aliphatic sulphonates-binding protein; PDBTitle: crystal structure of the periplasmic aliphatic sulphonate2 binding protein ssua from escherichia coli
11	c2x7pA_	 Alignment		99.9	10	PDB header: unknown function Chain: A: PDB Molecule: possible thiamine biosynthesis enzyme; PDBTitle: the conserved candida albicans ca3427 gene product defines a new2 family of proteins exhibiting the generic periplasmic binding3 protein structural fold

12	c3uifA	Alignment		99.9	19	PDB header: transport protein Chain: A: PDB Molecule: sulfonate abc transporter, periplasmic sulfonate-binding PDBTitle: crystal structure of putative sulfonate abc transporter, periplasmic2 sulfonate-binding protein ssua from methylobacillus flagellatus kt
13	c2g29A	Alignment		99.9	14	PDB header: transport protein Chain: A: PDB Molecule: nitrate transport protein nrta; PDBTitle: crystal structure of the periplasmic nitrate-binding2 protein nrta from synechocystis pcc 6803
14	c3qslA	Alignment		99.9	17	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: putative exported protein; PDBTitle: structure of cae31940 from bordetella bronchiseptica rb50
15	c2de4B	Alignment		99.9	15	PDB header: hydrolase Chain: B: PDB Molecule: dibenzothiophene desulfurization enzyme b; PDBTitle: crystal structure of dszb c27s mutant in complex with biphenyl-2-2 sulfinic acid
16	c3ix1A	Alignment		99.9	16	PDB header: biosynthetic protein Chain: A: PDB Molecule: n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding PDBTitle: periplasmic n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding2 protein from bacillus halodurans
17	c3ix1B	Alignment		99.8	16	PDB header: biosynthetic protein Chain: B: PDB Molecule: n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding PDBTitle: periplasmic n-formyl-4-amino-5-aminomethyl-2-methylpyrimidine binding2 protein from bacillus halodurans
18	c2i4cA	Alignment		99.8	14	PDB header: transport protein Chain: A: PDB Molecule: bicarbonate transporter; PDBTitle: crystal structure of bicarbonate transport protein cmpa from2 synechocystis sp. pcc 6803 in complex with bicarbonate and calcium
19	c3hn0A	Alignment		99.8	15	PDB header: transport protein Chain: A: PDB Molecule: nitrate transport protein; PDBTitle: crystal structure of an abc transporter (bdi_1369) from2 parabacteroides distasonis at 1.75 a resolution
20	c3tmgA	Alignment		99.8	18	PDB header: transport protein Chain: A: PDB Molecule: glycine betaine, l-proline abc transporter, PDBTitle: crystal structure of glycine betaine, l-proline abc transporter,2 glycine/betaine/l-proline-binding protein (prox) from borrelia3 burgdorferi
21	d1atga	Alignment	not modelled	99.7	13	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
22	c3l6gA	Alignment	not modelled	99.7	10	PDB header: glycine betaine-binding protein Chain: A: PDB Molecule: betaine abc transporter permease and substrate binding PDBTitle: crystal structure of lactococcal opuac in its open conformation
23	c3n5lA	Alignment	not modelled	99.7	17	PDB header: transport protein Chain: A: PDB Molecule: binding protein component of abc phosphonate transporter; PDBTitle: crystal structure of a binding protein component of abc phosphonate2 transporter (pa3383) from pseudomonas aeruginosa at 1.97 a resolution
24	c2h5yC	Alignment	not modelled	99.6	12	PDB header: metal transport Chain: C: PDB Molecule: molybdate-binding periplasmic protein; PDBTitle: crystallographic structure of the molybdate-binding protein of2 xanthomonas citri at 1.7 ang resolution bound to molybdate
25	d1amfa	Alignment	not modelled	99.6	14	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
26	c3fj7A	Alignment	not modelled	99.6	11	PDB header: protein binding Chain: A: PDB Molecule: major antigenic peptide peb3; PDBTitle: crystal structure of l-phospholactate bound peb3
27	d2nxoa1	Alignment	not modelled	99.5	13	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
						Fold: Periplasmic binding protein-like II

28	d1zbma1	Alignment	not modelled	99.5	17	Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
29	c3lr1A	Alignment	not modelled	99.5	10	PDB header: transport protein Chain: A: PDB Molecule: tungstate abc transporter, periplasmic tungstate- PDBTitle: the crystal structure of the tungstate abc transporter from2 geobacter sulfurreducens
30	c3muqB	Alignment	not modelled	99.5	11	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: uncharacterized conserved protein; PDBTitle: the crystal structure of a conserved functionally unknown protein from2 vibrio parahaemolyticus rimd 2210633
31	d2czla1	Alignment	not modelled	99.4	12	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
32	c3kn3C	Alignment	not modelled	99.4	9	PDB header: transcription Chain: C: PDB Molecule: putative periplasmic protein; PDBTitle: crystal structure of lysr substrate binding domain (25-263) of2 putative periplasmic protein from wolinnella succinogenes
33	c3c9hB	Alignment	not modelled	99.4	13	PDB header: transport protein Chain: B: PDB Molecule: abc transporter, substrate binding protein; PDBTitle: crystal structure of the substrate binding protein of the abc2 transporter from agrobacterium tumefaciens
34	d1sbpa	Alignment	not modelled	99.4	11	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
35	c3rpwA	Alignment	not modelled	99.4	13	PDB header: transport protein Chain: A: PDB Molecule: abc transporter; PDBTitle: the crystal structure of an abc transporter from rhodospseudomonas2 palustris cga009
36	c2qrvD	Alignment	not modelled	99.4	14	PDB header: transport protein Chain: D: PDB Molecule: thiamine-binding periplasmic protein; PDBTitle: periplasmic thiamin binding protein
37	d1xvxa	Alignment	not modelled	99.3	14	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
38	c2rejA	Alignment	not modelled	99.3	10	PDB header: choline-binding protein Chain: A: PDB Molecule: putative glycine betaine abc transporter protein; PDBTitle: abc-transporter choline binding protein in unliganded semi-2 closed conformation
39	d1xc1a	Alignment	not modelled	99.3	15	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
40	d1us5a	Alignment	not modelled	99.3	23	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
41	c3pu5A	Alignment	not modelled	99.2	11	PDB header: transport protein Chain: A: PDB Molecule: extracellular solute-binding protein; PDBTitle: the crystal structure of a putative extracellular solute-binding2 protein from bordetella parapertussis
42	d1y9ua	Alignment	not modelled	99.2	7	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
43	c1twyG	Alignment	not modelled	99.2	13	PDB header: structural genomics, unknown function Chain: G: PDB Molecule: abc transporter, periplasmic substrate-binding protein; PDBTitle: crystal structure of an abc-type phosphate transport receptor from2 vibrio cholerae
44	d1twya	Alignment	not modelled	99.2	13	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
45	d1r9la	Alignment	not modelled	99.2	21	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
46	d1nnfa	Alignment	not modelled	99.2	14	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
47	d1q35a	Alignment	not modelled	99.1	10	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
48	d1xvya	Alignment	not modelled	99.1	14	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
49	d1y4ta	Alignment	not modelled	99.1	13	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
50	c3osrA	Alignment	not modelled	99.1	12	PDB header: fluorescent protein, transport protein Chain: A: PDB Molecule: maltose-binding periplasmic protein, green fluorescent PDBTitle: maltose-bound maltose sensor engineered by insertion of circularly2 permuted green fluorescent protein into e. coli maltose binding3 protein at position 311
51	c2pt1A	Alignment	not modelled	99.1	12	PDB header: metal transport Chain: A: PDB Molecule: iron transport protein; PDBTitle: futa1 synechocystis pcc 6803
52	c3r6uA	Alignment	not modelled	99.0	14	PDB header: transport protein Chain: A: PDB Molecule: choline-binding protein; PDBTitle: crystal structure of choline binding protein opubc from bacillus2 subtilis
53	d1pota	Alignment	not modelled	99.0	13	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like

54	c2v84A_	Alignment	not modelled	99.0	11	PDB header: transport protein Chain: A: PDB Molecule: spermidine/putrescine abc transporter, periplasmic PDBTitle: crystal structure of the tp0655 (tpptd) lipoprotein of2 treponema pallidum
55	c3cfxA_	Alignment	not modelled	99.0	14	PDB header: transport protein Chain: A: PDB Molecule: upf0100 protein ma_0280; PDBTitle: crystal structure of m. acetivorans periplasmic binding protein2 moda/wtpa with bound tungstate
56	c3k6wA_	Alignment	not modelled	98.9	15	PDB header: transport protein Chain: A: PDB Molecule: solute-binding protein ma_0280; PDBTitle: apo and ligand bound structures of moda from the archaeon2 methanosarcina acetivorans
57	c3cg3A_	Alignment	not modelled	98.9	17	PDB header: transport protein Chain: A: PDB Molecule: upf0100 protein ph0151; PDBTitle: crystal structure of p. horikoshii periplasmic binding2 protein moda/wtpa with bound tungstate
58	c3r39A_	Alignment	not modelled	98.9	8	PDB header: transport protein Chain: A: PDB Molecule: putative periplasmic binding protein; PDBTitle: crystal structure of periplasmic d-alanine abc transporter from2 salmonella enterica
59	d2onsa1	Alignment	not modelled	98.9	16	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
60	c2q2aD_	Alignment	not modelled	98.8	12	PDB header: transport protein Chain: D: PDB Molecule: artj; PDBTitle: crystal structures of the arginine-, lysine-, histidine-2 binding protein artj from the thermophilic bacterium3 geobacillus stearothermophilus
61	c3o3uN_	Alignment	not modelled	98.8	12	PDB header: transport protein, signaling protein Chain: N: PDB Molecule: maltose-binding periplasmic protein, advanced glycosylation PDBTitle: crystal structure of human receptor for advanced glycation endproducts2 (rage)
62	c3f5fA_	Alignment	not modelled	98.8	12	PDB header: transport, transferase Chain: A: PDB Molecule: maltose-binding periplasmic protein, heparan PDBTitle: crystal structure of heparan sulfate 2-o-sulfotransferase2 from gallus gallus as a maltose binding protein fusion.
63	c3py7A_	Alignment	not modelled	98.8	12	PDB header: viral protein Chain: A: PDB Molecule: maltose-binding periplasmic protein,paxillin ld1,protein e6 PDBTitle: crystal structure of full-length bovine papillomavirus oncoprotein e62 in complex with ld1 motif of paxillin at 2.3a resolution
64	c3ob4A_	Alignment	not modelled	98.8	12	PDB header: allergen Chain: A: PDB Molecule: maltose abc transporter periplasmic protein, arah 2; PDBTitle: mbp-fusion protein of the major peanut allergen ara h 2
65	c2o1mB_	Alignment	not modelled	98.8	12	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: probable amino-acid abc transporter PDBTitle: crystal structure of the probable amino-acid abc2 transporter extracellular-binding protein ytnk from3 bacillus subtilis. northeast structural genomics4 consortium target sr572
66	d1a99a_	Alignment	not modelled	98.8	13	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
67	c3pppA_	Alignment	not modelled	98.8	13	PDB header: transport protein Chain: A: PDB Molecule: glycine betaine/carnitine/choline-binding protein; PDBTitle: structures of the substrate-binding protein provide insights into the2 multiple compatible solutes binding specificities of bacillus3 subtilis abc transporter opuc
68	c3cg1A_	Alignment	not modelled	98.8	18	PDB header: transport protein Chain: A: PDB Molecule: upf0100 protein pf0080; PDBTitle: crystal structure of p. furiosus periplasmic binding protein2 moda/wtpa with bound tungstate
69	c3mp6A_	Alignment	not modelled	98.7	12	PDB header: histone binding protein Chain: A: PDB Molecule: maltose-binding periplasmic protein, linker, saga- PDBTitle: complex structure of sgf29 and dimethylated h3k4
70	c3kzgB_	Alignment	not modelled	98.7	10	PDB header: transport protein Chain: B: PDB Molecule: arginine 3rd transport system periplasmic binding PDBTitle: crystal structure of an arginine 3rd transport system2 periplasmic binding protein from legionella pneumophila
71	c3dm0A_	Alignment	not modelled	98.7	12	PDB header: sugar binding protein,signaling protein Chain: A: PDB Molecule: maltose-binding periplasmic protein fused with PDBTitle: maltose binding protein fusion with rack1 from a. thaliana
72	c3k4uA_	Alignment	not modelled	98.7	10	PDB header: transport protein Chain: A: PDB Molecule: binding component of abc transporter; PDBTitle: crystal structure of putative binding component of abc transporter2 from wolinella succinogenes dsm 1740 complexed with lysine
73	d2a5sa1	Alignment	not modelled	98.7	7	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
74	c3mplA_	Alignment	not modelled	98.7	13	PDB header: signaling protein Chain: A: PDB Molecule: virulence sensor protein bvgs; PDBTitle: crystal structure of bordetella pertussis bvgs vft2 domain (double2 mutant f375e/q461e)
75	d1sw5a_	Alignment	not modelled	98.7	11	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
76	c3h4zC_	Alignment	not modelled	98.7	13	PDB header: allergen Chain: C: PDB Molecule: maltose-binding periplasmic protein fused with allergen

						PDBTitle: crystal structure of an mbp-der p 7 fusion protein PDB header: membrane protein, cell adhesion Chain: B: PDB Molecule: maltose-binding periplasmic protein, myelin protein p0; PDBTitle: crystal structure of the extra-cellular domain of human myelin protein2 zero
77	c3oaiB_	Alignment	not modelled	98.7	12	PDB header: sugar binding, dna binding protein Chain: A: PDB Molecule: maltose binding-a1 homeodomain protein chimera; PDBTitle: maltose binding-a1 homeodomain protein chimera, crystal2 form i
78	c1mh3A_	Alignment	not modelled	98.7	12	PDB header: transport protein Chain: A: PDB Molecule: amino acid abc transporter, periplasmic amino acid-binding PDBTitle: the structure of cpn0482, the arginine binding protein from the2 periplasm of chlamydia pneumoniae
79	c3g41A_	Alignment	not modelled	98.6	11	PDB header: membrane protein Chain: A: PDB Molecule: fusion protein of maltose-binding periplasmic protein and PDBTitle: structure of human parathyroid hormone in complex with the2 extracellular domain of its g-protein-coupled receptor (pth1r)
80	c3c4mA_	Alignment	not modelled	98.6	12	PDB header: protein binding, transport protein Chain: C: PDB Molecule: arginine binding protein; PDBTitle: the structure of ct381, the arginine binding protein from the2 periplasm chlamydia trachomatis
81	c3delC_	Alignment	not modelled	98.6	8	PDB header: transport Chain: B: PDB Molecule: periplasmic substrate binding protein; PDBTitle: high-resolution structure of the periplasmic ectoine-2 binding protein from teaabc trap-transporter of halomonas3 elongata
82	c2vpnB_	Alignment	not modelled	98.6	12	PDB header: protein turnover, ligase Chain: B: PDB Molecule: maltose binding protein/nedd8-activating enzyme PDBTitle: structure of appbp1-uba3~nedd8-nedd8-mgatp-ubc12(c111a), a2 trapped ubiquitin-like protein activation complex
83	c2nvuB_	Alignment	not modelled	98.6	12	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
84	d1hsla_	Alignment	not modelled	98.6	12	PDB header: transport protein Chain: C: PDB Molecule: periplasmic substrate binding protein; PDBTitle: the ectoine binding protein of the teaabc trap transporter teaa in the2 apo-state
85	c3gyyC_	Alignment	not modelled	98.5	12	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: probable abc transporter extracellular-binding PDBTitle: crystal structure of yckb_bacsu from bacillus subtilis.2 northeast structural genomics consortium target sr574.
86	c2ieeB_	Alignment	not modelled	98.5	15	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
87	d1elja_	Alignment	not modelled	98.5	12	PDB header: transport protein Chain: A: PDB Molecule: upf0100 protein mj1186; PDBTitle: crystal structure of m. jannaschii periplasmic binding2 protein moda/wtpa with bound tungstate
88	c3cfzA_	Alignment	not modelled	98.5	12	PDB header: cell adhesion Chain: A: PDB Molecule: maltose-binding periplasmic protein, linker, zona pellucida PDBTitle: zp-n domain of mammalian sperm receptor zp3 (crystal form i)
89	c3d4cA_	Alignment	not modelled	98.5	12	PDB header: transport protein Chain: A: PDB Molecule: glycine betaine/carnitine/choline abc transporter; PDBTitle: crystal structure of glycine betaine/carnitine/choline abc transporter
90	c3o66A_	Alignment	not modelled	98.5	11	PDB header: gene regulation Chain: A: PDB Molecule: chimera of maltose-binding periplasmic protein and PDBTitle: the crystal structure of the argonaute2 paz domain (as a mbp fusion)
91	c1r6zA_	Alignment	not modelled	98.5	12	PDB header: immune system/transport Chain: A: PDB Molecule: maltose-binding periplasmic protein, PDBTitle: crystal structure of human ips-1 card
92	c2vgqA_	Alignment	not modelled	98.5	13	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
93	d1lsta_	Alignment	not modelled	98.5	11	PDB header: transport protein Chain: A: PDB Molecule: putative abc transporter amino acid-binding protein; PDBTitle: crystal structure of ehuh in complex with hydroxyectoine
94	c2q89A_	Alignment	not modelled	98.5	17	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
95	d1pb7a_	Alignment	not modelled	98.5	9	PDB header: sugar binding protein Chain: A: PDB Molecule: maltose/maltodextrin-binding protein; PDBTitle: the crystal structure of malx from streptococcus pneumoniae2 in complex with maltopentase.
96	c2xd3A_	Alignment	not modelled	98.5	18	PDB header: transport protein Chain: A: PDB Molecule: putative abc transporter, periplasmic binding protein, PDBTitle: crystal structure of the l-cystine solute receptor of2 neisseria gonorrhoeae in the closed conformation
97	c2ylnA_	Alignment	not modelled	98.4	13	PDB header: arginine-binding protein Chain: B: PDB Molecule: stm4351; PDBTitle: structural basis for high arginine specificity in salmonella2 typhimurium periplasmic binding protein stm4351.
98	c2y7iB_	Alignment	not modelled	98.4	11	PDB header: metal-binding protein Chain: A: PDB Molecule: periplasmic iron-binding protein; PDBTitle: apo futa2 from synechocystis pcc6803
99	c2vozA_	Alignment	not modelled	98.4	12	PDB header: membrane protein

100	c3ehuA	Alignment	not modelled	98.4	12	Chain: A: PDB Molecule: fusion protein of crfr1 extracellular domain and mbp; PDBTitle: crystal structure of the extracellular domain of human corticotropin2 releasing factor receptor type 1 (crfr1) in complex with crf
101	c2pyyB	Alignment	not modelled	98.4	11	PDB header: transport protein Chain: B: PDB Molecule: ionotropic glutamate receptor bacterial homologue; PDBTitle: crystal structure of the glur0 ligand-binding core from nostoc2 punctiforme in complex with (l)-glutamate
102	c3csgA	Alignment	not modelled	98.4	12	PDB header: de novo protein, sugar binding protein Chain: A: PDB Molecule: maltose-binding protein monobody ys1 fusion; PDBTitle: crystal structure of monobody ys1(mbp-74)/maltose binding2 protein fusion complex
103	c1svxB	Alignment	not modelled	98.4	14	PDB header: de novo protein/sugar binding protein Chain: B: PDB Molecule: maltose-binding periplasmic protein; PDBTitle: crystal structure of a designed selected ankyrin repeat2 protein in complex with the maltose binding protein
104	d1ii5a	Alignment	not modelled	98.4	15	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
105	c2pfzA	Alignment	not modelled	98.4	17	PDB header: transport protein Chain: A: PDB Molecule: putative exported protein; PDBTitle: crystal structure of dctp6, a bordetella pertussis2 extracytoplasmic solute receptor binding pyroglutamic acid
106	c3h7mA	Alignment	not modelled	98.4	13	PDB header: transferase Chain: A: PDB Molecule: sensor protein; PDBTitle: crystal structure of a histidine kinase sensor domain with2 similarity to periplasmic binding proteins
107	d1ursa	Alignment	not modelled	98.4	11	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
108	c1ursa	Alignment	not modelled	98.4	11	PDB header: maltose-binding protein Chain: A: PDB Molecule: maltose-binding protein; PDBTitle: x-ray structures of the maltose-maltodextrin binding2 protein of the thermoacidophilic bacterium alicyclobacillus3 acidocaldarius
109	c1hsjA	Alignment	not modelled	98.3	12	PDB header: transcription/sugar binding protein Chain: A: PDB Molecule: fusion protein consisting of staphylococcus PDBTitle: sarr mbp fusion structure
110	c2zykA	Alignment	not modelled	98.3	14	PDB header: sugar binding protein Chain: A: PDB Molecule: solute-binding protein; PDBTitle: crystal structure of cyclo/maltodextrin-binding protein2 complexed with gamma-cyclodextrin
111	c3hv1A	Alignment	not modelled	98.3	14	PDB header: transport protein Chain: A: PDB Molecule: polar amino acid abc uptake transporter substrate PDBTitle: crystal structure of a polar amino acid abc uptake2 transporter substrate binding protein from streptococcus3 thermophilus
112	d1laxa	Alignment	not modelled	98.3	12	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
113	c3fxbB	Alignment	not modelled	98.3	13	PDB header: transport protein Chain: B: PDB Molecule: trap dicarboxylate transporter, dctp subunit; PDBTitle: crystal structure of the ectoine-binding protein ueha
114	c3kbrA	Alignment	not modelled	98.3	14	PDB header: lyase Chain: A: PDB Molecule: cyclohexadienyl dehydratase; PDBTitle: the crystal structure of cyclohexadienyl dehydratase precursor from2 pseudomonas aeruginosa pa01
115	c1y4cA	Alignment	not modelled	98.3	12	PDB header: de novo protein Chain: A: PDB Molecule: maltose binding protein fused with designed PDBTitle: designed helical protein fusion mbp
116	c2xx7B	Alignment	not modelled	98.3	9	PDB header: transport protein Chain: B: PDB Molecule: glutamate receptor 2; PDBTitle: crystal structure of 1-(4-(1-pyrrolidinylcarbonyl)phenyl)-3-2 (trifluoromethyl)-4,5,6,7-tetrahydro-1h-indazole in complex with3 the ligand binding domain of the rat glua2 receptor and glutamate4 at 2.2a resolution.
117	d1mqia	Alignment	not modelled	98.3	8	Fold: Periplasmic binding protein-like II Superfamily: Periplasmic binding protein-like II Family: Phosphate binding protein-like
118	c2gh9A	Alignment	not modelled	98.2	14	PDB header: sugar binding protein Chain: A: PDB Molecule: maltose/maltodextrin-binding protein; PDBTitle: thermus thermophilus maltotriose binding protein bound with2 maltotriose
119	c2hpgB	Alignment	not modelled	98.2	17	PDB header: ligand binding protein Chain: B: PDB Molecule: abc transporter, periplasmic substrate-binding PDBTitle: the crystal structure of a thermophilic trap periplasmic2 binding protein
120	c3qufB	Alignment	not modelled	98.2	13	PDB header: transport protein Chain: B: PDB Molecule: extracellular solute-binding protein, family 1; PDBTitle: the structure of a family 1 extracellular solute-binding protein from2 bifidobacterium longum subsp. infantis