



# Phyre<sup>2</sup>

Email	i.a.kelley@imperial.ac.uk
Description	P55138
Date	Thu Jan 5 12:06:08 GMT 2012
Unique Job ID	899875d7530be5da

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c3gbtA_	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> gluconate kinase; <b>PDBTitle:</b> crystal structure of gluconate kinase from lactobacillus acidophilus
2	c3jvpA_	Alignment		100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> ribulokinase; <b>PDBTitle:</b> crystal structure of ribulokinase from bacillus halodurans
3	c3ifrB_	Alignment		100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> B; <b>PDB Molecule:</b> carbohydrate kinase, fgyy; <b>PDBTitle:</b> the crystal structure of xylulose kinase from rhodospirillum rubrum
4	c3gg4B_	Alignment		100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> B; <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> the crystal structure of glycerol kinase from yersinia2 pseudotuberculosis
5	c3flcX_	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> X; <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of the his-tagged h232r mutant of glycerol kinase2 from enterococcus casseliflavus with glycerol
6	c2d4wA_	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of glycerol kinase from cellulomonas sp.2 nt 3060
7	c2nlxA_	Alignment		100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> xylulose kinase; <b>PDBTitle:</b> crystal structure of the apo e. coli xylulose kinase
8	c3hz6A_	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A; <b>PDB Molecule:</b> xylulokinase; <b>PDBTitle:</b> crystal structure of xylulokinase from chromobacterium violaceum
9	c2zf5O_	Alignment		100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> O; <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of highly thermostable glycerol kinase from a2 hyperthermophilic archaeon
10	c3g25B_	Alignment		100.0	17	<b>PDB header:</b> transferase <b>Chain:</b> B; <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> 1.9 angstrom crystal structure of glycerol kinase (glpk) from2 staphylococcus aureus in complex with glycerol.
11	c2dpnB_	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> B; <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of the glycerol kinase from thermus2 thermophilus hb8

12	<a href="#">c2w40C</a>	Alignment		100.0	20	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> glycerol kinase, putative; <b>PDBTitle:</b> crystal structure of plasmodium falciparum glycerol kinase2 with bound glycerol
13	<a href="#">c1glbG</a>	Alignment		100.0	19	<b>PDB header:</b> phosphotransferase <b>Chain:</b> G: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> structure of the regulatory complex of escherichia coli iiiglc with2 glycerol kinase
14	<a href="#">c3ezwD</a>	Alignment		100.0	20	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of a hyperactive escherichia coli glycerol kinase2 mutant gly230 --> asp obtained using microfluidic crystallization3 devices
15	<a href="#">c1xupO</a>	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> O: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> enterococcus casseliflavus glycerol kinase complexed with glycerol
16	<a href="#">c2cgkB</a>	Alignment		100.0	16	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> l-rhamnulose kinase; <b>PDBTitle:</b> crystal structure of l-rhamnulose kinase from escherichia2 coli in an open uncomplexed conformation.
17	<a href="#">c3i8bA</a>	Alignment		100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulose kinase; <b>PDBTitle:</b> the crystal structure of xylulose kinase from2 bifidobacterium adolescentis
18	<a href="#">c3h6eB</a>	Alignment		100.0	17	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> carbohydrate kinase, fgyy; <b>PDBTitle:</b> the crystal structure of a carbohydrate kinase from novosphingobium2 aromaticivorans
19	<a href="#">d2p3ra1</a>	Alignment		100.0	22	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
20	<a href="#">d1r59o1</a>	Alignment		100.0	22	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
21	<a href="#">d2p3ra2</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
22	<a href="#">d1r59o2</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
23	<a href="#">d1huxa</a>	Alignment	not modelled	99.4	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
24	<a href="#">c3h1lqB</a>	Alignment	not modelled	99.4	17	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> ethanolamine utilization protein eutj; <b>PDBTitle:</b> crystal structure of ethanolamine utilization protein eutj from2 carboxydothermus hydrogenformans
25	<a href="#">c2e2pA</a>	Alignment	not modelled	99.2	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase; <b>PDBTitle:</b> crystal structure of sulfolobus tokodaii hexokinase in2 complex with adp <b>PDB header:</b> isomerase, transferase
26	<a href="#">c3eo3B</a>	Alignment	not modelled	99.0	20	<b>PDB header:</b> bifunctional udp-n-acetylglucosamine 2-epimerase/n- <b>PDBTitle:</b> crystal structure of the n-acetylmannosamine kinase domain of human2 gne protein
27	<a href="#">d2ewsa1</a>	Alignment	not modelled	98.9	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Fumble-like
28	<a href="#">c2ch5D</a>	Alignment	not modelled	98.9	15	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> nagk protein; <b>PDBTitle:</b> crystal structure of human n-acetylglucosamine kinase in2 complex with n-acetylglucosamine

29	<a href="#">d1zc6a1</a>		Alignment	not modelled	98.8	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
30	<a href="#">c3enoB</a>		Alignment	not modelled	98.8	12	<b>PDB header:</b> hydrolase/unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> putative o-sialoglycoprotein endopeptidase; <b>PDBTitle:</b> crystal structure of pyrococcus furiosus pcc1 in complex2 with thermoplasma acidophilum kae1
31	<a href="#">c2ivoC</a>		Alignment	not modelled	98.8	14	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> up1; <b>PDBTitle:</b> structure of up1 protein
32	<a href="#">c1z05A</a>		Alignment	not modelled	98.8	14	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, rok family; <b>PDBTitle:</b> crystal structure of the rok family transcriptional regulator, homolog2 of e.coli mlc protein.
33	<a href="#">c2qjm1D</a>		Alignment	not modelled	98.8	24	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of glucokinase from enterococcus faecalis
34	<a href="#">c3r8eA</a>		Alignment	not modelled	98.7	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical sugar kinase; <b>PDBTitle:</b> crystal structure of a hypothetical sugar kinase (chu_1875) from2 cytophaga hutchinsonii atcc 33406 at 1.65 a resolution
35	<a href="#">c1e4gT</a>		Alignment	not modelled	98.7	15	<b>PDB header:</b> bacterial cell division <b>Chain:</b> T: <b>PDB Molecule:</b> cell division protein ftsa; <b>PDBTitle:</b> ftsa (atp-bound form) from thermotoga maritima
36	<a href="#">c1z6rC</a>		Alignment	not modelled	98.7	15	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> mlc protein; <b>PDBTitle:</b> crystal structure of mlc from escherichia coli
37	<a href="#">c3cqyA</a>		Alignment	not modelled	98.5	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> anhydro-n-acetyl muramic acid kinase; <b>PDBTitle:</b> crystal structure of a functionally unknown protein (so_1313) from2 shewanella oneidensis mr-1
38	<a href="#">d1z05a3</a>		Alignment	not modelled	98.4	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
39	<a href="#">d2ch5a2</a>		Alignment	not modelled	98.3	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
40	<a href="#">c1zc6A</a>		Alignment	not modelled	98.3	17	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> probable n-acetylglucosamine kinase; <b>PDBTitle:</b> crystal structure of putative n-acetylglucosamine kinase from2 chromobacterium violaceum. northeast structural genomics target3 cvr23.
41	<a href="#">d2hoea3</a>		Alignment	not modelled	98.3	8	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
42	<a href="#">c3en9B</a>		Alignment	not modelled	98.2	18	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> o-sialoglycoprotein endopeptidase/protein kinase; <b>PDBTitle:</b> structure of the methanococcus jannaschii kae1-bud32 fusion2 protein
43	<a href="#">c1dkgD</a>		Alignment	not modelled	98.0	17	<b>PDB header:</b> complex (hsp24/hsp70) <b>Chain:</b> D: <b>PDB Molecule:</b> molecular chaperone dnak; <b>PDBTitle:</b> crystal structure of the nucleotide exchange factor grpe2 bound to the atpase domain of the molecular chaperone dnak
44	<a href="#">d1z6ra2</a>		Alignment	not modelled	98.0	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
45	<a href="#">c2ap1A</a>		Alignment	not modelled	98.0	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative regulator protein; <b>PDBTitle:</b> crystal structure of the putative regulatory protein
46	<a href="#">c1ig8A</a>		Alignment	not modelled	97.9	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase pii; <b>PDBTitle:</b> crystal structure of yeast hexokinase pii with the correct2 amino acid sequence
47	<a href="#">c3d2fC</a>		Alignment	not modelled	97.9	14	<b>PDB header:</b> chaperone <b>Chain:</b> C: <b>PDB Molecule:</b> heat shock protein homolog sse1; <b>PDBTitle:</b> crystal structure of a complex of sse1p and hsp70
48	<a href="#">c2v7zA</a>		Alignment	not modelled	97.8	12	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> heat shock cognate 71 kda protein; <b>PDBTitle:</b> crystal structure of the 70-kda heat shock cognate protein2 from rattus norvegicus in post-atp hydrolysis state
49	<a href="#">c1v4sA</a>		Alignment	not modelled	97.8	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase isoform 2; <b>PDBTitle:</b> crystal structure of human glucokinase
50	<a href="#">d1dkgd2</a>		Alignment	not modelled	97.8	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
51	<a href="#">d1woqa1</a>		Alignment	not modelled	97.8	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
52	<a href="#">c2v7yA</a>		Alignment	not modelled	97.8	15	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> chaperone protein dnak; <b>PDBTitle:</b> crystal structure of the molecular chaperone dnak from2 geobacillus kaustophilus hta426 in post-atp hydrolysis3 state
53	<a href="#">d2apla2</a>		Alignment	not modelled	97.7	19	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
54	<a href="#">c1hpmA</a>		Alignment	not modelled	97.7	12	<b>PDB header:</b> hydrolase (acting on acid anhydrides) <b>Chain:</b> A: <b>PDB Molecule:</b> 44k atpase fragment (n-terminal) of 70 kd heat- <b>PDBTitle:</b> how potassium affects the activity of the molecular2

						chaperone hsc70. ii. potassium binds specifically in the3 atpase active site
55	<a href="#">c3htvA</a>	Alignment	not modelled	97.7	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> d-allose kinase; <b>PDBTitle:</b> crystal structure of d-allose kinase (np_418508.1) from escherichia coli k12 at 1.95 a resolution
56	<a href="#">d1jcea2</a>	Alignment	not modelled	97.6	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
57	<a href="#">d1q18a1</a>	Alignment	not modelled	97.6	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glucokinase
58	<a href="#">d1sz2a1</a>	Alignment	not modelled	97.6	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glucokinase
59	<a href="#">d1bupa2</a>	Alignment	not modelled	97.5	12	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
60	<a href="#">c3vgkB</a>	Alignment	not modelled	97.5	23	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of a rok family glucokinase from streptomyces2 griseus
61	<a href="#">c2gupA</a>	Alignment	not modelled	97.5	20	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> rok family protein; <b>PDBTitle:</b> structural genomics, the crystal structure of a rok family protein2 from streptococcus pneumoniae tigr4 in complex with sucrose
62	<a href="#">c2hoeA</a>	Alignment	not modelled	97.5	8	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> n-acetylglucosamine kinase; <b>PDBTitle:</b> crystal structure of n-acetylglucosamine kinase (tm1224) from2 thermotoga maritima at 2.46 a resolution
63	<a href="#">d2e8aa2</a>	Alignment	not modelled	97.5	13	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
64	<a href="#">d1e4ft1</a>	Alignment	not modelled	97.5	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
65	<a href="#">c3iucC</a>	Alignment	not modelled	97.5	15	<b>PDB header:</b> chaperone <b>Chain:</b> C: <b>PDB Molecule:</b> heat shock 70kda protein 5 (glucose-regulated <b>PDBTitle:</b> crystal structure of the human 70kda heat shock protein 52 (bip/grp78) atpase domain in complex with adp
66	<a href="#">c1jcgA</a>	Alignment	not modelled	97.4	16	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> rod shape-determining protein mreb; <b>PDBTitle:</b> mreb from thermotoga maritima, amppnp
67	<a href="#">c1saza</a>	Alignment	not modelled	97.4	11	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> probable butyrate kinase 2; <b>PDBTitle:</b> membership in the askha superfamily: enzymological2 properties and crystal structure of butyrate kinase 2 from3 thermotoga maritima
68	<a href="#">c2khoA</a>	Alignment	not modelled	97.4	19	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> heat shock protein 70; <b>PDBTitle:</b> nmr-rdc / xray structure of e. coli hsp70 (dnak) chaperone2 (1-605) complexed with adp and substrate
69	<a href="#">c1qhaA</a>	Alignment	not modelled	97.4	13	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (hexokinase); <b>PDBTitle:</b> human hexokinase type i complexed with atp analogue amp-pnp
70	<a href="#">d2aa4a1</a>	Alignment	not modelled	97.3	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
71	<a href="#">c1bdgA</a>	Alignment	not modelled	97.3	13	<b>PDB header:</b> hexokinase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase; <b>PDBTitle:</b> hexokinase from schistosoma mansoni complexed with glucose
72	<a href="#">c2aa4B</a>	Alignment	not modelled	97.3	14	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> putative n-acetylmannosamine kinase; <b>PDBTitle:</b> crystal structure of escherichia coli putative n-2 acetylmannosamine kinase, new york structural genomics3 consortium
73	<a href="#">c3mcpA</a>	Alignment	not modelled	97.2	12	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of glucokinase (bdi_1628) from parabacteroides2 distasonis atcc 8503 at 3.00 a resolution
74	<a href="#">c1xc3A</a>	Alignment	not modelled	97.1	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative fructokinase; <b>PDBTitle:</b> structure of a putative fructokinase from bacillus subtilis
75	<a href="#">d2gupa1</a>	Alignment	not modelled	97.0	19	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
76	<a href="#">c1woqB</a>	Alignment	not modelled	97.0	14	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> inorganic polyphosphate/atp-glucomannokinase; <b>PDBTitle:</b> crystal structure of inorganic polyphosphate/atp-glucomannokinase from2 arthrobacter sp. strain km at 1.8 a resolution
77	<a href="#">c3p4iA</a>	Alignment	not modelled	96.9	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> acetate kinase; <b>PDBTitle:</b> crystal structure of acetate kinase from mycobacterium avium
78	<a href="#">c3tsuA</a>	Alignment	not modelled	96.9	13	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulatory protein; <b>PDBTitle:</b> crystal structure of e. coli hypf with amp-pnp and carbamoyl phosphate
79	<a href="#">d1xc3a1</a>	Aliantment	not modelled	96.8	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain

					<b>Family:</b> ROK
80	<a href="#">c3qbwA</a>	Alignment	not modelled	96.8	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> anhydro-n-acetyl muramic acid kinase; <b>PDBTitle:</b> crystal structure of pseudomonas aeruginosa 1,6-anhydro-2 acetyl muramic acid kinase (anmk) bound to adenosine diphosphate
81	<a href="#">d1e4ft2</a>	Alignment	not modelled	96.6	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
82	<a href="#">c3khyA</a>	Alignment	not modelled	96.4	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> propionate kinase; <b>PDBTitle:</b> crystal structure of a propionate kinase from francisella tularensis subsp. tularensis schu s4
83	<a href="#">c1tuuA</a>	Alignment	not modelled	96.4	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> acetate kinase; <b>PDBTitle:</b> acetate kinase crystallized with atpgs
84	<a href="#">c2g2rA</a>	Alignment	not modelled	96.4	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase 1, putative; <b>PDBTitle:</b> trypanosoma cruzi glucokinase in complex with beta-d-glucose and adp
85	<a href="#">c3lm2B</a>	Alignment	not modelled	96.4	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> putative kinase; <b>PDBTitle:</b> crystal structure of putative kinase. (17743352) from agrobacterium tumefaciens str. c58 (dupont) at 1.70 a resolution
86	<a href="#">c2ychA</a>	Alignment	not modelled	96.4	<b>PDB header:</b> cell cycle <b>Chain:</b> A: <b>PDB Molecule:</b> competence protein pilm; <b>PDBTitle:</b> pilm-piln type iv pilus biogenesis complex
87	<a href="#">d1bg3a3</a>	Alignment	not modelled	96.3	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
88	<a href="#">d1bdga1</a>	Alignment	not modelled	96.1	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
89	<a href="#">c2d0oA</a>	Alignment	not modelled	96.0	<b>PDB header:</b> chaperone <b>Chain:</b> A: <b>PDB Molecule:</b> diol dehydratase-reactivating factor large <b>PDBTitle:</b> strcuture of diol dehydratase-reactivating factor complexed2 with adp and mg2+
90	<a href="#">d1ig8a1</a>	Alignment	not modelled	95.9	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
91	<a href="#">d1v4sa1</a>	Alignment	not modelled	95.8	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
92	<a href="#">c1zbsA</a>	Alignment	not modelled	95.7	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein pg1100; <b>PDBTitle:</b> crystal structure of the putative n-acetylglucosamine kinase (pg1100)2 from porphyromonas gingivalis, northeast structural genomics target3 pgr18
93	<a href="#">d3bzka5</a>	Alignment	not modelled	95.7	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Tex RuvX-like domain-like
94	<a href="#">c3t69A</a>	Alignment	not modelled	95.5	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative 2-dehydro-3-deoxygalactonokinase; <b>PDBTitle:</b> crystal structure of a putative 2-dehydro-3-deoxygalactonokinase2 protein from sinorhizobium meliloti
95	<a href="#">d1bg3a1</a>	Alignment	not modelled	95.5	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
96	<a href="#">c3hm8D</a>	Alignment	not modelled	95.2	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> hexokinase-3; <b>PDBTitle:</b> crystal structure of the c-terminal hexokinase domain of human hk3
97	<a href="#">d1czan3</a>	Alignment	not modelled	95.2	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
98	<a href="#">d1czan1</a>	Alignment	not modelled	94.9	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
99	<a href="#">d2i7na2</a>	Alignment	not modelled	94.9	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Fumble-like
100	<a href="#">d1ig8a2</a>	Alignment	not modelled	94.3	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
101	<a href="#">d2zgya2</a>	Alignment	not modelled	94.0	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
102	<a href="#">d1g99a1</a>	Alignment	not modelled	93.7	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
103	<a href="#">d1saza2</a>	Alignment	not modelled	93.6	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
104	<a href="#">d1u6za2</a>	Alignment	not modelled	93.6	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Ppx/GppA phosphatase
105	<a href="#">c1t6dB</a>	Alignment	not modelled	93.3	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> exopolyphosphatase; <b>PDBTitle:</b> miras phasing of the aquifex aeolicus ppx/gppa

						phosphatase: crystal2 structure of the type ii variant
106	<a href="#">d2ch5a1</a>		Alignment	not modelled	93.2	16 <b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
107	<a href="#">d2i7pa1</a>		Alignment	not modelled	93.1	17 <b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Fumble-like
108	<a href="#">c1mwmA_</a>		Alignment	not modelled	92.7	17 <b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> parm; <b>PDBTitle:</b> parm from plasmid r1 adp form
109	<a href="#">d2d0oa2</a>		Alignment	not modelled	92.5	23 <b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ATPase domain of dehydratase reactivase alpha subunit
110	<a href="#">d2elza1</a>		Alignment	not modelled	92.5	16 <b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
111	<a href="#">c2oceA_</a>		Alignment	not modelled	92.5	20 <b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein pa5201; <b>PDBTitle:</b> crystal structure of tex family protein pa5201 from2 pseudomonas aeruginosa
112	<a href="#">c3dwIB_</a>		Alignment	not modelled	92.0	9 <b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> actin-related protein 3; <b>PDBTitle:</b> crystal structure of fission yeast arp2/3 complex lacking the arp22 subunit
113	<a href="#">d1t6ca1</a>		Alignment	not modelled	91.9	12 <b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Ppx/GppA phosphatase
114	<a href="#">d2e8aa1</a>		Alignment	not modelled	91.9	32 <b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
115	<a href="#">c2h3gX_</a>		Alignment	not modelled	91.7	21 <b>PDB header:</b> biosynthetic protein <b>Chain:</b> X: <b>PDB Molecule:</b> biosynthetic protein; <b>PDBTitle:</b> structure of the type iii pantothenate kinase (coax) from bacillus2 anthracis
116	<a href="#">c1zxoB_</a>		Alignment	not modelled	91.5	13 <b>PDB header:</b> unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> conserved hypothetical protein q8a1p1; <b>PDBTitle:</b> x-ray crystal structure of protein q8a1p1 from bacteroides2 thetaiotaomicron. northeast structural genomics consortium3 target btr25.
117	<a href="#">c3aapA_</a>		Alignment	not modelled	91.3	14 <b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> ectonucleoside triphosphate diphosphohydrolase i; <b>PDBTitle:</b> crystal structure of lp1ntpdase from legionella pneumophila
118	<a href="#">c3mdqA_</a>		Alignment	not modelled	90.7	10 <b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> exopolyphosphatase; <b>PDBTitle:</b> crystal structure of an exopolyphosphatase (chu_0316) from cytophaga2 hutchinsonii atcc 33406 at 1.50 a resolution
119	<a href="#">d1bdga2</a>		Alignment	not modelled	90.7	16 <b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
120	<a href="#">d3bexa1</a>		Alignment	not modelled	90.5	20 <b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> CoaX-like