






























#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">d1tq5a1</a>	 Alignment		100.0	97	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Pirin-like
2	<a href="#">c2vecA</a>	 Alignment		100.0	34	<b>PDB header:</b> cytosolic protein <b>Chain:</b> A: <b>PDB Molecule:</b> pirin-like protein yhak; <b>PDBTitle:</b> the crystal structure of the protein yhak from escherichia2 coli
3	<a href="#">c2p17A</a>	 Alignment		100.0	23	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> pirin-like protein; <b>PDBTitle:</b> crystal structure of gk1651 from geobacillus kaustophilus
4	<a href="#">d1j1la</a>	 Alignment		100.0	21	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Pirin-like
5	<a href="#">c3o14B</a>	 Alignment		99.2	17	<b>PDB header:</b> gene regulation <b>Chain:</b> B: <b>PDB Molecule:</b> anti-ecfsigma factor, chrr; <b>PDBTitle:</b> crystal structure of an anti-ecfsigma factor, chrr (maqu_0586) from2 marinobacter aquaeolei vt8 at 1.70 a resolution
6	<a href="#">d1sfna</a>	 Alignment		99.2	11	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> YlbA-like
7	<a href="#">d1sq4a</a>	 Alignment		99.1	12	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> YlbA-like
8	<a href="#">c3h7yA</a>	 Alignment		99.0	10	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> bacilysin biosynthesis protein bacb; <b>PDBTitle:</b> crystal structure of bacb, an enzyme involved in bacilysin synthesis,2 in tetragonal form
9	<a href="#">c1sefA</a>	 Alignment		98.9	12	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> conserved hypothetical protein; <b>PDBTitle:</b> crystal structure of cupin domain protein ef2996 from enterococcus2 faecalis
10	<a href="#">d1sefa</a>	 Alignment		98.9	12	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> YlbA-like
11	<a href="#">d1rc6a</a>	 Alignment		98.9	11	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> YlbA-like


















12	<a href="#">c2d40C_</a>	Alignment		98.8	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> putative gentisate 1,2-dioxygenase; <b>PDBTitle:</b> crystal structure of z3393 from escherichia coli o157:h7
13	<a href="#">d1y3ta1</a>	Alignment		98.7	18	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Quercetin 2,3-dioxygenase-like
14	<a href="#">d2d40a1</a>	Alignment		98.7	22	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Gentisate 1,2-dioxygenase-like
15	<a href="#">c3rnsA_</a>	Alignment		98.7	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> cupin 2 conserved barrel domain protein; <b>PDBTitle:</b> cupin 2 conserved barrel domain protein from leptotrichia buccalis
16	<a href="#">c3h8uA_</a>	Alignment		98.7	25	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized conserved protein with double-stranded <b>PDBTitle:</b> crystal structure of uncharacterized conserved protein with double-2 stranded beta-helix domain (yp_001338853.1) from klebsiella3 pneumoniae subsp. pneumoniae mgh 78578 at 1.80 a resolution
17	<a href="#">c2oziA_</a>	Alignment		98.6	21	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein rpa4178; <b>PDBTitle:</b> structural genomics, the crystal structure of a putative2 protein rpa4178 from rhodopseudomonas palustris cga009
18	<a href="#">c2vqaC_</a>	Alignment		98.4	15	<b>PDB header:</b> metal-binding protein <b>Chain:</b> C: <b>PDB Molecule:</b> sll1358 protein; <b>PDBTitle:</b> protein-folding location can regulate mn versus cu- or zn-2 binding. crystal structure of mnca.
19	<a href="#">d2phda1</a>	Alignment		98.3	18	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Gentisate 1,2-dioxygenase-like
20	<a href="#">c3i7dB_</a>	Alignment		98.2	18	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> sugar phosphate isomerase; <b>PDBTitle:</b> crystal structure of sugar phosphate isomerase from a cupin2 superfamily spo2919 from silicibacter pomeroyi (yp_168127.1) from3 silicibacter pomeroyi dss-3 at 2.30 a resolution
21	<a href="#">d2f4pa1</a>	Alignment	not modelled	98.1	20	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> TM1287-like
22	<a href="#">c2fqpD_</a>	Alignment	not modelled	98.1	20	<b>PDB header:</b> metal binding protein <b>Chain:</b> D: <b>PDB Molecule:</b> hypothetical protein bp2299; <b>PDBTitle:</b> crystal structure of a cupin domain (bp2299) from bordetella pertussis2 tohama i at 1.80 a resolution
23	<a href="#">d1o4ta_</a>	Alignment	not modelled	98.1	22	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> TM1287-like
24	<a href="#">c3l2hD_</a>	Alignment	not modelled	97.9	24	<b>PDB header:</b> isomerase <b>Chain:</b> D: <b>PDB Molecule:</b> putative sugar phosphate isomerase; <b>PDBTitle:</b> crystal structure of putative sugar phosphate isomerase (afe_0303)2 from acidithiobacillus ferrooxidans atcc 23270 at 1.85 a resolution
25	<a href="#">c3es1A_</a>	Alignment	not modelled	97.9	26	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> cupin 2, conserved barrel domain protein; <b>PDBTitle:</b> crystal structure of protein with a cupin-like fold and unknown2 function (yp_001165807.1) from novosphingobium aromaticivorans dsm3 12444 at 1.91 a resolution
26	<a href="#">d1juha_</a>	Alignment	not modelled	97.9	15	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Quercetin 2,3-dioxygenase-like
27	<a href="#">c3ibmB_</a>	Alignment	not modelled	97.9	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> cupin 2, conserved barrel domain protein; <b>PDBTitle:</b> crystal structure of cupin 2 domain-containing protein hha1_0468 from2 halorhodospira halophila
						<b>PDB header:</b> structural genomics, unknown function

28	<a href="#">c2oa2A</a>	Alignment	not modelled	97.8	26	<b>Chain:</b> A: <b>PDB Molecule:</b> bh2720 protein; <b>PDBTitle:</b> crystal structure of bh2720 (10175341) from bacillus halodurans at2 1.41 a resolution
29	<a href="#">c3ht2A</a>	Alignment	not modelled	97.8	22	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> remf protein; <b>PDBTitle:</b> zink containing polyketide cyclase remf from streptomyces2 resistomycificus
30	<a href="#">d3bu7a1</a>	Alignment	not modelled	97.7	18	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Gentisate 1,2-dioxygenase-like
31	<a href="#">c3bu7A</a>	Alignment	not modelled	97.7	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> gentisate 1,2-dioxygenase; <b>PDBTitle:</b> crystal structure and biochemical characterization of gdosp,2 a gentisate 1,2-dioxygenase from silicibacter pomeroyi
32	<a href="#">d1vj2a</a>	Alignment	not modelled	97.7	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> TM1459-like
33	<a href="#">d1j58a</a>	Alignment	not modelled	97.7	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
34	<a href="#">c2gu9B</a>	Alignment	not modelled	97.6	21	<b>PDB header:</b> immune system <b>Chain:</b> B: <b>PDB Molecule:</b> tetracenomycin polyketide synthesis protein; <b>PDBTitle:</b> crystal structure of xc5357 from xanthomonas campestris: a2 putative tetracenomycin polyketide synthesis protein3 adopting a novel cupin subfamily structure
35	<a href="#">c2q30C</a>	Alignment	not modelled	97.6	18	<b>PDB header:</b> unknown function <b>Chain:</b> C: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of a rmlc-like cupin protein (dde_2303) from2 desulfovibrio desulfuricans subsp. at 1.94 a resolution
36	<a href="#">d1v70a</a>	Alignment	not modelled	97.6	23	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> TM1287-like
37	<a href="#">c3jzvA</a>	Alignment	not modelled	97.6	12	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein rru_a2000; <b>PDBTitle:</b> crystal structure of rru_a2000 from rhodospirillum rubrum: a cupin-22 domain.
38	<a href="#">c1fxzC</a>	Alignment	not modelled	97.6	16	<b>PDB header:</b> plant protein <b>Chain:</b> C: <b>PDB Molecule:</b> glycinin g1; <b>PDBTitle:</b> crystal structure of soybean proglycinin a1ab1b homotrimer
39	<a href="#">c3kgzA</a>	Alignment	not modelled	97.5	10	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> cupin 2 conserved barrel domain protein; <b>PDBTitle:</b> crystal structure of a cupin 2 conserved barrel domain protein from2 rhodopseudomonas palustris
40	<a href="#">c2cauA</a>	Alignment	not modelled	97.5	18	<b>PDB header:</b> plant protein <b>Chain:</b> A: <b>PDB Molecule:</b> protein (canavalin); <b>PDBTitle:</b> canavalin from jack bean
41	<a href="#">d2b8ma1</a>	Alignment	not modelled	97.5	16	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> MJ0764-like
42	<a href="#">c2vpvA</a>	Alignment	not modelled	97.4	16	<b>PDB header:</b> cell cycle <b>Chain:</b> A: <b>PDB Molecule:</b> protein mif2; <b>PDBTitle:</b> dimerization domain of mif2p
43	<a href="#">c3kscD</a>	Alignment	not modelled	97.4	16	<b>PDB header:</b> plant protein <b>Chain:</b> D: <b>PDB Molecule:</b> lega class; <b>PDBTitle:</b> crystal structure of pea prolegumin, an 11s seed globulin2 from pisum sativum l.
44	<a href="#">c3myxA</a>	Alignment	not modelled	97.4	13	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein pspto_0244; <b>PDBTitle:</b> crystal structure of a pspto_0244 (protein with unknown function which2 belongs to pfam duf861 family) from pseudomonas syringae pv. tomato3 str. dc3000 at 1.30 a resolution
45	<a href="#">d1yhfa1</a>	Alignment	not modelled	97.3	16	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> TM1287-like
46	<a href="#">c3kglB</a>	Alignment	not modelled	97.3	15	<b>PDB header:</b> plant protein <b>Chain:</b> B: <b>PDB Molecule:</b> cruciferin; <b>PDBTitle:</b> crystal structure of procruciferin, 11s globulin from2 brassica napus
47	<a href="#">c3qacA</a>	Alignment	not modelled	97.3	18	<b>PDB header:</b> plant protein <b>Chain:</b> A: <b>PDB Molecule:</b> 11s globulin seed storage protein; <b>PDBTitle:</b> structure of amaranth 11s proglobulin seed storage protein from2 amaranthus hypochondriacus l.
48	<a href="#">d1lr5a</a>	Alignment	not modelled	97.2	21	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
49	<a href="#">c2d5fB</a>	Alignment	not modelled	97.1	14	<b>PDB header:</b> plant protein <b>Chain:</b> B: <b>PDB Molecule:</b> glycinin a3b4 subunit; <b>PDBTitle:</b> crystal structure of recombinant soybean proglycinin a3b4 subunit, its2 comparison with mature glycinin a3b4 subunit, responsible for hexamer3 assembly
50	<a href="#">c3cewA</a>	Alignment	not modelled	97.1	22	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized cupin protein; <b>PDBTitle:</b> crystal structure of a cupin protein (bf4112) from bacteroides2 fragilis. northeast structural genomics consortium target bfr205
51	<a href="#">c2ozjB</a>	Alignment	not modelled	97.0	12	<b>PDB header:</b> unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> cupin 2, conserved barrel; <b>PDBTitle:</b> crystal structure of a cupin superfamily protein (dsy2733) from2 desulfitobacterium hafniense dcb-2 at 1.60 a resolution
52	<a href="#">c3ebrA</a>	Alignment	not modelled	97.0	21	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized rmlc-like cupin; <b>PDBTitle:</b> crystal structure of an rmlc-like cupin protein (reut_a0381) from2 ralstonia eutropha jmp134 at 2.60 a resolution <b>PDB header:</b> biosynthetic protein

53	<a href="#">c3fjsC</a>	Alignment	not modelled	96.9	21	<b>Chain:</b> C: <b>PDB Molecule:</b> uncharacterized protein with rmlc-like cupin fold; <b>PDBTitle:</b> crystal structure of a putative biosynthetic protein with rmlc-like2 cupin fold (reut_b4087) from ralstonia eutropha jmp134 at 1.90 a3 resolution
54	<a href="#">c2pfwB</a>	Alignment	not modelled	96.9	11	<b>PDB header:</b> unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> cupin 2, conserved barrel domain protein; <b>PDBTitle:</b> crystal structure of a rmlc-like cupin (sfri_3105) from shewanella2 frigidimarina ncimb 400 at 1.90 a resolution
55	<a href="#">c3bcwB</a>	Alignment	not modelled	96.9	26	<b>PDB header:</b> unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of a duf861 family protein with a rmlc-like cupin2 fold (bb1179) from bordetella bronchiseptica rb50 at 1.60 a3 resolution
56	<a href="#">d2et1a1</a>	Alignment	not modelled	96.9	21	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
57	<a href="#">d1y9qa2</a>	Alignment	not modelled	96.8	14	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Probable transcriptional regulator VC1968, C-terminal domain
58	<a href="#">c2o8qA</a>	Alignment	not modelled	96.8	25	<b>PDB header:</b> metal binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> crystal structure of a protein with a cupin-like fold and unknown2 function (bx_e_c0505) from burkholderia xenovorans lb400 at 1.55 a3 resolution
59	<a href="#">c2z2sD</a>	Alignment	not modelled	96.7	40	<b>PDB header:</b> transcription <b>Chain:</b> D: <b>PDB Molecule:</b> anti-sigma factor chrr, transcriptional activator chrr; <b>PDBTitle:</b> crystal structure of rhodobacter sphaeroides sige in complex with the2 anti-sigma chrr
60	<a href="#">c2e9qA</a>	Alignment	not modelled	96.5	18	<b>PDB header:</b> plant protein <b>Chain:</b> A: <b>PDB Molecule:</b> 11s globulin subunit beta; <b>PDBTitle:</b> recombinant pro-11s globulin of pumpkin
61	<a href="#">c3c3vA</a>	Alignment	not modelled	96.5	13	<b>PDB header:</b> allergen <b>Chain:</b> A: <b>PDB Molecule:</b> arachin arah3 isoform; <b>PDBTitle:</b> crystal structure of peanut major allergen ara h 3
62	<a href="#">d1uika1</a>	Alignment	not modelled	96.5	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
63	<a href="#">d2bnma2</a>	Alignment	not modelled	96.3	20	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> TM1459-like
64	<a href="#">c2xlfA</a>	Alignment	not modelled	96.3	21	<b>PDB header:</b> metal binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> sll1785 protein; <b>PDBTitle:</b> structure and metal-loading of a soluble periplasm cupro-protein:2 apo-cuca-closed (semet)
65	<a href="#">c3cxE</a>	Alignment	not modelled	96.2	14	<b>PDB header:</b> unknown function <b>Chain:</b> E: <b>PDB Molecule:</b> protein of unknown function with a cupin-like fold; <b>PDBTitle:</b> crystal structure of a protein of unknown function with a cupin-like2 fold (reut_b4571) from ralstonia eutropha jmp134 at 2.60 a resolution
66	<a href="#">d1dgwa</a>	Alignment	not modelled	96.2	16	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
67	<a href="#">c2i45C</a>	Alignment	not modelled	96.2	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> C: <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> crystal structure of protein nmb1881 from neisseria meningitidis
68	<a href="#">d1j3pa</a>	Alignment	not modelled	96.1	19	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Glucose-6-phosphate isomerase, GPI
69	<a href="#">d2o1qa1</a>	Alignment	not modelled	96.1	16	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Acetylacetone-cleaving enzyme-like
70	<a href="#">c3balB</a>	Alignment	not modelled	96.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> acetylacetone-cleaving enzyme; <b>PDBTitle:</b> crystal structure of an acetylacetone dioxygenase from2 acinetobacter johnsonii
71	<a href="#">d3elna1</a>	Alignment	not modelled	96.0	23	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Cysteine dioxygenase type I
72	<a href="#">d1x82a</a>	Alignment	not modelled	96.0	22	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Glucose-6-phosphate isomerase, GPI
73	<a href="#">d1yfua1</a>	Alignment	not modelled	95.9	21	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> 3-hydroxyanthranilic acid dioxygenase-like
74	<a href="#">d1fxa1</a>	Alignment	not modelled	95.8	13	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
75	<a href="#">c3s7eB</a>	Alignment	not modelled	95.8	16	<b>PDB header:</b> allergen <b>Chain:</b> B: <b>PDB Molecule:</b> allergen ara h 1, clone p41b; <b>PDBTitle:</b> crystal structure of ara h 1
76	<a href="#">c2eaaB</a>	Alignment	not modelled	95.8	16	<b>PDB header:</b> plant protein <b>Chain:</b> B: <b>PDB Molecule:</b> 7s globulin-3; <b>PDBTitle:</b> crystal structure of adzuki bean 7s globulin-3
77	<a href="#">c3ehkC</a>	Alignment	not modelled	95.6	15	<b>PDB header:</b> plant protein <b>Chain:</b> C: <b>PDB Molecule:</b> prunin; <b>PDBTitle:</b> crystal structure of pru du amandin, an allergenic protein2 from prunus dulcis

78	<a href="#">d2gm6a1</a>	Alignment	not modelled	95.2	20	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Cysteine dioxygenase type I
79	<a href="#">d1uija1</a>	Alignment	not modelled	95.2	19	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
80	<a href="#">d2phla2</a>	Alignment	not modelled	95.0	16	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
81	<a href="#">c3d82A</a>	Alignment	not modelled	94.9	20	<b>PDB header:</b> metal binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> cupin 2, conserved barrel domain protein; <b>PDBTitle:</b> crystal structure of a cupin-2 domain containing protein (sfri_3543)2 from shewanella frigidimarina ncimb 400 at 2.05 a resolution
82	<a href="#">c3lwcA</a>	Alignment	not modelled	94.9	21	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of structural genomics, unknown function2 (yp_766765.1) from rhizobium leguminosarum bv. viciae 3841 at 1.40 a3 resolution
83	<a href="#">d1fxza2</a>	Alignment	not modelled	94.4	13	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
84	<a href="#">d2phla1</a>	Alignment	not modelled	94.4	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
85	<a href="#">d1o5ua</a>	Alignment	not modelled	94.3	29	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Hypothetical protein TM1112
86	<a href="#">c2npiB</a>	Alignment	not modelled	94.2	23	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> protein clp1; <b>PDBTitle:</b> clp1-atp-pcf11 complex
87	<a href="#">d2ic1a1</a>	Alignment	not modelled	94.1	18	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Cysteine dioxygenase type I
88	<a href="#">c3esgA</a>	Alignment	not modelled	94.1	17	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative uncharacterized protein; <b>PDBTitle:</b> crystal structure of hutd from pseudomonas fluorescens sbw25
89	<a href="#">d1pmia</a>	Alignment	not modelled	94.1	16	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Type I phosphomannose isomerase
90	<a href="#">d1od5a2</a>	Alignment	not modelled	94.0	16	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
91	<a href="#">c1uija</a>	Alignment	not modelled	93.1	17	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> beta subunit of beta conglycinin; <b>PDBTitle:</b> crystal structure of soybean beta-conglycinin beta2 homotrimer (i122m/k124w)
92	<a href="#">d1uija2</a>	Alignment	not modelled	92.9	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
93	<a href="#">d1uika2</a>	Alignment	not modelled	92.7	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
94	<a href="#">c2qdrA</a>	Alignment	not modelled	92.1	16	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of a putative dioxygenase (npun_f5605) from nostoc2 punctiforme pcc 73102 at 2.60 a resolution
95	<a href="#">c2bnoA</a>	Alignment	not modelled	91.6	11	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> epoxidase; <b>PDBTitle:</b> the structure of hydroxypropylphosphonic acid epoxidase2 from s. wedmorensis.
96	<a href="#">c3es4B</a>	Alignment	not modelled	91.6	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized protein duf861 with a rmlc-like cupin fold; <b>PDBTitle:</b> crystal structure of protein of unknown function (duf861) with a rmlc-2 like cupin fold (17741406) from agrobacterium tumefaciens str. c583 (dupont) at 1.64 a resolution
97	<a href="#">d2pyta1</a>	Alignment	not modelled	91.4	15	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> EutQ-like
98	<a href="#">c1cauB</a>	Alignment	not modelled	90.2	17	<b>PDB header:</b> seed storage protein <b>Chain:</b> B: <b>PDB Molecule:</b> canavalin; <b>PDBTitle:</b> determination of three crystal structures of canavalin by molecular2 replacement
99	<a href="#">c2qivB</a>	Alignment	not modelled	89.6	19	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized iolb-like protein; <b>PDBTitle:</b> crystal structure of an iolb-like protein (stm4420) from salmonella2 typhimurium lt2 at 1.90 a resolution
100	<a href="#">d1od5a1</a>	Alignment	not modelled	87.6	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Germin/Seed storage 7S protein
101	<a href="#">d1zrra1</a>	Alignment	not modelled	87.2	18	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Acireductone dioxygenase
102	<a href="#">d1zvfa1</a>	Alignment	not modelled	86.3	14	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> 3-hydroxyanthranilic acid dioxygenase-like
103	<a href="#">c3h1yA</a>	Alignment	not modelled	85.3	16	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> mannose-6-phosphate isomerase; <b>PDBTitle:</b> crystal structure of mannose 6-phosphate isomerase



						from2 salmonella typhimurium bound to substrate (f6p)and metal3 atom (zn)
104	<a href="#">c3eqeB_</a>	 Alignment	not modelled	82.7	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative cystein deoxygenase; <b>PDBTitle:</b> crystal structure of the yubc protein from bacillus2 subtilis. northeast structural genomics consortium target3 sr112.
105	<a href="#">d1ylla1</a>	 Alignment	not modelled	82.6	18	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> PA5104-like
106	<a href="#">c1y9qa_</a>	 Alignment	not modelled	81.9	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, hth_3 family; <b>PDBTitle:</b> crystal structure of hth_3 family transcriptional regulator2 from vibrio cholerae
107	<a href="#">d1gp6a_</a>	 Alignment	not modelled	54.9	15	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> Clavamate synthase-like <b>Family:</b> Penicillin synthase-like
108	<a href="#">d1xrual</a>	 Alignment	not modelled	48.8	18	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Kdul-like
109	<a href="#">d2exda1</a>	 Alignment	not modelled	46.4	12	<b>Fold:</b> OB-fold <b>Superfamily:</b> NfeD domain-like <b>Family:</b> NfeD domain-like
110	<a href="#">c2y0aA_</a>	 Alignment	not modelled	32.5	25	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> probable d-lyxose ketol-isomerase; <b>PDBTitle:</b> the structure of a d-lyxose isomerase from the sigmab2 regulon of bacillus subtilis
111	<a href="#">d3e5ua2</a>	 Alignment	not modelled	29.1	22	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> cAMP-binding domain-like <b>Family:</b> cAMP-binding domain
112	<a href="#">d1ywka1</a>	 Alignment	not modelled	28.7	22	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> RmlC-like cupins <b>Family:</b> Kdul-like
113	<a href="#">c1dgrX_</a>	 Alignment	not modelled	28.2	19	<b>PDB header:</b> plant protein <b>Chain:</b> X: <b>PDB Molecule:</b> canavalin; <b>PDBTitle:</b> refined crystal structure of canavalin from jack bean
114	<a href="#">c1ywkE_</a>	 Alignment	not modelled	27.1	20	<b>PDB header:</b> isomerase <b>Chain:</b> E: <b>PDB Molecule:</b> 4-deoxy-l-threo-5-hexosulose-uronate ketol- <b>PDBTitle:</b> crystal structure of 4-deoxy-1-threo-5-hexosulose-uronate2 ketol-isomerase from enterococcus faecalis
115	<a href="#">c2k5ha_</a>	 Alignment	not modelled	26.5	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> conserved protein; <b>PDBTitle:</b> solution nmr structure of protein encoded by mth693 from2 methanobacterium thermoautotrophicum: northeast structural3 genomics consortium target tt824a
116	<a href="#">c3oeaA_</a>	 Alignment	not modelled	25.3	9	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative uncharacterized protein ttha0988; <b>PDBTitle:</b> crystal structure of ttha0988 in space group p43212
117	<a href="#">d1gxca_</a>	 Alignment	not modelled	24.5	11	<b>Fold:</b> SMAD/FHA domain <b>Superfamily:</b> SMAD/FHA domain <b>Family:</b> FHA domain
118	<a href="#">c1gxca_</a>	 Alignment	not modelled	24.5	11	<b>PDB header:</b> phosphoprotein-binding domain <b>Chain:</b> A: <b>PDB Molecule:</b> serine/threonine-protein kinase chk2; <b>PDBTitle:</b> fha domain from human chk2 kinase in complex with a2 synthetic phosphopeptide
119	<a href="#">d1ft9a2</a>	 Alignment	not modelled	24.0	15	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> cAMP-binding domain-like <b>Family:</b> CO-sensing protein CooA, N-terminal domain
120	<a href="#">d2h6ca2</a>	 Alignment	not modelled	23.1	17	<b>Fold:</b> Double-stranded beta-helix <b>Superfamily:</b> cAMP-binding domain-like <b>Family:</b> cAMP-binding domain