



# Phyre<sup>2</sup>

Email	i.a.kelley@imperial.ac.uk
Description	P75959
Date	Thu Jan 5 12:16:28 GMT 2012
Unique Job ID	9ba36938a64b3b27

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2ap1A_	Alignment		100.0	93	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative regulator protein; <b>PDBTitle:</b> crystal structure of the putative regulatory protein
2	c1z05A_	Alignment		100.0	19	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, rok family; <b>PDBTitle:</b> crystal structure of the rok family transcriptional regulator, homolog2 of e.coli mlc protein.
3	c1z6rC_	Alignment		100.0	23	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> mlc protein; <b>PDBTitle:</b> crystal structure of mlc from escherichia coli
4	c3vgkB_	Alignment		100.0	30	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of a rok family glucokinase from streptomyces2 griseus
5	c3mcpA_	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of glucokinase (bdi_1628) from parabacteroides2 distasonis atcc 8503 at 3.00 a resolution
6	c3r8eA_	Alignment		100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical sugar kinase; <b>PDBTitle:</b> crystal structure of a hypothetical sugar kinase (chu_1875) from2 cytophaga hutchinsonii atcc 33406 at 1.65 a resolution
7	c2aa4B_	Alignment		100.0	27	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> putative n-acetylmannosamine kinase; <b>PDBTitle:</b> crystal structure of escherichia coli putative n-2 acetylmannosamine kinase, new york structural genomics3 consortium
8	c2hoeA_	Alignment		100.0	19	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> n-acetylglucosamine kinase; <b>PDBTitle:</b> crystal structure of n-acetylglucosamine kinase (tm1224) from2 thermotoga maritima at 2.46 a resolution
9	c2qm1D_	Alignment		100.0	29	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of glucokinase from enterococcus faecalis
10	c2gupA_	Alignment		100.0	22	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> rok family protein; <b>PDBTitle:</b> structural genomics, the crystal structure of a rok family protein2 from streptococcus pneumoniae tigr4 in complex with sucrose
11	c1xc3A_	Alignment		100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative fructokinase; <b>PDBTitle:</b> structure of a putative fructokinase from bacillus subtilis

12	<a href="#">c3eo3B_</a>	Alignment		100.0	26	<b>PDB header:</b> isomerase, transferase <b>Chain:</b> B: <b>PDB Molecule:</b> bifunctional udp-n-acetylglucosamine 2-epimerase/n- <b>PDBTitle:</b> crystal structure of the n-acetylmannosamine kinase domain of human2 gne protein
13	<a href="#">c3htvA_</a>	Alignment		100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> d-allose kinase; <b>PDBTitle:</b> crystal structure of d-allose kinase (np_418508.1) from escherichia2 coli k12 at 1.95 a resolution
14	<a href="#">d1sz2a1</a>	Alignment		100.0	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glucokinase
15	<a href="#">c2q2rA_</a>	Alignment		100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase 1, putative; <b>PDBTitle:</b> trypanosoma cruzi glucokinase in complex with beta-d-glucose and adp
16	<a href="#">c1woqB_</a>	Alignment		100.0	29	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> inorganic polyphosphate/atp-glucosaminokinase; <b>PDBTitle:</b> crystal structure of inorganic polyphosphate/atp-glucosaminokinase from2 arthrobacter sp. strain km at 1.8 a resolution
17	<a href="#">c2ch5D_</a>	Alignment		100.0	15	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> nagk protein; <b>PDBTitle:</b> crystal structure of human n-acetylglucosamine kinase in2 complex with n-acetylglucosamine
18	<a href="#">c2e2pA_</a>	Alignment		100.0	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase; <b>PDBTitle:</b> crystal structure of sulfolobus tokodaii hexokinase in2 complex with adp
19	<a href="#">d2apl1a1</a>	Alignment		100.0	92	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
20	<a href="#">c3lm2B_</a>	Alignment		100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> putative kinase; <b>PDBTitle:</b> crystal structure of putative kinase. (17743352) from agrobacterium2 tumefaciens str. c58 (dupont) at 1.70 a resolution
21	<a href="#">d1z05a2</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
22	<a href="#">d2aa4a2</a>	Alignment	not modelled	100.0	29	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
23	<a href="#">d1z6ra3</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
24	<a href="#">c1zc6A_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> probable n-acetylglucosamine kinase; <b>PDBTitle:</b> crystal structure of putative n-acetylglucosamine kinase from2 chromobacterium violaceum. northeast structural genomics target3 cvr3.
25	<a href="#">d2gupa2</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
26	<a href="#">d2hoea2</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
27	<a href="#">d1xc3a2</a>	Alignment	not modelled	99.9	23	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
28	<a href="#">d1q18a2</a>	Alignment	not modelled	99.9	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glucokinase
29	<a href="#">d2apl1a2</a>	Alignment	not modelled	99.9	94	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK

30	<a href="#">d2ewsa1</a>		Alignment	not modelled	99.9	11	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Fumble-like
31	<a href="#">d1z05a3</a>		Alignment	not modelled	99.9	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
32	<a href="#">d1huxa_</a>		Alignment	not modelled	99.9	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
33	<a href="#">d2hoea3</a>		Alignment	not modelled	99.9	21	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
34	<a href="#">d1xc3a1</a>		Alignment	not modelled	99.9	21	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
35	<a href="#">d1z6ra2</a>		Alignment	not modelled	99.8	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
36	<a href="#">d1woqa1</a>		Alignment	not modelled	99.8	29	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
37	<a href="#">d2aa4a1</a>		Alignment	not modelled	99.8	23	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
38	<a href="#">d1woqa2</a>		Alignment	not modelled	99.8	25	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
39	<a href="#">d2ch5a1</a>		Alignment	not modelled	99.8	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
40	<a href="#">c1zbsA_</a>		Alignment	not modelled	99.8	18	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein pg1100; <b>PDBTitle:</b> crystal structure of the putative n-acetylglucosamine kinase (pg1100)2 from porphyromonas gingivalis, northeast structural genomics target3 pgr18
41	<a href="#">c1v4sA_</a>		Alignment	not modelled	99.8	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase isoform 2; <b>PDBTitle:</b> crystal structure of human glucokinase
42	<a href="#">c1bdgA_</a>		Alignment	not modelled	99.8	19	<b>PDB header:</b> hexokinase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase; <b>PDBTitle:</b> hexokinase from schistosoma mansoni complexed with glucose
43	<a href="#">c3hm8D_</a>		Alignment	not modelled	99.8	17	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> hexokinase-3; <b>PDBTitle:</b> crystal structure of the c-terminal hexokinase domain of human hk3
44	<a href="#">c1ig8A_</a>		Alignment	not modelled	99.8	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase pii; <b>PDBTitle:</b> crystal structure of yeast hexokinase pii with the correct2 amino acid sequence
45	<a href="#">c1zxoB_</a>		Alignment	not modelled	99.8	16	<b>PDB header:</b> unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> conserved hypothetical protein q8a1p1; <b>PDBTitle:</b> x-ray crystal structure of protein q8a1p1 from bacteroides2 thetaiotaomicron. northeast structural genomics consortium3 target btr25.
46	<a href="#">c1qhaA_</a>		Alignment	not modelled	99.8	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (hexokinase); <b>PDBTitle:</b> human hexokinase type i complexed with atp analogue amp-pnp
47	<a href="#">d2gupa1</a>		Alignment	not modelled	99.7	23	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
48	<a href="#">d1q18a1</a>		Alignment	not modelled	99.5	12	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glucokinase
49	<a href="#">d2ch5a2</a>		Alignment	not modelled	99.5	19	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
50	<a href="#">c1sazA_</a>		Alignment	not modelled	99.4	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> probable butyrate kinase 2; <b>PDBTitle:</b> membership in the askha superfamily: enzymological2 properties and crystal structure of butyrate kinase 2 from3 thermotoga maritima
51	<a href="#">d1zc6a1</a>		Alignment	not modelled	99.4	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
52	<a href="#">c3h1qB_</a>		Alignment	not modelled	99.4	21	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> ethanolamine utilization protein eutj; <b>PDBTitle:</b> crystal structure of ethanolamine utilization protein eutj from2 carboxydothermus hydrogenoformans
53	<a href="#">c3hz6A_</a>		Alignment	not modelled	99.3	20	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulokinase; <b>PDBTitle:</b> crystal structure of xylulokinase from chromobacterium violaceum
54	<a href="#">c2ivoC_</a>		Alignment	not modelled	99.2	13	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> up1; <b>PDBTitle:</b> structure of up1 protein
55	<a href="#">c2dpnB_</a>		Alignment	not modelled	99.1	22	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of the glycerol kinase from thermus2 thermophilus hb8

56	<a href="#">d1zc6a2</a>	Alignment	not modelled	99.1	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
57	<a href="#">c3p4iA</a>	Alignment	not modelled	99.1	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> acetate kinase; <b>PDBTitle:</b> crystal structure of acetate kinase from mycobacterium avium
58	<a href="#">c2iirJ</a>	Alignment	not modelled	99.1	13	<b>PDB header:</b> transferase <b>Chain:</b> J: <b>PDB Molecule:</b> acetate kinase; <b>PDBTitle:</b> acetate kinase from a hyperthermophile thermotoga maritima
59	<a href="#">c3gbtA</a>	Alignment	not modelled	99.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> gluconate kinase; <b>PDBTitle:</b> crystal structure of gluconate kinase from lactobacillus acidophilus
60	<a href="#">c1x3nA</a>	Alignment	not modelled	99.0	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> propionate kinase; <b>PDBTitle:</b> crystal structure of amppnp bound propionate kinase (tdcd) from salmonella typhimurium
61	<a href="#">c3enoB</a>	Alignment	not modelled	99.0	12	<b>PDB header:</b> hydrolase/unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> putative o-sialoglycoprotein endopeptidase; <b>PDBTitle:</b> crystal structure of pyrococcus furiosus pcc1 in complex2 with thermoplasma acidophilum kae1
62	<a href="#">c3ifrB</a>	Alignment	not modelled	99.0	22	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> carbohydrate kinase, fgyg; <b>PDBTitle:</b> the crystal structure of xylulose kinase from rhodospirillum rubrum
63	<a href="#">c3en9B</a>	Alignment	not modelled	98.9	15	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> o-sialoglycoprotein endopeptidase/protein kinase; <b>PDBTitle:</b> structure of the methanococcus jannaschii kae1-bud32 fusion2 protein
64	<a href="#">d1saza2</a>	Alignment	not modelled	98.9	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
65	<a href="#">c1tuuA</a>	Alignment	not modelled	98.9	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> acetate kinase; <b>PDBTitle:</b> acetate kinase crystallized with atpgs
66	<a href="#">c2zf5O</a>	Alignment	not modelled	98.8	21	<b>PDB header:</b> transferase <b>Chain:</b> O: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of highly thermostable glycerol kinase from a2 hyperthermophilic archaeon
67	<a href="#">c3khyA</a>	Alignment	not modelled	98.8	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> propionate kinase; <b>PDBTitle:</b> crystal structure of a propionate kinase from francisella2 tularensis subsp. tularensis schu s4
68	<a href="#">d1v4sa1</a>	Alignment	not modelled	98.7	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
69	<a href="#">c2nlxA</a>	Alignment	not modelled	98.6	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulose kinase; <b>PDBTitle:</b> crystal structure of the apo e. coli xylulose kinase
70	<a href="#">d1bdga1</a>	Alignment	not modelled	98.6	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
71	<a href="#">c2i7pA</a>	Alignment	not modelled	98.5	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> pantothenate kinase 3; <b>PDBTitle:</b> crystal structure of human pank3 in complex with accoa
72	<a href="#">d1bg3a3</a>	Alignment	not modelled	98.5	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
73	<a href="#">d1ig8a1</a>	Alignment	not modelled	98.5	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
74	<a href="#">d1czan3</a>	Alignment	not modelled	98.4	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
75	<a href="#">d1bg3a4</a>	Alignment	not modelled	98.4	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
76	<a href="#">d1g99a2</a>	Alignment	not modelled	98.4	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
77	<a href="#">d1czan1</a>	Alignment	not modelled	98.4	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
78	<a href="#">d1czan2</a>	Alignment	not modelled	98.4	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
79	<a href="#">c3smpA</a>	Alignment	not modelled	98.4	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> pantothenate kinase 1; <b>PDBTitle:</b> monoclinic crystal structure of human pantothenate kinase 1 alpha
80	<a href="#">d1bg3a1</a>	Alignment	not modelled	98.4	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
81	<a href="#">d2e1za2</a>	Alignment	not modelled	98.3	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
82	<a href="#">d1bdga2</a>	Alignment	not modelled	98.3	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain

						<b>Family:</b> Hexokinase
83	<a href="#">d1bg3a2</a>	Alignment	not modelled	98.3	22	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
84	<a href="#">c2d4wA</a>	Alignment	not modelled	98.3	23	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of glycerol kinase from cellulomonas sp.2 nt3060
85	<a href="#">d1v4sa2</a>	Alignment	not modelled	98.2	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
86	<a href="#">c3flcX</a>	Alignment	not modelled	98.2	20	<b>PDB header:</b> transferase <b>Chain:</b> X: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of the his-tagged h232r mutant of glycerol kinase2 from enterococcus casseliflavus with glycerol
87	<a href="#">c3g25B</a>	Alignment	not modelled	98.2	14	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> 1.9 angstrom crystal structure of glycerol kinase (glpk) from2 staphylococcus aureus in complex with glycerol.
88	<a href="#">d2p3ra1</a>	Alignment	not modelled	98.2	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
89	<a href="#">c1glbG</a>	Alignment	not modelled	98.1	15	<b>PDB header:</b> phosphotransferase <b>Chain:</b> G: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> structure of the regulatory complex of escherichia coli iiiglc with 2 glycerol kinase
90	<a href="#">c3ezwD</a>	Alignment	not modelled	98.1	15	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of a hyperactive escherichia coli glycerol kinase2 mutant gly230 --> asp obtained using microfluidic crystallization3 devices
91	<a href="#">c3gg4B</a>	Alignment	not modelled	98.1	26	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> the crystal structure of glycerol kinase from yersinia2 pseudotuberculosis
92	<a href="#">d1czan4</a>	Alignment	not modelled	98.1	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
93	<a href="#">c1olf4</a>	Alignment	not modelled	98.1	14	<b>PDB header:</b> contractile protein <b>Chain:</b> 4: <b>PDB Molecule:</b> skeletal muscle actin; <b>PDBTitle:</b> molecular models of averaged rigor crossbridges from2 tomograms of insect flight muscle
94	<a href="#">c2ychA</a>	Alignment	not modelled	98.0	17	<b>PDB header:</b> cell cycle <b>Chain:</b> A: <b>PDB Molecule:</b> competence protein pilm; <b>PDBTitle:</b> pilm-piln type iv pilus biogenesis complex
95	<a href="#">d1ig8a2</a>	Alignment	not modelled	98.0	21	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
96	<a href="#">c2w40C</a>	Alignment	not modelled	98.0	11	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> glycerol kinase, putative; <b>PDBTitle:</b> crystal structure of plasmodium falciparum glycerol kinase2 with bound glycerol
97	<a href="#">c3i8bA</a>	Alignment	not modelled	98.0	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulose kinase; <b>PDBTitle:</b> the crystal structure of xylulose kinase from2 bifidobacterium adolescentis
98	<a href="#">c3dw1B</a>	Alignment	not modelled	98.0	13	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> actin-related protein 3; <b>PDBTitle:</b> crystal structure of fission yeast arp2/3 complex lacking the arp22 subunit
99	<a href="#">c1hpmA</a>	Alignment	not modelled	97.9	18	<b>PDB header:</b> hydrolase (acting on acid anhydrides) <b>Chain:</b> A: <b>PDB Molecule:</b> 44k atpase fragment (n-terminal) of 70 kd heat; <b>PDBTitle:</b> how potassium affects the activity of the molecular2 chaperone hsc70. ii. potassium binds specifically in the3 atpase active site
100	<a href="#">c3jvpA</a>	Alignment	not modelled	97.9	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> ribulokinase; <b>PDBTitle:</b> crystal structure of ribulokinase from bacillus halodurans
101	<a href="#">c2cgkB</a>	Alignment	not modelled	97.9	14	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> l-rhamnulose kinase; <b>PDBTitle:</b> crystal structure of l-rhamnulose kinase from escherichia2 coli in an open uncomplexed conformation.
102	<a href="#">c1xupO</a>	Alignment	not modelled	97.9	18	<b>PDB header:</b> transferase <b>Chain:</b> O: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> enterococcus casseliflavus glycerol kinase complexed with glycerol
103	<a href="#">c3djca</a>	Alignment	not modelled	97.7	19	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> type iii pantothenate kinase; <b>PDBTitle:</b> crystal structure of pantothenate kinase from legionella pneumophila
104	<a href="#">d1zbsa1</a>	Alignment	not modelled	97.7	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
105	<a href="#">d1zxoa2</a>	Alignment	not modelled	97.7	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
106	<a href="#">c3h6eB</a>	Alignment	not modelled	97.7	13	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> carbohydrate kinase, fgyg; <b>PDBTitle:</b> the crystal structure of a carbohydrate kinase from novosphingobium2 aromaticivorans
107	<a href="#">c1jcgA</a>	Alignment	not modelled	97.7	17	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> rod shape-determining protein mreb; <b>PDBTitle:</b> mreb from thermotoga maritima, amppnp
						<b>PDB header:</b> transferase

108	<a href="#">c3bf1C_</a>	Alignment	not modelled	97.7	16	<b>Chain: C: PDB Molecule:</b> type iii pantothenate kinase; <b>PDBTitle:</b> type iii pantothenate kinase from thermotoga maritima2 complexed with pantothenate and adp
109	<a href="#">c2h3gX_</a>	Alignment	not modelled	97.6	22	<b>PDB header:</b> biosynthetic protein <b>Chain: X: PDB Molecule:</b> biosynthetic protein; <b>PDBTitle:</b> structure of the type iii pantothenate kinase (coax) from bacillus2 anthracis
110	<a href="#">c2v7zA_</a>	Alignment	not modelled	97.3	19	<b>PDB header:</b> chaperone <b>Chain: A: PDB Molecule:</b> heat shock cognate 71 kda protein; <b>PDBTitle:</b> crystal structure of the 70-kda heat shock cognate protein2 from rattus norvegicus in post-atp hydrolysis state
111	<a href="#">d1r59o1</a>	Alignment	not modelled	97.2	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
112	<a href="#">c2p9IA_</a>	Alignment	not modelled	97.2	12	<b>PDB header:</b> structural protein <b>Chain: A: PDB Molecule:</b> actin-like protein 3; <b>PDBTitle:</b> crystal structure of bovine arp2/3 complex
113	<a href="#">c2v7yA_</a>	Alignment	not modelled	97.0	18	<b>PDB header:</b> chaperone <b>Chain: A: PDB Molecule:</b> chaperone protein dnak; <b>PDBTitle:</b> crystal structure of the molecular chaperone dnak from2 geobacillus kaustophilus hta426 in post-atp hydrolysis3 state
114	<a href="#">d3bzka5</a>	Alignment	not modelled	96.9	23	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Ribonuclease H-like <b>Family:</b> Tex RuvX-like domain-like
115	<a href="#">d3bexa1</a>	Alignment	not modelled	96.6	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> CoaX-like
116	<a href="#">c3d2fC_</a>	Alignment	not modelled	96.6	19	<b>PDB header:</b> chaperone <b>Chain: C: PDB Molecule:</b> heat shock protein homolog sse1; <b>PDBTitle:</b> crystal structure of a complex of sselp and hsp70
117	<a href="#">d1bupa2</a>	Alignment	not modelled	96.3	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70
118	<a href="#">c1dkgD_</a>	Alignment	not modelled	96.2	21	<b>PDB header:</b> complex (hsp24/hsp70) <b>Chain: D: PDB Molecule:</b> molecular chaperone dnak; <b>PDBTitle:</b> crystal structure of the nucleotide exchange factor grpe2 bound to the atpase domain of the molecular chaperone dnak
119	<a href="#">c1e4gT_</a>	Alignment	not modelled	96.1	17	<b>PDB header:</b> bacterial cell division <b>Chain: T: PDB Molecule:</b> cell division protein ftsa; <b>PDBTitle:</b> ftsa (atp-bound form) from thermotoga maritima
120	<a href="#">d2e8aa2</a>	Alignment	not modelled	96.1	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Actin/HSP70