

































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2c2aA_	 Alignment		100.0	33	PDB header: transferase Chain: A: PDB Molecule: sensor histidine kinase; PDBTitle: structure of the entire cytoplasmic portion of a sensor2 histidine kinase protein
2	c3a0rA_	 Alignment		100.0	20	PDB header: transferase Chain: A: PDB Molecule: sensor protein; PDBTitle: crystal structure of histidine kinase thka (tm1359) in complex with2 response regulator protein trra (tm1360)
3	c3d36B_	 Alignment		100.0	21	PDB header: transferase/transferase inhibitor Chain: B: PDB Molecule: sporulation kinase b; PDBTitle: how to switch off a histidine kinase: crystal structure of2 geobacillus stearothermophilus kinb with the inhibitor sda
4	c3d2rB_	 Alignment		100.0	18	PDB header: transferase Chain: B: PDB Molecule: [pyruvate dehydrogenase [lipoamide]] kinase isozyme 4; PDBTitle: crystal structure of pyruvate dehydrogenase kinase isoform 4 in2 complex with adp
5	c2q8fA_	 Alignment		100.0	19	PDB header: transferase Chain: A: PDB Molecule: [pyruvate dehydrogenase [lipoamide]] kinase isozyme 1; PDBTitle: structure of pyruvate dehydrogenase kinase isoform 1
6	c1y8oA_	 Alignment		100.0	16	PDB header: transferase Chain: A: PDB Molecule: [pyruvate dehydrogenase [lipoamide]] kinase isozyme 3; PDBTitle: crystal structure of the pdk3-l2 complex
7	c2bu8A_	 Alignment		100.0	17	PDB header: transferase Chain: A: PDB Molecule: pyruvate dehydrogenase kinase isoenzyme 2; PDBTitle: crystal structures of human pyruvate dehydrogenase kinase 22 containing physiological and synthetic ligands
8	c1g1vA_	 Alignment		100.0	18	PDB header: transferase Chain: A: PDB Molecule: [3-methyl-2-oxobutanoate dehydrogenase PDBTitle: branched-chain alpha-ketoacid dehydrogenase kinase (bck)2 complexed with atp-gamma-s
9	c2ayxA_	 Alignment		99.9	19	PDB header: transferase Chain: A: PDB Molecule: sensor kinase protein rcsc; PDBTitle: solution structure of the e.coli rcsc c-terminus (residues2 700-949) containing linker region and phosphoreceiver3 domain
10	d2c2aa2	 Alignment		99.9	33	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
11	c3a0tA_	 Alignment		99.9	22	PDB header: transferase Chain: A: PDB Molecule: sensor protein; PDBTitle: catalytic domain of histidine kinase thka (tm1359) in2 complex with adp and mg ion (trigonal)

12	c1b3qA_	Alignment		99.9	18	PDB header: transferase Chain: A: PDB Molecule: protein (chemotaxis protein chea); PDBTitle: crystal structure of chea-289, a signal transducing histidine kinase
13	d1gkza2	Alignment		99.9	23	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: alpha-ketoacid dehydrogenase kinase, C-terminal domain
14	d1id0a_	Alignment		99.9	23	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
15	d1bxda_	Alignment		99.9	18	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
16	d1jm6a2	Alignment		99.9	21	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: alpha-ketoacid dehydrogenase kinase, C-terminal domain
17	c3jz3B_	Alignment		99.9	22	PDB header: transferase Chain: B: PDB Molecule: sensor protein qsec; PDBTitle: structure of the cytoplasmic segment of histidine kinase qsec
18	d1ysra1	Alignment		99.9	24	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
19	c2ch4A_	Alignment		99.9	22	PDB header: transferase/chemotaxis Chain: A: PDB Molecule: chemotaxis protein chea; PDBTitle: complex between bacterial chemotaxis histidine kinase chea2 domains p4 and p5 and receptor-adaptor protein chew
20	c1w25B_	Alignment		99.9	31	PDB header: signaling protein Chain: B: PDB Molecule: stalked-cell differentiation controlling protein; PDBTitle: response regulator pled in complex with c-digmp
21	c3breA_	Alignment	not modelled	99.9	23	PDB header: signaling protein Chain: A: PDB Molecule: probable two-component response regulator; PDBTitle: crystal structure of p.aeruginosa pa3702
22	c3eq2A_	Alignment	not modelled	99.9	28	PDB header: signaling protein Chain: A: PDB Molecule: probable two-component response regulator; PDBTitle: structure of hexagonal crystal form of pseudomonas2 aeruginosa rssb
23	d1i58a_	Alignment	not modelled	99.9	24	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
24	c3i5aA_	Alignment	not modelled	99.9	23	PDB header: signaling protein Chain: A: PDB Molecule: response regulator/ggdef domain protein; PDBTitle: crystal structure of full-length wpsr from pseudomonas syringae
25	c3gt7A_	Alignment	not modelled	99.9	24	PDB header: hydrolase Chain: A: PDB Molecule: sensor protein; PDBTitle: crystal structure of signal receiver domain of signal2 transduction histidine kinase from syntrophus3 aciditrophicus
26	c3lteH_	Alignment	not modelled	99.9	24	PDB header: transcription Chain: H: PDB Molecule: response regulator; PDBTitle: crystal structure of response regulator (signal receiver domain) from2 bermanella marisrubri
27	d1mb3a_	Alignment	not modelled	99.8	34	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
						Fold: Flavodoxin-like

28	d1k66a_	Alignment	not modelled	99.8	25	Superfamily: CheY-like Family: CheY-related
29	c2zayA_	Alignment	not modelled	99.8	22	PDB header: signaling protein Chain: A: PDB Molecule: response regulator receiver protein; PDBTitle: crystal structure of response regulator from desulfuromonas2 acetoxidans
30	c3t6kB_	Alignment	not modelled	99.8	25	PDB header: signaling protein Chain: B: PDB Molecule: response regulator receiver; PDBTitle: crystal structure of a hypothetical response regulator (caur_3799)2 from chloroflexus aurantiacus j-10-fl at 1.86 a resolution
31	d1w25a1	Alignment	not modelled	99.8	32	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
32	d2ayxa1	Alignment	not modelled	99.8	28	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
33	d1p6qa_	Alignment	not modelled	99.8	22	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
34	d1heya_	Alignment	not modelled	99.8	26	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
35	c3h1gA_	Alignment	not modelled	99.8	23	PDB header: signaling protein Chain: A: PDB Molecule: chemotaxis protein chey homolog; PDBTitle: crystal structure of chey mutant t84a of helicobacter pylori
36	d1peya_	Alignment	not modelled	99.8	26	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
37	d2pl1a1	Alignment	not modelled	99.8	31	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
38	d1jbea_	Alignment	not modelled	99.8	26	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
39	d2r25b1	Alignment	not modelled	99.8	29	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
40	c3n0rA_	Alignment	not modelled	99.8	23	PDB header: signaling protein Chain: A: PDB Molecule: response regulator; PDBTitle: structure of the phyr stress response regulator at 1.25 angstrom2 resolution
41	c3gl9B_	Alignment	not modelled	99.8	28	PDB header: signaling protein Chain: B: PDB Molecule: response regulator; PDBTitle: the structure of a histidine kinase-response regulator2 complex sheds light into two-component signaling and3 reveals a novel cis autophosphorylation mechanism
42	d1u0sy_	Alignment	not modelled	99.8	27	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
43	c3cnbC_	Alignment	not modelled	99.8	21	PDB header: dna binding protein Chain: C: PDB Molecule: dna-binding response regulator, merr family; PDBTitle: crystal structure of signal receiver domain of dna binding response2 regulator protein (merr) from colwellia psychrerythraea 34h
44	c1ny5A_	Alignment	not modelled	99.8	30	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator (ntrc family); PDBTitle: crystal structure of sigm54 activator (aaa+ atpase) in the inactive2 state
45	d1s8na_	Alignment	not modelled	99.8	28	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
46	c3lufB_	Alignment	not modelled	99.8	22	PDB header: signaling protein Chain: B: PDB Molecule: two-component system response regulator/ggdef PDBTitle: structure of probable two-component system response2 regulator/ggdef domain protein
47	d1ny5a1	Alignment	not modelled	99.8	30	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
48	d1qkka_	Alignment	not modelled	99.8	23	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
49	c2zwmA_	Alignment	not modelled	99.8	37	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulatory protein yycf; PDBTitle: crystal structure of yycf receiver domain from bacillus2 subtilis
50	c3c3mA_	Alignment	not modelled	99.8	26	PDB header: signaling protein Chain: A: PDB Molecule: response regulator receiver protein; PDBTitle: crystal structure of the n-terminal domain of response regulator2 receiver protein from methanoculleus marisnigri jr1
51	c3cfyA_	Alignment	not modelled	99.8	23	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: putative luxo repressor protein; PDBTitle: crystal structure of signal receiver domain of putative luxo2 repressor protein from vibrio parahaemolyticus
52	d1zesa1	Alignment	not modelled	99.8	32	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
53	c3ilhA_	Alignment	not modelled	99.8	18	PDB header: transcription regulator Chain: A: PDB Molecule: two component response regulator; PDBTitle: crystal structure of two component response regulator from cytophaga2 hutchinsonii

54	c3mmnA_	Alignment	not modelled	99.8	33	PDB header: transferase Chain: A: PDB Molecule: histidine kinase homolog; PDBTitle: crystal structure of the receiver domain of the histidine kinase cki12 from arabidopsis thaliana complexed with mg2+
55	c2qvgA_	Alignment	not modelled	99.8	27	PDB header: transferase Chain: A: PDB Molecule: two component response regulator; PDBTitle: the crystal structure of a two-component response regulator2 from legionella pneumophila
56	c2rjnA_	Alignment	not modelled	99.8	23	PDB header: hydrolase Chain: A: PDB Molecule: response regulator receiver:metal-dependent PDBTitle: crystal structure of an uncharacterized protein q2bku2 from2 neptuniibacter caesariensis
57	d1mvoa_	Alignment	not modelled	99.8	31	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
58	c3i42A_	Alignment	not modelled	99.8	27	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: response regulator receiver domain protein (chey- PDBTitle: structure of response regulator receiver domain (chey-like)2 from methylobacillus flagellatus
59	c3r0jA_	Alignment	not modelled	99.8	31	PDB header: dna binding protein Chain: A: PDB Molecule: possible two component system response transcriptional PDBTitle: structure of phop from mycobacterium tuberculosis
60	d1zh2a1	Alignment	not modelled	99.8	35	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
61	c3nhzA_	Alignment	not modelled	99.8	32	PDB header: dna binding protein Chain: A: PDB Molecule: two component system transcriptional regulator mtra; PDBTitle: structure of n-terminal domain of mtra
62	d1i3ca_	Alignment	not modelled	99.8	21	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
63	d2a9pa1	Alignment	not modelled	99.8	31	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
64	c2qzjC_	Alignment	not modelled	99.8	29	PDB header: transcription Chain: C: PDB Molecule: two-component response regulator; PDBTitle: crystal structure of a two-component response regulator from2 clostridium difficile
65	c3hdgE_	Alignment	not modelled	99.8	22	PDB header: structural genomics, unknown function Chain: E: PDB Molecule: uncharacterized protein; PDBTitle: crystal structure of the n-terminal domain of an2 uncharacterized protein (ws1339) from wolinella3 succinogenes
66	d1zgza1	Alignment	not modelled	99.8	30	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
67	c3cg4A_	Alignment	not modelled	99.8	25	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: response regulator receiver domain protein (chey-like); PDBTitle: crystal structure of response regulator receiver domain protein (chey-2 like) from methanospirillum hungatei jf-1
68	c3khtA_	Alignment	not modelled	99.8	28	PDB header: signaling protein Chain: A: PDB Molecule: response regulator; PDBTitle: crystal structure of response regulator from hahella chejuensis
69	d1ys7a2	Alignment	not modelled	99.8	29	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
70	d1dcfa_	Alignment	not modelled	99.8	24	Fold: Flavodoxin-like Superfamily: CheY-like Family: Receiver domain of the ethylene receptor
71	d1dbwa_	Alignment	not modelled	99.8	21	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
72	c3m6mF_	Alignment	not modelled	99.8	27	PDB header: lyase/transferase Chain: F: PDB Molecule: sensory/regulatory protein rpfc; PDBTitle: crystal structure of rpff complexed with rec domain of rpfc
73	c3hv2B_	Alignment	not modelled	99.8	26	PDB header: signaling protein Chain: B: PDB Molecule: response regulator/hd domain protein; PDBTitle: crystal structure of signal receiver domain of hd domain-2 containing protein from pseudomonas fluorescens pf-5
74	c3c97A_	Alignment	not modelled	99.8	31	PDB header: signaling protein, transferase Chain: A: PDB Molecule: signal transduction histidine kinase; PDBTitle: crystal structure of the response regulator receiver domain2 of a signal transduction histidine kinase from aspergillus3 oryzae
75	c3hebB_	Alignment	not modelled	99.8	25	PDB header: transcription regulator Chain: B: PDB Molecule: response regulator receiver domain protein (chey); PDBTitle: crystal structure of response regulator receiver domain from2 rhodospirillum rubrum
76	c3b2nA_	Alignment	not modelled	99.8	20	PDB header: transcription Chain: A: PDB Molecule: uncharacterized protein q99uf4; PDBTitle: crystal structure of dna-binding response regulator, luxr family, from2 staphylococcus aureus
77	c2jrlA_	Alignment	not modelled	99.8	25	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator (ntrc family); PDBTitle: solution structure of the beryll fluoride-activated ntrc4 receiver2 domain dimer
78	d1kgsa2	Alignment	not modelled	99.8	28	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
						PDB header: protein binding

79	c3jteA_	Alignment	not modelled	99.8	26	Chain: A: PDB Molecule: response regulator receiver protein; PDBTitle: crystal structure of response regulator receiver domain2 protein from clostridium thermocellum
80	d1yioa2	Alignment	not modelled	99.8	25	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
81	c2qr3A_	Alignment	not modelled	99.8	19	PDB header: transcription Chain: A: PDB Molecule: two-component system response regulator; PDBTitle: crystal structure of the n-terminal signal receiver domain of two-2 component system response regulator from bacteroides fragilis
82	c3grcD_	Alignment	not modelled	99.8	25	PDB header: transferase Chain: D: PDB Molecule: sensor protein, kinase; PDBTitle: crystal structure of a sensor protein from polaromonas sp.2 js666
83	d1dz3a_	Alignment	not modelled	99.8	20	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
84	d1xhfa1	Alignment	not modelled	99.8	29	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
85	c3hdvB_	Alignment	not modelled	99.8	18	PDB header: transcription regulator Chain: B: PDB Molecule: response regulator; PDBTitle: crystal structure of response regulator receiver protein from2 pseudomonas putida
86	d1krwa_	Alignment	not modelled	99.8	23	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
87	c1a2oB_	Alignment	not modelled	99.8	22	PDB header: bacterial chemotaxis Chain: B: PDB Molecule: cheb methylesterase; PDBTitle: structural basis for methylesterase cheb regulation by a2 phosphorylation-activated domain
88	d1a04a2	Alignment	not modelled	99.8	20	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
89	d2hkja3	Alignment	not modelled	99.8	17	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: DNA gyrase/MutL, N-terminal domain
90	c2gwrA_	Alignment	not modelled	99.8	31	PDB header: signaling protein Chain: A: PDB Molecule: dna-binding response regulator mtra; PDBTitle: crystal structure of the response regulator protein mtra from2 mycobacterium tuberculosis
91	c3dzdA_	Alignment	not modelled	99.8	22	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator (ntrc family); PDBTitle: crystal structure of sigma54 activator ntrc4 in the inactive2 state
92	c3crnA_	Alignment	not modelled	99.8	28	PDB header: signaling protein Chain: A: PDB Molecule: response regulator receiver domain protein, chey-like; PDBTitle: crystal structure of response regulator receiver domain protein (chey-2 like) from methanospirillum hungatei jf-1
93	c2qxyB_	Alignment	not modelled	99.8	24	PDB header: transcription Chain: B: PDB Molecule: response regulator; PDBTitle: crystal structure of a response regulator from thermotoga2 maritima
94	c1ys7B_	Alignment	not modelled	99.8	27	PDB header: transcription regulator Chain: B: PDB Molecule: transcriptional regulatory protein prra; PDBTitle: crystal structure of the response regulator protein prra complexed with2 mg2 +
95	c3eulB_	Alignment	not modelled	99.8	21	PDB header: transcription Chain: B: PDB Molecule: possible nitrate/nitrite response transcriptional PDBTitle: structure of the signal receiver domain of the putative2 response regulator narl from mycobacterium tuberculosis
96	c2qv0A_	Alignment	not modelled	99.8	21	PDB header: transcription Chain: A: PDB Molecule: protein mrke; PDBTitle: crystal structure of the response regulatory domain of2 protein mrke from klebsiella pneumoniae
97	c3cu5B_	Alignment	not modelled	99.8	18	PDB header: transcription regulator Chain: B: PDB Molecule: two component transcriptional regulator, arac family; PDBTitle: crystal structure of a two component transcriptional regulator arac2 from clostridium phytofermentans isdg
98	c3luaA_	Alignment	not modelled	99.8	18	PDB header: transcription regulator Chain: A: PDB Molecule: response regulator receiver protein; PDBTitle: crystal structure of a signal receiver domain of two component signal2 transduction (histidine kinase) from clostridium thermocellum
99	c2j48A_	Alignment	not modelled	99.8	23	PDB header: transferase Chain: A: PDB Molecule: two-component sensor kinase; PDBTitle: nmr structure of the pseudo-receiver domain of the cika2 protein.
100	d1r62a_	Alignment	not modelled	99.8	19	Fold: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Superfamily: ATPase domain of HSP90 chaperone/DNA topoisomerase II/histidine kinase Family: Histidine kinase
101	c3f6cB_	Alignment	not modelled	99.8	19	PDB header: dna binding protein Chain: B: PDB Molecule: positive transcription regulator evga; PDBTitle: crystal structure of n-terminal domain of positive transcription2 regulator evga from escherichia coli
102	c3nhmA_	Alignment	not modelled	99.8	19	PDB header: signaling protein Chain: A: PDB Molecule: response regulator; PDBTitle: crystal structure of a response regulator from myxococcus xanthus
						PDB header: transcription

103	c3rqjA	Alignment	not modelled	99.8	23	Chain: A: PDB Molecule: response regulator protein; PDBTitle: crystal structure of a response regulator protein from burkholderia2 pseudomallei with a phosphorylated aspartic acid, calcium ion and3 citrate
104	c3cz5B	Alignment	not modelled	99.8	18	PDB header: transcription regulator Chain: B: PDB Molecule: two-component response regulator, luxr family; PDBTitle: crystal structure of two-component response regulator, luxr family,2 from aurantiomonas sp. si85-9a1
105	c3cg0A	Alignment	not modelled	99.8	26	PDB header: lyase Chain: A: PDB Molecule: response regulator receiver modulated diguanylate cyclase PDBTitle: crystal structure of signal receiver domain of modulated diguanylate2 cyclase from desulfovibrio desulfuricans g20, an example of alternate3 folding
106	c2jk1A	Alignment	not modelled	99.8	23	PDB header: dna-binding Chain: A: PDB Molecule: hydrogenase transcriptional regulatory protein hupr1; PDBTitle: crystal structure of the wild-type hupr receiver domain
107	c3hzhA	Alignment	not modelled	99.8	17	PDB header: signaling protein Chain: A: PDB Molecule: chemotaxis response regulator (chey-3); PDBTitle: crystal structure of the chey-chey-bef3-mg+2 complex from2 borrelia burgdorferi
108	c1p2fA	Alignment	not modelled	99.8	28	PDB header: transcription Chain: A: PDB Molecule: response regulator; PDBTitle: crystal structure analysis of response regulator drrb, a2 thermotoga maritima ompr/phob homolog
109	c2nt3A	Alignment	not modelled	99.8	25	PDB header: signaling protein Chain: A: PDB Molecule: response regulator homolog; PDBTitle: receiver domain from myxococcus xanthus social motility protein frzs2 (y102a mutant)
110	c3kcnA	Alignment	not modelled	99.8	23	PDB header: lyase Chain: A: PDB Molecule: adenylate cyclase homolog; PDBTitle: the crystal structure of adenylate cyclase from2 rhodopirellula baltica
111	d1k68a	Alignment	not modelled	99.8	18	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
112	d1p2fa2	Alignment	not modelled	99.8	27	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
113	c2rdmB	Alignment	not modelled	99.8	21	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: response regulator receiver protein; PDBTitle: crystal structure of response regulator receiver protein from2 sinorhizobium medicae wsm419
114	d2b4aa1	Alignment	not modelled	99.8	24	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
115	c3a0rB	Alignment	not modelled	99.8	28	PDB header: transferase Chain: B: PDB Molecule: response regulator; PDBTitle: crystal structure of histidine kinase thka (tm1359) in complex with2 response regulator protein tra (tm1360)
116	d1w25a2	Alignment	not modelled	99.8	21	Fold: Flavodoxin-like Superfamily: CheY-like Family: CheY-related
117	c1zn2A	Alignment		99.8	21	PDB header: transcription regulator Chain: A: PDB Molecule: response regulatory protein; PDBTitle: low resolution structure of response regulator styr
118	c3eodA	Alignment	not modelled	99.8	29	PDB header: signaling protein Chain: A: PDB Molecule: protein hnr; PDBTitle: crystal structure of n-terminal domain of e. coli rssb
119	c1kgsA	Alignment	not modelled	99.7	29	PDB header: dna binding protein Chain: A: PDB Molecule: dna binding response regulator d; PDBTitle: crystal structure at 1.50 a of an ompr/phob homolog from thermotoga2 maritima
120	c3h5iA	Alignment	not modelled	99.7	28	PDB header: transcription Chain: A: PDB Molecule: response regulator/sensory box protein/ggdef PDBTitle: crystal structure of the n-terminal domain of a response2 regulator/sensory box/ggdef 3-domain protein from3 carboxythermus hydrogenofrans