
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c3kboB_	 Alignment		100.0	76	PDB header: oxidoreductase Chain: B: PDB Molecule: glyoxylate/hydroxypyruvate reductase a; PDBTitle: 2.14 angstrom crystal structure of putative oxidoreductase (ycdw) from2 salmonella typhimurium in complex with nadp
2	c1ygyA_	 Alignment		100.0	27	PDB header: oxidoreductase Chain: A: PDB Molecule: d-3-phosphoglycerate dehydrogenase; PDBTitle: crystal structure of d-3-phosphoglycerate dehydrogenase from2 mycobacterium tuberculosis
3	c2d0iC_	 Alignment		100.0	24	PDB header: oxidoreductase Chain: C: PDB Molecule: dehydrogenase; PDBTitle: crystal structure ph0520 protein from pyrococcus horikoshii ot3
4	c2gcbB_	 Alignment		100.0	24	PDB header: oxidoreductase Chain: B: PDB Molecule: glyoxylate reductase/hydroxypyruvate reductase; PDBTitle: ternary crystal structure of human glyoxylate2 reductase/hydroxypyruvate reductase
5	c1ybaC_	 Alignment		100.0	20	PDB header: oxidoreductase Chain: C: PDB Molecule: d-3-phosphoglycerate dehydrogenase; PDBTitle: the active form of phosphoglycerate dehydrogenase
6	c3hg7A_	 Alignment		100.0	28	PDB header: oxidoreductase Chain: A: PDB Molecule: d-isomer specific 2-hydroxyacid dehydrogenase family PDBTitle: crystal structure of d-isomer specific 2-hydroxyacid dehydrogenase2 family protein from aeromonas salmonicida subsp. salmonicida a449
7	c1j4aA_	 Alignment		100.0	22	PDB header: oxidoreductase Chain: A: PDB Molecule: d-lactate dehydrogenase; PDBTitle: insights into domain closure, substrate specificity and2 catalysis of d-lactate dehydrogenase from lactobacillus3 bulgaricus
8	c3evtA_	 Alignment		100.0	22	PDB header: oxidoreductase Chain: A: PDB Molecule: phosphoglycerate dehydrogenase; PDBTitle: crystal structure of phosphoglycerate dehydrogenase from2 lactobacillus plantarum
9	c2eklA_	 Alignment		100.0	20	PDB header: oxidoreductase Chain: A: PDB Molecule: d-3-phosphoglycerate dehydrogenase; PDBTitle: structure of st1218 protein from sulfolobus tokodaii
10	c2dbqA_	 Alignment		100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: glyoxylate reductase; PDBTitle: crystal structure of glyoxylate reductase (ph0597) from pyrococcus2 horikoshii ot3, complexed with nadp (i41)
11	c3gg9C_	 Alignment		100.0	20	PDB header: oxidoreductase Chain: C: PDB Molecule: d-3-phosphoglycerate dehydrogenase oxidoreductase protein; PDBTitle: crystal structure of putative d-3-phosphoglycerate dehydrogenase2 oxidoreductase from ralstonia solanacearum

12	c3bazA_	Alignment		100.0	23	PDB header: oxidoreductase Chain: A: PDB Molecule: hydroxyphenylpyruvate reductase; PDBTitle: structure of hydroxyphenylpyruvate reductase from coleus blumei in2 complex with nadp+
13	c3n7uD_	Alignment		100.0	21	PDB header: oxidoreductase Chain: D: PDB Molecule: formate dehydrogenase; PDBTitle: nad-dependent formate dehydrogenase from higher-plant arabidopsis2 thaliana in complex with nad and azide
14	c2cukC_	Alignment		100.0	25	PDB header: oxidoreductase Chain: C: PDB Molecule: glycerate dehydrogenase/glyoxylate reductase; PDBTitle: crystal structure of tt0316 protein from thermus thermophilus hb8
15	c2omeA_	Alignment		100.0	21	PDB header: oxidoreductase Chain: A: PDB Molecule: c-terminal-binding protein 2; PDBTitle: crystal structure of human ctbp2 dehydrogenase complexed with nad(h)
16	c1wwkA_	Alignment		100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: phosphoglycerate dehydrogenase; PDBTitle: crystal structure of phosphoglycerate dehydrogenase from pyrococcus2 horikoshii ot3
17	c1xdwA_	Alignment		100.0	21	PDB header: oxidoreductase Chain: A: PDB Molecule: nad+-dependent (r)-2-hydroxyglutarate PDBTitle: nad+-dependent (r)-2-hydroxyglutarate dehydrogenase from2 acidaminococcus fermentans
18	c1dxyA_	Alignment		100.0	19	PDB header: oxidoreductase Chain: A: PDB Molecule: d-2-hydroxisocaproate dehydrogenase; PDBTitle: structure of d-2-hydroxisocaproate dehydrogenase
19	c2pi1C_	Alignment		100.0	22	PDB header: oxidoreductase Chain: C: PDB Molecule: d-lactate dehydrogenase; PDBTitle: crystal structure of d-lactate dehydrogenase from aquifex2 aeolicus complexed with nad and lactic acid
20	c2nacA_	Alignment		100.0	22	PDB header: oxidoreductase(aldehyde(d),nad+(a)) Chain: A: PDB Molecule: nad-dependent formate dehydrogenase; PDBTitle: high resolution structures of holo and apo formate dehydrogenase
21	c2j6iC_	Alignment	not modelled	100.0	23	PDB header: oxidoreductase Chain: C: PDB Molecule: formate dehydrogenase; PDBTitle: candida boidinii formate dehydrogenase (fdh) c-terminal2 mutant
22	c1gdhA_	Alignment	not modelled	100.0	22	PDB header: oxidoreductase(choh (d)-nad(p)+ (a)) Chain: A: PDB Molecule: d-glycerate dehydrogenase; PDBTitle: crystal structure of a nad-dependent d-glycerate2 dehydrogenase at 2.4 angstroms resolution
23	c3k5pA_	Alignment	not modelled	100.0	22	PDB header: oxidoreductase Chain: A: PDB Molecule: d-3-phosphoglycerate dehydrogenase; PDBTitle: crystal structure of amino acid-binding act: d-isomer specific 2-2 hydroxyacid dehydrogenase catalytic domain from brucella melitensis
24	c2g76A_	Alignment	not modelled	100.0	22	PDB header: oxidoreductase Chain: A: PDB Molecule: d-3-phosphoglycerate dehydrogenase; PDBTitle: crystal structure of human 3-phosphoglycerate dehydrogenase
25	c2w2kB_	Alignment	not modelled	100.0	17	PDB header: oxidoreductase Chain: B: PDB Molecule: d-mandelate dehydrogenase; PDBTitle: crystal structure of the apo forms of rhodotorula graminis2 d-mandelate dehydrogenase at 1.8a.
26	c1qp8A_	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: A: PDB Molecule: formate dehydrogenase; PDBTitle: crystal structure of a putative formate dehydrogenase from2 pyrobaculum aerophilum
27	c3gvxA_	Alignment	not modelled	100.0	19	PDB header: oxidoreductase Chain: A: PDB Molecule: glycerate dehydrogenase related protein; PDBTitle: crystal structure of glycerate dehydrogenase related2 protein from thermoplasma acidophilum
28	c2o4cB_	Alignment	not modelled	100.0	21	PDB header: oxidoreductase Chain: B: PDB Molecule: erythronate-4-phosphate dehydrogenase; PDBTitle: crystal structure of d-erythronate-4-phosphate

						dehydrogenase complexed2 with nad PDB header: oxidoreductase Chain: F: PDB Molecule: erythronate-4-phosphate dehydrogenase; PDBTitle: d-erythronate-4-phosphate dehydrogenase complexed with nad
29	c3oetF_	Alignment	not modelled	100.0	23	
30	d1ygga1	Alignment	not modelled	100.0	28	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
31	d1mx3a1	Alignment	not modelled	100.0	25	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
32	d2naca1	Alignment	not modelled	100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
33	d2dl da1	Alignment	not modelled	100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
34	d1j4aa1	Alignment	not modelled	100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
35	d1gdha1	Alignment	not modelled	100.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
36	d1dxya1	Alignment	not modelled	100.0	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
37	d1qp8a1	Alignment	not modelled	100.0	22	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
38	d1sc6a1	Alignment	not modelled	100.0	22	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
39	c1l7eC_	Alignment	not modelled	100.0	15	PDB header: oxidoreductase Chain: C: PDB Molecule: nicotinamide nucleotide transhydrogenase, PDBTitle: crystal structure of r. rubrum transhydrogenase domain i2 with bound nadh
40	d1v8ba1	Alignment	not modelled	100.0	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
41	c3gvpB_	Alignment	not modelled	100.0	12	PDB header: hydrolase Chain: B: PDB Molecule: adenosylhomocysteinase 3; PDBTitle: human sahh-like domain of human adenosylhomocysteinase 3
42	c1d4fD_	Alignment	not modelled	100.0	11	PDB header: hydrolase Chain: D: PDB Molecule: s-adenosylhomocysteine hydrolase; PDBTitle: crystal structure of recombinant rat-liver d244e mutant s-2 adenosylhomocysteine hydrolase
43	c1pjcA_	Alignment	not modelled	99.9	17	PDB header: oxidoreductase Chain: A: PDB Molecule: protein (l-alanine dehydrogenase); PDBTitle: l-alanine dehydrogenase complexed with nad
44	c3dhyC_	Alignment	not modelled	99.9	10	PDB header: hydrolase Chain: C: PDB Molecule: adenosylhomocysteinase; PDBTitle: crystal structures of mycobacterium tuberculosis s-adenosyl-l-2 homocysteine hydrolase in ternary complex with substrate and3 inhibitors
45	c3oneA_	Alignment	not modelled	99.9	10	PDB header: hydrolase/hydrolase substrate Chain: A: PDB Molecule: adenosylhomocysteinase; PDBTitle: crystal structure of lupinus luteus s-adenosyl-l-homocysteine2 hydrolase in complex with adenine
46	c3n58D_	Alignment	not modelled	99.9	11	PDB header: hydrolase Chain: D: PDB Molecule: adenosylhomocysteinase; PDBTitle: crystal structure of s-adenosyl-l-homocysteine hydrolase from brucella2 melitensis in ternary complex with nad and adenosine, orthorhombic3 form
47	c2bruB_	Alignment	not modelled	99.9	13	PDB header: oxidoreductase Chain: B: PDB Molecule: nad(p) transhydrogenase subunit alpha; PDBTitle: complex of the domain i and domain iii of escherichia coli2 transhydrogenase
48	c2eezG_	Alignment	not modelled	99.9	16	PDB header: oxidoreductase Chain: G: PDB Molecule: alanine dehydrogenase; PDBTitle: crystal structure of alanine dehydrogenase from themus thermophilus
49	c1v8bA_	Alignment	not modelled	99.9	13	PDB header: hydrolase Chain: A: PDB Molecule: adenosylhomocysteinase; PDBTitle: crystal structure of a hydrolase
50	c2vhyB_	Alignment	not modelled	99.9	13	PDB header: oxidoreductase Chain: B: PDB Molecule: alanine dehydrogenase; PDBTitle: crystal structure of apo l-alanine dehydrogenase from2 mycobacterium tuberculosis
51	d1li4a1	Alignment	not modelled	99.9	13	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
52	c3d4oA_	Alignment	not modelled	99.9	13	PDB header: oxidoreductase Chain: A: PDB Molecule: dipicolinate synthase subunit a; PDBTitle: crystal structure of dipicolinate synthase subunit a (np_243269.1)2 from bacillus halodurans at 2.10 a resolution
53	d1np3a2	Alignment	not modelled	99.9	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
54	c3d64A_	Alignment	not modelled	99.9	11	PDB header: hydrolase Chain: A: PDB Molecule: adenosylhomocysteinase; PDBTitle: crystal structure of s-adenosyl-l-homocysteine hydrolase

					from2 burkholderia pseudomallei
55	d1leha1	Alignment	not modelled	99.9	10 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Aminoacid dehydrogenase-like, C-terminal domain
56	d1pjca1	Alignment	not modelled	99.9	15 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
57	c3p2yA	Alignment	not modelled	99.9	15 PDB header: oxidoreductase Chain: A: PDB Molecule: alanine dehydrogenase/pyridine nucleotide transhydrogenase; PDBTitle: crystal structure of alanine dehydrogenase/pyridine nucleotide2 transhydrogenase from mycobacterium smegmatis PDB header: oxidoreductase Chain: A: PDB Molecule: dipicolinate synthase, a chain; PDBTitle: crystal structure of dipicolinate synthase, a chain, from bacillus2 subtilis
58	c2rirA	Alignment	not modelled	99.9	12 Fold: Flavodoxin-like Superfamily: Formate/glycerate dehydrogenase catalytic domain-like Family: Formate/glycerate dehydrogenases, substrate-binding domain
60	c1lehB	Alignment	not modelled	99.6	10 PDB header: oxidoreductase Chain: B: PDB Molecule: leucine dehydrogenase; PDBTitle: leucine dehydrogenase from bacillus sphaericus
61	d1sc6a2	Alignment	not modelled	99.6	16 Fold: Flavodoxin-like Superfamily: Formate/glycerate dehydrogenase catalytic domain-like Family: Formate/glycerate dehydrogenases, substrate-binding domain
62	d1l7da1	Alignment	not modelled	99.6	13 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Formate/glycerate dehydrogenases, NAD-domain
63	d1vgya2	Alignment	not modelled	99.6	19 Fold: Flavodoxin-like Superfamily: Formate/glycerate dehydrogenase catalytic domain-like Family: Formate/glycerate dehydrogenases, substrate-binding domain
64	d1c1da1	Alignment	not modelled	99.6	16 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Aminoacid dehydrogenase-like, C-terminal domain
65	d1j4aa2	Alignment	not modelled	99.5	15 Fold: Flavodoxin-like Superfamily: Formate/glycerate dehydrogenase catalytic domain-like Family: Formate/glycerate dehydrogenases, substrate-binding domain
66	d2naca2	Alignment	not modelled	99.4	14 Fold: Flavodoxin-like Superfamily: Formate/glycerate dehydrogenase catalytic domain-like Family: Formate/glycerate dehydrogenases, substrate-binding domain
67	d1gdha2	Alignment	not modelled	99.4	14 Fold: Flavodoxin-like Superfamily: Formate/glycerate dehydrogenase catalytic domain-like Family: Formate/glycerate dehydrogenases, substrate-binding domain
68	d2dl da2	Alignment	not modelled	99.4	15 Fold: Flavodoxin-like Superfamily: Formate/glycerate dehydrogenase catalytic domain-like Family: Formate/glycerate dehydrogenases, substrate-binding domain
69	c3oj0A	Alignment	not modelled	99.4	13 PDB header: oxidoreductase Chain: A: PDB Molecule: glutamyl-trna reductase; PDBTitle: crystal structure of glutamyl-trna reductase from thermoplasma2 volcanium (nucleotide binding domain)
70	c1np3B	Alignment	not modelled	99.3	15 PDB header: oxidoreductase Chain: B: PDB Molecule: ketol-acid reductoisomerase; PDBTitle: crystal structure of class i acetohydroxy acid isomeroreductase from2 pseudomonas aeruginosa
71	d3cuma2	Alignment	not modelled	99.3	17 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
72	d1mx3a2	Alignment	not modelled	99.3	17 Fold: Flavodoxin-like Superfamily: Formate/glycerate dehydrogenase catalytic domain-like Family: Formate/glycerate dehydrogenases, substrate-binding domain
73	d2f1ka2	Alignment	not modelled	99.3	17 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
74	d2g5ca2	Alignment	not modelled	99.3	16 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
75	d1vpda2	Alignment	not modelled	99.2	21 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
76	d2cvza2	Alignment	not modelled	99.2	20 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
77	d2pgda2	Alignment	not modelled	99.2	16 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
					PDB header: oxidoreductase Chain: A: PDB Molecule: probable 3-hydroxyisobutyrate

78	c3cumA	Alignment	not modelled	99.2	18	dehydrogenase; PDBTitle: crystal structure of a possible 3-hydroxyisobutyrate dehydrogenase2 from pseudomonas aeruginosa pao1
79	c3b1fA	Alignment	not modelled	99.1	14	PDB header: oxidoreductase Chain: A: PDB Molecule: putative prephenate dehydrogenase; PDBTitle: crystal structure of prephenate dehydrogenase from streptococcus2 mutans
80	c2p4qA	Alignment	not modelled	99.1	17	PDB header: oxidoreductase Chain: A: PDB Molecule: 6-phosphogluconate dehydrogenase, decarboxylating 1; PDBTitle: crystal structure analysis of gnd1 in saccharomyces cerevisiae
81	c1yb4A	Alignment	not modelled	99.1	13	PDB header: oxidoreductase Chain: A: PDB Molecule: tartronic semialdehyde reductase; PDBTitle: crystal structure of the tartronic semialdehyde reductase from2 salmonella typhimurium lt2
82	c3c24A	Alignment	not modelled	99.1	15	PDB header: oxidoreductase Chain: A: PDB Molecule: putative oxidoreductase; PDBTitle: crystal structure of a putative oxidoreductase (yp_511008.1) from2 jannaschia sp. ccs1 at 1.62 a resolution
83	c2iz1C	Alignment	not modelled	99.1	18	PDB header: oxidoreductase Chain: C: PDB Molecule: 6-phosphogluconate dehydrogenase, decarboxylating; PDBTitle: 6pdh complexed with pex inhibitor synchrotron data
84	c1pgqA	Alignment	not modelled	99.1	17	PDB header: oxidoreductase (choh(d)-nadp+(a)) Chain: A: PDB Molecule: 6-phosphogluconate dehydrogenase; PDBTitle: crystallographic study of coenzyme, coenzyme analogue and substrate2 binding in 6-phosphogluconate dehydrogenase: implications for nadp3 specificity and the enzyme mechanism
85	c1vpdA	Alignment	not modelled	99.1	21	PDB header: oxidoreductase Chain: A: PDB Molecule: tartronate semialdehyde reductase; PDBTitle: x-ray crystal structure of tartronate semialdehyde reductase2 [salmonella typhimurium lt2]
86	c3fwnB	Alignment	not modelled	99.0	16	PDB header: oxidoreductase Chain: B: PDB Molecule: 6-phosphogluconate dehydrogenase, decarboxylating; PDBTitle: dimeric 6-phosphogluconate dehydrogenase complexed with 6-2 phosphogluconate and 2'-monophosphoadenosine-5'-diphosphate
87	c1bxgA	Alignment	not modelled	99.0	14	PDB header: amino acid dehydrogenase Chain: A: PDB Molecule: phenylalanine dehydrogenase; PDBTitle: phenylalanine dehydrogenase structure in ternary complex2 with nad+ and beta-phenylpropionate
88	c2f1kD	Alignment	not modelled	99.0	18	PDB header: oxidoreductase Chain: D: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of synechocystis aroenate dehydrogenase
89	d1v9la1	Alignment	not modelled	99.0	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Aminoacid dehydrogenase-like, C-terminal domain
90	c1pgjA	Alignment	not modelled	99.0	20	PDB header: oxidoreductase Chain: A: PDB Molecule: 6-phosphogluconate dehydrogenase; PDBTitle: x-ray structure of 6-phosphogluconate dehydrogenase from the protozoan2 parasite t. brucei
91	c3ktdC	Alignment	not modelled	98.9	11	PDB header: oxidoreductase Chain: C: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of a putative prephenate dehydrogenase (cgl0226)2 from corynebacterium glutamicum atcc 13032 at 2.60 a resolution
92	c3dzba	Alignment	not modelled	98.9	14	PDB header: biosynthetic protein Chain: A: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of prephenate dehydrogenase from streptococcus2 thermophilus
93	c2pv7B	Alignment	not modelled	98.9	25	PDB header: isomerase, oxidoreductase Chain: B: PDB Molecule: t-protein [includes: chorismate mutase (ec 5.4.99.5) (cm) PDBTitle: crystal structure of chorismate mutase / prephenate dehydrogenase2 (tyra) (1574749) from haemophilus influenzae rd at 2.00 a resolution
94	c3l6dB	Alignment	not modelled	98.9	15	PDB header: oxidoreductase Chain: B: PDB Molecule: putative oxidoreductase; PDBTitle: crystal structure of putative oxidoreductase from pseudomonas putida2 kt2440
95	c3ckyA	Alignment	not modelled	98.9	13	PDB header: oxidoreductase Chain: A: PDB Molecule: 2-hydroxymethyl glutarate dehydrogenase; PDBTitle: structural and kinetic properties of a beta-hydroxyacid dehydrogenase2 involved in nicotinate fermentation
96	c2cvzD	Alignment	not modelled	98.9	24	PDB header: oxidoreductase Chain: D: PDB Molecule: 3-hydroxyisobutyrate dehydrogenase; PDBTitle: structure of hydroxyisobutyrate dehydrogenase from thermus2 thermophilus hb8
97	d1f0ya2	Alignment	not modelled	98.9	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
98	c3prjB	Alignment	not modelled	98.9	11	PDB header: oxidoreductase Chain: B: PDB Molecule: udp-glucose 6-dehydrogenase; PDBTitle: role of packing defects in the evolution of allostery and induced fit2 in human udp-glucose dehydrogenase.
99	c1dliA	Alignment	not modelled	98.8	10	PDB header: oxidoreductase Chain: A: PDB Molecule: udp-glucose dehydrogenase; PDBTitle: the first structure of udp-glucose dehydrogenase (udpgdh) reveals the2 catalytic residues necessary for the two-fold oxidation
100	d1wdka3	Alignment	not modelled	98.8	14	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
101	c3nefA	Alignment	not modelled	98.8	17	PDB header: oxidoreductase Chain: A: PDB Molecule: 6-phosphogluconate dehydrogenase, nad-binding;

101	c3p9A_	Alignment	not modelled	98.8	17	PDBTitle: crystal structure of gamma-hydroxybutyrate dehydrogenase from2 geobacter metallireducens in complex with nadp+
102	c2g5cD_	Alignment	not modelled	98.8	15	PDB header: oxidoreductase Chain: D: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of prephenate dehydrogenase from aquifex aeolicus
103	d1i36a2	Alignment	not modelled	98.8	12	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
104	c2uyyD_	Alignment	not modelled	98.8	16	PDB header: cytokine Chain: D: PDB Molecule: n-pac protein; PDBTitle: structure of the cytokine-like nuclear factor n-pac
105	c2q3eH_	Alignment	not modelled	98.8	10	PDB header: oxidoreductase Chain: H: PDB Molecule: udp-glucose 6-dehydrogenase; PDBTitle: structure of human udp-glucose dehydrogenase complexed with nadh and2 udp-glucose
106	d1b0aa1	Alignment	not modelled	98.8	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Aminoacid dehydrogenase-like, C-terminal domain
107	d1a4ia1	Alignment	not modelled	98.8	13	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Aminoacid dehydrogenase-like, C-terminal domain
108	d1pgja2	Alignment	not modelled	98.8	23	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: Aminoacid dehydrogenase-like, C-terminal domain
109	c3plnA_	Alignment	not modelled	98.8	13	PDB header: oxidoreductase Chain: A: PDB Molecule: udp-glucose 6-dehydrogenase; PDBTitle: crystal structure of klebsiella pneumoniae udp-glucose 6-dehydrogenase2 complexed with udp-glucose
110	c4a26B_	Alignment	not modelled	98.8	15	PDB header: oxidoreductase Chain: B: PDB Molecule: putative c-1-tetrahydrofolate synthase, cytoplasmic; PDBTitle: the crystal structure of leishmania major n5,n10-2 methylenetetrahydrofolate dehydrogenase/cyclohydrolase
111	c3doiA_	Alignment	not modelled	98.7	16	PDB header: oxidoreductase Chain: A: PDB Molecule: dehydrogenase-like protein; PDBTitle: structure of glyoxylate reductase 1 from arabidopsis2 (atglr1)
112	c3g0oA_	Alignment	not modelled	98.7	15	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-hydroxyisobutyrate dehydrogenase; PDBTitle: crystal structure of 3-hydroxyisobutyrate dehydrogenase2 (ygbj) from salmonella typhimurium
113	c2ep9A_	Alignment	not modelled	98.7	17	PDB header: oxidoreductase Chain: A: PDB Molecule: l-gulonate 3-dehydrogenase; PDBTitle: crystal structure of the rabbit l-gulonate 3-dehydrogenase2 (nadh form)
114	d1pgja2	Alignment	not modelled	98.7	20	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
115	c3ggpA_	Alignment	not modelled	98.7	16	PDB header: oxidoreductase Chain: A: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of prephenate dehydrogenase from a. aeolicus in2 complex with hydroxyphenyl propionate and nad+
116	c3qsgA_	Alignment	not modelled	98.7	15	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: nad-binding phosphogluconate dehydrogenase-like protein; PDBTitle: crystal structure of nad-binding phosphogluconate dehydrogenase-like2 protein from alicyclobacillus acidocaldarius
117	c3dttA_	Alignment	not modelled	98.7	15	PDB header: oxidoreductase Chain: A: PDB Molecule: nadp oxidoreductase; PDBTitle: crystal structure of a putative f420 dependent nadp-reductase2 (arth_0613) from arthrobacter sp. fb24 at 1.70 a resolution
118	d1dlja2	Alignment	not modelled	98.7	11	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
119	c1i36A_	Alignment	not modelled	98.7	12	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: conserved hypothetical protein mth1747; PDBTitle: structure of conserved protein mth1747 of unknown function2 reveals structural similarity with 3-hydroxyacid3 dehydrogenases
120	c3d1lB_	Alignment	not modelled	98.7	21	PDB header: oxidoreductase Chain: B: PDB Molecule: putative nadp oxidoreductase bf3122; PDBTitle: crystal structure of putative nadp oxidoreductase bf3122 from2 bacteroides fragilis