






#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c3oj1A_	 Alignment		100.0	44	PDB header: oxidoreductase Chain: A: PDB Molecule: cap5o; PDBTitle: native structure of the udp-n-acetyl-mannosamine dehydrogenase cap5o2 from staphylococcus aureus
2	c2q3eH_	 Alignment		100.0	25	PDB header: oxidoreductase Chain: H: PDB Molecule: udp-glucose 6-dehydrogenase; PDBTitle: structure of human udp-glucose dehydrogenase complexed with nadh and2 udp-glucose
3	c3g79A_	 Alignment		100.0	33	PDB header: oxidoreductase Chain: A: PDB Molecule: ndp-n-acetyl-d-galactosaminuronic acid dehydrogenase; PDBTitle: crystal structure of ndp-n-acetyl-d-galactosaminuronic acid2 dehydrogenase from methanosarcina mazei go1
4	c3prjB_	 Alignment		100.0	25	PDB header: oxidoreductase Chain: B: PDB Molecule: udp-glucose 6-dehydrogenase; PDBTitle: role of packing defects in the evolution of allostery and induced fit2 in human udp-glucose dehydrogenase.
5	c3gg2B_	 Alignment		100.0	29	PDB header: oxidoreductase Chain: B: PDB Molecule: sugar dehydrogenase, udp-glucose/gdp-mannose PDBTitle: crystal structure of udp-glucose 6-dehydrogenase from2 porphyromonas gingivalis bound to product udp-glucuronate
6	c2o3jC_	 Alignment		100.0	28	PDB header: oxidoreductase Chain: C: PDB Molecule: udp-glucose 6-dehydrogenase; PDBTitle: structure of caenorhabditis elegans udp-glucose dehydrogenase
7	c2y0dB_	 Alignment		100.0	28	PDB header: oxidoreductase Chain: B: PDB Molecule: udp-glucose dehydrogenase; PDBTitle: bcec mutation y10k
8	c1mv8A_	 Alignment		100.0	26	PDB header: oxidoreductase Chain: A: PDB Molecule: gdp-mannose 6-dehydrogenase; PDBTitle: 1.55 a crystal structure of a ternary complex of gdp-mannose2 dehydrogenase from pseudomonas aeruginosa
9	c1dliA_	 Alignment		100.0	22	PDB header: oxidoreductase Chain: A: PDB Molecule: udp-glucose dehydrogenase; PDBTitle: the first structure of udp-glucose dehydrogenase (udpgdh) reveals the2 catalytic residues necessary for the two-fold oxidation
10	c3plnA_	 Alignment		100.0	24	PDB header: oxidoreductase Chain: A: PDB Molecule: udp-glucose 6-dehydrogenase; PDBTitle: crystal structure of klebsiella pneumoniae udp-glucose 6-dehydrogenase2 complexed with udp-glucose
11	c1vpdA_	 Alignment		100.0	16	PDB header: oxidoreductase Chain: A: PDB Molecule: tartronate semialdehyde reductase; PDBTitle: x-ray crystal structure of tartronate semialdehyde reductase2 [salmonella typhimurium lt2]

12	c2cvzD_	Alignment		100.0	20	PDB header: oxidoreductase Chain: D: PDB Molecule: 3-hydroxyisobutyrate dehydrogenase; PDBTitle: structure of hydroxyisobutyrate dehydrogenase from thermus2 thermophilus hb8
13	c3cumA_	Alignment		100.0	18	PDB header: oxidoreductase Chain: A: PDB Molecule: probable 3-hydroxyisobutyrate dehydrogenase; PDBTitle: crystal structure of a possible 3-hydroxyisobutyrate dehydrogenase2 from pseudomonas aeruginosa pao1
14	c1yb4A_	Alignment		100.0	18	PDB header: oxidoreductase Chain: A: PDB Molecule: tartronic semialdehyde reductase; PDBTitle: crystal structure of the tartronic semialdehyde reductase from2 salmonella typhimurium lt2
15	c2p4gA_	Alignment		100.0	18	PDB header: oxidoreductase Chain: A: PDB Molecule: 6-phosphogluconate dehydrogenase, decarboxylating 1; PDBTitle: crystal structure analysis of gnd1 in saccharomyces cerevisiae
16	c3ckyA_	Alignment		100.0	16	PDB header: oxidoreductase Chain: A: PDB Molecule: 2-hydroxymethyl glutarate dehydrogenase; PDBTitle: structural and kinetic properties of a beta-hydroxyacid dehydrogenase2 involved in nicotinate fermentation
17	c1pgiA_	Alignment		100.0	16	PDB header: oxidoreductase Chain: A: PDB Molecule: 6-phosphogluconate dehydrogenase; PDBTitle: x-ray structure of 6-phosphogluconate dehydrogenase from the protozoan2 parasite t. brucei
18	c3fwnB_	Alignment		100.0	15	PDB header: oxidoreductase Chain: B: PDB Molecule: 6-phosphogluconate dehydrogenase, decarboxylating; PDBTitle: dimeric 6-phosphogluconate dehydrogenase complexed with 6-2 phosphogluconate and 2'-monophosphoadenosine-5'-diphosphate
19	c2iz1C_	Alignment		100.0	13	PDB header: oxidoreductase Chain: C: PDB Molecule: 6-phosphogluconate dehydrogenase, decarboxylating; PDBTitle: 6pdh complexed with pex inhibitor synchrotron data
20	c1pggA_	Alignment		100.0	16	PDB header: oxidoreductase (choh(d)-nadp+(a)) Chain: A: PDB Molecule: 6-phosphogluconate dehydrogenase; PDBTitle: crystallographic study of coenzyme, coenzyme analogue and substrate2 binding in 6-phosphogluconate dehydrogenase: implications for nadp3 specificity and the enzyme mechanism
21	c3g0oA_	Alignment	not modelled	100.0	18	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-hydroxyisobutyrate dehydrogenase; PDBTitle: crystal structure of 3-hydroxyisobutyrate dehydrogenase2 (ygbj) from salmonella typhimurium
22	d1mv8a2	Alignment	not modelled	99.9	27	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
23	d1dlja1	Alignment	not modelled	99.9	22	Fold: 6-phosphogluconate dehydrogenase C-terminal domain-like Superfamily: 6-phosphogluconate dehydrogenase C-terminal domain-like Family: UDP-glucose/GDP-mannose dehydrogenase dimerisation domain
24	c3pefA_	Alignment	not modelled	99.9	11	PDB header: oxidoreductase Chain: A: PDB Molecule: 6-phosphogluconate dehydrogenase, nad-binding; PDBTitle: crystal structure of gamma-hydroxybutyrate dehydrogenase from2 geobacter metallireducens in complex with nadp+
25	d1mv8a1	Alignment	not modelled	99.9	23	Fold: 6-phosphogluconate dehydrogenase C-terminal domain-like Superfamily: 6-phosphogluconate dehydrogenase C-terminal domain-like Family: UDP-glucose/GDP-mannose dehydrogenase dimerisation domain
26	c3qsgA_	Alignment	not modelled	99.9	14	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: nad-binding phosphogluconate dehydrogenase-like protein; PDBTitle: crystal structure of nad-binding phosphogluconate dehydrogenase-like2 protein from alicyclobacillus acidocaldarius
27	c3dojA_	Alignment	not modelled	99.9	12	PDB header: oxidoreductase Chain: A: PDB Molecule: dehydrogenase-like protein; PDBTitle: structure of glyoxylate reductase 1 from arabidopsis2

					(atglyr1)
28	c2uyyD_	Alignment	not modelled	99.9	12 PDB header: cytokine Chain: D: PDB Molecule: n-pac protein; PDBTitle: structure of the cytokine-like nuclear factor n-pac
29	d1dlja2	Alignment	not modelled	99.9	27 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
30	c3qhaB_	Alignment	not modelled	99.9	18 PDB header: oxidoreductase Chain: B: PDB Molecule: putative oxidoreductase; PDBTitle: crystal structure of a putative oxidoreductase from mycobacterium2 avium 104
31	c3l6dB_	Alignment	not modelled	99.9	14 PDB header: oxidoreductase Chain: B: PDB Molecule: putative oxidoreductase; PDBTitle: crystal structure of putative oxidoreductase from pseudomonas putida2 kt2440
32	c2gf2B_	Alignment	not modelled	99.9	19 PDB header: oxidoreductase Chain: B: PDB Molecule: 3-hydroxyisobutyrate dehydrogenase; PDBTitle: crystal structure of human hydroxyisobutyrate dehydrogenase
33	c1m67A_	Alignment	not modelled	99.9	15 PDB header: oxidoreductase Chain: A: PDB Molecule: glycerol-3-phosphate dehydrogenase; PDBTitle: crystal structure of leishmania mexicana gpdh complexed with inhibitor2 2-bromo-6-hydroxy-purine
34	d1mv8a3	Alignment	not modelled	99.9	26 Fold: Adenine nucleotide alpha hydrolase-like Superfamily: UDP-glucose/GDP-mannose dehydrogenase C-terminal domain Family: UDP-glucose/GDP-mannose dehydrogenase C-terminal domain
35	cli36A_	Alignment	not modelled	99.9	13 PDB header: structural genomics, unknown function Chain: A: PDB Molecule: conserved hypothetical protein mth1747; PDBTitle: structure of conserved protein mth1747 of unknown function2 reveals structural similarity with 3-hydroxyacid3 dehydrogenases
36	c1bg6A_	Alignment	not modelled	99.8	20 PDB header: oxidoreductase Chain: A: PDB Molecule: n-(1-d-carboxylethyl)-l-norvaline dehydrogenase; PDBTitle: crystal structure of the n-(1-d-carboxylethyl)-l-norvaline2 dehydrogenase from arthrobacter sp. strain 1c
37	d1vpda2	Alignment	not modelled	99.8	17 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
38	d2pgda2	Alignment	not modelled	99.8	15 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
39	d3cuma2	Alignment	not modelled	99.8	18 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
40	c3d1lB_	Alignment	not modelled	99.8	11 PDB header: oxidoreductase Chain: B: PDB Molecule: putative nadp oxidoreductase bf3122; PDBTitle: crystal structure of putative nadp oxidoreductase bf3122 from2 bacteroides fragilis
41	c3k96B_	Alignment	not modelled	99.8	13 PDB header: oxidoreductase Chain: B: PDB Molecule: glycerol-3-phosphate dehydrogenase [nad(p)+]; PDBTitle: 2.1 angstrom resolution crystal structure of glycerol-3-phosphate2 dehydrogenase (gpsa) from coxiella burnetii
42	c1vj8C_	Alignment	not modelled	99.8	15 PDB header: oxidoreductase Chain: C: PDB Molecule: glycerol-3-phosphate dehydrogenase; PDBTitle: initial structural analysis of plasmodium falciparum glycerol-3-2 phosphate dehydrogenase
43	d2cvza2	Alignment	not modelled	99.8	19 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
44	d1pgja2	Alignment	not modelled	99.8	16 Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
45	c1txgA_	Alignment	not modelled	99.8	14 PDB header: oxidoreductase Chain: A: PDB Molecule: glycerol-3-phosphate dehydrogenase [nad(p)+]; PDBTitle: structure of glycerol-3-phosphate dehydrogenase from archaeoglobus2 fulgidus
46	c2pv7B_	Alignment	not modelled	99.7	17 PDB header: isomerase, oxidoreductase Chain: B: PDB Molecule: t-protein [includes: chorismate mutase (ec 5.4.99.5) (cm) PDBTitle: crystal structure of chorismate mutase / prephenate dehydrogenase2 (tyra) (1574749) from haemophilus influenzae rd at 2.00 a resolution
47	c2g5cD_	Alignment	not modelled	99.7	15 PDB header: oxidoreductase Chain: D: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of prephenate dehydrogenase from aquifex aeolicus
48	c1wpqB_	Alignment	not modelled	99.7	16 PDB header: oxidoreductase Chain: B: PDB Molecule: glycerol-3-phosphate dehydrogenase [nad+]; PDBTitle: ternary complex of glycerol 3-phosphate dehydrogenase 12 with nad and dihydroxyactone
49	d1dlja3	Alignment	not modelled	99.7	14 Fold: Adenine nucleotide alpha hydrolase-like Superfamily: UDP-glucose/GDP-mannose dehydrogenase C-terminal domain Family: UDP-glucose/GDP-mannose dehydrogenase C-terminal domain
50	c2ep9A_	Alignment	not modelled	99.7	16 PDB header: oxidoreductase Chain: A: PDB Molecule: l-gulonate 3-dehydrogenase; PDBTitle: crystal structure of the rabbit l-gulonate 3-dehydrogenase2 (nadh form)
					Fold: NAD(P)-binding Rossmann-fold domains

51	d1f0ya2	Alignment	not modelled	99.7	15	Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
52	c2ew2B_	Alignment	not modelled	99.7	11	PDB header: oxidoreductase Chain: B: PDB Molecule: 2-dehydropantoate 2-reductase, putative; PDBTitle: crystal structure of the putative 2-dehydropantoate 2-reductase from2 enterococcus faecalis
53	c2f1kD_	Alignment	not modelled	99.7	15	PDB header: oxidoreductase Chain: D: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of synechocystis aroenate dehydrogenase
54	c3ggpA_	Alignment	not modelled	99.7	14	PDB header: oxidoreductase Chain: A: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of prephenate dehydrogenase from a. aeolicus in2 complex with hydroxyphenyl propionate and nad+
55	c1m75B_	Alignment	not modelled	99.7	13	PDB header: oxidoreductase Chain: B: PDB Molecule: 3-hydroxyacyl-coa dehydrogenase; PDBTitle: crystal structure of the n208s mutant of l-3-hydroxyacyl-2 coa dehydrogenase in complex with nad and acetoacetyl-coa
56	c3hn2A_	Alignment	not modelled	99.7	15	PDB header: oxidoreductase Chain: A: PDB Molecule: 2-dehydropantoate 2-reductase; PDBTitle: crystal structure of 2-dehydropantoate 2-reductase from geobacter2 metallireducens gs-15
57	c3ghyA_	Alignment	not modelled	99.7	16	PDB header: oxidoreductase Chain: A: PDB Molecule: ketopantoate reductase protein; PDBTitle: crystal structure of a putative ketopantoate reductase from ralstonia2 solanacearum molk2
58	c1z82A_	Alignment	not modelled	99.7	13	PDB header: oxidoreductase Chain: A: PDB Molecule: glycerol-3-phosphate dehydrogenase; PDBTitle: crystal structure of glycerol-3-phosphate dehydrogenase (tm0378) from2 thermotoga maritima at 2.00 a resolution
59	c3b1fA_	Alignment	not modelled	99.7	16	PDB header: oxidoreductase Chain: A: PDB Molecule: putative prephenate dehydrogenase; PDBTitle: crystal structure of prephenate dehydrogenase from streptococcus2 mutans
60	c2ofpB_	Alignment	not modelled	99.6	15	PDB header: oxidoreductase Chain: B: PDB Molecule: ketopantoate reductase; PDBTitle: crystal structure of escherichia coli ketopantoate2 reductase in a ternary complex with nadp+ and pantoate
61	c3hwrA_	Alignment	not modelled	99.6	18	PDB header: oxidoreductase Chain: A: PDB Molecule: 2-dehydropantoate 2-reductase; PDBTitle: crystal structure of pane/apba family ketopantoate reductase2 (yp_299159.1) from ralstonia eutropha jmp134 at 2.15 a resolution
62	c3k6jA_	Alignment	not modelled	99.6	13	PDB header: oxidoreductase Chain: A: PDB Molecule: protein f01g10.3, confirmed by transcript evidence; PDBTitle: crystal structure of the dehydrogenase part of multifunctional enzyme 12 from c.elegans
63	d1n1ea2	Alignment	not modelled	99.6	13	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
64	c1ks9A_	Alignment	not modelled	99.6	15	PDB header: oxidoreductase Chain: A: PDB Molecule: 2-dehydropantoate 2-reductase; PDBTitle: ketopantoate reductase from escherichia coli
65	c3dttA_	Alignment	not modelled	99.6	14	PDB header: oxidoreductase Chain: A: PDB Molecule: nadp oxidoreductase; PDBTitle: crystal structure of a putative f420 dependent nadp-reductase2 (arth_0613) from arthrobacter sp. fb24 at 1.70 a resolution
66	c3dzba_	Alignment	not modelled	99.6	12	PDB header: biosynthetic protein Chain: A: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of prephenate dehydrogenase from streptococcus2 thermophilus
67	d1wdka3	Alignment	not modelled	99.6	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
68	d2g5ca2	Alignment	not modelled	99.6	14	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
69	c3mogA_	Alignment	not modelled	99.6	21	PDB header: oxidoreductase Chain: A: PDB Molecule: probable 3-hydroxybutyryl-coa dehydrogenase; PDBTitle: crystal structure of 3-hydroxybutyryl-coa dehydrogenase from2 escherichia coli k12 substr. mg1655
70	c3triB_	Alignment	not modelled	99.6	11	PDB header: oxidoreductase Chain: B: PDB Molecule: pyrroline-5-carboxylate reductase; PDBTitle: structure of a pyrroline-5-carboxylate reductase (proc) from coxiella2 burneti
71	d2f1ka2	Alignment	not modelled	99.6	16	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
72	d1jaya_	Alignment	not modelled	99.5	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
73	c2izzE_	Alignment	not modelled	99.5	13	PDB header: oxidoreductase Chain: E: PDB Molecule: pyrroline-5-carboxylate reductase 1; PDBTitle: crystal structure of human pyrroline-5-carboxylate2 reductase
74	d1i36a2	Alignment	not modelled	99.5	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
75	c1zczA_	Alignment	not modelled	99.5	17	PDB header: oxidoreductase Chain: A: PDB Molecule: peroxisomal bifunctional enzyme; PDBTitle: crystal structure of 3-hydroxyacyl-coa dehydrogenase

76	c2x58B_	Alignment	not modelled	99.5	17	PDB header: oxidoreductase Chain: B: PDB Molecule: peroxisomal bifunctional enzyme; PDBTitle: the crystal structure of mfe1 liganded with coa
77	c3ktdC_	Alignment	not modelled	99.5	14	PDB header: oxidoreductase Chain: C: PDB Molecule: prephenate dehydrogenase; PDBTitle: crystal structure of a putative prephenate dehydrogenase (cgl0226)2 from corynebacterium glutamicum atcc 13032 at 2.60 a resolution
78	c2d3tB_	Alignment	not modelled	99.5	17	PDB header: lyase, oxidoreductase/transferase Chain: B: PDB Molecule: fatty oxidation complex alpha subunit; PDBTitle: fatty acid beta-oxidation multienzyme complex from2 pseudomonas fragi, form v
79	c2ahrB_	Alignment	not modelled	99.5	14	PDB header: oxidoreductase Chain: B: PDB Molecule: putative pyrroline carboxylate reductase; PDBTitle: crystal structures of 1-pyrroline-5-carboxylate reductase from human2 pathogen streptococcus pyogenes
80	d2pv7a2	Alignment	not modelled	99.5	20	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
81	c3gt0A_	Alignment	not modelled	99.5	15	PDB header: oxidoreductase Chain: A: PDB Molecule: pyrroline-5-carboxylate reductase; PDBTitle: crystal structure of pyrroline 5-carboxylate reductase from bacillus2 cereus. northeast structural genomics consortium target bcr38b
82	c2i76B_	Alignment	not modelled	99.5	13	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: hypothetical protein; PDBTitle: crystal structure of protein tm1727 from thermotoga maritima
83	c2graA_	Alignment	not modelled	99.5	13	PDB header: oxidoreductase Chain: A: PDB Molecule: pyrroline-5-carboxylate reductase 1; PDBTitle: crystal structure of human pyrroline-5-carboxylate reductase complexed2 with nadp
84	c3g17H_	Alignment	not modelled	99.5	13	PDB header: structural genomics, unknown function Chain: H: PDB Molecule: similar to 2-dehydropantoate 2-reductase; PDBTitle: structure of putative 2-dehydropantoate 2-reductase from2 staphylococcus aureus
85	c2vq3B_	Alignment	not modelled	99.5	16	PDB header: oxidoreductase Chain: B: PDB Molecule: metalloreductase steap3; PDBTitle: crystal structure of the membrane proximal oxidoreductase2 domain of human steap3, the dominant ferric reductase of3 the erythroid transferrin cycle
86	d1bg6a2	Alignment	not modelled	99.4	24	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
87	c2wtbA_	Alignment	not modelled	99.4	14	PDB header: oxidoreductase Chain: A: PDB Molecule: fatty acid multifunctional protein (atnfp2); PDBTitle: arabidopsis thaliana multifunctional protein, mfp2
88	c1np3B_	Alignment	not modelled	99.4	15	PDB header: oxidoreductase Chain: B: PDB Molecule: ketol-acid reductoisomerase; PDBTitle: crystal structure of class i acethydroxy acid isomeroxidoreductase from2 pseudomonas aeruginosa
89	c2ag8A_	Alignment	not modelled	99.4	11	PDB header: oxidoreductase Chain: A: PDB Molecule: pyrroline-5-carboxylate reductase; PDBTitle: nadp complex of pyrroline-5-carboxylate reductase from neisseria2 meningitidis
90	c3c24A_	Alignment	not modelled	99.4	15	PDB header: oxidoreductase Chain: A: PDB Molecule: putative oxidoreductase; PDBTitle: crystal structure of a putative oxidoreductase (yp_511008.1) from2 jannaschia sp. ccs1 at 1.62 a resolution
91	c3egoB_	Alignment	not modelled	99.4	14	PDB header: oxidoreductase Chain: B: PDB Molecule: probable 2-dehydropantoate 2-reductase; PDBTitle: crystal structure of probable 2-dehydropantoate 2-reductase2 pane from bacillus subtilis
92	c2rafC_	Alignment	not modelled	99.4	14	PDB header: oxidoreductase Chain: C: PDB Molecule: putative dinucleotide-binding oxidoreductase; PDBTitle: crystal structure of putative dinucleotide-binding2 oxidoreductase (np_786167.1) from lactobacillus plantarum3 at 1.60 a resolution
93	clzejA_	Alignment	not modelled	99.4	18	PDB header: oxidoreductase Chain: A: PDB Molecule: 3-hydroxyacyl-coa dehydrogenase; PDBTitle: crystal structure of the 3-hydroxyacyl-coa dehydrogenase (hbd-9,2 af2017) from archaeoglobus fulgidus dsm 4304 at 2.00 a resolution
94	c2rcyB_	Alignment	not modelled	99.3	12	PDB header: oxidoreductase Chain: B: PDB Molecule: pyrroline carboxylate reductase; PDBTitle: crystal structure of plasmodium falciparum pyrroline carboxylate2 reductase (mal13p1.284) with nadp bound
95	d1txga2	Alignment	not modelled	99.3	14	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
96	d1luxa1	Alignment	not modelled	99.3	14	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
97	d2ahra2	Alignment	not modelled	99.2	12	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
98	d1i0za1	Alignment	not modelled	99.2	11	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
99	d1gv0a1	Alignment	not modelled	99.1	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
						Fold: NAD(P)-binding Rossmann-fold domains

100	d1ojua1	Alignment	not modelled	99.1	13	Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
101	d5ldha1	Alignment	not modelled	99.1	12	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
102	d9ldta1	Alignment	not modelled	99.1	13	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
103	d2ldxa1	Alignment	not modelled	99.1	13	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
104	d1i10a1	Alignment	not modelled	99.1	13	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
105	d1a5za1	Alignment	not modelled	99.1	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
106	d1ldna1	Alignment	not modelled	99.1	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
107	d2i76a2	Alignment	not modelled	99.1	12	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
108	d1ez4a1	Alignment	not modelled	99.1	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
109	d1yqga2	Alignment	not modelled	99.0	11	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
110	d1np3a2	Alignment	not modelled	99.0	26	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: 6-phosphogluconate dehydrogenase-like, N-terminal domain
111	d1guza1	Alignment	not modelled	99.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
112	d1ldma1	Alignment	not modelled	99.0	15	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
113	d1y6ja1	Alignment	not modelled	99.0	12	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
114	d1llda1	Alignment	not modelled	99.0	19	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
115	d1hyha1	Alignment	not modelled	99.0	18	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
116	d1t2da1	Alignment	not modelled	99.0	17	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
117	c3i83B_	Alignment	not modelled	98.9	17	PDB header: oxidoreductase Chain: B: PDB Molecule: 2-dehydropantoate 2-reductase; PDBTitle: crystal structure of 2-dehydropantoate 2-reductase from methylococcus2 capsulatus
118	d1llca1	Alignment	not modelled	98.9	13	Fold: NAD(P)-binding Rossmann-fold domains Superfamily: NAD(P)-binding Rossmann-fold domains Family: LDH N-terminal domain-like
119	c2e37B_	Alignment	not modelled	98.9	20	PDB header: oxidoreductase Chain: B: PDB Molecule: l-lactate dehydrogenase; PDBTitle: structure of tt0471 protein from thermus thermophilus
120	c3d0oA_	Alignment	not modelled	98.9	21	PDB header: oxidoreductase Chain: A: PDB Molecule: l-lactate dehydrogenase 1; PDBTitle: crystal structure of lactate dehydrogenase from2 staphylococcus aureus