











































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c1zvva_</a>	 Alignment		100.0	31	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> glucose-resistance amylase regulator; <b>PDBTitle:</b> crystal structure of a ccpa-crh-dna complex
2	<a href="#">c3kjd_</a>	 Alignment		100.0	22	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of a transcriptional regulator, lacI2 family protein from silicibacter pomeroyi
3	<a href="#">c1bdhA_</a>	 Alignment		100.0	44	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> protein (purine repressor); <b>PDBTitle:</b> purine repressor mutant-hypoxanthine-palindromic operator2 complex
4	<a href="#">c3h5tA_</a>	 Alignment		100.0	21	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of a transcriptional regulator, lacI2 family protein from corynebacterium glutamicum
5	<a href="#">c3k4hA_</a>	 Alignment		100.0	24	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator lacI from2 bacillus cereus subsp. cytotoxis nvh 391-98
6	<a href="#">d2nzug1</a>	 Alignment		100.0	29	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
7	<a href="#">c2iksA_</a>	 Alignment		100.0	20	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> dna-binding transcriptional dual regulator; <b>PDBTitle:</b> crystal structure of n-terminal truncated dna-binding transcriptional2 dual regulator from escherichia coli k12
8	<a href="#">c3c3kA_</a>	 Alignment		100.0	27	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> alanine racemase; <b>PDBTitle:</b> crystal structure of an uncharacterized protein from actinobacillus2 succinogenes
9	<a href="#">c3dbiA_</a>	 Alignment		100.0	23	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of sugar-binding transcriptional regulator (lacI2 family) from escherichia coli complexed with phosphate
10	<a href="#">c3qk7C_</a>	 Alignment		100.0	22	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcriptional regulators; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator from yersinia2 pestis biovar microtus str. 91001
11	<a href="#">c3brqA_</a>	 Alignment		100.0	24	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator ascg; <b>PDBTitle:</b> crystal structure of the escherichia coli transcriptional repressor2 ascg

12	<a href="#">c3h5oB_</a>	Alignment		100.0	26	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator gntr; <b>PDBTitle:</b> the crystal structure of transcription regulator gntr from2 chromobacterium violaceum
13	<a href="#">c2o20H_</a>	Alignment		100.0	24	<b>PDB header:</b> transcription <b>Chain:</b> H: <b>PDB Molecule:</b> catabolite control protein a; <b>PDBTitle:</b> crystal structure of transcription regulator ccpa of lactococcus2 lactis
14	<a href="#">c3mizB_</a>	Alignment		100.0	27	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator protein, laci <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator2 protein, lacI family from rhizobium eti
15	<a href="#">c3d8uA_</a>	Alignment		100.0	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> purr transcriptional regulator; <b>PDBTitle:</b> the crystal structure of a purr family transcriptional regulator from2 vibrio parahaemolyticus rimd 2210633
16	<a href="#">c3kkeA_</a>	Alignment		100.0	27	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> laci family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a lacI family transcriptional regulator2 from mycobacterium smegmatis
17	<a href="#">c3e3mA_</a>	Alignment		100.0	20	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of a lacI family transcriptional2 regulator from silicibacter pomeroyi
18	<a href="#">c3hcbW_</a>	Alignment		100.0	19	<b>PDB header:</b> rna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> maltose operon transcriptional repressor; <b>PDBTitle:</b> crystal structure of probable maltose operon transcriptional repressor2 malr from staphylococcus aureus
19	<a href="#">c3egcF_</a>	Alignment		100.0	29	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> F: <b>PDB Molecule:</b> putative ribose operon repressor; <b>PDBTitle:</b> crystal structure of a putative ribose operon repressor from2 burkholderia thailandensis
20	<a href="#">c3bblA_</a>	Alignment		100.0	29	<b>PDB header:</b> regulatory protein <b>Chain:</b> A: <b>PDB Molecule:</b> regulatory protein of lacI family; <b>PDBTitle:</b> crystal structure of a regulatory protein of lacI family from2 chloroflexus aggregans
21	<a href="#">c2rgyA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of transcriptional regulator of lacI family from2 burkholderia phymatum
22	<a href="#">c3cs3A_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of sugar-binding transcriptional regulator (lacI2 family) from enterococcus faecalis
23	<a href="#">c3gv0A_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of lacI family transcription regulator from2 agrobacterium tumefaciens
24	<a href="#">c3o74A_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> fructose transport system repressor frur; <b>PDBTitle:</b> crystal structure of cra transcriptional dual regulator from2 pseudomonas putida
25	<a href="#">c3ctpB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic binding protein/laci transcriptional regulator; <b>PDBTitle:</b> crystal structure of periplasmic binding protein/laci transcriptional2 regulator from alkaliphilus metalliredigens qymf complexed with d-3 xylulofuranose
26	<a href="#">c3g85A_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator (lacI family); <b>PDBTitle:</b> crystal structure of lacI family transcription regulator from2 clostridium acetobutylicum
27	<a href="#">d1dbqa_</a>	Alignment	not modelled	100.0	43	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
						<b>Fold:</b> Periplasmic binding protein-like I

28	<a href="#">d1tfa_</a>	Alignment	not modelled	100.0	28	<b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
29	<a href="#">c3k9cA_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family protein; <b>PDBTitle:</b> crystal structure of laci transcriptional regulator from rhodococcus2 species.
30	<a href="#">c2qu7B_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative transcription regulator2 from staphylococcus saprophyticus subsp. saprophyticus
31	<a href="#">c1jyeA_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> lactose operon repressor; <b>PDBTitle:</b> structure of a dimeric lac repressor with c-terminal deletion and k84I2 substitution
32	<a href="#">d1jyea_</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
33	<a href="#">c3clkB_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcription regulator; <b>PDBTitle:</b> crystal structure of a transcription regulator from lactobacillus2 plantarum
34	<a href="#">c3jy6B_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of laci transcriptional regulator from lactobacillus2 brevis
35	<a href="#">d1jx6a_</a>	Alignment	not modelled	100.0	10	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
36	<a href="#">c3hs3A_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> ribose operon repressor; <b>PDBTitle:</b> crystal structure of periplasmic binding ribose operon2 repressor protein from lactobacillus acidophilus
37	<a href="#">c2h0aA_</a>	Alignment	not modelled	100.0	29	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator; <b>PDBTitle:</b> crystal structure of probable transcription regulator from2 thermus thermophilus
38	<a href="#">c2ioyB_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic sugar-binding protein; <b>PDBTitle:</b> crystal structure of thermoanaerobacter tengcongensis2 ribose binding protein
39	<a href="#">c3huuC_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcription regulator like protein; <b>PDBTitle:</b> crystal structure of transcription regulator like protein from2 staphylococcus haemolyticus
40	<a href="#">c3jvdA_</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulators; <b>PDBTitle:</b> crystal structure of putative transcription regulation repressor (laci2 family) from corynebacterium glutamicum
41	<a href="#">c2fn9A_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> ribose abc transporter, periplasmic ribose-binding protein; <b>PDBTitle:</b> thermotoga maritima ribose binding protein unliganded form
42	<a href="#">c3bilA_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> probable laci-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a probable laci family transcriptional2 regulator from corynebacterium glutamicum
43	<a href="#">c3gybB_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulators (laci-family) <b>PDBTitle:</b> crystal structure of a laci-family transcriptional2 regulatory protein from corynebacterium glutamicum
44	<a href="#">d2dria_</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
45	<a href="#">c3l6uA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type sugar transport system periplasmic <b>PDBTitle:</b> crystal structure of abc-type sugar transport system,2 periplasmic component from exiguobacterium sibiricum
46	<a href="#">d1guda_</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
47	<a href="#">d8abpa_</a>	Alignment	not modelled	100.0	16	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
48	<a href="#">c3l49D_</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> abc sugar (ribose) transporter, periplasmic <b>PDBTitle:</b> crystal structure of abc sugar transporter subunit from2 rhodobacter sphaeroides 2.4.1
49	<a href="#">c3ma0A_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> d-xylose-binding periplasmic protein; <b>PDBTitle:</b> closed liganded crystal structure of xylose binding protein from2 escherichia coli
50	<a href="#">c3g1wB_</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> sugar abc transporter; <b>PDBTitle:</b> crystal structure of sugar abc transporter (sugar-binding protein)2 from bacillus halodurans
51	<a href="#">d1byka_</a>	Alignment	not modelled	99.9	18	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
52	<a href="#">c3ksmA_</a>	Alignment	not modelled	99.9	16	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type sugar transport system, periplasmic component; <b>PDBTitle:</b> crystal structure of abc-type sugar transport system, periplasmic2 component from hahella chejuensis

53	<a href="#">c3brsA</a>	 Alignment	not modelled	99.9	14	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic binding protein/laci <b>PDBTitle:</b> crystal structure of sugar transporter from clostridium2 phytofermentans
54	<a href="#">c2vk2A</a>	 Alignment	not modelled	99.9	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter periplasmic-binding protein ytfq; <b>PDBTitle:</b> crystal structure of a galactofuranose binding protein
55	<a href="#">d1gcaa</a>	 Alignment	not modelled	99.9	18	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
56	<a href="#">c2rjoA</a>	 Alignment	not modelled	99.9	18	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> twin-arginine translocation pathway signal protein; <b>PDBTitle:</b> crystal structure of twin-arginine translocation pathway signal2 protein from burkholderia phytofirmans
57	<a href="#">c3h75A</a>	 Alignment	not modelled	99.9	18	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic sugar-binding domain protein; <b>PDBTitle:</b> crystal structure of a periplasmic sugar-binding protein from the2 pseudomonas fluorescens
58	<a href="#">c3gbvB</a>	 Alignment	not modelled	99.9	12	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative lacI-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative lacI transcriptional regulator from2 bacteroides fragilis
59	<a href="#">c3e61A</a>	 Alignment	not modelled	99.9	22	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional repressor of ribose operon; <b>PDBTitle:</b> crystal structure of a putative transcriptional repressor of ribose2 operon from staphylococcus saprophyticus subsp. saprophyticus
60	<a href="#">d2fvya1</a>	 Alignment	not modelled	99.9	18	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
61	<a href="#">c2qvcC</a>	 Alignment	not modelled	99.9	16	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> sugar abc transporter, periplasmic sugar-binding <b>PDBTitle:</b> crystal structure of a periplasmic sugar abc transporter2 from thermotoga maritima
62	<a href="#">c2x7xA</a>	 Alignment	not modelled	99.9	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor protein; <b>PDBTitle:</b> fructose binding periplasmic domain of hybrid two component2 system bt1754
63	<a href="#">c3rotA</a>	 Alignment	not modelled	99.9	13	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc sugar transporter, periplasmic sugar binding protein; <b>PDBTitle:</b> crystal structure of abc sugar transporter (periplasmic sugar binding2 protein) from legionella pneumophila
64	<a href="#">c3o1hB</a>	 Alignment	not modelled	99.9	11	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic protein tort; <b>PDBTitle:</b> crystal structure of the tors sensor domain - tort complex in the2 presence of tmao
65	<a href="#">d1tjya</a>	 Alignment	not modelled	99.9	9	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
66	<a href="#">c3d02A</a>	 Alignment	not modelled	99.9	12	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative lacI-type transcriptional regulator; <b>PDBTitle:</b> crystal structure of periplasmic sugar-binding protein2 (yp_001338366.1) from klebsiella pneumoniae subsp. pneumoniae mgh3 78578 at 1.30 a resolution
67	<a href="#">c2hqbA</a>	 Alignment	not modelled	99.8	15	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional activator of comk gene; <b>PDBTitle:</b> crystal structure of a transcriptional activator of comk2 gene from bacillus halodurans
68	<a href="#">c2fqxA</a>	 Alignment	not modelled	99.7	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> membrane lipoprotein tmpc; <b>PDBTitle:</b> pnra from treponema pallidum complexed with guanosine
69	<a href="#">c2qh8A</a>	 Alignment	not modelled	99.7	12	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of conserved domain protein from vibrio2 cholerae o1 biovar eltor str. n16961
70	<a href="#">d2bjca1</a>	 Alignment	not modelled	99.7	48	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
71	<a href="#">c3lftA</a>	 Alignment	not modelled	99.7	13	<b>PDB header:</b> structure genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> the crystal structure of the abc domain in complex with l- trp from2 streptococcus pneumonia to 1.35a
72	<a href="#">d2hsqa1</a>	 Alignment	not modelled	99.7	43	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
73	<a href="#">d1qpza1</a>	 Alignment	not modelled	99.6	70	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
74	<a href="#">d1efaa1</a>	 Alignment	not modelled	99.6	49	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
75	<a href="#">d1luxda</a>	 Alignment	not modelled	99.6	45	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
76	<a href="#">d1lcda</a>	 Alignment	not modelled	99.5	53	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator

77	<a href="#">c2lcvA</a>	Alignment	not modelled	99.5	50	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional repressor cytr; <b>PDBTitle:</b> structure of the cytidine repressor dna-binding domain; an alternate2 calculation
78	<a href="#">d1luxca</a>	Alignment	not modelled	99.5	45	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> GalR/LacI-like bacterial regulator
79	<a href="#">c2l8nA</a>	Alignment	not modelled	99.5	50	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional repressor cytr; <b>PDBTitle:</b> nmr structure of the cytidine repressor dna binding domain in presence2 of operator half-site dna
80	<a href="#">c3s99A</a>	Alignment	not modelled	99.4	8	<b>PDB header:</b> lipid binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> basic membrane lipoprotein; <b>PDBTitle:</b> crystal structure of a basic membrane lipoprotein from brucella2 melitensis, iodide soak
81	<a href="#">c3trbA</a>	Alignment	not modelled	96.3	14	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> virulence-associated protein i; <b>PDBTitle:</b> structure of an addiction module antidote protein of a higa (higa)2 family from coxiella burnetii
82	<a href="#">c3sg0A</a>	Alignment	not modelled	96.2	14	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> extracellular ligand-binding receptor; <b>PDBTitle:</b> the crystal structure of an extracellular ligand-binding receptor from2 rhodopseudomonas palustris haa2
83	<a href="#">c3cecA</a>	Alignment	not modelled	96.2	30	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative antidote protein of plasmid maintenance system; <b>PDBTitle:</b> crystal structure of a putative antidote protein of plasmid2 maintenance system (npun_f2943) from nostoc punctiforme pcc 73102 at3 1.60 a resolution
84	<a href="#">c2ebyA</a>	Alignment	not modelled	96.1	22	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative hth-type transcriptional regulator ybaq; <b>PDBTitle:</b> crystal structure of a hypothetical protein from e. coli
85	<a href="#">d2lcta1</a>	Alignment	not modelled	96.0	13	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
86	<a href="#">c3qi7A</a>	Alignment	not modelled	96.0	11	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator2 (yp_001089212.1) from clostridium difficile 630 at 1.86 a resolution
87	<a href="#">c1y9qA</a>	Alignment	not modelled	95.9	19	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, hth_3 family; <b>PDBTitle:</b> crystal structure of hth_3 family transcriptional regulator2 from vibrio cholerae
88	<a href="#">c3iwfA</a>	Alignment	not modelled	95.8	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcription regulator rpir family; <b>PDBTitle:</b> the crystal structure of the n-terminal domain of a rpir2 transcriptional regulator from staphylococcus epidermidis to 1.4a
89	<a href="#">c3eetA</a>	Alignment	not modelled	95.8	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> putative gntR-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of putative gntR-family transcriptional2 regulator
90	<a href="#">c3eusB</a>	Alignment	not modelled	95.8	30	<b>PDB header:</b> dna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> dna-binding protein; <b>PDBTitle:</b> the crystal structure of the dna binding protein from silicibacter2 pomeroyi
91	<a href="#">c2bnoA</a>	Alignment	not modelled	95.8	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> epoxidase; <b>PDBTitle:</b> the structure of hydroxypropylphosphonic acid epoxidase2 from s. wedmorenisi.
92	<a href="#">d2o38a1</a>	Alignment	not modelled	95.7	16	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> NE1354
93	<a href="#">c2o38A</a>	Alignment	not modelled	95.7	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> putative xre family transcriptional regulator
94	<a href="#">c2w48D</a>	Alignment	not modelled	95.7	28	<b>PDB header:</b> transcription <b>Chain:</b> D: <b>PDB Molecule:</b> sorbitol operon regulator; <b>PDBTitle:</b> crystal structure of the full-length sorbitol operon2 regulator sorc from klebsiella pneumoniae
95	<a href="#">c3f8mA</a>	Alignment	not modelled	95.6	17	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> gntR-family protein transcriptional regulator; <b>PDBTitle:</b> crystal structure of phnf from mycobacterium smegmatis
96	<a href="#">d2b5aa1</a>	Alignment	not modelled	95.6	32	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
97	<a href="#">c2di3A</a>	Alignment	not modelled	95.6	16	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> bacterial regulatory proteins, gntR family; <b>PDBTitle:</b> crystal structure of the transcriptional factor cgl29152 from corynebacterium glutamicum
98	<a href="#">c3t76A</a>	Alignment	not modelled	95.6	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator vanug; <b>PDBTitle:</b> crystal structure of transcriptional regulator vanug, form ii
99	<a href="#">c3bs3A</a>	Alignment	not modelled	95.5	24	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative dna-binding protein; <b>PDBTitle:</b> crystal structure of a putative dna-binding protein from bacteroides2 fragilis
100	<a href="#">d1rioA</a>	Alignment	not modelled	95.5	18	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
101	<a href="#">d2ofya1</a>	Alignment	not modelled	95.5	22	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
						<b>Fold:</b> lambda repressor-like DNA-binding domains



102	<a href="#">d1adra_</a>	Alignment	not modelled	95.4	14	<b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
103	<a href="#">c3b7hA_</a>	Alignment	not modelled	95.4	29	<b>PDB header:</b> structural protein <b>Chain:</b> A: <b>PDB Molecule:</b> prophage lp1 protein 11; <b>PDBTitle:</b> crystal structure of the prophage lp1 protein 11
104	<a href="#">c3edpB_</a>	Alignment	not modelled	95.4	9	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> lin2111 protein; <b>PDBTitle:</b> the crystal structure of the protein lin2111 (functionally unknown)2 from listeria innocua clip11262
105	<a href="#">d1utxa_</a>	Alignment	not modelled	95.4	19	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
106	<a href="#">c3clcC_</a>	Alignment	not modelled	95.4	14	<b>PDB header:</b> transcription regulator/dna <b>Chain:</b> C: <b>PDB Molecule:</b> regulatory protein; <b>PDBTitle:</b> crystal structure of the restriction-modification controller protein2 c.esp1396i tetramer in complex with its natural 35 base-pair operator
107	<a href="#">c3bwgA_</a>	Alignment	not modelled	95.3	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized hth-type transcriptional regulator yydk; <b>PDBTitle:</b> the crystal structure of possible transcriptional regulator yydk from2 bacillus subtilis subsp. subtilis str. 168
108	<a href="#">c1u78A_</a>	Alignment	not modelled	95.3	12	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> A: <b>PDB Molecule:</b> transposable element tc3 transposase; <b>PDBTitle:</b> structure of the bipartite dna-binding domain of tc32 transposase bound to transposon dna
109	<a href="#">d1y7ya1</a>	Alignment	not modelled	95.3	30	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> SinR domain-like
110	<a href="#">d1qo0a_</a>	Alignment	not modelled	95.3	14	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
111	<a href="#">c3neuA_</a>	Alignment	not modelled	95.2	17	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> lin1836 protein; <b>PDBTitle:</b> the crystal structure of a functionally-unknown protein lin1836 from2 listeria innocua clip11262
112	<a href="#">d1y9qa1</a>	Alignment	not modelled	95.2	19	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Probable transcriptional regulator VC1968, N-terminal domain
113	<a href="#">c2kpiA_</a>	Alignment	not modelled	95.2	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sos-response transcriptional repressor, lexa; <b>PDBTitle:</b> solution structure of protein sos-response transcriptional2 repressor, lexa from eubacterium rectale. northeast3 structural genomics consortium target err9a
114	<a href="#">c3op9A_</a>	Alignment	not modelled	95.2	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> pli0006 protein; <b>PDBTitle:</b> crystal structure of transcriptional regulator from listeria innocua
115	<a href="#">c2l0kA_</a>	Alignment	not modelled	95.2	23	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> stage iii sporulation protein d; <b>PDBTitle:</b> nmr solution structure of a transcription factor spoiiiid in complex2 with dna
116	<a href="#">d1lmb3_</a>	Alignment	not modelled	95.1	19	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
117	<a href="#">d1nera_</a>	Alignment	not modelled	95.1	12	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors
118	<a href="#">c3snrA_</a>	Alignment	not modelled	95.1	11	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> extracellular ligand-binding receptor; <b>PDBTitle:</b> rpd_1889 protein, an extracellular ligand-binding receptor from2 rhodopseudomonas palustris.
119	<a href="#">c3by6C_</a>	Alignment	not modelled	95.1	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> predicted transcriptional regulator; <b>PDBTitle:</b> crystal structure of a transcriptional regulator from oenococcus oeni
120	<a href="#">d2r1jl1</a>	Alignment	not modelled	95.1	14	<b>Fold:</b> lambda repressor-like DNA-binding domains <b>Superfamily:</b> lambda repressor-like DNA-binding domains <b>Family:</b> Phage repressors