


Phyre²

Email	I.a.kelley@imperial.ac.uk
Description	P75680
Date	Thu Jan 5 12:12:59 GMT 2012
Unique Job ID	bf09233880d17cea

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c1u78A_			96.3	13	PDB header: dna binding protein/dna Chain: A; PDB Molecule: transposable element tc3 transposase; PDBTitle: structure of the bipartite dna-binding domain of tc32 transposase bound to transposon dna
2	c6paxA_			95.6	8	PDB header: gene regulation/dna Chain: A; PDB Molecule: homeobox protein pax-6; PDBTitle: crystal structure of the human pax-6 paired domain-dna2 complex reveals a general model for pax protein-dna3 interactions
3	d1pdnc_			94.3	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Paired domain
4	c3hosA_			93.8	10	PDB header: transferase, dna binding protein/dna Chain: A; PDB Molecule: transposable element mariner, complete cds; PDBTitle: crystal structure of the mariner mos1 paired end complex with mg
5	c3hefB_			91.5	23	PDB header: viral protein Chain: B; PDB Molecule: gene 1 protein; PDBTitle: crystal structure of the bacteriophage sf6 terminase small2 subunit
6	clumqA_			88.6	8	PDB header: dna-binding protein Chain: A; PDB Molecule: photosynthetic apparatus regulatory protein; PDBTitle: solution structure and dna binding of the effector domain2 from the global regulator prr(pra) from r. sphaeroides:3 insights into dna binding specificity
7	d1umqa_			88.6	8	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: FIS-like
8	c1z4hA_			86.7	11	PDB header: protein binding, dna binding protein Chain: A; PDB Molecule: tor inhibition protein; PDBTitle: the response regulator tori belongs to a new family of2 atypical excisionase
9	c2ao9H_			86.6	14	PDB header: structural genomics, unknown function Chain: H; PDB Molecule: phage protein; PDBTitle: structural genomics, the crystal structure of a phage protein2 (phbc6a51) from bacillus cereus atcc 14579
10	d2ao9a1			86.2	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Nanomeric phage protein-like
11	d1t56a1			85.7	17	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain

12	c1hlvA			85.3	13	PDB header: dna binding protein/dna Chain: A: PDB Molecule: major centromere autoantigen b; PDBTitle: crystal structure of cnp-b(1-129) complexed with the cnp-2 b box dna
13	d2fbqa1			84.7	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
14	d2g3ba1			84.4	19	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
15	d2id3a1			84.1	8	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
16	d2jn6a1			83.5	19	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Cgl2762-like
17	d1etxa			83.3	10	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: FIS-like
18	d1jt6a1			82.7	3	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
19	d1vi0a1			82.6	17	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
20	d1fipa			81.4	10	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: FIS-like
21	d1v7ba1		not modelled	81.0	22	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
22	d2o7ta1		not modelled	81.0	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
23	d1aoya		not modelled	80.6	11	Fold: DNA/RNA-binding 3-helical bundle Superfamily: "Winged helix" DNA-binding domain Family: Arginine repressor (ArgR), N-terminal DNA-binding domain
24	d2np5a1		not modelled	80.5	8	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
25	c3f1bA		not modelled	80.4	0	PDB header: transcription regulator Chain: A: PDB Molecule: tetr-like transcriptional regulator; PDBTitle: the crystal structure of a tetr-like transcriptional regulator from2 rhodococcus sp. rha1.
26	d2vkva1		not modelled	80.1	19	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
27	d3c07a1		not modelled	79.8	11	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
28	c3ppbB		not modelled	79.6	17	PDB header: transcription regulator Chain: B: PDB Molecule: putative tetr family transcription regulator; PDBTitle: crystal structure of a putative tetr family transcription regulator2 (shew_3104) from shewanella sp. pv-4 at 2.10 a resolution

29	d2d6ya1	Alignment	not modelled	79.5	3	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
30	d1pb6a1	Alignment	not modelled	79.4	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
31	d2vkeal	Alignment	not modelled	79.3	17	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
32	c1vi0B	Alignment	not modelled	79.0	17	PDB header: transcription Chain: B: PDB Molecule: transcriptional regulator; PDBTitle: crystal structure of a transcriptional regulator
33	c3g56A	Alignment	not modelled	78.0	11	PDB header: dna binding protein Chain: A: PDB Molecule: regulator of macrolide 2'-phosphotransferase i; PDBTitle: structure of the macrolide biosensor protein, mphr(a)
34	c2gfnA	Alignment	not modelled	77.9	11	PDB header: transcription Chain: A: PDB Molecule: hth-type transcriptional regulator pksa related protein; PDBTitle: crystal structure of hth-type transcriptional regulator pksa related2 protein from rhodococcus sp. rha1
35	c3o60A	Alignment	not modelled	77.5	22	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: lin0861 protein; PDBTitle: the crystal structure of lin0861 from listeria innocua to 2.8a
36	c3bn1A	Alignment	not modelled	77.3	8	PDB header: transcription regulator Chain: A: PDB Molecule: putative tetr-family transcriptional regulator; PDBTitle: crystal structure of tetr-family transcriptional regulator from2 streptomyces coelicolor
37	d2hyja1	Alignment	not modelled	76.9	8	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
38	c3kkcB	Alignment	not modelled	76.9	14	PDB header: transcription regulator Chain: B: PDB Molecule: tetr family transcriptional regulator; PDBTitle: the crystal structure of tetr transcriptional regulator from2 streptococcus agalactiae 2603v
39	c2id3A	Alignment	not modelled	76.9	6	PDB header: transcription Chain: A: PDB Molecule: putative transcriptional regulator; PDBTitle: crystal structure of transcriptional regulator sco5951 from2 streptomyces coelicolor a3(2)
40	c3b81A	Alignment	not modelled	76.7	6	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator, acrr family; PDBTitle: crystal structure of predicted dna-binding transcriptional regulator2 of tetr/acrr family (np_350189.1) from clostridium acetobutylicum at3 2.10 a resolution
41	c2hytA	Alignment	not modelled	76.3	14	PDB header: transcription Chain: A: PDB Molecule: tetr-family transcriptional regulator; PDBTitle: crystal structure of a tetr-family transcriptional regulator (eca1819)2 from pectobacterium atrosepticum at 1.64 a resolution
42	d2id6a1	Alignment	not modelled	76.2	6	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
43	d1g2ha	Alignment	not modelled	76.2	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: FIS-like
44	c3cjdB	Alignment	not modelled	76.1	8	PDB header: transcription regulator Chain: B: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: crystal structure of putative tetr transcriptional regulator2 (yp_510936.1) from jannaschia sp. ccs1 at 1.79 a resolution
45	d1z0xa1	Alignment	not modelled	76.0	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
46	c2nx4A	Alignment	not modelled	75.8	14	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: transcriptional regulator, tetr family protein; PDBTitle: the crystal structure of athe putative tetr-family transcriptional2 regulator rha06780 from rhodococcus sp. rha1.
47	d1rzsa	Alignment	not modelled	75.7	12	Fold: lambda repressor-like DNA-binding domains Superfamily: lambda repressor-like DNA-binding domains Family: Phage repressors
48	d1rkta1	Alignment	not modelled	75.6	8	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
49	c3lwjA	Alignment	not modelled	75.1	8	PDB header: transcription regulator Chain: A: PDB Molecule: putative tetr-family transcriptional regulator; PDBTitle: crystal structure of putative tetr-family transcriptional regulator2 (yp_752756.1) from syntrophomonas wolfei str. goettingen at 2.07 a3 resolution
50	c2eh3A	Alignment	not modelled	75.1	3	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator; PDBTitle: crystal structure of aq_1058, a transcriptional regulator (terr/acrr2 family) from aquifex aeolicus vf5
51	c3e7ID	Alignment	not modelled	75.0	10	PDB header: transcription regulator Chain: D: PDB Molecule: transcriptional regulator (ntrc family); PDBTitle: crystal structure of sigma54 activator ntrc4's dna binding2 domain
52	c2zb9A	Alignment	not modelled	74.6	14	PDB header: transcription Chain: A: PDB Molecule: putative transcriptional regulator; PDBTitle: crystal structure of tetr family transcription regulator2 sco0332
53	d1stza1	Alignment	not modelled	74.6	7	Fold: DNA/RNA-binding 3-helical bundle Superfamily: "Winged helix" DNA-binding domain Family: Heat-inducible transcription repressor HrcA, N-terminal

						domain
54	c3pasA	Alignment	not modelled	74.5	8	PDB header: transcription regulator Chain: A: PDB Molecule: tetr family transcription regulator; PDBTitle: crystal structure of a tetr family transcription regulator (maqu_14172) from marinobacter aquaeolei vt8 at 1.90 a resolution
55	d2fq4a1	Alignment	not modelled	74.3	15	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
56	d2g7sa1	Alignment	not modelled	74.3	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
57	c2ibdB	Alignment	not modelled	74.2	6	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: possible transcriptional regulator; PDBTitle: crystal structure of probable transcriptional regulatory protein2 rha5900
58	d2fd5a1	Alignment	not modelled	74.0	11	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
59	c3mnIA	Alignment	not modelled	74.0	11	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulatory protein (probably tet-famly); PDBTitle: the crystal structure of kstr (rv3574) from mycobacterium tuberculosis2 h37rv
60	c3e7qB	Alignment	not modelled	73.9	19	PDB header: transcription regulator Chain: B: PDB Molecule: transcriptional regulator; PDBTitle: the crystal structure of the putative transcriptional regulator from2 pseudomonas aeruginosa pao1
61	c2o8kA	Alignment	not modelled	73.9	16	PDB header: transcription/dna Chain: A: PDB Molecule: rna polymerase sigma factor rpon; PDBTitle: nmr structure of the sigma-54 rpon domain bound to the-242 promoter element
62	c3cwrA	Alignment	not modelled	73.8	11	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: crystal structure of transcriptional regulator of tetr2 family (yp_425770.1) from rhodospirillum rubrum atcc 111703 at 1.50 a resolution
63	c3c2bA	Alignment	not modelled	73.3	17	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: crystal structure of tetr transcriptional regulator from agrobacterium tumefaciens
64	c3ni7A	Alignment	not modelled	73.3	6	PDB header: transcription regulator Chain: A: PDB Molecule: bacterial regulatory proteins, tetr family; PDBTitle: crystal structure of the tetr transcriptional regulator from2 nitrosomonas europaea atcc 19718
65	c3bhqB	Alignment	not modelled	73.1	11	PDB header: transcription Chain: B: PDB Molecule: transcriptional regulator; PDBTitle: crystal structure of a putative tetr-family transcriptional regulator2 (mlr_4833) from mesorhizobium loti maff303099 at 1.54 a resolution
66	c2o7tA	Alignment	not modelled	73.0	14	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator; PDBTitle: crystal structure of a tetr family transcriptional regulator2 (ncgl1578, cgl1640) from corynebacterium glutamicum at 2.10 a3 resolution
67	c1bjzA	Alignment	not modelled	72.9	17	PDB header: transcription regulation Chain: A: PDB Molecule: tetracycline repressor; PDBTitle: tetracycline chelated mg2+-ion initiates helix unwinding for tetr2 repressor induction
68	c2np5A	Alignment	not modelled	72.9	8	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator; PDBTitle: crystal structure of a transcriptional regulator (rha1_r04179) from2 rhodococcus sp. rha1.
69	c2rekA	Alignment	not modelled	72.6	14	PDB header: transcription Chain: A: PDB Molecule: putative tetr-family transcriptional regulator; PDBTitle: crystal structure of tetr-family transcriptional regulator
70	d2gfna1	Alignment	not modelled	72.4	11	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
71	c3anpD	Alignment	not modelled	72.3	17	PDB header: transcription Chain: D: PDB Molecule: transcriptional repressor, tetr family; PDBTitle: crystal structure of thermus thermophilus fadr, a tetr-family2 transcriptional repressor, in complex with lauroyl-coa.
72	c2iu5A	Alignment	not modelled	72.1	6	PDB header: transcription Chain: A: PDB Molecule: hth-type dhaklm operon transcriptional activator dhas; PDBTitle: dihydroxyacetone kinase operon activator dhas
73	c3dcfB	Alignment	not modelled	71.8	14	PDB header: transcription regulator Chain: B: PDB Molecule: transcriptional regulator of the tetr/acrr PDBTitle: crystal structure of transcriptional regulator of the2 tetr/acrr family (yp_290855.1) from thermobifida fusca yx-3 er1 at 2.50 a resolution
74	c2genA	Alignment	not modelled	71.6	11	PDB header: transcription Chain: A: PDB Molecule: probable transcriptional regulator; PDBTitle: structural genomics, the crystal structure of a probable2 transcriptional regulator from pseudomonas aeruginosa pao1
75	d1ui5a1	Alignment	not modelled	71.5	6	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
76	d2i10a1	Alignment	not modelled	71.4	12	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
77	c3geuC	Alignment	not modelled	71.4	8	PDB header: cell adhesion Chain: C: PDB Molecule: intercellular adhesion protein r; PDBTitle: crystal structure of icar from staphylococcus aureus, a member of the2 tetracycline repressor protein family
78	d2oi8a1	Alignment	not modelled	71.3	8	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like

						Family: Tetracyclin repressor-like, N-terminal domain
79	d2iu5a1	Alignment	not modelled	71.0	6	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
80	c3qkxB	Alignment	not modelled	70.8	8	PDB header: transcription regulator Chain: B: PDB Molecule: uncharacterized hth-type transcriptional regulator hi_0893; PDBTitle: crystal structure of a tetr-family transcriptional regulator (hi0893)2 from haemophilus influenzae rd at 2.35 a resolution
81	c2zcxA	Alignment	not modelled	70.8	14	PDB header: transcription Chain: A: PDB Molecule: tetr-family transcriptional regulator; PDBTitle: crystal structure of tetr family transcriptional regulator2 sco7815
82	c2dg8D	Alignment	not modelled	70.7	19	PDB header: gene regulation Chain: D: PDB Molecule: putative tetr-family transcriptional regulatory protein; PDBTitle: crystal structure of the putative trasncrptional regulator sco75182 from streptomyces coelicolor a3(2)
83	c2oerA	Alignment	not modelled	70.4	17	PDB header: transcription Chain: A: PDB Molecule: probable transcriptional regulator; PDBTitle: probable transcriptional regulator from pseudomonas2 aeruginosa
84	c3mvpA	Alignment	not modelled	70.2	6	PDB header: transcription regulator Chain: A: PDB Molecule: tetr/acrr transcriptional regulator; PDBTitle: the crystal structure of a tetr/acrr transcriptional regulator from2 streptococcus mutans to 1.85a
85	c3omtA	Alignment	not modelled	69.8	11	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: uncharacterized protein; PDBTitle: putative antitoxin component, chu_2935 protein, from xre family from2 prevotella buccae.
86	d2fx0a1	Alignment	not modelled	69.7	12	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
87	c3bruA	Alignment	not modelled	69.7	6	PDB header: transcription Chain: A: PDB Molecule: regulatory protein, tetr family; PDBTitle: crystal structure of regulatory protein tetr from rhodobacter2 sphaerooides
88	c3he0A	Alignment	not modelled	69.6	17	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: the structure of a putative transcriptional regulator tetr family2 protein from vibrio parahaemolyticus.
89	c2yvhA	Alignment	not modelled	69.1	22	PDB header: transcription/dna Chain: A: PDB Molecule: transcriptional regulator; PDBTitle: crystal structure of the operator-binding form of the multi-drug binding transcriptional repressor cgmr
90	c1jumB	Alignment	not modelled	69.1	3	PDB header: transcription Chain: B: PDB Molecule: hypothetical transcriptional regulator in qaca PDBTitle: crystal structure of the multidrug binding transcriptional2 repressor qacr bound to the natural drug berberine
91	c3on4D	Alignment	not modelled	69.0	6	PDB header: transcription Chain: D: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: crystal structure of tetr transcriptional regulator from legionella2 pneumophila
92	c3fiwB	Alignment	not modelled	68.7	17	PDB header: transcription regulator Chain: B: PDB Molecule: putative tetr-family transcriptional regulator; PDBTitle: structure of sco0253, a tetr-family transcriptional regulator from2 streptomyces coelicolor
93	c2pbxB	Alignment	not modelled	68.4	8	PDB header: transcription Chain: B: PDB Molecule: hemagglutinin/protease regulatory protein; PDBTitle: vibrio cholerae hapr
94	c3colB	Alignment	not modelled	68.4	11	PDB header: transcription regulator Chain: B: PDB Molecule: putative transcription regulator; PDBTitle: crystal structure of putative transcription regulator from2 lactobacillus plantarum
95	d2gena1	Alignment	not modelled	68.2	11	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
96	c3cdlA	Alignment	not modelled	68.1	6	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator aefr; PDBTitle: crystal structure of a tetr family transcriptional regulator from2 pseudomonas syringae pv. tomato str. dc3000
97	d1sgma1	Alignment	not modelled	67.8	14	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
98	c3eupA	Alignment	not modelled	67.2	14	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: the crystal structure of the transcriptional regulator, tetr family2 from cytophaga hutchinsonii
99	c2jk3A	Alignment	not modelled	67.0	12	PDB header: transcription Chain: A: PDB Molecule: hemolysin ii regulatory protein; PDBTitle: crystal structure of the hlyiir mutant protein with2 residues 169-186 substituted by gssgssg linker
100	c2wuiA	Alignment	not modelled	66.8	22	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator; PDBTitle: crystal structure of mexz, a key repressor responsible for2 antibiotic resistance in pseudomonas aeruginosa.
101	c3iuvA	Alignment	not modelled	66.8	11	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: uncharacterized tetr family protein; PDBTitle: the structure of a member of tetr family (sco1917) from2 streptomyces coelicolor a3
102	d1zk8a1	Alignment	not modelled	66.8	19	Fold: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: Tetracyclin repressor-like, N-terminal domain
103	c1rktA	Alignment	not modelled	66.6	8	PDB header: transcription Chain: A: PDB Molecule: protein yfir; PDBTitle: crystal structure of yfir, a putative transcriptional

						regulator from <i>bacillus subtilis</i>
104	c1u9nA	Alignment	not modelled	66.5	17	PDB header: dna binding protein Chain: A: PDB Molecule: transcriptional repressor ethr; PDBTitle: crystal structure of the transcriptional regulator ethr in2 a ligand bound conformation opens therapeutic perspectives3 against tuberculosis and leprosy
105	c2hyjA	Alignment	not modelled	66.2	8	PDB header: transcription Chain: A: PDB Molecule: putative tetr-family transcriptional regulator; PDBTitle: the crystal structure of a tetr-family transcriptional regulator from2 <i>streptomyces coelicolor</i>
106	c2g7sA	Alignment	not modelled	66.2	14	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: the crystal structure of transcriptional regulator, tetr family, from2 <i>agrobacter tumefaciens</i>
107	c1ui6B	Alignment	not modelled	66.2	6	PDB header: antibiotic Chain: B: PDB Molecule: a-factor receptor homolog; PDBTitle: crystal structure of gamma-butyrolactone receptor (arpa-like protein)
108	c3mwmA	Alignment	not modelled	66.1	19	PDB header: transcription Chain: A: PDB Molecule: putative metal uptake regulation protein; PDBTitle: graded expression of zinc-responsive genes through two regulatory2 zinc-binding sites in zur
109	c3f0cA	Alignment	not modelled	66.0	11	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator; PDBTitle: crystal structure of transcriptional regulator from <i>cypothaga2 hutchinsonii atcc 33406</i>
110	c2g3bB	Alignment	not modelled	65.9	19	PDB header: transcription Chain: B: PDB Molecule: putative tetr-family transcriptional regulator; PDBTitle: crystal structure of putative tetr-family transcriptional regulator2 from <i>rhodococcus sp.</i>
111	c2oi8A	Alignment	not modelled	65.7	8	PDB header: transcription Chain: A: PDB Molecule: putative regulatory protein sco4313; PDBTitle: crystal structure of putative regulatory protein sco4313
112	c2iaiA	Alignment	not modelled	65.6	22	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: putative transcriptional regulator sco3833; PDBTitle: crystal structure of sco3833, a member of the tetr transcriptional2 regulator family from <i>streptomyces coelicolor a3</i>
113	c3nxca	Alignment	not modelled	65.5	14	PDB header: dna binding protein Chain: A: PDB Molecule: hth-type protein slma; PDBTitle: molecular mechanism by which the <i>escherichia coli</i> nucleoid occlusion2 factor, slma, keeps cytokinesis in check
114	c1zk8A	Alignment	not modelled	64.9	19	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: crystal structure of transcriptional regulator from <i>bacillus cereus2 atcc 14579</i>
115	c2f07A	Alignment	not modelled	64.7	8	PDB header: transcription Chain: A: PDB Molecule: yvdt; PDBTitle: crystal structure of yvdt from <i>bacillus subtilis</i>
116	c2g7gA	Alignment	not modelled	64.5	25	PDB header: transcription Chain: A: PDB Molecule: rha04620, putative transcriptional regulator; PDBTitle: the crystal structure of the putative transcriptional regulator2 rha04620 from <i>rhodococcus sp. rha1</i>
117	c2qwtA	Alignment	not modelled	64.5	11	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: crystal structure of the tetr transcription regulatory2 protein from <i>mycobacterium vanbaalenii</i>
118	c3knwB	Alignment	not modelled	64.0	11	PDB header: transcription regulator Chain: B: PDB Molecule: putative transcriptional regulator (tetr/acrr family); PDBTitle: crystal structure of a putative transcriptional regulator (tetr/acrr2 family member) from putative transcriptional regulator (tetr/acrr3 family)
119	c3dpjB	Alignment	not modelled	63.7	11	PDB header: dna binding protein Chain: B: PDB Molecule: transcription regulator, tetr family; PDBTitle: the crystal structure of a tetr transcription regulator2 from <i>silicibacter pomeroyi dss</i>
120	c3gzia	Alignment	not modelled	63.5	8	PDB header: transcription Chain: A: PDB Molecule: transcriptional regulator, tetr family; PDBTitle: crystal structure of a transcriptional regulator of the tetr family2 (<i>shew_3567</i>) from <i>shewanella loihica pv-4</i> at 2.05 a resolution