
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c3fmsA_</a>	 Alignment		100.0	19	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, gntr family; <b>PDBTitle:</b> crystal structure of tm0439, a gntr transcriptional2 regulator
2	<a href="#">c2hs5A_</a>	 Alignment		100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator gntr; <b>PDBTitle:</b> structural genomics, the crystal structure of a putative2 transcriptional regulator gntr from rhodococcus sp. rha1
3	<a href="#">c3ihuA_</a>	 Alignment		100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, gntr family; <b>PDBTitle:</b> crystal structure of dna binding protein (yp_298823.1) from ralstonia2 eutropha jmp134 at 1.92 a resolution
4	<a href="#">c2di3A_</a>	 Alignment		100.0	21	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> bacterial regulatory proteins, gntr family; <b>PDBTitle:</b> crystal structure of the transcriptional factor cgl29152 from corynebacterium glutamicum
5	<a href="#">c1e2xA_</a>	 Alignment		100.0	16	<b>PDB header:</b> transcriptional regulation <b>Chain:</b> A: <b>PDB Molecule:</b> fatty acid metabolism regulator protein; <b>PDBTitle:</b> fadr, fatty acid responsive transcription factor from e.2 coli
6	<a href="#">c3c7jA_</a>	 Alignment		100.0	20	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, gntr family; <b>PDBTitle:</b> crystal structure of transcriptional regulator (gntr family member)2 from pseudomonas syringae pv. tomato str. dc3000
7	<a href="#">d1hw1a2</a>	 Alignment		99.8	11	<b>Fold:</b> GntR ligand-binding domain-like <b>Superfamily:</b> GntR ligand-binding domain-like <b>Family:</b> GntR ligand-binding domain-like
8	<a href="#">c3sxkB_</a>	 Alignment		99.7	19	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, gntr family; <b>PDBTitle:</b> zn2+-bound fcd domain of tm0439, a putative transcriptional regulator
9	<a href="#">d2hs5a2</a>	 Alignment		99.7	15	<b>Fold:</b> GntR ligand-binding domain-like <b>Superfamily:</b> GntR ligand-binding domain-like <b>Family:</b> GntR ligand-binding domain-like
10	<a href="#">c2du9A_</a>	 Alignment		99.7	21	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> predicted transcriptional regulators; <b>PDBTitle:</b> crystal structure of the transcriptional factor from c.glutamicum
11	<a href="#">c3by6C_</a>	 Alignment		99.7	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> predicted transcriptional regulator; <b>PDBTitle:</b> crystal structure of a transcriptional regulator from oenococcus oeni

12	<a href="#">c3bwgA_</a>	Alignment		99.7	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized hth-type transcriptional regulator yydk; <b>PDBTitle:</b> the crystal structure of possible transcriptional regulator yydk from2 bacillus subtilis subsp. subtilis str. 168
13	<a href="#">c3neuA_</a>	Alignment		99.6	16	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> lin1836 protein; <b>PDBTitle:</b> the crystal structure of a functionally-unknown protein lin1836 from2 listeria innocua clip11262
14	<a href="#">c3f8mA_</a>	Alignment		99.6	34	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> gntr-family protein transcriptional regulator; <b>PDBTitle:</b> crystal structure of phnf from mycobacterium smegmatis
15	<a href="#">c3edpB_</a>	Alignment		99.6	24	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> lin2111 protein; <b>PDBTitle:</b> the crystal structure of the protein lin2111 (functionally unknown)2 from listeria innocua clip11262
16	<a href="#">c3eetA_</a>	Alignment		99.6	21	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> putative gntr-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of putative gntr-family transcriptional2 regulator
17	<a href="#">d1v4ra1</a>	Alignment		99.5	17	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> GntR-like transcriptional regulators
18	<a href="#">d1hw1a1</a>	Alignment		99.5	23	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> GntR-like transcriptional regulators
19	<a href="#">d3bwga1</a>	Alignment		99.5	18	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> GntR-like transcriptional regulators
20	<a href="#">d2hs5a1</a>	Alignment		99.4	20	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> GntR-like transcriptional regulators
21	<a href="#">c3tqnC_</a>	Alignment	not modelled	99.3	13	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> transcriptional regulator, gntr family; <b>PDBTitle:</b> structure of the transcriptional regulator of the gntr family, from2 coxiella burnetii.
22	<a href="#">c3ic7A_</a>	Alignment	not modelled	99.3	10	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator of gntr family2 from bacteroides thetaiotaomicron
23	<a href="#">c2wv0H_</a>	Alignment	not modelled	99.0	22	<b>PDB header:</b> transcription <b>Chain:</b> H: <b>PDB Molecule:</b> hth-type transcriptional repressor yvoa; <b>PDBTitle:</b> crystal structure of the gntr-hutC family member yvoa from2 bacillus subtilis
24	<a href="#">c2h09A_</a>	Alignment	not modelled	98.5	18	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator mntr; <b>PDBTitle:</b> crystal structure of diphtheria toxin repressor like protein2 from e. coli
25	<a href="#">c1f5tA_</a>	Alignment	not modelled	98.3	13	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> diphtheria toxin repressor; <b>PDBTitle:</b> diphtheria tox repressor (c102d mutant) complexed with2 nickel and dtxr consensus binding sequence
26	<a href="#">c3hruA_</a>	Alignment	not modelled	98.1	15	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> metalloregulator scar; <b>PDBTitle:</b> crystal structure of scar with bound zn2+
27	<a href="#">c2it0A_</a>	Alignment	not modelled	98.0	12	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> iron-dependent repressor ider; <b>PDBTitle:</b> crystal structure of a two-domain ider-dna complex crystal2 form ii
28	<a href="#">c1g3wA_</a>	Alignment	not modelled	97.9	13	<b>PDB header:</b> gene regulation <b>Chain:</b> A: <b>PDB Molecule:</b> diphtheria toxin repressor; <b>PDBTitle:</b> cd-cys102ser dtxr
29	<a href="#">c1fv7C_</a>	Alignment	not modelled	97.5	11	<b>PDB header:</b> signaling protein <b>Chain:</b> C: <b>PDB Molecule:</b> iron-dependent repressor ider;

29	<a href="#">c1k7c_</a>	Alignment	not modelled	97.3	11	<b>PDBTitle:</b> crystal structure of the iron-dependent regulator (ider)2 from mycobacterium tuberculosis
30	<a href="#">d1biaa1</a>	Alignment	not modelled	97.4	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Biotin repressor-like
31	<a href="#">c1wsuA_</a>	Alignment	not modelled	97.2	17	<b>PDB header:</b> translation/rna <b>Chain:</b> A: <b>PDB Molecule:</b> selenocysteine-specific elongation factor; <b>PDBTitle:</b> c-terminal domain of elongation factor selb complexed with2 secis rna
32	<a href="#">d1stza1</a>	Alignment	not modelled	97.1	16	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Heat-inducible transcription repressor HrcA, N-terminal domain
33	<a href="#">c2x4hA_</a>	Alignment	not modelled	97.1	13	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein sso2273; <b>PDBTitle:</b> crystal structure of the hypothetical protein sso2273 from2 sulfobolus solfataricus
34	<a href="#">d1jhfa1</a>	Alignment	not modelled	97.1	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> LexA repressor, N-terminal DNA-binding domain
35	<a href="#">d1g3wa1</a>	Alignment	not modelled	97.0	15	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Iron-dependent repressor protein
36	<a href="#">c2plyB_</a>	Alignment	not modelled	97.0	15	<b>PDB header:</b> translation/rna <b>Chain:</b> B: <b>PDB Molecule:</b> selenocysteine-specific elongation factor; <b>PDBTitle:</b> structure of the mrna binding fragment of elongation factor2 selb in complex with secis rna.
37	<a href="#">d2isya1</a>	Alignment	not modelled	96.9	21	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Iron-dependent repressor protein
38	<a href="#">c2y75F_</a>	Alignment	not modelled	96.9	9	<b>PDB header:</b> transcription <b>Chain:</b> F: <b>PDB Molecule:</b> hth-type transcriptional regulator cymr; <b>PDBTitle:</b> the structure of cymr (yrzc) the global cysteine regulator2 of b. subtilis
39	<a href="#">d1j5ya1</a>	Alignment	not modelled	96.8	17	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Biotin repressor-like
40	<a href="#">c1p4xA_</a>	Alignment	not modelled	96.7	12	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> staphylococcal accessory regulator a homologue; <b>PDBTitle:</b> crystal structure of sars protein from staphylococcus aureus
41	<a href="#">c2rdpA_</a>	Alignment	not modelled	96.5	9	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator marr; <b>PDBTitle:</b> the structure of a marr family protein from bacillus2 stearothermophilus
42	<a href="#">d1i5za1</a>	Alignment	not modelled	96.5	14	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> CAP C-terminal domain-like
43	<a href="#">d2hr3a1</a>	Alignment	not modelled	96.5	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
44	<a href="#">c3k69A_</a>	Alignment	not modelled	96.5	15	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcription regulator; <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator (lp_0360)2 from lactobacillus plantarum at 1.95 a resolution
45	<a href="#">c1j5yA_</a>	Alignment	not modelled	96.5	16	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, biotin repressor family; <b>PDBTitle:</b> crystal structure of transcriptional regulator (tm1602) from2 thermotoga maritima at 2.3 a resolution
46	<a href="#">c3lwfD_</a>	Alignment	not modelled	96.5	12	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator (np_470886.1)2 from listeria innocua at 2.06 a resolution
47	<a href="#">d2gaua1</a>	Alignment	not modelled	96.4	17	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> CAP C-terminal domain-like
48	<a href="#">c2pjpA_</a>	Alignment	not modelled	96.4	14	<b>PDB header:</b> translation/rna <b>Chain:</b> A: <b>PDB Molecule:</b> selenocysteine-specific elongation factor; <b>PDBTitle:</b> structure of the mrna-binding domain of elongation factor2 selb from e.coli in complex with secis rna
49	<a href="#">c2qwwB_</a>	Alignment	not modelled	96.3	6	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of multiple antibiotic-resistance repressor (marr)2 (yp_013417.1) from listeria monocytogenes 4b f2365 at 2.07 a3 resolution
50	<a href="#">d1xd7a_</a>	Alignment	not modelled	96.3	22	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Transcriptional regulator Rrf2
51	<a href="#">d3broa1</a>	Alignment	not modelled	96.3	8	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
52	<a href="#">c3bj6B_</a>	Alignment	not modelled	96.2	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of marr family transcription regulator sp03579
53	<a href="#">c3nqoB_</a>	Alignment	not modelled	96.2	8	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> marr-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a marr family transcriptional regulator (cd1569)2 from clostridium difficile 630 at 2.20 a resolution
						<b>PDB header:</b> transcription regulator

54	<a href="#">c3bjaA</a>	Alignment	not modelled	96.1	14	<b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, marr family, putative; <b>PDBTitle:</b> crystal structure of putative marr-like transcription regulator2 (np_978771.1) from bacillus cereus atcc 10987 at 2.38 a resolution
55	<a href="#">d2fbha1</a>	Alignment	not modelled	96.1	15	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
56	<a href="#">d2d1ha1</a>	Alignment	not modelled	96.1	21	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> TrmB-like
57	<a href="#">c2ewnA</a>	Alignment	not modelled	96.1	18	<b>PDB header:</b> ligase, transcription <b>Chain:</b> A: <b>PDB Molecule:</b> bira bifunctional protein; <b>PDBTitle:</b> ecoli biotin repressor with co-repressor analog
58	<a href="#">c3cjaA</a>	Alignment	not modelled	96.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of transcriptional regulator, marr family, from2 silicibacter pomeroyi
59	<a href="#">c3ctaA</a>	Alignment	not modelled	96.0	10	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> riboflavin kinase; <b>PDBTitle:</b> crystal structure of riboflavin kinase from thermoplasma2 acidophilum
60	<a href="#">d2a61a1</a>	Alignment	not modelled	95.9	8	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
61	<a href="#">c3r0aB</a>	Alignment	not modelled	95.9	9	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> possible transcriptional regulator from methanosarcina mazei go1 (gi2 21227196)
62	<a href="#">c2ev5B</a>	Alignment	not modelled	95.9	12	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator mntr; <b>PDBTitle:</b> bacillus subtilis manganese transport regulator (mntr)2 bound to calcium
63	<a href="#">c3boqB</a>	Alignment	not modelled	95.9	9	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of marr family transcriptional regulator from2 silicibacter pomeroyi
64	<a href="#">c1u78A</a>	Alignment	not modelled	95.8	13	<b>PDB header:</b> dna binding protein/dna <b>Chain:</b> A: <b>PDB Molecule:</b> transposable element tc3 transposase; <b>PDBTitle:</b> structure of the bipartite dna-binding domain of tc32 transposase bound to transposon dna
65	<a href="#">d1lnwa</a>	Alignment	not modelled	95.8	6	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
66	<a href="#">d1lj9a</a>	Alignment	not modelled	95.7	9	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
67	<a href="#">d1ylfa1</a>	Alignment	not modelled	95.7	14	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Transcriptional regulator Rrf2
68	<a href="#">c3fm5D</a>	Alignment	not modelled	95.7	7	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> transcriptional regulator; <b>PDBTitle:</b> x-ray crystal structure of transcriptional regulator (marr family)2 from rhodococcus sp. rha1
69	<a href="#">d1jgsa</a>	Alignment	not modelled	95.7	7	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
70	<a href="#">c2oqgA</a>	Alignment	not modelled	95.7	15	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> possible transcriptional regulator, arsr family protein; <b>PDBTitle:</b> arsr-like transcriptional regulator from rhodococcus sp. rha1
71	<a href="#">d2b01a1</a>	Alignment	not modelled	95.6	23	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Cody HTH domain
72	<a href="#">c3g3zA</a>	Alignment	not modelled	95.5	6	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> the structure of nmb1585, a marr family regulator from neisseria2 meningitidis
73	<a href="#">d2h6ca1</a>	Alignment	not modelled	95.5	25	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> CAP C-terminal domain-like
74	<a href="#">c2v79B</a>	Alignment	not modelled	95.5	22	<b>PDB header:</b> dna-binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> dna replication protein dnad; <b>PDBTitle:</b> crystal structure of the n-terminal domain of dnad from2 bacillus subtilis
75	<a href="#">d2oz6a1</a>	Alignment	not modelled	95.5	22	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> CAP C-terminal domain-like
76	<a href="#">c3k01A</a>	Alignment	not modelled	95.5	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> repressor protein; <b>PDBTitle:</b> crystal structure of putative marr family transcriptional2 regulator from acinetobacter sp. adp
77	<a href="#">c3oopA</a>	Alignment	not modelled	95.4	10	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> ilin2960 protein; <b>PDBTitle:</b> the structure of a protein with unknown function from listeria innocua2 clip11262
78	<a href="#">c1r22B</a>	Alignment	not modelled	95.4	25	<b>PDB header:</b> transcription repressor <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional repressor smtb; <b>PDBTitle:</b> crystal structure of the cyanobacterial metallothionein2 repressor smtb (c14s/c61s/c121s mutant) in the zn2alpha5-3 form
79	<a href="#">c2gxgA</a>	Alignment	not modelled	95.4	9	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> 146aa long hypothetical transcriptional regulator; <b>PDBTitle:</b> crystal structure of emrr homolog from

					hyperthermophilic archaea2 sulfolobus tokodaii strain7
80	<a href="#">c2qufB_</a>	Alignment	not modelled	95.4	18 <b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcription factor pf0095; <b>PDBTitle:</b> crystal structure of transcription factor axxa-pf0095 from pyrococcus2 furiosus
81	<a href="#">c3bddD_</a>	Alignment	not modelled	95.4	10 <b>PDB header:</b> transcription <b>Chain:</b> D: <b>PDB Molecule:</b> regulatory protein marr; <b>PDBTitle:</b> crystal structure of a putative multiple antibiotic-resistance2 repressor (ssu05_1136) from streptococcus suis 89/1591 at 2.20 a3 resolution
82	<a href="#">d1s3ja_</a>	Alignment	not modelled	95.3	11 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
83	<a href="#">d3ctaa1</a>	Alignment	not modelled	95.3	10 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
84	<a href="#">c3pqkD_</a>	Alignment	not modelled	95.3	23 <b>PDB header:</b> transcription <b>Chain:</b> D: <b>PDB Molecule:</b> biofilm growth-associated repressor; <b>PDBTitle:</b> crystal structure of the transcriptional repressor bigr from xylella2 fastidiosa
85	<a href="#">c1zybA_</a>	Alignment	not modelled	95.3	13 <b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcription regulator, crp family; <b>PDBTitle:</b> crystal structure of transcription regulator from bacteroides2 thetaiotaomicron vpi-5482 at 2.15 a resolution
86	<a href="#">d2ev0a1</a>	Alignment	not modelled	95.2	19 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Iron-dependent repressor protein
87	<a href="#">d2coha1</a>	Alignment	not modelled	95.2	20 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> CAP C-terminal domain-like
88	<a href="#">c3s2wB_</a>	Alignment	not modelled	95.2	7 <b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> the crystal structure of a marr transcriptional regulator from2 methanosarcina mazei go1
89	<a href="#">c3nrvc_</a>	Alignment	not modelled	95.2	8 <b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> putative transcriptional regulator (marr/emrr family); <b>PDBTitle:</b> crystal structure of marr/emrr family transcriptional regulator from2 acinetobacter sp. adp1
90	<a href="#">c3kp3B_</a>	Alignment	not modelled	95.2	14 <b>PDB header:</b> transcription regulator/antibiotic <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator tcar; <b>PDBTitle:</b> staphylococcus epidermidis in complex with ampicillin
91	<a href="#">c3e6mD_</a>	Alignment	not modelled	95.2	11 <b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> marr family transcriptional regulator; <b>PDBTitle:</b> the crystal structure of a marr family transcriptional2 regulator from silicibacter pomeroyi dss.
92	<a href="#">d1ku9a_</a>	Alignment	not modelled	95.1	9 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> DNA-binding protein Mj223
93	<a href="#">d2bv6a1</a>	Alignment	not modelled	95.1	9 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
94	<a href="#">d3deua1</a>	Alignment	not modelled	95.1	16 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
95	<a href="#">c2nnnB_</a>	Alignment	not modelled	95.1	10 <b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> probable transcriptional regulator; <b>PDBTitle:</b> crystal structure of probable transcriptional regulator from2 pseudomonas aeruginosa
96	<a href="#">c3d0sA_</a>	Alignment	not modelled	95.0	25 <b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulatory protein; <b>PDBTitle:</b> camp receptor protein from m.tuberculosis, camp-free form
97	<a href="#">c2nyxB_</a>	Alignment	not modelled	95.0	10 <b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> probable transcriptional regulatory protein, rv1404; <b>PDBTitle:</b> crystal structure of rv1404 from mycobacterium tuberculosis
98	<a href="#">c2oz6A_</a>	Alignment	not modelled	94.9	22 <b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> virulence factor regulator; <b>PDBTitle:</b> crystal structure of virulence factor regulator from pseudomonas2 aeruginosa in complex with camp
99	<a href="#">c2fa5B_</a>	Alignment	not modelled	94.9	10 <b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator marr/emrr family; <b>PDBTitle:</b> the crystal structure of an unliganded multiple antibiotic-2 resistance repressor (marr) from xanthomonas campestris
100	<a href="#">c3deuB_</a>	Alignment	not modelled	94.9	18 <b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator slyA; <b>PDBTitle:</b> crystal structure of transcription regulatory protein slyA2 from salmonella typhimurium in complex with salicylate3 ligands
101	<a href="#">d1pdnc_</a>	Alignment	not modelled	94.8	15 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> Homeodomain-like <b>Family:</b> Paired domain
102	<a href="#">c3jthA_</a>	Alignment	not modelled	94.8	18 <b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcription activator hlyu; <b>PDBTitle:</b> crystal structure of a transcriptional regulator hlyu from2 vibrio vulnificus cmcp6
103	<a href="#">d2fbia1</a>	Alignment	not modelled	94.8	13 <b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
104	<a href="#">c3dv8A_</a>	Alignment	not modelled	94.7	10 <b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, crp/fnr family; <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator of the2 crp/fnr family (eubrec_1222) from eubacterium rectale atcc 33656 at3 2.55 a resolution



105	<a href="#">d2etha1</a>	Alignment	not modelled	94.7	10	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
106	<a href="#">d3e5ua1</a>	Alignment	not modelled	94.7	20	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> CAP C-terminal domain-like
107	<a href="#">d1sfxa_</a>	Alignment	not modelled	94.7	24	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> TrmB-like
108	<a href="#">d2cg4a1</a>	Alignment	not modelled	94.6	20	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Lrp/AsnC-like transcriptional regulator N-terminal domain
109	<a href="#">d1l1ga1</a>	Alignment	not modelled	94.6	30	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Lrp/AsnC-like transcriptional regulator N-terminal domain
110	<a href="#">c2l4aA_</a>	Alignment	not modelled	94.6	13	<b>PDB header:</b> dna binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> leucine responsive regulatory protein; <b>PDBTitle:</b> nmr structure of the dna-binding domain of e.coli lrp
111	<a href="#">d2cyya1</a>	Alignment	not modelled	94.5	18	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Lrp/AsnC-like transcriptional regulator N-terminal domain
112	<a href="#">d1mkma1</a>	Alignment	not modelled	94.5	11	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Transcriptional regulator IclR, N-terminal domain
113	<a href="#">c3kcca_</a>	Alignment	not modelled	94.5	22	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> catabolite gene activator; <b>PDBTitle:</b> crystal structure of d138l mutant of catabolite gene activator protein
114	<a href="#">c6paxA_</a>	Alignment	not modelled	94.5	10	<b>PDB header:</b> gene regulation/dna <b>Chain:</b> A: <b>PDB Molecule:</b> homeobox protein pax-6; <b>PDBTitle:</b> crystal structure of the human pax-6 paired domain-dna2 complex reveals a general model for pax protein-dna3 interactions
115	<a href="#">c3f6vA_</a>	Alignment	not modelled	94.4	23	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> possible transcriptional regulator, arsr family <b>PDBTitle:</b> crystal structure of possible transcriptional regulator for2 arsenical resistance
116	<a href="#">c3e97A_</a>	Alignment	not modelled	94.4	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, crp/fnr family; <b>PDBTitle:</b> crystal structure of transcriptional regulator of crp/fnr2 family (yp_604437.1) from deinococcus geothermalis dsm3 11300 at 1.86 a resolution
117	<a href="#">c3e6dA_</a>	Alignment	not modelled	94.3	26	<b>PDB header:</b> transcription regulation <b>Chain:</b> A: <b>PDB Molecule:</b> cyclic nucleotide-binding protein; <b>PDBTitle:</b> crystal structure of cprk c200s
118	<a href="#">d2bgca1</a>	Alignment	not modelled	94.3	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> CAP C-terminal domain-like
119	<a href="#">c3f6oB_</a>	Alignment	not modelled	94.3	9	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> probable transcriptional regulator, arsr family <b>PDBTitle:</b> crystal structure of arsr family transcriptional regulator,2 rha00566
120	<a href="#">c3hrmA_</a>	Alignment	not modelled	94.3	11	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator sarz; <b>PDBTitle:</b> crystal structure of staphylococcus aureus protein sarz in sulfenic2 acid form