










| #  | Template                | Alignment Coverage  | 3D Model  | Confidence | % i.d. | Template Information   |
|----|-------------------------|---|---|------------|--------|--|
| 1  | <a href="#">c1hvxA_</a> |  Alignment   |    | 100.0      | 44     | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase;<br><b>PDBTitle:</b> bacillus stearotherophilus alpha-amylase  |
| 2  | <a href="#">c1wpcA_</a> |  Alignment   |    | 100.0      | 43     | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> glucan 1,4-alpha-maltohexaoidase;<br><b>PDBTitle:</b> crystal structure of maltohexaose-producing amylase complexed with2 pseudo-maltononaoase |
| 3  | <a href="#">c1ud8A_</a> |  Alignment   |    | 100.0      | 45     | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> amylase;<br><b>PDBTitle:</b> crystal structure of amyK38 with lithium ion  |
| 4  | <a href="#">c1e40A_</a> |  Alignment   |    | 100.0      | 42     | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase;<br><b>PDBTitle:</b> tris/maltotriose complex of chimaeric amylase from b.2 amyloliquefaciens and b. licheniformis at 2.2a       |
| 5  | <a href="#">c3bc9A_</a> |  Alignment |  | 100.0      | 38     | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha amylase, catalytic region;<br><b>PDBTitle:</b> alpha-amylase b in complex with acarbose  |
| 6  | <a href="#">c1mwoA_</a> |  Alignment |  | 100.0      | 28     | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha amylase;<br><b>PDBTitle:</b> crystal structure analysis of the hyperthermostable2 pyrococcus woesei alpha-amylase                        |
| 7  | <a href="#">d1ud2a2</a> |  Alignment |  | 100.0      | 47     | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 8  | <a href="#">d2d3na2</a> |  Alignment |  | 100.0      | 45     | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 9  | <a href="#">d1hvxa2</a> |  Alignment |  | 100.0      | 46     | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 10 | <a href="#">d2gipa2</a> |  Alignment |  | 100.0      | 43     | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 11 | <a href="#">d1ob0a2</a> |  Alignment |  | 100.0      | 44     | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |

|    |                         |           |   |       |    |   |
|----|-------------------------|-----------|---|-------|----|---|
| 12 | <a href="#">d1e43a2</a> | Alignment |     | 100.0 | 43 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 13 | <a href="#">c3edeB_</a> | Alignment |    | 100.0 | 17 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> B: <b>PDB Molecule:</b> cyclomaltoextrinase;<br><b>PDBTitle:</b> structural base for cyclodextrin hydrolysis  |
| 14 | <a href="#">c1tcmB_</a> | Alignment |    | 100.0 | 21 | <b>PDB header:</b> glycosyltransferase<br><b>Chain:</b> B: <b>PDB Molecule:</b> cyclodextrin glycosyltransferase;<br><b>PDBTitle:</b> cyclodextrin glycosyltransferase w616a mutant from bacillus2 circulans strain 251   |
| 15 | <a href="#">c1jaeA_</a> | Alignment |    | 100.0 | 18 | <b>PDB header:</b> glycosidase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase;<br><b>PDBTitle:</b> structure of tenebrio molitor larval alpha-amylase   |
| 16 | <a href="#">c1qhoA_</a> | Alignment |    | 100.0 | 17 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase;<br><b>PDBTitle:</b> five-domain alpha-amylase from bacillus stearothermophilus,2 maltose/acarbose complex  |
| 17 | <a href="#">c1gviA_</a> | Alignment |   | 100.0 | 20 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> maltogenic amylase;<br><b>PDBTitle:</b> thermus maltogenic amylase in complex with beta-cd  |
| 18 | <a href="#">c3blpX_</a> | Alignment |  | 100.0 | 15 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> X: <b>PDB Molecule:</b> alpha-amylase 1;<br><b>PDBTitle:</b> role of aromatic residues in human salivary alpha-amylase  |
| 19 | <a href="#">c3bmwA_</a> | Alignment |  | 100.0 | 19 | <b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> cyclomaltoextrin glucanotransferase;<br><b>PDBTitle:</b> cyclodextrin glycosyl transferase from thermoanaerobacterium2 thermosulfurigenes em1 mutant s77p complexed with a maltoheptaose3 inhibitor |
| 20 | <a href="#">c1jibA_</a> | Alignment |  | 100.0 | 21 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> neopullulanase;<br><b>PDBTitle:</b> complex of alpha-amylase ii (tva ii) from thermoactinomyces2 vulgaris r-47 with maltotetraose based on a crystal soaked3 with maltohexaose.                       |
| 21 | <a href="#">c2qpuB_</a> | Alignment | not modelled  | 100.0 | 24 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> B: <b>PDB Molecule:</b> alpha-amylase type a isozyme;<br><b>PDBTitle:</b> sugar tongs mutant s378p in complex with acarbose   |
| 22 | <a href="#">c1jd7A_</a> | Alignment | not modelled  | 100.0 | 15 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase;<br><b>PDBTitle:</b> crystal structure analysis of the mutant k300r of2 pseudoalteromonas haloplantis alpha-amylase   |
| 23 | <a href="#">c1ea9D_</a> | Alignment | not modelled  | 100.0 | 21 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> D: <b>PDB Molecule:</b> cyclomaltoextrinase;<br><b>PDBTitle:</b> cyclomaltoextrinase  |
| 24 | <a href="#">c1cygA_</a> | Alignment | not modelled  | 100.0 | 20 | <b>PDB header:</b> glycosyltransferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> cyclodextrin glucanotransferase;<br><b>PDBTitle:</b> cyclodextrin glucanotransferase (e.c.2.4.1.19) (cgtase)  |
| 25 | <a href="#">c2aaaA_</a> | Alignment | not modelled  | 100.0 | 17 | <b>PDB header:</b> glycosidase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase;<br><b>PDBTitle:</b> calcium binding in alpha-amylases: an x-ray diffraction2 study at 2.1 angstroms resolution of two enzymes from3 aspergillus                                      |
| 26 | <a href="#">c2taaA_</a> | Alignment | not modelled  | 100.0 | 19 | <b>PDB header:</b> hydrolase (o-glycosyl)<br><b>Chain:</b> A: <b>PDB Molecule:</b> taka-amylase a;<br><b>PDBTitle:</b> structure and possible catalytic residues of taka-amylase a  |
| 27 | <a href="#">d1mxga2</a> | Alignment | not modelled  | 100.0 | 30 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 28 | <a href="#">c1jdaA_</a> | Alignment | not modelled  | 100.0 | 23 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> 1,4-alpha maltotetrahydrolase;<br><b>PDBTitle:</b> maltotetraose-forming exo-amylase  |
|    |                         |           |   |       |    | <b>PDB header:</b> membrane protein   |

|    |                         |           |              |       |    |  |
|----|-------------------------|-----------|--------------|-------|----|--|
| 29 | <a href="#">c3k8kB</a>  | Alignment | not modelled | 100.0 | 19 | <b>Chain:</b> B: <b>PDB Molecule:</b> alpha-amylase, susg;<br><b>PDBTitle:</b> crystal structure of susg   |
| 30 | <a href="#">c1gcyA</a>  | Alignment | not modelled | 100.0 | 23 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> glucan 1,4-alpha-maltotetrahydrolase;<br><b>PDBTitle:</b> high resolution crystal structure of maltotetraose-forming2 exo-amylase  |
| 31 | <a href="#">c2wcsA</a>  | Alignment | not modelled | 100.0 | 19 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha amylase, catalytic region;<br><b>PDBTitle:</b> crystal structure of debranching enzyme from nostoc2 punctiforme (npde)   |
| 32 | <a href="#">c2d0gA</a>  | Alignment | not modelled | 100.0 | 19 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase i;<br><b>PDBTitle:</b> crystal structure of thermoactinomyces vulgaris r-47 alpha-2 amylase 1 (tval) mutant d356n/e396q complexed with p5, a3 pullulan model oligosaccharide                             |
| 33 | <a href="#">c1bagA</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> alpha-amylase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-1,4-glucan-4-glucanohydrolase;<br><b>PDBTitle:</b> alpha-amylase from bacillus subtilis complexed with2 maltopentaose  |
| 34 | <a href="#">c1jgiA</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> amylsucrase;<br><b>PDBTitle:</b> crystal structure of the active site mutant glu328gln of2 amylsucrase from neisseria polysaccharea in complex with3 the natural substrate sucrose                                   |
| 35 | <a href="#">c1m7xC</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> transferase<br><b>Chain:</b> C: <b>PDB Molecule:</b> 1,4-alpha-glucan branching enzyme;<br><b>PDBTitle:</b> the x-ray crystallographic structure of branching enzyme  |
| 36 | <a href="#">c3k1dA</a>  | Alignment | not modelled | 100.0 | 19 | <b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> 1,4-alpha-glucan-branching enzyme;<br><b>PDBTitle:</b> crystal structure of glycogen branching enzyme synonym: 1,4-alpha-d-2 glucan:1,4-alpha-d-glucan 6-glucosyl-transferase from mycobacterium3 tuberculosis h37rv |
| 37 | <a href="#">c3amlA</a>  | Alignment | not modelled | 100.0 | 17 | <b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> os06g0726400 protein;<br><b>PDBTitle:</b> structure of the starch branching enzyme i (bei) from oryza sativa l   |
| 38 | <a href="#">c3amkA</a>  | Alignment | not modelled | 100.0 | 17 | <b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> os06g0726400 protein;<br><b>PDBTitle:</b> structure of the starch branching enzyme i (bei) from oryza sativa l   |
| 39 | <a href="#">c1bf2A</a>  | Alignment | not modelled | 100.0 | 16 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> isoamylase;<br><b>PDBTitle:</b> structure of pseudomonas isoamylase  |
| 40 | <a href="#">c2z1kA</a>  | Alignment | not modelled | 100.0 | 20 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> (neo)pullulanase;<br><b>PDBTitle:</b> crystal structure of ttha1563 from thermus thermophilus hb8  |
| 41 | <a href="#">c1wzaA</a>  | Alignment | not modelled | 100.0 | 20 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-amylase a;<br><b>PDBTitle:</b> crystal structure of alpha-amylase from h.orenii  |
| 42 | <a href="#">c2ya0A</a>  | Alignment | not modelled | 100.0 | 20 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> putative alkaline amylopullulanase;<br><b>PDBTitle:</b> catalytic module of the multi-modular glycogen-degrading2 pneumococcal virulence factor spua   |
| 43 | <a href="#">c2ya1A</a>  | Alignment | not modelled | 100.0 | 21 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> putative alkaline amylopullulanase;<br><b>PDBTitle:</b> product complex of a multi-modular glycogen-degrading2 pneumococcal virulence factor spua  |
| 44 | <a href="#">c2wanA</a>  | Alignment | not modelled | 100.0 | 17 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> pullulanase;<br><b>PDBTitle:</b> pullulanase from bacillus acidopullulyticus   |
| 45 | <a href="#">c3czkA</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> sucrose hydrolase;<br><b>PDBTitle:</b> crystal structure analysis of sucrose hydrolase(suh) e322q-2 sucrose complex  |
| 46 | <a href="#">c2e8yA</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> amxy protein;<br><b>PDBTitle:</b> crystal structure of pullulanase type i from bacillus subtilis str.2 168   |
| 47 | <a href="#">c1uokA</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> glucosidase<br><b>Chain:</b> A: <b>PDB Molecule:</b> oligo-1,6-glucosidase;<br><b>PDBTitle:</b> crystal structure of b. cereus oligo-1,6-glucosidase  |
| 48 | <a href="#">c2vncB</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> B: <b>PDB Molecule:</b> glycogen operon protein glgx;<br><b>PDBTitle:</b> crystal structure of glycogen debranching enzyme trex from2 sulfolobus solfataricus  |
| 49 | <a href="#">c1m53A</a>  | Alignment | not modelled | 100.0 | 17 | <b>PDB header:</b> isomerase<br><b>Chain:</b> A: <b>PDB Molecule:</b> isomaltulose synthase;<br><b>PDBTitle:</b> crystal structure of isomaltulose synthase (pali) from2 klebsiella sp. lx3  |
| 50 | <a href="#">dljaea2</a> | Alignment | not modelled | 100.0 | 17 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 51 | <a href="#">c3dhuC</a>  | Alignment | not modelled | 100.0 | 16 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> C: <b>PDB Molecule:</b> alpha-amylase;<br><b>PDBTitle:</b> crystal structure of an alpha-amylase from lactobacillus2 plantarum   |
| 52 | <a href="#">c3a47A</a>  | Alignment | not modelled | 100.0 | 17 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> oligo-1,6-glucosidase;<br><b>PDBTitle:</b> crystal structure of isomaltase from saccharomyces cerevisiae   |
| 53 | <a href="#">c3faxA</a>  | Alignment | not modelled | 100.0 | 21 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> reticulocyte binding protein;<br><b>PDBTitle:</b> the crystal structure of gbs pullulanase sap in complex with2 maltotetraose  |
| 54 | <a href="#">c3zt5D</a>  | Alignment | not modelled | 100.0 | 13 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> D: <b>PDB Molecule:</b> putative glucanohydrolase pep1a;<br><b>PDBTitle:</b> glge isoform 1 from streptomyces coelicolor with  |

|    |                         |           |              |       |  |
|----|-------------------------|-----------|--------------|-------|--|
|    |                         |           |              |       | maltose2 bound   |
| 55 | <a href="#">d1gcya2</a> | Alignment | not modelled | 100.0 | 23<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 56 | <a href="#">c2ze0A</a>  | Alignment | not modelled | 100.0 | 19<br><b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-glucosidase;<br><b>PDBTitle:</b> alpha-glucosidase gsj   |
| 57 | <a href="#">c1zjaB</a>  | Alignment | not modelled | 100.0 | 19<br><b>PDB header:</b> isomerase<br><b>Chain:</b> B: <b>PDB Molecule:</b> trehalulose synthase;<br><b>PDBTitle:</b> crystal structure of the trehalulose synthase mutb from2 pseudomonas mesoacidophila mx-45 (triclinic form) |
| 58 | <a href="#">c2gdvA</a>  | Alignment | not modelled | 100.0 | 18<br><b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> sucrose phosphorylase;<br><b>PDBTitle:</b> sucrose phosphorylase from bifidobacterium adolescentis2 reacted with sucrose                           |
| 59 | <a href="#">c2wskA</a>  | Alignment | not modelled | 100.0 | 17<br><b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> glycogen debranching enzyme;<br><b>PDBTitle:</b> crystal structure of glycogen debranching enzyme glgx from2 escherichia coli k-12                   |
| 60 | <a href="#">d3bmva4</a> | Alignment | not modelled | 100.0 | 17<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 61 | <a href="#">d1qhoa4</a> | Alignment | not modelled | 100.0 | 17<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 62 | <a href="#">d1g94a2</a> | Alignment | not modelled | 100.0 | 16<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 63 | <a href="#">d1g5aa2</a> | Alignment | not modelled | 100.0 | 18<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 64 | <a href="#">d1hx0a2</a> | Alignment | not modelled | 100.0 | 13<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 65 | <a href="#">d1cgta4</a> | Alignment | not modelled | 100.0 | 19<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 66 | <a href="#">c3m07A</a>  | Alignment | not modelled | 100.0 | 19<br><b>PDB header:</b> unknown function<br><b>Chain:</b> A: <b>PDB Molecule:</b> putative alpha amylase;<br><b>PDBTitle:</b> 1.4 angstrom resolution crystal structure of putative alpha2 amylase from salmonella typhimurium. |
| 67 | <a href="#">d1pama4</a> | Alignment | not modelled | 100.0 | 20<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 68 | <a href="#">d1ht6a2</a> | Alignment | not modelled | 100.0 | 25<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 69 | <a href="#">d1avaa2</a> | Alignment | not modelled | 100.0 | 27<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 70 | <a href="#">d2aaaa2</a> | Alignment | not modelled | 100.0 | 18<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 71 | <a href="#">c2x4bA</a>  | Alignment | not modelled | 100.0 | 20<br><b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> limit dextrinase;<br><b>PDBTitle:</b> barley limit dextrinase in complex with beta-cyclodextrin  |
| 72 | <a href="#">d1wzla3</a> | Alignment | not modelled | 100.0 | 22<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 73 | <a href="#">c2fhfA</a>  | Alignment | not modelled | 100.0 | 19<br><b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> pullulanase;<br><b>PDBTitle:</b> crystal structure analysis of klebsiella pneumoniae2 pullulanase complexed with maltotetraose                       |
| 74 | <a href="#">c1lwhA</a>  | Alignment | not modelled | 100.0 | 18<br><b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> 4-alpha-glucanotransferase;<br><b>PDBTitle:</b> crystal structure of t. maritima 4-alpha-glucanotransferase  |
| 75 | <a href="#">d1cxl4</a>  | Alignment | not modelled | 100.0 | 21<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 76 | <a href="#">d2guya2</a> | Alignment | not modelled | 100.0 | 19<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 77 | <a href="#">d2fhfa5</a> | Alignment | not modelled | 100.0 | 19<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 78 | <a href="#">d1gvia3</a> | Alignment | not modelled | 100.0 | 21<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 79 | <a href="#">d3dhpa2</a> | Alignment | not modelled | 100.0 | 14<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |
| 80 | <a href="#">c1ehaA</a>  | Alignment | not modelled | 100.0 | 19<br><b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> glycosyltrehalose trehalohydrolase;<br><b>PDBTitle:</b> crystal structure of glycosyltrehalose trehalohydrolase2 from sulfolobus solfataricus        |
| 81 | <a href="#">d1h3ga3</a> | Alignment | not modelled | 100.0 | 18<br><b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain  |

|     |                         |           |              |       |    |   |
|-----|-------------------------|-----------|--------------|-------|----|---|
| 82  | <a href="#">c2zidA</a>  | Alignment | not modelled | 100.0 | 21 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> dextran glucosidase;<br><b>PDBTitle:</b> crystal structure of dextran glucosidase e236q complex with2 isomaltotriose  |
| 83  | <a href="#">d1cyga4</a> | Alignment | not modelled | 100.0 | 20 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 84  | <a href="#">d1ua7a2</a> | Alignment | not modelled | 100.0 | 18 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 85  | <a href="#">d1uoka2</a> | Alignment | not modelled | 100.0 | 18 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 86  | <a href="#">d1j0ha3</a> | Alignment | not modelled | 100.0 | 21 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 87  | <a href="#">d1m53a2</a> | Alignment | not modelled | 100.0 | 18 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 88  | <a href="#">c1gjuA</a>  | Alignment | not modelled | 100.0 | 17 | <b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> maltodextrin glycosyltransferase;<br><b>PDBTitle:</b> maltosyltransferase from thermotoga maritima  |
| 89  | <a href="#">d1lwba2</a> | Alignment | not modelled | 100.0 | 19 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 90  | <a href="#">c2by0A</a>  | Alignment | not modelled | 100.0 | 19 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> maltooligosyltrehalose trehalohydrolase;<br><b>PDBTitle:</b> is radiation damage dependent on the dose-rate used during2 macromolecular crystallography data collection |
| 91  | <a href="#">d1wzaa2</a> | Alignment | not modelled | 100.0 | 20 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 92  | <a href="#">d1ea9c3</a> | Alignment | not modelled | 100.0 | 20 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 93  | <a href="#">c2dh3A</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> transport protein, signaling protein<br><b>Chain:</b> A: <b>PDB Molecule:</b> 4f2 cell-surface antigen heavy chain;<br><b>PDBTitle:</b> crystal structure of human ed-4f2hc  |
| 94  | <a href="#">d1m7xa3</a> | Alignment | not modelled | 100.0 | 17 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 95  | <a href="#">d1jila3</a> | Alignment | not modelled | 100.0 | 19 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 96  | <a href="#">d1bf2a3</a> | Alignment | not modelled | 100.0 | 15 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 97  | <a href="#">d1r7aa2</a> | Alignment | not modelled | 100.0 | 17 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 98  | <a href="#">c1bplB</a>  | Alignment | not modelled | 100.0 | 42 | <b>PDB header:</b> glycosyltransferase<br><b>Chain:</b> B: <b>PDB Molecule:</b> alpha-1,4-glucan-4-glucanohydrolase;<br><b>PDBTitle:</b> glycosyltransferase  |
| 99  | <a href="#">d1eh9a3</a> | Alignment | not modelled | 100.0 | 21 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 100 | <a href="#">d1gjwa2</a> | Alignment | not modelled | 100.0 | 18 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 101 | <a href="#">d2bhua3</a> | Alignment | not modelled | 100.0 | 17 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 102 | <a href="#">c1iv8A</a>  | Alignment | not modelled | 100.0 | 21 | <b>PDB header:</b> isomerase<br><b>Chain:</b> A: <b>PDB Molecule:</b> maltooligosyl trehalose synthase;<br><b>PDBTitle:</b> crystal structure of maltooligosyl trehalose synthase   |
| 103 | <a href="#">c3hjeA</a>  | Alignment | not modelled | 100.0 | 18 | <b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> 704aa long hypothetical glycosyltransferase;<br><b>PDBTitle:</b> crystal structure of sulfobolus tokodaii hypothetical2 maltooligosyl trehalose synthase              |
| 104 | <a href="#">c3aicC</a>  | Alignment | not modelled | 100.0 | 25 | <b>PDB header:</b> transferase<br><b>Chain:</b> C: <b>PDB Molecule:</b> glucosyltransferase-si;<br><b>PDBTitle:</b> crystal structure of glucansucrase from streptococcus mutans  |
| 105 | <a href="#">c1bplA</a>  | Alignment | not modelled | 100.0 | 43 | <b>PDB header:</b> glycosyltransferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-1,4-glucan-4-glucanohydrolase;<br><b>PDBTitle:</b> glycosyltransferase  |
| 106 | <a href="#">c3hz3A</a>  | Alignment | not modelled | 100.0 | 25 | <b>PDB header:</b> transferase<br><b>Chain:</b> A: <b>PDB Molecule:</b> glucansucrase;<br><b>PDBTitle:</b> lactobacillus reuteri n-terminally truncated glucansucrase2 gtf180(d1025n)-sucrose complex   |
| 107 | <a href="#">d1iv8a2</a> | Alignment | not modelled | 100.0 | 15 | <b>Fold:</b> TIM beta/alpha-barrel<br><b>Superfamily:</b> (Trans)glycosidases<br><b>Family:</b> Amylase, catalytic domain   |
| 108 | <a href="#">d1hvxal</a> | Alignment | not modelled | 99.6  | 36 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |

|     |                         |           |              |      |    |   |
|-----|-------------------------|-----------|--------------|------|----|---|
| 109 | <a href="#">d1ud2a1</a> | Alignment | not modelled | 99.6 | 39 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |
| 110 | <a href="#">d1e43a1</a> | Alignment | not modelled | 99.6 | 35 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |
| 111 | <a href="#">d2d3na1</a> | Alignment | not modelled | 99.5 | 39 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |
| 112 | <a href="#">d2gipa1</a> | Alignment | not modelled | 99.5 | 41 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |
| 113 | <a href="#">c3cc1B_</a> | Alignment | not modelled | 98.8 | 10 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> B: <b>PDB Molecule:</b> putative alpha-n-acetylgalactosaminidase;<br><b>PDBTitle:</b> crystal structure of a putative alpha-n-acetylgalactosaminidase2 (bh1870) from bacillus halodurans c-125 at 2.00 a resolution |
| 114 | <a href="#">c1uasA_</a> | Alignment | not modelled | 98.7 | 13 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> A: <b>PDB Molecule:</b> alpha-galactosidase;<br><b>PDBTitle:</b> crystal structure of rice alpha-galactosidase  |
| 115 | <a href="#">d1ji1a2</a> | Alignment | not modelled | 98.5 | 18 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |
| 116 | <a href="#">c2xn1B_</a> | Alignment | not modelled | 98.5 | 14 | <b>PDB header:</b> hydrolase<br><b>Chain:</b> B: <b>PDB Molecule:</b> alpha-galactosidase;<br><b>PDBTitle:</b> structure of alpha-galactosidase from lactobacillus acidophilus ncfm2 with tris  |
| 117 | <a href="#">d1wzla2</a> | Alignment | not modelled | 98.5 | 25 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |
| 118 | <a href="#">d1cyga3</a> | Alignment | not modelled | 98.5 | 20 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |
| 119 | <a href="#">d1qhoa3</a> | Alignment | not modelled | 98.5 | 20 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |
| 120 | <a href="#">d1cgta3</a> | Alignment | not modelled | 98.5 | 16 | <b>Fold:</b> Glycosyl hydrolase domain<br><b>Superfamily:</b> Glycosyl hydrolase domain<br><b>Family:</b> alpha-Amylases, C-terminal beta-sheet domain  |