
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c2d3tB_</a>	 Alignment		100.0	36	<b>PDB header:</b> lyase, oxidoreductase/transferase <b>Chain:</b> B: <b>PDB Molecule:</b> fatty oxidation complex alpha subunit; <b>PDBTitle:</b> fatty acid beta-oxidation multienzyme complex from <i>Pseudomonas fragi</i> , form v
2	<a href="#">c2x58B_</a>	 Alignment		100.0	33	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> peroxisomal bifunctional enzyme; <b>PDBTitle:</b> the crystal structure of mfe1 liganded with coa
3	<a href="#">c2wtbA_</a>	 Alignment		100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> fatty acid multifunctional protein (atmfp2); <b>PDBTitle:</b> arabidopsis thaliana multifunctional protein, mfp2
4	<a href="#">c1zcjA_</a>	 Alignment		100.0	33	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> peroxisomal bifunctional enzyme; <b>PDBTitle:</b> crystal structure of 3-hydroxyacyl-coa dehydrogenase
5	<a href="#">c3k6jA_</a>	 Alignment		100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> protein f01g10.3, confirmed by transcript evidence; <b>PDBTitle:</b> crystal structure of the dehydrogenase part of multifunctional enzyme 12 from <i>C. elegans</i>
6	<a href="#">c3mogA_</a>	 Alignment		100.0	34	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> probable 3-hydroxybutyryl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of 3-hydroxybutyryl-coa dehydrogenase from <i>Escherichia coli</i> K12 substr. mg1655
7	<a href="#">c1m75B_</a>	 Alignment		100.0	38	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of the n208s mutant of l-3-hydroxyacyl-2 coa dehydrogenase in complex with nad and acetoacetyl-coa
8	<a href="#">c1zejA_</a>	 Alignment		100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of the 3-hydroxyacyl-coa dehydrogenase (hbd-9,2 af2017) from <i>Archaeoglobus fulgidus</i> DSM 4304 at 2.00 Å resolution
9	<a href="#">d1wdka4</a>	 Alignment		100.0	31	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
10	<a href="#">c2ep9A_</a>	 Alignment		100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> l-gulonate 3-dehydrogenase; <b>PDBTitle:</b> crystal structure of the rabbit l-gulonate 3-dehydrogenase2 (NADH form)
11	<a href="#">c3bptA_</a>	 Alignment		100.0	20	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyisobutyryl-coa hydrolase; <b>PDBTitle:</b> crystal structure of human beta-hydroxyisobutyryl-coa hydrolase in2 complex with quercetin

12	<a href="#">dlnzya_</a>	Alignment		100.0	24	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
13	<a href="#">c3moyA_</a>	Alignment		100.0	29	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> probable enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of probable enoyl-coa hydratase from mycobacterium2 smegmatis
14	<a href="#">c3g64A_</a>	Alignment		100.0	25	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> putative enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of putative enoyl-coa hydratase from streptomyces2 coelicolor a3(2)
15	<a href="#">c3kqfC_</a>	Alignment		100.0	31	<b>PDB header:</b> isomerase <b>Chain:</b> C: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase family protein; <b>PDBTitle:</b> 1.8 angstrom resolution crystal structure of enoyl-coa hydratase from2 bacillus anthracis.
16	<a href="#">c3ju1A_</a>	Alignment		100.0	19	<b>PDB header:</b> lyase, isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase family protein; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase/isomerase family protein
17	<a href="#">c2ppyE_</a>	Alignment		100.0	32	<b>PDB header:</b> lyase <b>Chain:</b> E: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of enoyl-coa hydrates (gk_1992) from geobacillus2 kaustophilus hta426
18	<a href="#">c3hinA_</a>	Alignment		100.0	26	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> putative 3-hydroxybutyryl-coa dehydratase; <b>PDBTitle:</b> crystal structure of putative enoyl-coa hydratase from2 rhodospseudomonas palustris cga009
19	<a href="#">c2hw5F_</a>	Alignment		100.0	26	<b>PDB header:</b> lyase <b>Chain:</b> F: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> the crystal structure of human enoyl-coenzyme a (coa) hydratase short2 chain 1, echs1
20	<a href="#">c2vx2D_</a>	Alignment		100.0	25	<b>PDB header:</b> isomerase <b>Chain:</b> D: <b>PDB Molecule:</b> enoyl-coa hydratase domain-containing protein 3; <b>PDBTitle:</b> crystal structure of human enoyl coenzyme a hydratase2 domain-containing protein 3 (echdc3)
21	<a href="#">d1xx4a_</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
22	<a href="#">c3mybA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase mycobacterium smegmatis
23	<a href="#">c2ej5B_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> enoyl-coa hydratase subunit ii; <b>PDBTitle:</b> crystal structure of gk2038 protein (enoyl-coa hydratase subunit ii)2 from geobacillus kaustophilus
24	<a href="#">c2qq3F_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> lyase <b>Chain:</b> F: <b>PDB Molecule:</b> enoyl-coa hydratase subunit i; <b>PDBTitle:</b> crystal structure of enoyl-coa hydrates subunit i (gk_2039)2 other form from geobacillus kaustophilus hta426
25	<a href="#">d1hzda_</a>	Alignment	not modelled	100.0	31	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
26	<a href="#">d1uiya_</a>	Alignment	not modelled	100.0	26	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
27	<a href="#">c3i47A_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl coa hydratase/isomerase (crotonase); <b>PDBTitle:</b> crystal structure of putative enoyl coa hydratase/isomerase2 (crotonase) from legionella pneumophila subsp. pneumophila str.3 philadelphia 1
28	<a href="#">c3h81A_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase echa8; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase from

						mycobacterium2 tuberculosis
29	<a href="#">c2iexA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> dihydroxynapthoic acid synthetase; <b>PDBTitle:</b> crystal structure of dihydroxynapthoic acid synthetase (gk2873) from2 geobacillus kaustophilus hta426
30	<a href="#">c3hrxD_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> lyase <b>Chain:</b> D: <b>PDB Molecule:</b> probable enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of phenylacetic acid degradation protein paag
31	<a href="#">d1dcia_</a>	Alignment	not modelled	100.0	27	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
32	<a href="#">d1wz8a1</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
33	<a href="#">c3qxA_</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> lyase, isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of a probable enoyl-coa hydratase/isomerase from2 mycobacterium abscessus
34	<a href="#">c3peaD_</a>	Alignment	not modelled	100.0	35	<b>PDB header:</b> isomerase <b>Chain:</b> D: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase family protein; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase from bacillus anthracis str.2 'ames ancestor'
35	<a href="#">c3trrA_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> probable enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of a probable enoyl-coa hydratase/isomerase from2 mycobacterium abscessus
36	<a href="#">c3gkB_</a>	Alignment	not modelled	100.0	27	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of a putative enoyl-coa hydratase from streptomyces2 avermitilis
37	<a href="#">c3r0oA_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> carnitiny-coa dehydratase; <b>PDBTitle:</b> crystal structure of carnitiny-coa hydratase from mycobacterium avium
38	<a href="#">c3p5mB_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of an enoyl-coa hydratase/isomerase from2 mycobacterium avium
39	<a href="#">d1mj3a_</a>	Alignment	not modelled	100.0	29	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
40	<a href="#">d2fw2a1</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
41	<a href="#">c2w3pB_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> benzoyl-coa-dihydrodiol lyase; <b>PDBTitle:</b> boxc crystal structure
42	<a href="#">c3rsiA_</a>	Alignment	not modelled	100.0	31	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> putative enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> the structure of a putative enoyl-coa hydratase/isomerase from2 mycobacterium abscessus atcc 19977 / dsm 44196
43	<a href="#">c3rrvC_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> isomerase <b>Chain:</b> C: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of an enoyl-coa hydratase/isomerase from2 mycobacterium paratuberculosis
44	<a href="#">c3swxB_</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> probable enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of a probable enoyl-coa hydratase/isomerase from2 mycobacterium abscessus
45	<a href="#">c3lkeA_</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase from bacillus2 halodurans
46	<a href="#">d1q52a_</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
47	<a href="#">c3sllC_</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> isomerase <b>Chain:</b> C: <b>PDB Molecule:</b> probable enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of a probable enoyl-coa hydratase/isomerase from2 mycobacterium abscessus
48	<a href="#">c3qxiA_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase echa1; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase echa1 from mycobacterium2 marinum
49	<a href="#">d1ef8a_</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
50	<a href="#">c3h0uB_</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> putative enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of a putative enoyl-coa hydratase from2 streptomyces avermitilis
51	<a href="#">c2fbmB_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> y chromosome chromodomain protein 1, telomeric isoform b; <b>PDBTitle:</b> acetyltransferase domain of cdy1
52	<a href="#">c2f6qA_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> peroxisomal 3,2-trans-enoyl-coa isomerase; <b>PDBTitle:</b> the crystal structure of human peroxisomal delta3, delta2 enoyl coa2 isomerase (peci)
53	<a href="#">c3q1tB_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase from mycobacterium avium
						<b>PDB header:</b> lyase

54	<a href="#">c2q35A</a>	Alignment	not modelled	100.0	22	<b>Chain:</b> A: <b>PDB Molecule:</b> curf; <b>PDBTitle:</b> crystal structure of the y82f variant of ech2 decarboxylase domain of2 curf from lyngbya majuscula
55	<a href="#">d1sg4a1</a>	Alignment	not modelled	100.0	24	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
56	<a href="#">c3njbA</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase from mycobacterium smegmatis, 2 iodide soak
57	<a href="#">d2f6qa1</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
58	<a href="#">c3oc7A</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of an enoyl-coa hydratase from mycobacterium avium
59	<a href="#">c3he2C</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> lyase <b>Chain:</b> C: <b>PDB Molecule:</b> enoyl-coa hydratase echa6; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase from mycobacterium2 tuberculosis
60	<a href="#">c3l3sF</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> isomerase <b>Chain:</b> F: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase family protein; <b>PDBTitle:</b> crystal structure of an enoyl-coa hydrotase/isomerase family2 protein from silicibacter pomeroyi
61	<a href="#">c3r6hA</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase, echa3; <b>PDBTitle:</b> crystal structure of an enoyl-coa hydratase (echa3) from mycobacterium2 marinum
62	<a href="#">c2j5iF</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> lyase <b>Chain:</b> F: <b>PDB Molecule:</b> p-hydroxycinnamoyl coa hydratase/lyase; <b>PDBTitle:</b> crystal structure of hydroxycinnamoyl-coa hydratase-lyase
63	<a href="#">d1pjha</a>	Alignment	not modelled	100.0	16	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
64	<a href="#">c3m6nA</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> rpff protein; <b>PDBTitle:</b> crystal structure of rpff
65	<a href="#">c3ot6A</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase family protein; <b>PDBTitle:</b> crystal structure of an enoyl-coa hydratase/isomerase family protein2 from psudomonas syringae
66	<a href="#">c3qkaB</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> enoyl-coa hydratase, echa5; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase echa5 from mycobacterium2 marinum
67	<a href="#">d2a7ka1</a>	Alignment	not modelled	100.0	23	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
68	<a href="#">c3h02F</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> lyase <b>Chain:</b> F: <b>PDB Molecule:</b> naphthoate synthase; <b>PDBTitle:</b> 2.15 angstrom resolution crystal structure of naphthoate synthase from2 salmonella typhimurium.
69	<a href="#">c2pg8C</a>	Alignment	not modelled	100.0	22	<b>PDB header:</b> ligand binding protein <b>Chain:</b> C: <b>PDB Molecule:</b> dpgc; <b>PDBTitle:</b> crystal structure of r254k mutanat of dpgc with bound substrate analog
70	<a href="#">c3isaA</a>	Alignment	not modelled	100.0	23	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> putative enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of putative enoyl-coa hydratase/isomerase from2 bordetella parapertussis
71	<a href="#">c3hp0B</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> lyase <b>Chain:</b> B: <b>PDB Molecule:</b> putative polyketide biosynthesis enoyl-coa <b>PDBTitle:</b> crystal structure of a putative polyketide biosynthesis2 enoyl-coa hydratase (pksh) from bacillus subtilis
72	<a href="#">c3p85A</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure enoyl-coa hydratase from mycobacterium avium
73	<a href="#">c3fduF</a>	Alignment	not modelled	100.0	26	<b>PDB header:</b> isomerase <b>Chain:</b> F: <b>PDB Molecule:</b> putative enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of a putative enoyl-coa hydratase/isomerase from2 acinetobacter baumannii
74	<a href="#">c3laoA</a>	Alignment	not modelled	100.0	25	<b>PDB header:</b> lyase, isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase/isomerase; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase from pseudomonas2 aeruginosa pa01
75	<a href="#">d1szoa</a>	Alignment	not modelled	100.0	21	<b>Fold:</b> ClpP/crotonase <b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
76	<a href="#">c1rjnC</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> lyase <b>Chain:</b> C: <b>PDB Molecule:</b> menb; <b>PDBTitle:</b> the crystal structure of menb (rv0548c) from mycobacterium2 tuberculosis in complex with the coa portion of naphthoyl coa
77	<a href="#">c2j5gL</a>	Alignment	not modelled	100.0	21	<b>PDB header:</b> hydrolase <b>Chain:</b> L: <b>PDB Molecule:</b> alr4455 protein; <b>PDBTitle:</b> the native structure of a beta-diketone hydrolase from the2 cyanobacterium anabaena sp. pcc 7120
78	<a href="#">c3omeE</a>	Alignment	not modelled	100.0	24	<b>PDB header:</b> lyase <b>Chain:</b> E: <b>PDB Molecule:</b> enoyl-coa hydratase; <b>PDBTitle:</b> crystal structure of a probable enoyl-coa hydratase from mycobacterium2 smegmatis
						<b>Fold:</b> ClpP/crotonase

79	<a href="#">d1rjma_</a>	Alignment	not modelled	100.0	17	<b>Superfamily:</b> ClpP/crotonase <b>Family:</b> Crotonase-like
80	<a href="#">c3qreA_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase, echa12_1; <b>PDBTitle:</b> crystal structure of an enoyl-coa hydratase echa12_1 from2 mycobacterium marinum
81	<a href="#">c3qmjA_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> lyase <b>Chain:</b> A: <b>PDB Molecule:</b> enoyl-coa hydratase, echa8_6; <b>PDBTitle:</b> crystal structure of enoyl-coa hydratase echa8_6 from mycobacterium2 marinum
82	<a href="#">d1wdka3</a>	Alignment	not modelled	100.0	42	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
83	<a href="#">d1f0ya2</a>	Alignment	not modelled	100.0	38	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
84	<a href="#">d1wdka1</a>	Alignment	not modelled	100.0	35	<b>Fold:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Superfamily:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Family:</b> HCDH C-domain-like
85	<a href="#">d1f0ya1</a>	Alignment	not modelled	99.9	40	<b>Fold:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Superfamily:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Family:</b> HCDH C-domain-like
86	<a href="#">d3hdha1</a>	Alignment	not modelled	99.9	39	<b>Fold:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Superfamily:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Family:</b> HCDH C-domain-like
87	<a href="#">d1wdka2</a>	Alignment	not modelled	99.9	35	<b>Fold:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Superfamily:</b> 6-phosphogluconate dehydrogenase C-terminal domain-like <b>Family:</b> HCDH C-domain-like
88	<a href="#">c1vpdA_</a>	Alignment	not modelled	99.9	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> tartronate semialdehyde reductase; <b>PDBTitle:</b> x-ray crystal structure of tartronate semialdehyde reductase2 [salmonella typhimurium lt2]
89	<a href="#">d1dlja2</a>	Alignment	not modelled	99.9	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
90	<a href="#">c3d1lB_</a>	Alignment	not modelled	99.8	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative nadp oxidoreductase bf3122; <b>PDBTitle:</b> crystal structure of putative nadp oxidoreductase bf3122 from2 bacteroides fragilis
91	<a href="#">d1ez4a1</a>	Alignment	not modelled	99.8	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
92	<a href="#">c3pefA_</a>	Alignment	not modelled	99.7	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase, nad-binding; <b>PDBTitle:</b> crystal structure of gamma-hydroxybutyrate dehydrogenase from2 geobacter metallireducens in complex with nadp+
93	<a href="#">c3ggpA_</a>	Alignment	not modelled	99.7	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from a. aeolicus in2 complex with hydroxyphenyl propionate and nad+
94	<a href="#">c3ckyA_</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-hydroxymethyl glutarate dehydrogenase; <b>PDBTitle:</b> structural and kinetic properties of a beta-hydroxyacid dehydrogenase2 involved in nicotinate fermentation
95	<a href="#">d1luxja1</a>	Alignment	not modelled	99.7	20	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
96	<a href="#">c2g5cD_</a>	Alignment	not modelled	99.7	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from aquifex aeolicus
97	<a href="#">c1np3B_</a>	Alignment	not modelled	99.7	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> crystal structure of class i acetohydroxy acid isomeroreductase from2 pseudomonas aeruginosa
98	<a href="#">c3ctvA_</a>	Alignment	not modelled	99.7	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyacyl-coa dehydrogenase; <b>PDBTitle:</b> crystal structure of central domain of 3-hydroxyacyl-coa2 dehydrogenase from archaeoglobus fulgidus
99	<a href="#">d1ldma1</a>	Alignment	not modelled	99.7	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
100	<a href="#">c3dzba_</a>	Alignment	not modelled	99.7	18	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from streptococcus2 thermophilus
101	<a href="#">c2pv7B_</a>	Alignment	not modelled	99.6	17	<b>PDB header:</b> isomerase, oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> t-protein [includes: chorismate mutase (ec 5.4.99.5) (cm) <b>PDBTitle:</b> crystal structure of chorismate mutase / prephenate dehydrogenase2 (tyra) (1574749) from haemophilus influenzae rd at 2.00 a resolution
102	<a href="#">d2g5ca2</a>	Alignment	not modelled	99.6	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
103	<a href="#">d1ojuu1</a>	Alignment	not modelled	99.6	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
						<b>Fold:</b> NAD(P)-binding Rossmann-fold domains



104	<a href="#">d2b0ja2</a>	Alignment	not modelled	99.6	11	<b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
105	<a href="#">c2uyyD</a>	Alignment	not modelled	99.6	13	<b>PDB header:</b> cytokine <b>Chain:</b> D: <b>PDB Molecule:</b> n-pac protein; <b>PDBTitle:</b> structure of the cytokine-like nuclear factor n-pac
106	<a href="#">c3l6dB</a>	Alignment	not modelled	99.6	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of putative oxidoreductase from pseudomonas putida2 kt2440
107	<a href="#">c3b1fA</a>	Alignment	not modelled	99.6	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from streptococcus2 mutans
108	<a href="#">d1l1ca1</a>	Alignment	not modelled	99.6	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
109	<a href="#">d1guza1</a>	Alignment	not modelled	99.6	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
110	<a href="#">d2f1ka2</a>	Alignment	not modelled	99.6	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
111	<a href="#">d1ldna1</a>	Alignment	not modelled	99.6	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
112	<a href="#">c3dojA</a>	Alignment	not modelled	99.6	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase-like protein; <b>PDBTitle:</b> structure of glyoxylate reductase 1 from arabidopsis2 (atglyr1)
113	<a href="#">c3cumA</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> probable 3-hydroxyisobutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of a possible 3-hydroxyisobutyrate dehydrogenase2 from pseudomonas aeruginosa pao1
114	<a href="#">c2i76B</a>	Alignment	not modelled	99.6	11	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> hypothetical protein; <b>PDBTitle:</b> crystal structure of protein tm1727 from thermotoga maritima
115	<a href="#">d1t2da1</a>	Alignment	not modelled	99.6	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
116	<a href="#">d1yqga2</a>	Alignment	not modelled	99.6	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
117	<a href="#">c2ahrB</a>	Alignment	not modelled	99.6	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative pyrroline carboxylate reductase; <b>PDBTitle:</b> crystal structures of 1-pyrroline-5-carboxylate reductase from human2 pathogen streptococcus pyogenes
118	<a href="#">d9ldta1</a>	Alignment	not modelled	99.6	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like
119	<a href="#">d2ahra2</a>	Alignment	not modelled	99.5	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
120	<a href="#">d1gv0a1</a>	Alignment	not modelled	99.5	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> LDH N-terminal domain-like