



Phyre²





Email	i.a.kelley@imperial.ac.uk
Description	P77611
Date	Thu Jan 5 12:31:03 GMT 2012
Unique Job ID	d9feed05aca3bae3

Detailed template information












#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2fugA_			100.0	23	PDB header: oxidoreductase Chain: A; PDB Molecule: nadh-quinone oxidoreductase chain 1; PDBTitle: crystal structure of the hydrophilic domain of respiratory complex i2 from thermus thermophilus
2	d2fug12			100.0	24	Fold: Nqo1 FMN-binding domain-like Superfamily: Nqo1 FMN-binding domain-like Family: Nqo1 FMN-binding domain-like
3	d2fug13			99.1	26	Fold: beta-Grasp (ubiquitin-like) Superfamily: Nqo1 middle domain-like Family: Nqo1 middle domain-like
4	d1kf6b1			98.5	22	Fold: Globin-like Superfamily: alpha-helical ferredoxin Family: Fumarate reductase/Succinate dehydrogenase iron-sulfur protein, C-terminal domain
5	c2b76N_			98.4	20	PDB header: oxidoreductase Chain: N; PDB Molecule: fumarate reductase iron-sulfur protein; PDBTitle: e. coli quinol fumarate reductase frda e49q mutation
6	c1nekB_			98.4	17	PDB header: oxidoreductase/electron transport Chain: B; PDB Molecule: succinate dehydrogenase iron-sulfur protein; PDBTitle: complex ii (succinate dehydrogenase) from e. coli with2 ubiquinone bound
7	c2h89B_			98.4	19	PDB header: oxidoreductase Chain: B; PDB Molecule: succinate dehydrogenase ip subunit; PDBTitle: avian respiratory complex ii with malonate bound
8	c3cf4A_			98.4	25	PDB header: oxidoreductase Chain: A; PDB Molecule: acetyl-coa decarboxylase/synthase alpha subunit; PDBTitle: structure of the codh component of the m. barkeri acds complex
9	d1nekb1			98.3	17	Fold: Globin-like Superfamily: alpha-helical ferredoxin Family: Fumarate reductase/Succinate dehydrogenase iron-sulfur protein, C-terminal domain
10	d2bs2b1			98.2	23	Fold: Globin-like Superfamily: alpha-helical ferredoxin Family: Fumarate reductase/Succinate dehydrogenase iron-sulfur protein, C-terminal domain
11	c2bs2E_			98.1	23	PDB header: oxidoreductase Chain: E; PDB Molecule: quinol-fumarate reductase iron-sulfur subunit b; PDBTitle: quinol:fumarate reductase from wolinella succinogenes

12	c2fugG_			98.0	27	PDB header: oxidoreductase Chain: G: PDB Molecule: nahd-quinone oxidoreductase chain 9; PDBTitle: crystal structure of the hydrophilic domain of respiratory complex i2 from thermus thermophilus
13	d2fug91			98.0	27	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
14	d1jb0c_			97.7	26	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: 7-Fe ferredoxin
15	d1xera_			97.6	27	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Archaeal ferredoxins
16	d1rgva_			97.6	22	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Short-chain ferredoxins
17	d1gtea5			97.5	18	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
18	c1hfeL_			97.3	23	PDB header: hydrogenase Chain: L: PDB Molecule: protein (fe-only hydrogenase (e.c.1.18.99.1) PDBTitle: 1.6 a resolution structure of the fe-only hydrogenase from2 desulfovibrio desulfuricans
19	d7fd1a_			97.3	25	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: 7-Fe ferredoxin
20	c1gx7A_			97.2	33	PDB header: oxidoreductase Chain: A: PDB Molecule: periplasmic [fe] hydrogenase large subunit; PDBTitle: best model of the electron transfer complex between2 cytochrome c3 and [fe]-hydrogenase
21	c2gmhA_		not modelled	97.2	28	PDB header: oxidoreductase Chain: A: PDB Molecule: electron transfer flavoprotein-ubiquinone PDBTitle: structure of porcine electron transfer flavoprotein-2 ubiquinone oxidoreductase in complexed with ubiquinone
22	d2fdna_		not modelled	97.2	39	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Short-chain ferredoxins
23	c3gyxJ_		not modelled	97.1	28	PDB header: oxidoreductase Chain: J: PDB Molecule: adenylylsulfate reductase; PDBTitle: crystal structure of adenylylsulfate reductase from2 desulfovibrio gigas
24	c2vdcl_		not modelled	97.1	16	PDB header: oxidoreductase Chain: I: PDB Molecule: glutamate synthase [nadph] small chain; PDBTitle: 1.9 a resolution structure of glutamate synthase from2 cryo-electron microscopy and its oligomerization behavior3 in solution: functional implications.
25	d1jnrb_		not modelled	97.0	30	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
26	d1hfe12		not modelled	96.9	35	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
27	d1bc6a_		not modelled	96.9	26	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: 7-Fe ferredoxin
28	d2fug34		not modelled	96.9	19	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins

29	d1fcaa_	Alignment	not modelled	96.8	41	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Short-chain ferredoxins
30	c2c3yA_	Alignment	not modelled	96.8	30	PDB header: oxidoreductase Chain: A: PDB Molecule: pyruvate-ferredoxin oxidoreductase; PDBTitle: crystal structure of the radical form of2 pyruvate-ferredoxin oxidoreductase from desulfovibrio3 africanus
31	c2fgoA_	Alignment	not modelled	96.8	22	PDB header: electron transport Chain: A: PDB Molecule: ferredoxin; PDBTitle: structure of the 2[4fe-4s] ferredoxin from pseudomonas2 aeruginosa
32	d2c42a5	Alignment	not modelled	96.7	26	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
33	d1clfA_	Alignment	not modelled	96.7	40	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Short-chain ferredoxins
34	c1c4cA_	Alignment	not modelled	96.6	21	PDB header: oxidoreductase Chain: A: PDB Molecule: protein (fe-only hydrogenase); PDBTitle: binding of exogenously added carbon monoxide at the active2 site of the fe-only hydrogenase (cpi) from clostridium3 pasteurianum
35	c1gthD_	Alignment	not modelled	96.6	21	PDB header: oxidoreductase Chain: D: PDB Molecule: dihydropyrimidine dehydrogenase; PDBTitle: dihydropyrimidine dehydrogenase (dpd) from pig, ternary2 complex with nadph and 5-iodouracil
36	d1bla_	Alignment	not modelled	96.5	23	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Short-chain ferredoxins
37	d1h98a_	Alignment	not modelled	96.5	23	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: 7-Fe ferredoxin
38	d2gmha3	Alignment	not modelled	96.4	22	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: ETF-QO domain-like
39	d3c8ya3	Alignment	not modelled	96.4	21	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
40	c1kqfB_	Alignment	not modelled	96.3	34	PDB header: oxidoreductase Chain: B: PDB Molecule: formate dehydrogenase, nitrate-inducible, iron-sulfur PDBTitle: formate dehydrogenase n from e. coli
41	c2q8iB_	Alignment		96.3	16	PDB header: transferase Chain: B: PDB Molecule: dihydrolipoylysine-residue acetyltransferase component of PDBTitle: pyruvate dehydrogenase kinase isoform 3 in complex with antitumor drug2 radical
42	d1bdoa_	Alignment		96.3	29	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
43	d1gtea1	Alignment	not modelled	96.2	22	Fold: Globin-like Superfamily: alpha-helical ferredoxin Family: Dihydropyrimidine dehydrogenase, N-terminal domain
44	d1y8ob1	Alignment	not modelled	96.2	18	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
45	d1qjoa_	Alignment		96.1	25	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
46	d1dura_	Alignment	not modelled	95.9	40	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Short-chain ferredoxins
47	c2ejmA_	Alignment	not modelled	95.8	17	PDB header: ligase Chain: A: PDB Molecule: methylcrotonyl-coa carboxylase subunit alpha; PDBTitle: solution structure of ruh-072, an apo-biotinyl domain form2 human acetyl coenzyme a carboxylase
48	c3mxuA_	Alignment		95.8	19	PDB header: oxidoreductase Chain: A: PDB Molecule: glycine cleavage system h protein; PDBTitle: crystal structure of glycine cleavage system protein h from bartonella2 henselae
49	d1k8ma_	Alignment	not modelled	95.8	13	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains

50	d1o78a_		Alignment		95.7	29	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
51	d1y5ib1		Alignment	not modelled	95.6	24	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
52	d1dcza_		Alignment		95.6	28	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
53	c2zvsB_		Alignment	not modelled	95.6	33	PDB header: electron transport Chain: B: PDB Molecule: uncharacterized ferredoxin-like protein yfhl; PDBTitle: crystal structure of the 2[4fe-4s] ferredoxin from escherichia coli
54	c2b8gA_		Alignment	not modelled	95.6	24	PDB header: biosynthetic protein Chain: A: PDB Molecule: biotin/lipoyl attachment protein; PDBTitle: solution structure of bacillus subtilis blap biotinylated-2 form (energy minimized mean structure)
55	c2ivfB_		Alignment	not modelled	95.5	23	PDB header: oxidoreductase Chain: B: PDB Molecule: ethylbenzene dehydrogenase beta-subunit; PDBTitle: ethylbenzene dehydrogenase from aromatoleum aromaticum
56	d1ghja_		Alignment	not modelled	95.5	19	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
57	c2edgA_		Alignment	not modelled	95.5	20	PDB header: biosynthetic protein Chain: A: PDB Molecule: glycine cleavage system h protein; PDBTitle: solution structure of the gcv_h domain from mouse glycine
58	d1kqfb1		Alignment	not modelled	95.4	36	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
59	c2v2kB_		Alignment	not modelled	95.4	30	PDB header: electron transport Chain: B: PDB Molecule: ferredoxin; PDBTitle: the crystal structure of fdxa, a 7fe ferredoxin from2 mycobacterium smegmatis
60	c2dn8A_		Alignment	not modelled	95.4	12	PDB header: ligase Chain: A: PDB Molecule: acetyl-coa carboxylase 2; PDBTitle: solution structure of rsg1 ruh-053, an apo-biotin carboxy2 carrier protein from human transcarboxylase
61	c2ejgD_		Alignment	not modelled	95.2	32	PDB header: ligase Chain: D: PDB Molecule: 149aa long hypothetical methylmalonyl-coa decarboxylase PDBTitle: crystal structure of the biotin protein ligase (mutation r48a) and2 biotin carboxyl carrier protein complex from pyrococcus horikoshii3 ot3
62	c3n6rK_		Alignment	not modelled	95.1	30	PDB header: ligase Chain: K: PDB Molecule: propionyl-coa carboxylase, alpha subunit; PDBTitle: crystal structure of the holoenzyme of propionyl-coa carboxylase (pcc)
63	c2fugC_		Alignment	not modelled	95.1	19	PDB header: oxidoreductase Chain: C: PDB Molecule: nahd-quinone oxidoreductase chain 3; PDBTitle: crystal structure of the hydrophilic domain of respiratory complex i2 from thermus thermophilus
64	c2dncA_		Alignment	not modelled	95.0	16	PDB header: transferase Chain: A: PDB Molecule: pyruvate dehydrogenase protein x component; PDBTitle: solution structure of rsg1 ruh-054, a lipoyl domain from2 human 2-oxoacid dehydrogenase
65	c3c7bE_		Alignment	not modelled	95.0	24	PDB header: oxidoreductase Chain: E: PDB Molecule: sulfite reductase, dissimilatory-type subunit beta; PDBTitle: structure of the dissimilatory sulfite reductase from archaeoglobus2 fulgidus
66	c3iftA_		Alignment	not modelled	94.9	20	PDB header: oxidoreductase Chain: A: PDB Molecule: glycine cleavage system h protein; PDBTitle: crystal structure of glycine cleavage system protein h from2 mycobacterium tuberculosis, using x-rays from the compact light3 source.
67	d3c7bb1		Alignment	not modelled	94.9	27	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
68	c2dneA_		Alignment	not modelled	94.8	8	PDB header: transferase Chain: A: PDB Molecule: dihydrolipoylysine-residue acetyltransferase PDBTitle: solution structure of rsg1 ruh-058, a lipoyl domain of2 human 2-oxoacid dehydrogenase
69	d1iyua_		Alignment	not modelled	94.8	20	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
70	d1onla_		Alignment	not modelled	94.8	18	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
71	c3a8jF_		Alignment	not modelled	94.7	18	PDB header: transferase/transport protein Chain: F: PDB Molecule: glycine cleavage system h protein; PDBTitle: crystal structure of et-ehred complex

72	d1laba		Alignment	not modelled	94.7	24	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
73	c2kccA		Alignment	not modelled	94.6	15	PDB header: ligase Chain: A: PDB Molecule: acetyl-coa carboxylase 2; PDBTitle: solution structure of biotinoyl domain from human acetyl-2 coa carboxylase 2
74	c215tA		Alignment	not modelled	94.6	24	PDB header: transferase Chain: A: PDB Molecule: lipoamide acyltransferase; PDBTitle: solution nmr structure of e2 lipoyl domain from thermoplasma2 acidophilum
75	c2ka7A		Alignment	not modelled	94.5	23	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: glycine cleavage system h protein; PDBTitle: nmr solution structure of tm0212 at 40 c
76	d1vlfn2		Alignment	not modelled	94.5	17	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
77	d1hpca		Alignment	not modelled	94.4	23	PDB header: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
78	d2pnrc1		Alignment	not modelled	94.4	19	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
79	c1ti2F		Alignment	not modelled	94.3	20	PDB header: oxidoreductase Chain: F: PDB Molecule: pyrogallol hydroxytransferase small subunit; PDBTitle: crystal structure of pyrogallol-phloroglucinol2 transhydroxylase from pelobacter acidigallici
80	c2qj8B		Alignment	not modelled	94.1	24	PDB header: hydrolase Chain: B: PDB Molecule: mlr6093 protein; PDBTitle: crystal structure of an aspartoacylase family protein (mlr6093) from2 mesorhizobium loti maff303099 at 2.00 a resolution
81	c3d4rE		Alignment	not modelled	94.0	28	PDB header: unknown function Chain: E: PDB Molecule: domain of unknown function from the pfam-b_34464 family; PDBTitle: crystal structure of a duf2118 family protein (mmp0046) from2 methanococcus maripaludis at 2.20 a resolution
82	c2vpvB		Alignment	not modelled	94.0	33	PDB header: oxidoreductase Chain: B: PDB Molecule: nrfc protein; PDBTitle: polysulfide reductase with bound quinone inhibitor,2 pentachlorophenol (pcp)
83	d1gjxa		Alignment	not modelled	93.2	27	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
84	c3na6A		Alignment	not modelled	93.2	16	PDB header: hydrolase Chain: A: PDB Molecule: succinylglutamate desuccinylase/aspartoacylase; PDBTitle: crystal structure of a succinylglutamate desuccinylase (tm1040_2694)2 from silicibacter sp. tm1040 at 2.00 a resolution
85	d1pmra		Alignment	not modelled	93.2	24	Fold: Barrel-sandwich hybrid Superfamily: Single hybrid motif Family: Biotinyl/lipoyl-carrier proteins and domains
86	c3fmcc		Alignment	not modelled	93.1	22	PDB header: hydrolase Chain: C: PDB Molecule: putative succinylglutamate desuccinylase / aspartoacylase; PDBTitle: crystal structure of a putative succinylglutamate desuccinylase /2 aspartoacylase family protein (sama_0604) from shewanella amazonensis3 sb2b at 1.80 a resolution
87	d1h0hb		Alignment	not modelled	93.0	15	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Ferredoxin domains from multidomain proteins
88	c2aukA		Alignment	not modelled	92.9	25	PDB header: transferase Chain: A: PDB Molecule: dna-directed rna polymerase beta' chain; PDBTitle: structure of e. coli rna polymerase beta' g/g' insert
89	c3cdxB		Alignment	not modelled	92.7	20	PDB header: hydrolase Chain: B: PDB Molecule: succinylglutamatedesuccinylase/aspartoacylase; PDBTitle: crystal structure of2 succinylglutamatedesuccinylase/aspartoacylase from3 rhodobacter sphaeroides
90	c2v4je		Alignment	not modelled	92.7	28	PDB header: oxidoreductase Chain: E: PDB Molecule: sulfite reductase, dissimilatory-type subunit PDBTitle: the crystal structure of desulfovibrio vulgaris2 dissimilatory sulfite reductase bound to dsrc provides3 novel insights into the mechanism of sulfate respiration
91	c2zv4O		Alignment		92.4	9	PDB header: structural protein Chain: O: PDB Molecule: major vault protein; PDBTitle: the structure of rat liver vault at 3.5 angstrom resolution
92	c1dwIA		Alignment	not modelled	92.1	20	PDB header: electron transfer Chain: A: PDB Molecule: ferredoxin i; PDBTitle: the ferredoxin-cytochrome complex using heteronuclear nmr2 and docking simulation
93	c3c7bA		Alignment	not modelled	91.8	18	PDB header: oxidoreductase Chain: A: PDB Molecule: sulfite reductase, dissimilatory-type subunit alpha; PDBTitle: structure of the dissimilatory sulfite reductase from archaeoglobus2 fulgidus
94	c3bk7A		Alignment	not modelled	91.5	23	PDB header: hydrolyase/translation Chain: A: PDB Molecule: abc transporter atp-binding protein; PDBTitle: structure of the complete abce1/rnase-l inhibitor

95	d1vja_		Alignment	not modelled	91.5	24	protein2 from pyrococcus abyssi Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Single 4Fe-4S cluster ferredoxin
96	c2v4jA_		Alignment	not modelled	91.2	14	PDB header: oxidoreductase Chain: A: PDB Molecule: sulfite reductase, dissimilatory-type subunit PDBTitle: the crystal structure of desulfovibrio vulgaris2 dissimilatory sulfite reductase bound to dsrc provides3 novel insights into the mechanism of sulfate respiration
97	d1iqza_		Alignment	not modelled	91.1	17	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Single 4Fe-4S cluster ferredoxin
98	c3ojaB_		Alignment		90.5	11	PDB header: protein binding Chain: B: PDB Molecule: anopheles plasmodium-responsive leucine-rich repeat protein PDBTitle: crystal structure of lrim1/apl1c complex
99	c2xhaB_		Alignment	not modelled	90.5	18	PDB header: transcription Chain: B: PDB Molecule: transcription antitermination protein nusg; PDBTitle: crystal structure of domain 2 of thermotoga maritima n-utilization2 substance g (nusg)
100	c2k33A_		Alignment	not modelled	90.4	20	PDB header: membrane protein, transport protein Chain: A: PDB Molecule: acra; PDBTitle: solution structure of an n-glycosylated protein using in vitro glycosylation
101	d1sj1a_		Alignment	not modelled	89.7	22	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Single 4Fe-4S cluster ferredoxin
102	d1fxra_		Alignment	not modelled	89.4	19	Fold: Ferredoxin-like Superfamily: 4Fe-4S ferredoxins Family: Single 4Fe-4S cluster ferredoxin
103	c2aujD_		Alignment	not modelled	89.3	33	PDB header: transferase Chain: D: PDB Molecule: dna-directed rna polymerase beta' chain; PDBTitle: structure of thermus aquaticus rna polymerase beta'-subunit2 insert
104	c2xhcA_		Alignment	not modelled	88.8	17	PDB header: transcription Chain: A: PDB Molecule: transcription antitermination protein nusg; PDBTitle: crystal structure of thermotoga maritima n-utilization substance g2 (nusg)
105	c2w8iG_		Alignment	not modelled	86.2	26	PDB header: membrane protein Chain: G: PDB Molecule: putative outer membrane lipoprotein wza; PDBTitle: crystal structure of wza24-345.
106	c3h9iB_		Alignment	not modelled	86.0	27	PDB header: transport protein Chain: B: PDB Molecule: cation efflux system protein cusb; PDBTitle: crystal structure of the membrane fusion protein cusb from escherichia2 coli
107	d1ci3m2		Alignment	not modelled	85.0	39	Fold: Barrel-sandwich hybrid Superfamily: Rudiment single hybrid motif Family: Cytochrome f, small domain
108	d1e2wa2		Alignment	not modelled	84.5	36	Fold: Barrel-sandwich hybrid Superfamily: Rudiment single hybrid motif Family: Cytochrome f, small domain
109	c2dfsA_		Alignment		84.3	8	PDB header: contractile protein/transport protein Chain: A: PDB Molecule: myosin-5a; PDBTitle: 3-d structure of myosin-v inhibited state
110	c2j58G_		Alignment	not modelled	83.1	26	PDB header: membrane protein Chain: G: PDB Molecule: outer membrane lipoprotein wza; PDBTitle: the structure of wza
111	c2qf7A_		Alignment		81.9	18	PDB header: ligase Chain: A: PDB Molecule: pyruvate carboxylase protein; PDBTitle: crystal structure of a complete multifunctional pyruvate carboxylase2 from rhizobium etli
112	c2gu1A_		Alignment	not modelled	81.5	33	PDB header: hydrolase Chain: A: PDB Molecule: zinc peptidase; PDBTitle: crystal structure of a zinc containing peptidase from vibrio cholerae
113	c2jxmB_		Alignment	not modelled	81.1	38	PDB header: electron transport Chain: B: PDB Molecule: cytochrome f; PDBTitle: ensemble of twenty structures of the prochlorothrix2 hollandica plastocyanin- cytochrome f complex
114	d1glaf_		Alignment	not modelled	80.2	24	Fold: Barrel-sandwich hybrid Superfamily: Duplicated hybrid motif Family: Glucose permease-like
115	c2hs1B_		Alignment	not modelled	79.8	30	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: putative peptidase m23; PDBTitle: crystal structure of putative peptidase m23 from pseudomonas aeruginosa, new york structural genomics3 consortium
116	c3p42D_		Alignment	not modelled	79.6	24	PDB header: unknown function Chain: D: PDB Molecule: predicted protein; PDBTitle: structure of gfcc (ymcb), protein encoded by the e. coli group 42 capsule operon

117	c1ctmA		Alignment	not modelled	79.3	31	PDB header: electron transport(cytochrome) Chain: A; PDB Molecule: cytochrome f; PDBTitle: crystal structure of chloroplast cytochrome f reveals a2 novel cytochrome fold and unexpected heme ligation
118	c3csqC		Alignment	not modelled	79.3	21	PDB header: hydrolase Chain: C; PDB Molecule: morphogenesis protein 1; PDBTitle: crystal and cryoem structural studies of a cell wall2 degrading enzyme in the bacteriophage phi29 tail
119	d1qwyA		Alignment	not modelled	79.1	38	Fold: Barrel-sandwich hybrid Superfamily: Duplicated hybrid motif Family: Peptidoglycan hydrolase LytM
120	c1e2vB		Alignment	not modelled	79.1	32	PDB header: electron transport proteins Chain: B; PDB Molecule: cytochrome f; PDBTitle: n153q mutant of cytochrome f from chlamydomonas reinhardtii