























#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c1z05A_</a>	 Alignment		100.0	43	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, rok family; <b>PDBTitle:</b> crystal structure of the rok family transcriptional regulator, homolog2 of e.coli mlc protein.
2	<a href="#">c1z6rC_</a>	 Alignment		100.0	41	<b>PDB header:</b> transcription <b>Chain:</b> C: <b>PDB Molecule:</b> mlc protein; <b>PDBTitle:</b> crystal structure of mlc from escherichia coli
3	<a href="#">c2hoeA_</a>	 Alignment		100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> n-acetylglucosamine kinase; <b>PDBTitle:</b> crystal structure of n-acetylglucosamine kinase (tm1224) from2 thermotoga maritima at 2.46 a resolution
4	<a href="#">c3mcpA_</a>	 Alignment		100.0	20	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of glucokinase (bdi_1628) from parabacteroides2 distasonis atcc 8503 at 3.00 a resolution
5	<a href="#">c2qm1D_</a>	 Alignment		100.0	24	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of glucokinase from enterococcus faecalis
6	<a href="#">c3vgkB_</a>	 Alignment		100.0	25	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glucokinase; <b>PDBTitle:</b> crystal structure of a rok family glucokinase from streptomyces2 griseus
7	<a href="#">c2ap1A_</a>	 Alignment		100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative regulator protein; <b>PDBTitle:</b> crystal structure of the putative regulatory protein
8	<a href="#">c3r8eA_</a>	 Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical sugar kinase; <b>PDBTitle:</b> crystal structure of a hypothetical sugar kinase (chu_1875) from2 cytophaga hutchinsonii atcc 33406 at 1.65 a resolution
9	<a href="#">c3eo3B_</a>	 Alignment		100.0	22	<b>PDB header:</b> isomerase, transferase <b>Chain:</b> B: <b>PDB Molecule:</b> bifunctional udp-n-acetylglucosamine 2-epimerase/n- <b>PDBTitle:</b> crystal structure of the n-acetylmannosamine kinase domain of human2 gne protein
10	<a href="#">c2aa4B_</a>	 Alignment		100.0	23	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> putative n-acetylmannosamine kinase; <b>PDBTitle:</b> crystal structure of escherichia coli putative n-2 acetylmannosamine kinase, new york structural genomics3 consortium
11	<a href="#">c1xc3A_</a>	 Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> putative fructokinase; <b>PDBTitle:</b> structure of a putative fructokinase from bacillus subtilis

12	<a href="#">c3htvA_</a>	Alignment		100.0	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> d-allose kinase; <b>PDBTitle:</b> crystal structure of d-allose kinase (np_418508.1) from escherichia2 coli k12 at 1.95 a resolution
13	<a href="#">c2gupA_</a>	Alignment		100.0	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> rok family protein; <b>PDBTitle:</b> structural genomics, the crystal structure of a rok family protein2 from streptococcus pneumoniae tigr4 in complex with sucrose
14	<a href="#">d1sz2a1</a>	Alignment		100.0	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glucokinase
15	<a href="#">c1woqB_</a>	Alignment		100.0	21	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> inorganic polyphosphate/atp-glucomannokinase; <b>PDBTitle:</b> crystal structure of inorganic polyphosphate/atp-glucomannokinase from2 arthrobacter sp. strain km at 1.8 a resolution
16	<a href="#">d1z6ra3</a>	Alignment		100.0	39	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
17	<a href="#">c2q2rA_</a>	Alignment		100.0	12	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase 1, putative; <b>PDBTitle:</b> trypanosoma cruzi glucokinase in complex with beta-d-glucose and adp
18	<a href="#">d1z05a2</a>	Alignment		100.0	46	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
19	<a href="#">c2ch5D_</a>	Alignment		100.0	15	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> nagk protein; <b>PDBTitle:</b> crystal structure of human n-acetylglucosamine kinase in2 complex with n-acetylglucosamine
20	<a href="#">c2e2pA_</a>	Alignment		100.0	15	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase; <b>PDBTitle:</b> crystal structure of sulfolobus tokodaii hexokinase in2 complex with adp
21	<a href="#">c3lm2B_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> putative kinase; <b>PDBTitle:</b> crystal structure of putative kinase. (17743352) from agrobacterium2 tumefaciens str. c58 (dupont) at 1.70 a resolution
22	<a href="#">c1z6A_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> probable n-acetylglucosamine kinase; <b>PDBTitle:</b> crystal structure of putative n-acetylglucosamine kinase from2 chromobacterium violaceum. northeast structural genomics target3 cvr23.
23	<a href="#">d2aa4a2</a>	Alignment	not modelled	100.0	28	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
24	<a href="#">d2ap1a1</a>	Alignment	not modelled	100.0	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
25	<a href="#">d2gupa2</a>	Alignment	not modelled	99.9	21	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
26	<a href="#">d2hoea2</a>	Alignment	not modelled	99.9	27	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
27	<a href="#">d1q18a2</a>	Alignment	not modelled	99.9	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glucokinase
28	<a href="#">d1xc3a2</a>	Alignment	not modelled	99.9	25	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
						<b>Fold:</b> Ribonuclease H-like motif

29	<a href="#">d2hoea3</a>	Alignment	not modelled	99.9	22	<b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
30	<a href="#">d1z05a3</a>	Alignment	not modelled	99.9	34	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
31	<a href="#">d1z6ra2</a>	Alignment	not modelled	99.9	35	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
32	<a href="#">d2ap1a2</a>	Alignment	not modelled	99.8	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
33	<a href="#">d1woqa1</a>	Alignment	not modelled	99.8	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
34	<a href="#">d2aa4a1</a>	Alignment	not modelled	99.8	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
35	<a href="#">d1woqa2</a>	Alignment	not modelled	99.8	26	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
36	<a href="#">c1v4sA</a>	Alignment	not modelled	99.7	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glucokinase isoform 2; <b>PDBTitle:</b> crystal structure of human glucokinase
37	<a href="#">d2ch5a1</a>	Alignment	not modelled	99.7	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
38	<a href="#">c1bdgA</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> hexokinase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase; <b>PDBTitle:</b> hexokinase from schistosoma mansoni complexed with glucose
39	<a href="#">c3hm8D</a>	Alignment	not modelled	99.7	20	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> hexokinase-3; <b>PDBTitle:</b> crystal structure of the c-terminal hexokinase domain of human hk3
40	<a href="#">d1xc3a1</a>	Alignment	not modelled	99.7	12	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
41	<a href="#">d2ews1</a>	Alignment	not modelled	99.7	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Fumble-like
42	<a href="#">c1ig8A</a>	Alignment	not modelled	99.7	13	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> hexokinase pii; <b>PDBTitle:</b> crystal structure of yeast hexokinase pii with the correct2 amino acid sequence
43	<a href="#">d1huxa</a>	Alignment	not modelled	99.7	12	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
44	<a href="#">d2gupa1</a>	Alignment	not modelled	99.7	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> ROK
45	<a href="#">c1qhaA</a>	Alignment	not modelled	99.7	17	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (hexokinase); <b>PDBTitle:</b> human hexokinase type i complexed with atp analogue amp-pnp
46	<a href="#">d1z05a1</a>	Alignment	not modelled	99.6	52	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> ROK associated domain
47	<a href="#">c1zbsA</a>	Alignment	not modelled	99.6	11	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> hypothetical protein pg1100; <b>PDBTitle:</b> crystal structure of the putative n-acetylglucosamine kinase (pg1100)2 from porphyromonas gingivalis, northeast structural genomics target3 pgr18
48	<a href="#">d1z6ra1</a>	Alignment	not modelled	99.5	53	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> ROK associated domain
49	<a href="#">d1q18a1</a>	Alignment	not modelled	99.4	12	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glucokinase
50	<a href="#">c1zxoB</a>	Alignment	not modelled	99.4	11	<b>PDB header:</b> unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> conserved hypothetical protein q8a1p1; <b>PDBTitle:</b> x-ray crystal structure of protein q8a1p1 from bacteroides2 thetaiotaomicron. northeast structural genomics consortium3 target btr25.
51	<a href="#">d2ch5a2</a>	Alignment	not modelled	99.3	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
52	<a href="#">d1zc6a1</a>	Alignment	not modelled	99.3	19	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
53	<a href="#">c3p4iA</a>	Alignment	not modelled	98.9	14	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> acetate kinase; <b>PDBTitle:</b> crystal structure of acetate kinase from mycobacterium avium
54	<a href="#">c1sazA</a>	Alignment	not modelled	98.9	18	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> probable butyrate kinase 2; <b>PDBTitle:</b> membership in the askha superfamily: enzymological2 properties and crystal structure of butyrate kinase 2 from3 thermotoga maritima
55	<a href="#">c3h1qB</a>	Alignment	not modelled	98.7	15	<b>PDB header:</b> structural protein <b>Chain:</b> B: <b>PDB Molecule:</b> ethanolamine utilization protein eutj; <b>PDBTitle:</b> crystal structure of ethanolamine utilization protein eutj

						from2 carboxydotherrus hydrogenofomans
56	<a href="#">c3enoB_</a>	Alignment	not modelled	98.7	13	<b>PDB header:</b> hydrolase/unknown function <b>Chain:</b> B: <b>PDB Molecule:</b> putative o-sialoglycoprotein endopeptidase; <b>PDBTitle:</b> crystal structure of pyrococcus furiosus pcc1 in complex2 with thermoplasma acidophilum kae1
57	<a href="#">c2ivoC_</a>	Alignment	not modelled	98.7	15	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> up1; <b>PDBTitle:</b> structure of up1 protein
58	<a href="#">c2iirJ_</a>	Alignment	not modelled	98.7	15	<b>PDB header:</b> transferase <b>Chain:</b> J: <b>PDB Molecule:</b> acetate kinase; <b>PDBTitle:</b> acetate kinase from a hypothermophile thermotoga maritima
59	<a href="#">c1tuuA_</a>	Alignment	not modelled	98.7	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> acetate kinase; <b>PDBTitle:</b> acetate kinase crystallized with atpgs
60	<a href="#">c3khyA_</a>	Alignment	not modelled	98.6	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> propionate kinase; <b>PDBTitle:</b> crystal structure of a propionate kinase from francisella2 tularensis subsp. tularensis schu s4
61	<a href="#">d2p3ra1</a>	Alignment	not modelled	98.6	10	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Glycerol kinase
62	<a href="#">c3flcX_</a>	Alignment	not modelled	98.6	12	<b>PDB header:</b> transferase <b>Chain:</b> X: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of the his-tagged h232r mutant of glycerol kinase2 from enterococcus casseliflavus with glycerol
63	<a href="#">d1v4sa1</a>	Alignment	not modelled	98.6	20	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
64	<a href="#">c2dnpB_</a>	Alignment	not modelled	98.6	17	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of the glycerol kinase from thermus2 thermophilus hb8
65	<a href="#">d2p4wa1</a>	Alignment	not modelled	98.5	15	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> PF1790-like
66	<a href="#">c3g25B_</a>	Alignment	not modelled	98.5	12	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> 1.9 angstrom crystal structure of glycerol kinase (glpk) from2 staphylococcus aureus in complex with glycerol.
67	<a href="#">c3ezwD_</a>	Alignment	not modelled	98.5	10	<b>PDB header:</b> transferase <b>Chain:</b> D: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of a hyperactive escherichia coli glycerol kinase2 mutant gly230 --> asp obtained using microfluidic crystallization3 devices
68	<a href="#">c2d4wA_</a>	Alignment	not modelled	98.5	12	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of glycerol kinase from cellulomonas sp.2 nt3060
69	<a href="#">c1glbG_</a>	Alignment	not modelled	98.5	10	<b>PDB header:</b> phosphotransferase <b>Chain:</b> G: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> structure of the regulatory complex of escherichia coli iiiglc with2 glycerol kinase
70	<a href="#">d1bdga1</a>	Alignment	not modelled	98.4	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
71	<a href="#">d1czan3</a>	Alignment	not modelled	98.4	19	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
72	<a href="#">c3gg4B_</a>	Alignment	not modelled	98.4	15	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> the crystal structure of glycerol kinase from yersinia2 pseudotuberculosis
73	<a href="#">d1ig8a1</a>	Alignment	not modelled	98.4	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
74	<a href="#">c1x3nA_</a>	Alignment	not modelled	98.4	16	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> propionate kinase; <b>PDBTitle:</b> crystal structure of amppnp bound propionate kinase (tdcd) from2 salmonella typhimurium
75	<a href="#">c2zf5O_</a>	Alignment	not modelled	98.4	24	<b>PDB header:</b> transferase <b>Chain:</b> O: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> crystal structure of highly thermostable glycerol kinase from a2 hyperthermophilic archaeon
76	<a href="#">c3ifrB_</a>	Alignment	not modelled	98.4	15	<b>PDB header:</b> transferase <b>Chain:</b> B: <b>PDB Molecule:</b> carbohydrate kinase, fggy; <b>PDBTitle:</b> the crystal structure of xylulose kinase from rhodospirillum rubrum
77	<a href="#">d1saza2</a>	Alignment	not modelled	98.3	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
78	<a href="#">d1zc6a2</a>	Alignment	not modelled	98.3	13	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> BadF/BadG/BcrA/BcrD-like
79	<a href="#">d1ulya_</a>	Alignment	not modelled	98.3	15	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> Hypothetical protein PH1932
80	<a href="#">d1bg3a3</a>	Alignment	not modelled	98.3	18	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
81	<a href="#">d1czan1</a>	Alignment	not modelled	98.2	17	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase

82	<a href="#">d1g99a2</a>	Alignment	not modelled	98.2	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
83	<a href="#">c3hz6A</a>	Alignment	not modelled	98.2	12	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulokinase; <b>PDBTitle:</b> crystal structure of xylulokinase from chromobacterium violaceum
84	<a href="#">d1ub9a</a>	Alignment	not modelled	98.2	16	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
85	<a href="#">d1czan2</a>	Alignment	not modelled	98.1	14	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
86	<a href="#">d2e1za2</a>	Alignment	not modelled	98.1	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Acetokinase-like
87	<a href="#">d1bg3a1</a>	Alignment	not modelled	98.0	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
88	<a href="#">c3en9B</a>	Alignment	not modelled	98.0	11	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> o-sialoglycoprotein endopeptidase/protein kinase; <b>PDBTitle:</b> structure of the methanococcus jannaschii kae1-bud32 fusion2 protein
89	<a href="#">c3bj6B</a>	Alignment	not modelled	98.0	12	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of marr family transcription regulator sp03579
90	<a href="#">d2etha1</a>	Alignment	not modelled	97.9	22	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
91	<a href="#">c3cuoB</a>	Alignment	not modelled	97.9	10	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> uncharacterized hth-type transcriptional regulator ygav; <b>PDBTitle:</b> crystal structure of the predicted dna-binding transcriptional2 regulator from e. coli
92	<a href="#">c1xupO</a>	Alignment	not modelled	97.9	13	<b>PDB header:</b> transferase <b>Chain:</b> O: <b>PDB Molecule:</b> glycerol kinase; <b>PDBTitle:</b> enterococcus casseliflavus glycerol kinase complexed with glycerol
93	<a href="#">d1sfxa</a>	Alignment	not modelled	97.9	19	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> TrmB-like
94	<a href="#">d1jgsa</a>	Alignment	not modelled	97.9	13	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
95	<a href="#">c3gbtA</a>	Alignment	not modelled	97.9	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> gluconate kinase; <b>PDBTitle:</b> crystal structure of gluconate kinase from lactobacillus acidophilus
96	<a href="#">c3g3zA</a>	Alignment	not modelled	97.9	22	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> the structure of nmb1585, a marr family regulator from neisseria2 meningitidis
97	<a href="#">c3nrvc</a>	Alignment	not modelled	97.9	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> putative transcriptional regulator (marr/emrr family); <b>PDBTitle:</b> crystal structure of marr/emrr family transcriptional regulator from2 acinetobacter sp. adp1
98	<a href="#">d1lnwa</a>	Alignment	not modelled	97.9	20	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
99	<a href="#">c2nlxA</a>	Alignment	not modelled	97.9	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> xylulose kinase; <b>PDBTitle:</b> crystal structure of the apo e. coli xylulose kinase
100	<a href="#">c2qwwB</a>	Alignment	not modelled	97.8	16	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, marr family; <b>PDBTitle:</b> crystal structure of multiple antibiotic-resistance repressor (marr)2 (yp_013417.1) from listeria monocytogenes 4b f2365 at 2.07 a3 resolution
101	<a href="#">d1v4sa2</a>	Alignment	not modelled	97.8	15	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
102	<a href="#">d2bv6a1</a>	Alignment	not modelled	97.8	13	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
103	<a href="#">c2nyxB</a>	Alignment	not modelled	97.8	17	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> probable transcriptional regulatory protein, rv1404; <b>PDBTitle:</b> crystal structure of rv1404 from mycobacterium tuberculosis
104	<a href="#">d1bg3a4</a>	Alignment	not modelled	97.8	19	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
105	<a href="#">c3f6vA</a>	Alignment	not modelled	97.8	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> possible transcriptional regulator, arsr family <b>PDBTitle:</b> crystal structure of possible transcriptional regulator for2 arsenical resistance
106	<a href="#">c3r0aB</a>	Alignment	not modelled	97.8	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> possible transcriptional regulator from methanosarcina mazei go1 (gi2 21227196)
						<b>Fold:</b> DNA/RNA-binding 3-helical bundle

107	<a href="#">d2fbha1</a>	Alignment	not modelled	97.8	9	<b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
108	<a href="#">c2oqgA</a>	Alignment	not modelled	97.8	19	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> possible transcriptional regulator, arsr family protein; <b>PDBTitle:</b> arsr-like transcriptional regulator from rhodococcus sp. rha1
109	<a href="#">c2w40C</a>	Alignment	not modelled	97.8	8	<b>PDB header:</b> transferase <b>Chain:</b> C: <b>PDB Molecule:</b> glycerol kinase, putative; <b>PDBTitle:</b> crystal structure of plasmodium falciparum glycerol kinase2 with bound glycerol
110	<a href="#">d1bg3a2</a>	Alignment	not modelled	97.8	16	<b>Fold:</b> Ribonuclease H-like motif <b>Superfamily:</b> Actin-like ATPase domain <b>Family:</b> Hexokinase
111	<a href="#">d2d1ha1</a>	Alignment	not modelled	97.8	18	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> TrmB-like
112	<a href="#">c2qufB</a>	Alignment	not modelled	97.8	9	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcription factor pf0095; <b>PDBTitle:</b> crystal structure of transcription factor axxa-pf0095 from pyrococcus2 furiosus
113	<a href="#">c3k0lA</a>	Alignment	not modelled	97.8	20	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> repressor protein; <b>PDBTitle:</b> crystal structure of putative marr family transcriptional2 regulator from acinetobacter sp. adp
114	<a href="#">c3e6mD</a>	Alignment	not modelled	97.8	18	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> marr family transcriptional regulator; <b>PDBTitle:</b> the crystal structure of a marr family transcriptional2 regulator from silicibacter pomeroyi dss.
115	<a href="#">c3jvpA</a>	Alignment	not modelled	97.8	21	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> ribulokinase; <b>PDBTitle:</b> crystal structure of ribulokinase from bacillus halodurans
116	<a href="#">c2fxaB</a>	Alignment	not modelled	97.7	16	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> protease production regulatory protein hpr; <b>PDBTitle:</b> structure of the protease production regulatory protein hpr from2 bacillus subtilis.
117	<a href="#">d2hoea1</a>	Alignment	not modelled	97.7	25	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> ROK associated domain
118	<a href="#">d1ku9a</a>	Alignment	not modelled	97.7	20	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> DNA-binding protein Mj223
119	<a href="#">d1s3ja</a>	Alignment	not modelled	97.7	21	<b>Fold:</b> DNA/RNA-binding 3-helical bundle <b>Superfamily:</b> "Winged helix" DNA-binding domain <b>Family:</b> MarR-like transcriptional regulators
120	<a href="#">c2fa5B</a>	Alignment	not modelled	97.7	20	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator marr/emrr family; <b>PDBTitle:</b> the crystal structure of an unliganded multiple antibiotic-2 resistance repressor (marr) from xanthomonas campestris