
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2olkD_	 Alignment		100.0	55	PDB header: hydrolase Chain: D: PDB Molecule: amino acid abc transporter; PDBTitle: abc protein artp in complex with adp-beta-s
2	c2yyzA_	 Alignment		100.0	35	PDB header: transport protein Chain: A: PDB Molecule: sugar abc transporter, atp-binding protein; PDBTitle: crystal structure of sugar abc transporter, atp-binding protein
3	c3fvqB_	 Alignment		100.0	33	PDB header: hydrolase Chain: B: PDB Molecule: fe(3+) ions import atp-binding protein fbpc; PDBTitle: crystal structure of the nucleotide binding domain fbpc2 complexed with atp
4	d1g2912	 Alignment		100.0	31	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
5	c2it1B_	 Alignment		100.0	36	PDB header: transport protein Chain: B: PDB Molecule: 362aa long hypothetical maltose/maltodextrin PDBTitle: structure of ph0203 protein from pyrococcus horikoshii
6	c1oxtb_	 Alignment		100.0	34	PDB header: transport protein Chain: B: PDB Molecule: abc transporter, atp binding protein; PDBTitle: crystal structure of glcv, the abc-atpase of the glucose abc2 transporter from sulfolobus solfataricus
7	d1b0ua_	 Alignment		100.0	49	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
8	d1oxk2	 Alignment		100.0	33	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
9	c1z47B_	 Alignment		100.0	34	PDB header: ligand binding protein Chain: B: PDB Molecule: putative abc-transporter atp-binding protein; PDBTitle: structure of the atpase subunit cysa of the putative2 sulfate atp-binding cassette (abc) transporter from3 alicyclobacillus acidocaldarius
10	d3dhwc1	 Alignment		100.0	37	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
11	c1qlbD_	 Alignment		100.0	34	PDB header: transport protein Chain: D: PDB Molecule: maltose/maltodextrin transport atp-binding protein malk; PDBTitle: crystal structure of e. coli malk in the nucleotide-free form

12	d1vp1a_	Alignment		100.0	24	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
13	c3dhwC_	Alignment		100.0	37	PDB header: membrane protein/hydrolase Chain: C: PDB Molecule: methionine import atp-binding protein metn; PDBTitle: crystal structure of methionine importer metni
14	d3d31a2	Alignment		100.0	31	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
15	c2d62A_	Alignment		100.0	31	PDB header: sugar binding protein Chain: A: PDB Molecule: multiple sugar-binding transport atp-binding PDBTitle: crystal structure of multiple sugar binding transport atp-2 binding protein
16	c1vc1A_	Alignment		100.0	32	PDB header: transport protein Chain: A: PDB Molecule: sugar-binding transport atp-binding protein; PDBTitle: crystal structure of the atp-binding cassette of multisugar2 transporter from pyrococcus horikoshii ot3 complexed with3 atp
17	d1v43a3	Alignment		100.0	31	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
18	c3gfoA_	Alignment		100.0	27	PDB header: atp binding protein Chain: A: PDB Molecule: cobalt import atp-binding protein cbio 1; PDBTitle: structure of cbio1 from clostridium perfringens: part of2 the abc transporter complex cbionq.
19	c3d31B_	Alignment		100.0	31	PDB header: transport protein Chain: B: PDB Molecule: sulfate/molybdate abc transporter, atp-binding PDBTitle: modbc from methanosarcina acetivorans
20	d1g6ha_	Alignment		100.0	26	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
21	c2pciB_	Alignment	not modelled	100.0	34	PDB header: hydrolase Chain: B: PDB Molecule: lipoprotein-releasing system atp-binding protein lold; PDBTitle: crystal structure of abc transporter (aq_297) from aquifex aeolicus2 vf5
22	d1ji0a_	Alignment	not modelled	100.0	27	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
23	d2pmka1	Alignment	not modelled	100.0	35	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
24	c3g5uB_	Alignment	not modelled	100.0	31	PDB header: membrane protein Chain: B: PDB Molecule: multidrug resistance protein 1a; PDBTitle: structure of p-glycoprotein reveals a molecular basis for2 poly-specific drug binding
25	c2yz2B_	Alignment	not modelled	100.0	27	PDB header: hydrolase Chain: B: PDB Molecule: putative abc transporter atp-binding protein tm_0222; PDBTitle: crystal structure of the abc transporter in the cobalt transport2 system
26	d1mv5a_	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
27	d1l2ta_	Alignment	not modelled	100.0	39	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
28	d3h60a1	Alignment	not modelled	100.0	28	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate

28	d300da1	Alignment	not modelled	100.0	28	hydrolases Family: ABC transporter ATPase domain-like
29	c2d2fA	Alignment	not modelled	100.0	25	PDB header: protein binding Chain: A: PDB Molecule: sufc protein; PDBTitle: crystal structure of atypical cytoplasmic abc-atpase sufC from thermus2 thermophilus hb8
30	c3gd7C	Alignment	not modelled	100.0	22	PDB header: hydrolase Chain: C: PDB Molecule: fusion complex of cystic fibrosis transmembrane PDBTitle: crystal structure of human nbd2 complexed with n6-2 phenylethyl-atp (p-atp)
31	d1jj7a	Alignment	not modelled	100.0	26	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
32	c2nq2C	Alignment	not modelled	100.0	28	PDB header: metal transport Chain: C: PDB Molecule: hypothetical abc transporter atp-binding protein PDBTitle: an inward-facing conformation of a putative metal-chelate2 type abc transporter.
33	d2onka1	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
34	d2hyda1	Alignment	not modelled	100.0	29	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
35	c2hydB	Alignment	not modelled	100.0	30	PDB header: transport protein Chain: B: PDB Molecule: abc transporter homolog; PDBTitle: multidrug abc transporter sav1866
36	c3nhaA	Alignment	not modelled	100.0	29	PDB header: transport protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 6, mitochondrial; PDBTitle: nucleotide binding domain of human abcb6 (adp mg bound structure)
37	c2yl4A	Alignment	not modelled	100.0	36	PDB header: membrane protein Chain: A: PDB Molecule: atp-binding cassette sub-family b member 10, PDBTitle: structure of the human mitochondrial abc transporter, abcb10
38	c2d3wB	Alignment	not modelled	100.0	22	PDB header: biosynthetic protein Chain: B: PDB Molecule: probable atp-dependent transporter sufC; PDBTitle: crystal structure of escherichia coli sufC, an atpase2 compenent of the suf iron-sulfur cluster assembly machinery
39	c2ihyB	Alignment	not modelled	100.0	24	PDB header: hydrolase Chain: B: PDB Molecule: abc transporter, atp-binding protein; PDBTitle: structure of the staphylococcus aureus putative atpase subunit of an2 atp-binding cassette (abc) transporter
40	c2cbzA	Alignment	not modelled	100.0	26	PDB header: transport Chain: A: PDB Molecule: multidrug resistance-associated protein 1; PDBTitle: structure of the human multidrug resistance protein 12 nucleotide binding domain 1
41	d2awna2	Alignment	not modelled	100.0	36	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
42	c3b5xB	Alignment	not modelled	100.0	31	PDB header: membrane protein Chain: B: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of msba from vibrio cholerae
43	c2pzfB	Alignment	not modelled	100.0	23	PDB header: hydrolase Chain: B: PDB Molecule: cystic fibrosis transmembrane conductance regulator; PDBTitle: minimal human cfr first nucleotide binding domain as a head-to-tail2 dimer with delta f508
44	d1pf4a1	Alignment	not modelled	100.0	32	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
45	c3b5wE	Alignment	not modelled	100.0	29	PDB header: membrane protein Chain: E: PDB Molecule: lipid a export atp-binding/permease protein msba; PDBTitle: crystal structure of escherichia coli msba
46	d1xmia	Alignment	not modelled	100.0	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
47	c2ghiD	Alignment	not modelled	100.0	28	PDB header: transport protein Chain: D: PDB Molecule: transport protein; PDBTitle: crystal structure of plasmodium yoelii multidrug resistance2 protein 2
48	c2pjzA	Alignment	not modelled	100.0	24	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: hypothetical protein st1066; PDBTitle: the crystal structure of putative cobalt transport atp-2 binding protein (cbio-2), st1066
49	c1yqtA	Alignment	not modelled	100.0	32	PDB header: hydrolase/translation Chain: A: PDB Molecule: rnase I inhibitor; PDBTitle: rnase-I inhibitor
50	d1l7vc	Alignment	not modelled	100.0	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
51	c3ozxA	Alignment	not modelled	100.0	24	PDB header: hydrolase, translation Chain: A: PDB Molecule: rnase I inhibitor; PDBTitle: crystal structure of abce1 of sulfolobus solfataricus (-fes domain)
52	d1sgwa	Alignment	not modelled	100.0	22	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like

53	d1r0wa_	Alignment	not modelled	100.0	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
54	c3bk7A_	Alignment	not modelled	100.0	30	PDB header: hydrolase/translation Chain: A: PDB Molecule: abc transporter atp-binding protein; PDBTitle: structure of the complete abce1/rnaase-i inhibitor protein2 from pyrococcus abyssi
55	c2iw3B_	Alignment	not modelled	100.0	22	PDB header: translation Chain: B: PDB Molecule: elongation factor 3a; PDBTitle: elongation factor 3 in complex with adp
56	c2r6fA_	Alignment	not modelled	100.0	21	PDB header: hydrolase Chain: A: PDB Molecule: excinuclease abc subunit a; PDBTitle: crystal structure of bacillus stearothermophilus uvra
57	c2ygrD_	Alignment	not modelled	100.0	27	PDB header: hydrolase Chain: D: PDB Molecule: uvrabc system protein a; PDBTitle: mycobacterium tuberculosis uvra
58	c3pihA_	Alignment	not modelled	100.0	28	PDB header: hydrolase/dna Chain: A: PDB Molecule: uvrabc system protein a; PDBTitle: t. maritima uvra in complex with fluorescein-modified dna
59	c2vf7B_	Alignment	not modelled	100.0	24	PDB header: dna-binding protein Chain: B: PDB Molecule: excinuclease abc, subunit a.; PDBTitle: crystal structure of uvra2 from deinococcus radiodurans
60	d1w1wa_	Alignment	not modelled	99.9	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
61	d1cr2a_	Alignment	not modelled	99.9	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
62	c3tauB_	Alignment	not modelled	99.9	16	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of a putative guanylate monophosphaste kinase from2 listeria monocytogenes egd-e
63	c2j41A_	Alignment	not modelled	99.8	16	PDB header: transferase Chain: A: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of staphylococcus aureus guanylate2 monophosphate kinase
64	c3a4mB_	Alignment	not modelled	99.7	14	PDB header: transferase Chain: B: PDB Molecule: l-seryl-trna(sec) kinase; PDBTitle: crystal structure of archaeal o-phosphoseryl-trna(sec)2 kinase
65	c1xexB_	Alignment	not modelled	99.6	26	PDB header: cell cycle Chain: B: PDB Molecule: smc protein; PDBTitle: structural biochemistry of atp-driven dimerization and dna2 stimulated activation of smc atpases.
66	d2qy9a2	Alignment	not modelled	99.6	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
67	c1f2uD_	Alignment	not modelled	99.6	20	PDB header: replication Chain: D: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of rad50 abc-atpase
68	d1ls1a2	Alignment	not modelled	99.6	19	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
69	c2o5vA_	Alignment	not modelled	99.6	25	PDB header: replication/recombination Chain: A: PDB Molecule: dna replication and repair protein recf; PDBTitle: recombination mediator recf
70	d1vmaa2	Alignment	not modelled	99.5	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
71	c1ii8B_	Alignment	not modelled	99.5	26	PDB header: replication Chain: B: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of the p. furiosus rad50 atpase domain
72	c1u9iA_	Alignment	not modelled	99.5	15	PDB header: circadian clock protein Chain: A: PDB Molecule: kaic; PDBTitle: crystal structure of circadian clock protein kaic with phosphorylation2 sites
73	c3geiB_	Alignment	not modelled	99.5	13	PDB header: hydrolase Chain: B: PDB Molecule: trna modification gtpase mnme; PDBTitle: crystal structure of mnme from chlorobium tepidum in complex2 with gcp
74	d1okkd2	Alignment	not modelled	99.3	14	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
75	c3lncB_	Alignment	not modelled	99.3	14	PDB header: transferase Chain: B: PDB Molecule: guanylate kinase; PDBTitle: crystal structure of guanylate kinase from anaplasma2 phagocytophilum
76	d1ye8a1	Alignment	not modelled	99.3	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
77	d1np6a_	Alignment	not modelled	99.3	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
78	d1e69a_	Alignment	not modelled	99.0	20	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like PDB header: transferase

79	c1q57G_	Alignment	not modelled	99.0	14	Chain: G: PDB Molecule: dna primase/helicase; PDBTitle: the crystal structure of the bifunctional primase-helicase of2 bacteriophage t7
80	c2dr3A_	Alignment	not modelled	98.9	12	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: upf0273 protein ph0284; PDBTitle: crystal structure of reca superfamily atpase ph0284 from pyrococcus2 horikoshii ot3
81	d2i3ba1	Alignment	not modelled	98.8	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
82	c3auyB_	Alignment	not modelled	98.7	19	PDB header: recombination Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: crystal structure of rad50 bound to adp
83	d1qzxa3	Alignment	not modelled	98.7	12	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
84	c3thxB_	Alignment	not modelled	98.7	18	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh3; PDBTitle: human mutsbeta complexed with an idl of 3 bases (loop3) and adp
85	d1ewqa2	Alignment	not modelled	98.7	23	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
86	c2o8bA_	Alignment	not modelled	98.6	23	PDB header: dna binding protein/dna Chain: A: PDB Molecule: dna mismatch repair protein msh2; PDBTitle: human mutsalpha (msh2/msh6) bound to adp and a g t mispair
87	c2w0mA_	Alignment	not modelled	98.6	14	PDB header: unknown function Chain: A: PDB Molecule: sso2452; PDBTitle: crystal structure of sso2452 from sulfolobus solfataricus2 p2
88	c2o8dB_	Alignment	not modelled	98.6	26	PDB header: dna binding protein/dna Chain: B: PDB Molecule: dna mismatch repair protein msh6; PDBTitle: human mutsalpha (msh2/msh6) bound to adp and a g du mispair
89	c1wbdA_	Alignment	not modelled	98.6	19	PDB header: dna-binding Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of e. coli dna mismatch repair enzyme2 muts, e38q mutant, in complex with a g.t mismatch
90	c1wxqA_	Alignment	not modelled	98.6	12	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: gtp-binding protein; PDBTitle: crystal structure of gtp binding protein from pyrococcus horikoshii2 ot3
91	d1wb9a2	Alignment	not modelled	98.5	21	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: ABC transporter ATPase domain-like
92	c1ewqA_	Alignment	not modelled	98.5	22	PDB header: replication/dna Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure taq muts complexed with a heteroduplex2 dna at 2.2 a resolution
93	d1nlfa_	Alignment	not modelled	98.5	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
94	d1tf7a1	Alignment	not modelled	98.3	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
95	c1ewrA_	Alignment	not modelled	98.3	23	PDB header: hydrolase Chain: A: PDB Molecule: dna mismatch repair protein muts; PDBTitle: crystal structure of taq muts
96	c3bh0A_	Alignment	not modelled	98.1	14	PDB header: replication Chain: A: PDB Molecule: dnab-like replicative helicase; PDBTitle: atpase domain of g40p
97	c1pznG_	Alignment	not modelled	97.9	14	PDB header: recombination Chain: G: PDB Molecule: dna repair and recombination protein rad51; PDBTitle: rad51 (rada)
98	d1tf7a2	Alignment	not modelled	97.9	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
99	c3qkuB_	Alignment	not modelled	97.9	30	PDB header: replication Chain: B: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: mre11 rad50 binding domain in complex with rad50 and amp-pnp
100	c3qg5A_	Alignment	not modelled	97.9	33	PDB header: hydrolase Chain: A: PDB Molecule: rad50; PDBTitle: the mre11:rad50 complex forms an atp dependent molecular clamp in dna2 double-strand break repair
101	d1yrba1	Alignment	not modelled	97.8	13	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nitrogenase iron protein-like
102	c2recB_	Alignment	not modelled	97.8	18	PDB header: helicase PDB COMPND:
103	d2i1qa2	Alignment	not modelled	97.8	11	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
104	c2vyeA_	Alignment	not modelled	97.8	9	PDB header: hydrolase Chain: A: PDB Molecule: replicative dna helicase; PDBTitle: crystal structure of the dna-ssdna complex

105	d1xp8a1	Alignment	not modelled	97.8	15	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
106	d1mo6a1	Alignment	not modelled	97.7	16	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
107	c2cvhB	Alignment	not modelled	97.6	17	PDB header: dna binding protein Chain: B: PDB Molecule: dna repair and recombination protein radb; PDBTitle: crystal structure of the radb recombinase
108	d1n0wa	Alignment	not modelled	97.6	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
109	c1xp8A	Alignment	not modelled	97.6	16	PDB header: dna binding protein Chain: A: PDB Molecule: reca protein; PDBTitle: "deinococcus radiodurans reca in complex with atp-gamma-s"
110	c1szpC	Alignment	not modelled	97.6	14	PDB header: dna binding protein Chain: C: PDB Molecule: dna repair protein rad51; PDBTitle: a crystal structure of the rad51 filament
111	c3bgwD	Alignment	not modelled	97.5	13	PDB header: replication Chain: D: PDB Molecule: dnab-like replicative helicase; PDBTitle: the structure of a dnab-like replicative helicase and its interactions2 with primase
112	c2ztsB	Alignment	not modelled	97.5	18	PDB header: atp-binding protein Chain: B: PDB Molecule: putative uncharacterized protein ph0186; PDBTitle: crystal structure of kaic-like protein ph0186 from2 hyperthermophilic archaea pyrococcus horikoshii ot3
113	d1u94a1	Alignment	not modelled	97.5	17	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: RecA protein-like (ATPase-domain)
114	c2j7pA	Alignment	not modelled	97.5	21	PDB header: signal recognition Chain: A: PDB Molecule: signal recognition particle protein; PDBTitle: gmppnp-stabilized ng domain complex of the srp gtpases ffh2 and ftsy
115	c2q6tB	Alignment	not modelled	97.5	13	PDB header: hydrolase Chain: B: PDB Molecule: dnab replication fork helicase; PDBTitle: crystal structure of the thermus aquaticus dnab monomer
116	c1us8A	Alignment	not modelled	97.5	30	PDB header: dna repair Chain: A: PDB Molecule: dna double-strand break repair rad50 atpase; PDBTitle: the rad50 signature motif: essential to atp binding and2 biological function
117	c1ii8A	Alignment	not modelled	97.4	31	PDB header: replication Chain: A: PDB Molecule: rad50 abc-atpase; PDBTitle: crystal structure of the p. furiosus rad50 atpase domain
118	d1zp6a1	Alignment	not modelled	97.4	30	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Atu3015-like
119	d1znwa1	Alignment	not modelled	97.4	44	Fold: P-loop containing nucleoside triphosphate hydrolases Superfamily: P-loop containing nucleoside triphosphate hydrolases Family: Nucleotide and nucleoside kinases
120	c2kjqA	Alignment	not modelled	97.4	19	PDB header: replication Chain: A: PDB Molecule: dnaa-related protein; PDBTitle: solution structure of protein nmb1076 from neisseria meningitidis.2 northeast structural genomics consortium target mr101b.