

Phyre²

Email	i.a.kelley@imperial.ac.uk
Description	P0AFU6
Date	Thu Jan 5 11:27:18 GMT 2012
Unique Job ID	e6650032d8d2a92e

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c2k5jB_			100.0	100	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: uncharacterized protein yiif; PDBTitle: solution structure of protein yiif from shigella flexneri2 serotype 5b (strain 8401) . northeast structural genomics3 consortium target sft1
2	c2bj3D_			98.1	11	PDB header: transcription Chain: D: PDB Molecule: nickel responsive regulator; PDBTitle: nikr-apo
3	d2bj7a1			98.1	12	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: CopG-like
4	c1q5vB_			98.0	21	PDB header: transcription Chain: B: PDB Molecule: nickel responsive regulator; PDBTitle: apo-nikr
5	c2ca9B_			98.0	18	PDB header: transcriptional regulation Chain: B: PDB Molecule: putative nickel-responsive regulator; PDBTitle: apo-nikr from helicobacter pylori in closed trans-2 conformation
6	d2hzaa1			97.3	23	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: CopG-like
7	d2hzab1			97.1	23	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: CopG-like
8	d2cpga_			95.0	23	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: CopG-like
9	c2rbfB_			94.4	13	PDB header: oxidoreductase/dna Chain: B: PDB Molecule: bifunctional protein puta; PDBTitle: structure of the ribbon-helix-helix domain of escherichia coli puta2 (puta52) complexed with operator dna (o2)
10	c2k9iB_			93.5	24	PDB header: dna binding protein Chain: B: PDB Molecule: plasmid prn1, complete sequence; PDBTitle: nmr structure of plasmid copy control protein orf56 from2 sulfolobus islandicus
11	c3h87D_			91.5	20	PDB header: toxin/antitoxin Chain: D: PDB Molecule: putative uncharacterized protein; PDBTitle: rv0301 rv0300 toxin antitoxin complex from mycobacterium tuberculosis

12	c2an7A_			88.7	19	PDB header: dna binding protein Chain: A: PDB Molecule: protein pard; PDBTitle: solution structure of the bacterial antidote pard
13	c2kelB_			86.3	19	PDB header: transcription repressor Chain: B: PDB Molecule: uncharacterized protein 56b; PDBTitle: structure of the transcription regulator svtr from the2 hyperthermophilic archaeal virus sirv1
14	d2ay0a1			79.0	13	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: PutA pre-N-terminal region-like
15	d1p94a_			78.0	15	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: CopG-like
16	c2k29A_			76.5	18	PDB header: transcription Chain: A: PDB Molecule: antitoxin relB; PDBTitle: structure of the dbd domain of e. coli antitoxin relB
17	c3kxeD_			66.5	11	PDB header: protein binding Chain: D: PDB Molecule: antitoxin protein pard-1; PDBTitle: a conserved mode of protein recognition and binding in a2 pard-pare toxin-antitoxin complex
18	d2bsqe1			64.5	14	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: Trafficking protein A-like
19	d1mpta_			48.7	17	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: Arc/Mnt-like phage repressors
20	c2q2ka_			32.9	26	PDB header: dna binding protein/dna Chain: A: PDB Molecule: hypothetical protein; PDBTitle: structure of nucleic-acid binding protein
21	c1kcfB_		not modelled	28.1	33	PDB header: hydrolase Chain: B: PDB Molecule: hypothetical 30.2 kd protein c25g10.02 in PDBTitle: crystal structure of the yeast mitochondrial holliday2 junction resolvase, ydc2
22	d1y9ba1		not modelled	24.8	12	Fold: Ribbon-helix-helix Superfamily: Ribbon-helix-helix Family: VCA0319-like
23	c3c5yD_		not modelled	21.3	9	PDB header: isomerase Chain: D: PDB Molecule: ribose/galactose isomerase; PDBTitle: crystal structure of a putative ribose 5-phosphate isomerase2 (saro_3514) from novosphingobium aromaticivorans dsm at 1.81 a3 resolution
24	c2qhoF_		not modelled	19.9	28	PDB header: protein binding/ligase Chain: F: PDB Molecule: e3 ubiquitin-protein ligase edd1; PDBTitle: crystal structure of the uba domain from edd ubiquitin2 ligase in complex with ubiquitin
25	c2hwyB_		not modelled	18.6	27	PDB header: rna binding protein Chain: B: PDB Molecule: protein smg5; PDBTitle: structure of pin domain of human smg5.
26	c2kkeA_		not modelled	18.3	17	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: uncharacterized protein; PDBTitle: solution nmr structure of a dimeric protein of unknown2 function from methanobacterium thermoautotrophicum,3 northeast structural genomics consortium target tr5
27	c2ppwA_		not modelled	15.6	8	PDB header: isomerase Chain: A: PDB Molecule: conserved domain protein; PDBTitle: the crystal structure of uncharacterized ribose 5-phosphate isomerase2 rpib from streptococcus pneumoniae PDB header: transcription Chain: A: PDB Molecule: transcriptional activator tipa-s;
28	c1nvoA		not modelled	14.9	13	

28	c1ny2M	Alignment	not modelled	14.8	13	PDBTitle: antibiotic binding domain of a tipA-class multidrug2 resistance transcriptional regulator Fold: Antibiotic binding domain of TipA-like multidrug resistance regulators Superfamily: Antibiotic binding domain of TipA-like multidrug resistance regulators Family: Antibiotic binding domain of TipA-like multidrug resistance regulators
29	d1ny9a	Alignment	not modelled	14.8	13	PDB header: immune system Chain: A: PDB Molecule: apical membrane antigen 1; PDBTitle: structure and inter-domain interactions of domain ii from the blood2 stage malarial protein, apical membrane antigen 1
30	c1yx8A	Alignment	not modelled	14.2	10	PDB header: unknown function Chain: A: PDB Molecule: parc; PDBTitle: permuted single-chain arc
31	c1u9pA	Alignment	not modelled	12.8	10	PDB header: lipid binding protein Chain: A: PDB Molecule: aba-1a1 repeat unit; PDBTitle: the solution structure of aba-1a saturated with oleic acid
32	c2xv9A	Alignment	not modelled	11.3	17	PDB header: Alpha-lytic protease prodomain-like Superfamily: Alpha-lytic protease prodomain Family: Alpha-lytic protease prodomain
33	d2proc1	Alignment	not modelled	10.7	42	PDB header: transcription regulator Chain: A: PDB Molecule: transcription regulator rpir family; PDBTitle: the crystal structure of the n-terminal domain of a rpir2 transcriptional regulator from staphylococcus epidermidis to 1.4a
34	c3iwfA	Alignment	not modelled	10.7	12	PDB header: isomerase Chain: A: PDB Molecule: ribose/galactose isomerase; PDBTitle: crystal structure of ribose-5-phosphate isomerase lacab_rpib from2 vibrio parahaemolyticus
35	c3onoA	Alignment	not modelled	10.3	5	PDB header: DNA/RNA-binding 3-helical bundle Superfamily: Homeodomain-like Family: RpiR-like
36	d2o3fa1	Alignment	not modelled	9.9	18	PDB header: putative hth-type transcriptional regulator ybbh; PDBTitle: structural genomics, the crystal structure of the n-2 terminal domain of the putative transcriptional regulator3 ybbh from bacillus subtilis subsp. subtilis str. 168.
37	c2o3fc	Alignment	not modelled	9.9	18	PDB header: signaling protein Chain: D: PDB Molecule: spheroplast protein y; PDBTitle: the crystal structure e. coli spy
38	c3oeoD	Alignment	not modelled	9.8	12	PDB header: structural genomics, unknown function Chain: B: PDB Molecule: uncharacterized protein bp1543; PDBTitle: uncharacterized protein bp1543 from bordetella pertussis tohama i
39	c3kk4B	Alignment	not modelled	9.5	10	PDB header: Ribonuclease PH domain 2-like Superfamily: Ribonuclease PH domain 2-like Family: Ribonuclease PH domain 2-like
40	d2je6b2	Alignment	not modelled	9.1	25	PDB header: chaperone Chain: A: PDB Molecule: periplasmic protein related to spheroblast formation; PDBTitle: crystal structure of spy
41	c3o39A	Alignment	not modelled	9.0	12	PDB header: lambda repressor-like DNA-binding domains Superfamily: lambda repressor-like DNA-binding domains Family: GalR/LacI-like bacterial regulator
42	d1luxca	Alignment	not modelled	8.9	18	PDB header: Cyclophilin-like Superfamily: Cyclophilin-like Family: PH0987 C-terminal domain-like
43	d2phcb1	Alignment	not modelled	8.8	12	PDB header: Dcp2 domain-like Superfamily: Dcp2 domain-like Family: Dcp2 box A domain
44	d2qklb1	Alignment	not modelled	8.5	28	PDB header: Lipocalins Superfamily: Lipocalins Family: Retinol binding protein-like
45	d1znda1	Alignment	not modelled	8.4	23	PDB header: alpha/beta knot Superfamily: alpha/beta knot Family: YbeA-like
46	d1to0a	Alignment	not modelled	8.3	10	PDB header: Lipocalins Superfamily: Lipocalins Family: Retinol binding protein-like
47	d1gm6a	Alignment	not modelled	8.0	13	PDB header: CoA-dependent acyltransferases Superfamily: CoA-dependent acyltransferases Family: NRPS condensation domain (amide synthase)
48	d1l5aa2	Alignment	not modelled	7.5	13	PDB header: transcription regulator Chain: A: PDB Molecule: transcriptional repressor cytr; PDBTitle: nmr structure of the cytidine repressor dna binding domain in presence2 of operator half-site dna
49	c218nA	Alignment	not modelled	7.5	18	PDB header: RING/U-box Superfamily: RING/U-box Family: U-box
50	d2c2vv1	Alignment	not modelled	7.3	17	PDB header: CoA-dependent acyltransferases Superfamily: CoA-dependent acyltransferases Family: NRPS condensation domain (amide synthase)
51	d1q9ja2	Alignment	not modelled	7.2	16	PDB header: transcription regulator Chain: A: PDB Molecule: hth-type transcriptional repressor cytr; PDBTitle: structure of the cytidine repressor dna-binding domain; an alternate2 calculation
52	c21cvA	Alignment	not modelled	7.0	18	PDB header: transferase inhibitor Chain: B: PDB Molecule: kinase a inhibitor; PDBTitle: c-terminal domain of kipi from bacillus subtilis
53	c2zp2B	Alignment	not modelled	6.9	12	PDB header: isomerase Chain: A: PDB Molecule: prostaglandin-h2 d-isomerase;
54	c2o41A	Alignment	not modelled	6.9	16	

54	c2e4ja	Alignment	not modelled	6.9	10	PDBTitle: solution structure of mouse lipocalin-type prostaglandin d2 synthase PDB header: metal binding protein Chain: B: PDB Molecule: nickel and cobalt resistance protein cnrr; PDBTitle: x-ray structure of the metal-sensor cnrx in both the apo- and copper-2 bound forms
55	c3epvB	Alignment	not modelled	6.9	13	Fold: FabD/lysophospholipase-like Superfamily: FabD/lysophospholipase-like Family: Lysophospholipase
56	d1cjya2	Alignment	not modelled	6.9	23	PDB header: antiviral protein Chain: B: PDB Molecule: csa3; PDBTitle: the structure of the crispr-associated protein, csa3, from 2 sulfobolus solfataricus at 1.8 angstrom resolution.
57	c2wteB	Alignment	not modelled	6.8	26	PDB header: signaling protein Chain: A: PDB Molecule: periplasmic protein cpxp; PDBTitle: structure of the periplasmic stress response protein cpxp
58	c3qzca	Alignment	not modelled	6.8	14	PDB header: viral protein Chain: B: PDB Molecule: orf e73; PDBTitle: solution structure of e73 protein from sulfolobus spindle-2 shaped virus ragged hills, a hyperthermophilic3 crenarchaeal virus from yellowstone national park
59	c4a1qb	Alignment	not modelled	6.4	26	PDB header: hydrolase Chain: F: PDB Molecule: spac19a8.12 protein; PDBTitle: the crystal structure of fission yeast mrna decapping enzyme dcp1-dcp22 complex
60	c2qkmF	Alignment	not modelled	6.4	23	Fold: DNA/RNA-binding 3-helical bundle Superfamily: "Winged helix" DNA-binding domain Family: ReutB4095-like
61	d2obpa1	Alignment	not modelled	5.9	29	Fold: Phosphorylase/hydrolase-like Superfamily: Zn-dependent exopeptidases Family: Bacterial dinuclear zinc exopeptidases
62	d1y0ya2	Alignment	not modelled	5.9	12	PDB header: structural genomics, unknown function Chain: A: PDB Molecule: uncharacterized protein; PDBTitle: solution nmr structure of protein cv0237 from2 chromobacterium violaceum. northeast structural genomics3 consortium (nesg) target cvt1
63	c2kp6A	Alignment	not modelled	5.8	8	Fold: alpha/beta knot Superfamily: alpha/beta knot Family: YbeA-like
64	d1ns5a	Alignment	not modelled	5.8	17	Fold: lambda repressor-like DNA-binding domains Superfamily: lambda repressor-like DNA-binding domains Family: GalR/LacI-like bacterial regulator
65	d1lcda	Alignment	not modelled	5.8	18	Fold: lambda repressor-like DNA-binding domains Superfamily: lambda repressor-like DNA-binding domains Family: GalR/LacI-like bacterial regulator
66	d1luxda	Alignment	not modelled	5.7	18	Fold: lambda repressor-like DNA-binding domains Superfamily: lambda repressor-like DNA-binding domains Family: GalR/LacI-like bacterial regulator
67	d2hsga1	Alignment	not modelled	5.7	18	Fold: lambda repressor-like DNA-binding domains Superfamily: lambda repressor-like DNA-binding domains Family: GalR/LacI-like bacterial regulator
68	d1qpza1	Alignment	not modelled	5.7	12	Fold: lambda repressor-like DNA-binding domains Superfamily: lambda repressor-like DNA-binding domains Family: GalR/LacI-like bacterial regulator
69	d2nn6d2	Alignment	not modelled	5.5	13	Fold: Ribonuclease PH domain 2-like Superfamily: Ribonuclease PH domain 2-like Family: Ribonuclease PH domain 2-like
70	c2xsta	Alignment	not modelled	5.5	23	PDB header: transport protein Chain: A: PDB Molecule: lipocalin 15; PDBTitle: crystal structure of the human lipocalin 15
71	c3by0B	Alignment	not modelled	5.4	16	PDB header: ligand binding protein Chain: B: PDB Molecule: neutrophil gelatinase-associated lipocalin; PDBTitle: crystal structure of siderocalin (ngal, lipocalin 2) w79a-r81a2 complexed with ferric enterobactin
72	c3p3vB	Alignment	not modelled	5.2	10	PDB header: transferase Chain: B: PDB Molecule: pts system, n-acetylgalactosamine-specific ii component; PDBTitle: crystal structure of a pts dependent n-acetyl-galactosamine-ii2 component (agav, spy_0631) from streptococcus pyogenes at 1.65 a3 resolution
73	d1t1ha	Alignment	not modelled	5.2	8	Fold: RING/U-box Superfamily: RING/U-box Family: U-box
74	c3i8oA	Alignment	not modelled	5.1	10	PDB header: rna binding protein Chain: A: PDB Molecule: kh domain-containing protein mj1533; PDBTitle: a domain of a functionally unknown protein from2 methanocaldococcus jannaschii dsm 2661.
75	d1cuka1	Alignment	not modelled	5.1	18	Fold: RuvA C-terminal domain-like Superfamily: DNA helicase RuvA subunit, C-terminal domain Family: DNA helicase RuvA subunit, C-terminal domain