
































#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	<a href="#">c2vk2A_</a>	 Alignment		100.0	100	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter periplasmic-binding protein ytfq; <b>PDBTitle:</b> crystal structure of a galactofuranose binding protein
2	<a href="#">c2rjoA_</a>	 Alignment		100.0	21	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> twin-arginine translocation pathway signal protein; <b>PDBTitle:</b> crystal structure of twin-arginine translocation pathway signal2 protein from burkholderia phytofirmans
3	<a href="#">d1jx6a_</a>	 Alignment		100.0	13	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
4	<a href="#">c3ma0A_</a>	 Alignment		100.0	20	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> d-xylose-binding periplasmic protein; <b>PDBTitle:</b> closed liganded crystal structure of xylose binding protein from2 escherichia coli
5	<a href="#">c2qvcC_</a>	 Alignment		100.0	22	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> sugar abc transporter, periplasmic sugar-binding <b>PDBTitle:</b> crystal structure of a periplasmic sugar abc transporter2 from thermotoga maritima
6	<a href="#">d1gcaa_</a>	 Alignment		100.0	19	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
7	<a href="#">d8abpa_</a>	 Alignment		100.0	20	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
8	<a href="#">d1tjya_</a>	 Alignment		100.0	17	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
9	<a href="#">d2fvya1</a>	 Alignment		100.0	19	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
10	<a href="#">c3h75A_</a>	 Alignment		100.0	17	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic sugar-binding domain protein; <b>PDBTitle:</b> crystal structure of a periplasmic sugar-binding protein from the2 pseudomonas fluorescens
11	<a href="#">c3o1hB_</a>	 Alignment		100.0	16	<b>PDB header:</b> signaling protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic protein tort; <b>PDBTitle:</b> crystal structure of the tors sensor domain - tort complex in the2 presence of tmao

12	<a href="#">c2x7xA_</a>	Alignment		100.0	26	<b>PDB header:</b> transferase <b>Chain:</b> A: <b>PDB Molecule:</b> sensor protein; <b>PDBTitle:</b> fructose binding periplasmic domain of hybrid two component2 system bt1754
13	<a href="#">c3g1wB_</a>	Alignment		100.0	15	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> sugar abc transporter; <b>PDBTitle:</b> crystal structure of sugar abc transporter (sugar-binding protein)2 from bacillus halodurans
14	<a href="#">d1guda_</a>	Alignment		100.0	23	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
15	<a href="#">c3gbvB_</a>	Alignment		100.0	9	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative lacI-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative lacI transcriptional regulator from2 bacteroides fragilis
16	<a href="#">c3l49D_</a>	Alignment		100.0	22	<b>PDB header:</b> transport protein <b>Chain:</b> D: <b>PDB Molecule:</b> abc sugar (ribose) transporter, periplasmic <b>PDBTitle:</b> crystal structure of abc sugar transporter subunit from2 rhodobacter sphaeroides 2.4.1
17	<a href="#">c3d02A_</a>	Alignment		100.0	16	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative lacI-type transcriptional regulator; <b>PDBTitle:</b> crystal structure of periplasmic sugar-binding protein2 (yp_001338366.1) from klebsiella pneumoniae subsp. pneumoniae mgh3 78578 at 1.30 a resolution
18	<a href="#">c3h5oB_</a>	Alignment		100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator gntr; <b>PDBTitle:</b> the crystal structure of transcription regulator gntr from2 chromobacterium violaceum
19	<a href="#">c2iksA_</a>	Alignment		100.0	17	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> dna-binding transcriptional dual regulator; <b>PDBTitle:</b> crystal structure of n-terminal truncated dna-binding transcriptional2 dual regulator from escherichia coli k12
20	<a href="#">c3ksmA_</a>	Alignment		100.0	21	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type sugar transport system, periplasmic component; <b>PDBTitle:</b> crystal structure of abc-type sugar transport system, periplasmic2 component from hahella chejuensis
21	<a href="#">d2nzug1</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
22	<a href="#">c2ioyB_</a>	Alignment	not modelled	100.0	30	<b>PDB header:</b> sugar binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic sugar-binding protein; <b>PDBTitle:</b> crystal structure of thermoanaerobacter tengcongensis2 ribose binding protein
23	<a href="#">c3k4hA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator lacI from2 bacillus cereus subsp. cytotoxis nvh 391-98
24	<a href="#">c2fn9A_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> sugar binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> ribose abc transporter, periplasmic ribose-binding protein; <b>PDBTitle:</b> thermotoga maritima ribose binding protein unliganded form
25	<a href="#">c3rota_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc sugar transporter, periplasmic sugar binding protein; <b>PDBTitle:</b> crystal structure of abc sugar transporter (periplasmic sugar binding2 protein) from legionella pneumophila
26	<a href="#">c3bblA_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> regulatory protein <b>Chain:</b> A: <b>PDB Molecule:</b> regulatory protein of lacI family; <b>PDBTitle:</b> crystal structure of a regulatory protein of lacI family from2 chloroflexus aggregans
27	<a href="#">c3c3kA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> isomerase <b>Chain:</b> A: <b>PDB Molecule:</b> alanine racemase; <b>PDBTitle:</b> crystal structure of an uncharacterized protein from actinobacillus2 succinogenes
28	<a href="#">c3e3mA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of a lacI family transcriptional2

						regulator from silicibacter pomeroyi
29	<a href="#">c3dbiA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of sugar-binding transcriptional regulator (lacI2 family) from escherichia coli complexed with phosphate
30	<a href="#">c3brgA_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> hth-type transcriptional regulator ascg; <b>PDBTitle:</b> crystal structure of the escherichia coli transcriptional repressor2 ascg
31	<a href="#">d2dria_</a>	Alignment	not modelled	100.0	25	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
32	<a href="#">c2o20H_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription <b>Chain:</b> H: <b>PDB Molecule:</b> catabolite control protein a; <b>PDBTitle:</b> crystal structure of transcription regulator ccpa of lactococcus2 lactis
33	<a href="#">c3kkeA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> lacI family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a lacI family transcriptional regulator2 from mycobacterium smegmatis
34	<a href="#">c3d8uA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> purr transcriptional regulator; <b>PDBTitle:</b> the crystal structure of a purr family transcriptional regulator from2 vibrio parahaemolyticus rimd 2210633
35	<a href="#">c3l6uA_</a>	Alignment	not modelled	100.0	28	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc-type sugar transport system periplasmic <b>PDBTitle:</b> crystal structure of abc-type sugar transport system,2 periplasmic component from exiguobacterium sibiricum
36	<a href="#">c3ctpB_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> periplasmic binding protein/lacI transcriptional regulator; <b>PDBTitle:</b> crystal structure of periplasmic binding protein/lacI transcriptional2 regulator from alkaliphilus metalliredigens qymf complexed with d-3 xylulofuranose
37	<a href="#">c3mizB_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator protein, lacI <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator2 protein, lacI family from rhizobium etli
38	<a href="#">c3hwcB_</a>	Alignment	not modelled	100.0	11	<b>PDB header:</b> rna binding protein <b>Chain:</b> B: <b>PDB Molecule:</b> maltose operon transcriptional repressor; <b>PDBTitle:</b> crystal structure of probable maltose operon transcriptional repressor2 malr from staphylococcus aureus
39	<a href="#">c3egcF_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> F: <b>PDB Molecule:</b> putative ribose operon repressor; <b>PDBTitle:</b> crystal structure of a putative ribose operon repressor from2 burkholderia thailandensis
40	<a href="#">c3o74A_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> fructose transport system repressor frur; <b>PDBTitle:</b> crystal structure of cra transcriptional dual regulator from2 pseudomonas putida
41	<a href="#">c3brsA_</a>	Alignment	not modelled	100.0	19	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic binding protein/lacI transcriptional regulator; <b>PDBTitle:</b> crystal structure of sugar transporter from clostridium2 phytofermentans
42	<a href="#">c3g85A_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator (lacI family); <b>PDBTitle:</b> crystal structure of lacI family transcription regulator from2 clostridium acetobutylicum
43	<a href="#">d1dbqa_</a>	Alignment	not modelled	100.0	15	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
44	<a href="#">c3qk7C_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcriptional regulators; <b>PDBTitle:</b> crystal structure of putative transcriptional regulator from yersinia2 pestis biovar microtus str. 91001
45	<a href="#">c2qu7B_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> transcription <b>Chain:</b> B: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator2 from staphylococcus saprophyticus subsp. saprophyticus
46	<a href="#">c2rgyA_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of transcriptional regulator of lacI family from2 burkholderia phymatum
47	<a href="#">d1tifa_</a>	Alignment	not modelled	100.0	19	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
48	<a href="#">c3jy6B_</a>	Alignment	not modelled	100.0	11	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of lacI transcriptional regulator from lactobacillus2 brevis
49	<a href="#">d1jyea_</a>	Alignment	not modelled	100.0	18	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
50	<a href="#">c1jyeA_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> lactose operon repressor; <b>PDBTitle:</b> structure of a dimeric lac repressor with c-terminal deletion and k84I2 substitution
51	<a href="#">c3gv0A_</a>	Alignment	not modelled	100.0	11	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, lacI family; <b>PDBTitle:</b> crystal structure of lacI family transcription regulator from2 agrobacterium tumefaciens
52	<a href="#">c3cs3A_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> sugar-binding transcriptional regulator, lacI family;

						<b>PDBTitle:</b> crystal structure of sugar-binding transcriptional regulator (laci2 family) from enterococcus faecalis
53	<a href="#">c3k9cA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family protein; <b>PDBTitle:</b> crystal structure of laci transcriptional regulator from rhodococcus2 species.
54	<a href="#">c3hs3A_</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> ribose operon repressor; <b>PDBTitle:</b> crystal structure of periplasmic binding ribose operon2 repressor protein from lactobacillus acidophilus
55	<a href="#">c1zvva_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> glucose-resistance amylase regulator; <b>PDBTitle:</b> crystal structure of a ccpa-crh-dna complex
56	<a href="#">c3clkB_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcription regulator; <b>PDBTitle:</b> crystal structure of a transcription regulator from lactobacillus2 plantarum
57	<a href="#">c3biIA_</a>	Alignment	not modelled	100.0	20	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> probable laci-family transcriptional regulator; <b>PDBTitle:</b> crystal structure of a probable laci family transcriptional2 regulator from corynebacterium glutamicum
58	<a href="#">c3huuC_</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> transcription regulator <b>Chain:</b> C: <b>PDB Molecule:</b> transcription regulator like protein; <b>PDBTitle:</b> crystal structure of transcription regulator like protein from2 staphylococcus haemolyticus
59	<a href="#">c3jvdA_</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulators; <b>PDBTitle:</b> crystal structure of putative transcription regulation repressor (laci2 family) from corynebacterium glutamicum
60	<a href="#">c2h0aA_</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator; <b>PDBTitle:</b> crystal structure of probable transcription regulator from2 thermus thermophilus
61	<a href="#">d1byka_</a>	Alignment	not modelled	100.0	12	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
62	<a href="#">c3gybB_</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> transcription regulator <b>Chain:</b> B: <b>PDB Molecule:</b> transcriptional regulators (laci-family) <b>PDBTitle:</b> crystal structure of a laci-family transcriptional2 regulatory protein from corynebacterium glutamicum
63	<a href="#">c1bdhA_</a>	Alignment	not modelled	100.0	16	<b>PDB header:</b> transcription/dna <b>Chain:</b> A: <b>PDB Molecule:</b> protein (purine repressor); <b>PDBTitle:</b> purine repressor mutant-hypoxanthine-palindromic operator2 complex
64	<a href="#">c3kxD_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> transcription regulator <b>Chain:</b> D: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of a transcriptional regulator, laci2 family protein from silicibacter pomeroyi
65	<a href="#">c3e61A_</a>	Alignment	not modelled	100.0	14	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional repressor of ribose operon; <b>PDBTitle:</b> crystal structure of a putative transcriptional repressor of ribose2 operon from staphylococcus saprophyticus subsp. saprophyticus
66	<a href="#">c3h5tA_</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> transcription regulator <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional regulator, laci family; <b>PDBTitle:</b> crystal structure of a transcriptional regulator, laci2 family protein from corynebacterium glutamicum
67	<a href="#">c2hqba_</a>	Alignment	not modelled	99.9	11	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> transcriptional activator of comk gene; <b>PDBTitle:</b> crystal structure of a transcriptional activator of comk2 gene from bacillus halodurans
68	<a href="#">c2qh8A_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> structural genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> crystal structure of conserved domain protein from vibrio2 cholerae o1 biovar eltor str. n16961
69	<a href="#">c2fqxA_</a>	Alignment	not modelled	99.9	10	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> membrane lipoprotein tmpc; <b>PDBTitle:</b> pnra from treponema pallidum complexed with guanosine
70	<a href="#">c3lftA_</a>	Alignment	not modelled	99.9	10	<b>PDB header:</b> structure genomics, unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> uncharacterized protein; <b>PDBTitle:</b> the crystal structure of the abc domain in complex with l-trp from2 streptococcus pneumonia to 1.35a
71	<a href="#">c3s99A_</a>	Alignment	not modelled	99.7	16	<b>PDB header:</b> lipid binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> basic membrane lipoprotein; <b>PDBTitle:</b> crystal structure of a basic membrane lipoprotein from brucella2 melitensis, iodide soak
72	<a href="#">c3snrA_</a>	Alignment	not modelled	98.4	11	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> extracellular ligand-binding receptor; <b>PDBTitle:</b> rpd_1889 protein, an extracellular ligand-binding receptor from2 rhodopseudomonas palustris.
73	<a href="#">c3i09A_</a>	Alignment	not modelled	98.4	17	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> periplasmic branched-chain amino acid-binding protein; <b>PDBTitle:</b> crystal structure of a periplasmic binding protein (bma2936) from2 burkholderia mallei at 1.80 a resolution
74	<a href="#">d2liva_</a>	Alignment	not modelled	98.3	10	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
75	<a href="#">c3sg0A_</a>	Alignment	not modelled	98.3	14	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> extracellular ligand-binding receptor; <b>PDBTitle:</b> the crystal structure of an extracellular ligand-binding receptor from2 rhodopseudomonas palustris haa2
76	<a href="#">c3t0nA_</a>	Alignment	not modelled	98.2	15	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> twin-arginine translocation pathway signal; <b>PDBTitle:</b> crystal structure of twin-arginine translocation pathway signal from2 rhodopseudomonas palustris bisb5

77	<a href="#">c3hutA</a>	Alignment	not modelled	98.2	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> putative branched-chain amino acid abc <b>PDBTitle:</b> crystal structure of a putative branched-chain amino acid2 abc transporter from rhodospirillum rubrum
78	<a href="#">c3n0wA</a>	Alignment	not modelled	98.1	14	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc branched chain amino acid family transporter, <b>PDBTitle:</b> crystal structure of a branched chain amino acid abc transporter2 periplasmic ligand-binding protein (bx_e_c0949) from burkholderia3 xenovorans lb400 at 1.88 a resolution
79	<a href="#">dlusga</a>	Alignment	not modelled	98.0	12	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
80	<a href="#">c3lopA</a>	Alignment	not modelled	98.0	14	<b>PDB header:</b> substrate binding protein <b>Chain:</b> A: <b>PDB Molecule:</b> substrate binding periplasmic protein; <b>PDBTitle:</b> crystal structure of substrate-binding periplasmic protein2 (pbp) from ralstonia solanacearum
81	<a href="#">c3lkbB</a>	Alignment	not modelled	98.0	13	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> probable branched-chain amino acid abc <b>PDBTitle:</b> crystal structure of a branched chain amino acid abc2 transporter from thermus thermophilus with bound valine
82	<a href="#">c3eafA</a>	Alignment	not modelled	97.9	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter, substrate binding protein; <b>PDBTitle:</b> crystal structure of abc transporter, substrate binding protein2 aeropyrum pernix
83	<a href="#">d3ckma1</a>	Alignment	not modelled	97.9	7	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
84	<a href="#">c3ip5A</a>	Alignment	not modelled	97.9	12	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> abc transporter, substrate binding protein (amino acid); <b>PDBTitle:</b> structure of atu2422-gaba receptor in complex with alanine
85	<a href="#">c3i45A</a>	Alignment	not modelled	97.8	7	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> twin-arginine translocation pathway signal protein; <b>PDBTitle:</b> crystal structure of putative twin-arginine translocation pathway2 signal protein from rhodospirillum rubrum atcc 11170
86	<a href="#">c3td9A</a>	Alignment	not modelled	97.7	9	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> branched chain amino acid abc transporter, periplasmic <b>PDBTitle:</b> crystal structure of a leucine binding protein livk (tm1135) from2 thermotoga maritima msb8 at 1.90 a resolution
87	<a href="#">c3n0xA</a>	Alignment	not modelled	97.6	11	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> possible substrate binding protein of abc transporter <b>PDBTitle:</b> crystal structure of an abc-type branched-chain amino acid transporter2 (rpa4397) from rhodopseudomonas palustris cga009 at 1.50 a resolution
88	<a href="#">c3h6hB</a>	Alignment	not modelled	97.5	18	<b>PDB header:</b> membrane protein <b>Chain:</b> B: <b>PDB Molecule:</b> glutamate receptor, ionotropic kainate 2; <b>PDBTitle:</b> crystal structure of the glur6 amino terminal domain dimer assembly2 mpd form
89	<a href="#">dljdpa</a>	Alignment	not modelled	97.5	11	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
90	<a href="#">cljdpA</a>	Alignment	not modelled	97.5	11	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> atrial natriuretic peptide clearance receptor; <b>PDBTitle:</b> crystal structure of hormone/receptor complex
91	<a href="#">dlqo0a</a>	Alignment	not modelled	97.4	7	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
92	<a href="#">c3qi7A</a>	Alignment	not modelled	97.4	11	<b>PDB header:</b> transcription <b>Chain:</b> A: <b>PDB Molecule:</b> putative transcriptional regulator; <b>PDBTitle:</b> crystal structure of a putative transcriptional regulator2 (yp_001089212.1) from clostridium difficile 630 at 1.86 a resolution
93	<a href="#">c3h5lB</a>	Alignment	not modelled	97.1	13	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> putative branched-chain amino acid abc <b>PDBTitle:</b> crystal structure of a putative branched-chain amino acid2 abc transporter from silicibacter pomeroyi
94	<a href="#">clyk1B</a>	Alignment	not modelled	97.0	11	<b>PDB header:</b> hormone/growth factor receptor <b>Chain:</b> B: <b>PDB Molecule:</b> atrial natriuretic peptide clearance receptor; <b>PDBTitle:</b> structure of natriuretic peptide receptor-c complexed with brain2 natriuretic peptide
95	<a href="#">c3q41B</a>	Alignment	not modelled	97.0	11	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> glutamate [nmda] receptor subunit zeta-1; <b>PDBTitle:</b> crystal structure of the glun1 n-terminal domain (ntd)
96	<a href="#">c3sajB</a>	Alignment	not modelled	96.9	8	<b>PDB header:</b> transport protein <b>Chain:</b> B: <b>PDB Molecule:</b> glutamate receptor 1; <b>PDBTitle:</b> crystal structure of glutamate receptor glua1 amino terminal domain
97	<a href="#">dllewka</a>	Alignment	not modelled	95.9	15	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
98	<a href="#">dl dp4a</a>	Alignment	not modelled	95.1	13	<b>Fold:</b> Periplasmic binding protein-like I <b>Superfamily:</b> Periplasmic binding protein-like I <b>Family:</b> L-arabinose binding protein-like
99	<a href="#">c3p3wC</a>	Alignment	not modelled	94.7	9	<b>PDB header:</b> transport protein <b>Chain:</b> C: <b>PDB Molecule:</b> glutamate receptor 3; <b>PDBTitle:</b> structure of a dimeric glua3 n-terminal domain (ntd) at 4.2 a2 resolution
100	<a href="#">c3sm9A</a>	Alignment	not modelled	94.6	13	<b>PDB header:</b> signaling protein <b>Chain:</b> A: <b>PDB Molecule:</b> metabotropic glutamate receptor 3; <b>PDBTitle:</b> crystal structure of metabotropic glutamate receptor 3



						precursor in2 presence of ly341495 antagonist
101	<a href="#">c3u80A_</a>	Alignment	not modelled	93.9	11	<b>PDB header:</b> unknown function <b>Chain:</b> A: <b>PDB Molecule:</b> 3-dehydroquinatase dehydratase, type ii; <b>PDBTitle:</b> 1.60 angstrom resolution crystal structure of a 3-dehydroquinatase2 dehydratase-like protein from bifidobacterium longum
102	<a href="#">c2xecD_</a>	Alignment	not modelled	93.8	22	<b>PDB header:</b> isomerase <b>Chain:</b> D: <b>PDB Molecule:</b> putative maleate isomerase; <b>PDBTitle:</b> nocardia farcinica maleate cis-trans isomerase bound to2 tris
103	<a href="#">d1nqua_</a>	Alignment	not modelled	93.7	12	<b>Fold:</b> Lumazine synthase <b>Superfamily:</b> Lumazine synthase <b>Family:</b> Lumazine synthase
104	<a href="#">c3kg2A_</a>	Alignment	not modelled	93.2	8	<b>PDB header:</b> membrane protein, transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glutamate receptor 2; <b>PDBTitle:</b> ampa subtype ionotropic glutamate receptor in complex with competitive2 antagonist zk 200775
105	<a href="#">c2uygF_</a>	Alignment	not modelled	92.9	16	<b>PDB header:</b> lyase <b>Chain:</b> F: <b>PDB Molecule:</b> 3-dehydroquinatase dehydratase; <b>PDBTitle:</b> crystallographic structure of the typeii 3-dehydroquinase2 from thermus thermophilus
106	<a href="#">c3om1A_</a>	Alignment	not modelled	92.8	10	<b>PDB header:</b> membrane protein <b>Chain:</b> A: <b>PDB Molecule:</b> glutamate receptor gluk5 (ka2); <b>PDBTitle:</b> crystal structure of the gluk5 (ka2) atd dimer at 1.7 angstrom2 resolution
107	<a href="#">d1c2ya_</a>	Alignment	not modelled	92.7	11	<b>Fold:</b> Lumazine synthase <b>Superfamily:</b> Lumazine synthase <b>Family:</b> Lumazine synthase
108	<a href="#">c3qviB_</a>	Alignment	not modelled	92.0	17	<b>PDB header:</b> isomerase <b>Chain:</b> B: <b>PDB Molecule:</b> putative hydantoin racemase; <b>PDBTitle:</b> allantoin racemase from klebsiella pneumoniae
109	<a href="#">c3lwzC_</a>	Alignment	not modelled	90.6	11	<b>PDB header:</b> lyase <b>Chain:</b> C: <b>PDB Molecule:</b> 3-dehydroquinatase dehydratase; <b>PDBTitle:</b> 1.65 angstrom resolution crystal structure of type ii 3-2 dehydroquinatase dehydratase (aroq) from yersinia pestis
110	<a href="#">d1rvv1_</a>	Alignment	not modelled	90.5	14	<b>Fold:</b> Lumazine synthase <b>Superfamily:</b> Lumazine synthase <b>Family:</b> Lumazine synthase
111	<a href="#">c2wjxA_</a>	Alignment	not modelled	90.1	9	<b>PDB header:</b> transport protein <b>Chain:</b> A: <b>PDB Molecule:</b> glutamate receptor 2; <b>PDBTitle:</b> crystal structure of the human ionotropic glutamate2 receptor glur2 atd region at 4.1 a resolution
112	<a href="#">d2c4va1</a>	Alignment	not modelled	90.0	11	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Type II 3-dehydroquinatase dehydratase <b>Family:</b> Type II 3-dehydroquinatase dehydratase
113	<a href="#">c2dgdD_</a>	Alignment	not modelled	90.0	13	<b>PDB header:</b> lyase <b>Chain:</b> D: <b>PDB Molecule:</b> 223aa long hypothetical arylmalonate decarboxylase; <b>PDBTitle:</b> crystal structure of st0656, a function unknown protein from2 sulfolobus tokodaii
114	<a href="#">d1h05a_</a>	Alignment	not modelled	90.0	8	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Type II 3-dehydroquinatase dehydratase <b>Family:</b> Type II 3-dehydroquinatase dehydratase
115	<a href="#">c2obxH_</a>	Alignment	not modelled	89.5	9	<b>PDB header:</b> transferase <b>Chain:</b> H: <b>PDB Molecule:</b> 6,7-dimethyl-8-ribityllumazine synthase 1; <b>PDBTitle:</b> lumazine synthase ribh2 from mesorhizobium loti (gene ml17281, swiss-2 prot entry q986n2) complexed with inhibitor 5-nitro-6-(d-3 ribitylamino)-2,4(1h,3h) pyrimidinedione
116	<a href="#">c3mk3L_</a>	Alignment	not modelled	89.1	11	<b>PDB header:</b> transferase <b>Chain:</b> L: <b>PDB Molecule:</b> 6,7-dimethyl-8-ribityllumazine synthase; <b>PDBTitle:</b> crystal structure of lumazine synthase from salmonella typhimurium lt2
117	<a href="#">c3n8kG_</a>	Alignment	not modelled	88.8	8	<b>PDB header:</b> lyase <b>Chain:</b> G: <b>PDB Molecule:</b> 3-dehydroquinatase dehydratase; <b>PDBTitle:</b> type ii dehydroquinase from mycobacterium tuberculosis complexed with2 citrazinic acid
118	<a href="#">d1uqra_</a>	Alignment	not modelled	88.5	14	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Type II 3-dehydroquinatase dehydratase <b>Family:</b> Type II 3-dehydroquinatase dehydratase
119	<a href="#">d1gqoa_</a>	Alignment	not modelled	88.1	14	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Type II 3-dehydroquinatase dehydratase <b>Family:</b> Type II 3-dehydroquinatase dehydratase
120	<a href="#">d2ajta2</a>	Alignment	not modelled	87.8	7	<b>Fold:</b> Fucl/AraA N-terminal and middle domains <b>Superfamily:</b> Fucl/AraA N-terminal and middle domains <b>Family:</b> AraA N-terminal and middle domain-like