

# Phyre<sup>2</sup>

Email	I.a.kelley@imperial.ac.uk
Description	P0A9T0
Date	Thu Jan 5 11:11:17 GMT 2012
Unique Job ID	f19bf0801484efb1

Detailed template information

#	Template	Alignment Coverage	3D Model	Confidence	% i.d.	Template Information
1	c1ybaC_			100.0	98	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> the active form of phosphoglycerate dehydrogenase
2	c3k5pA_			100.0	55	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of amino acid-binding act: d-isomer specific 2-2 hydroxyacid dehydrogenase catalytic domain from brucella melitensis
3	c1ygyA_			100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of d-3-phosphoglycerate dehydrogenase from2 mycobacterium tuberculosis
4	c2gcgB_			100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glyoxylate reductase/hydroxypyruvate reductase; <b>PDBTitle:</b> ternary crystal structure of human glyoxylate2 reductase/hydroxypyruvate reductase
5	c2dbqA_			100.0	29	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glyoxylate reductase; <b>PDBTitle:</b> crystal structure of glyoxylate reductase (ph0597) from pyrococcus2 horikoshii ot3, complexed with nadp (i41)
6	c2d0iC_			100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> dehydrogenase; <b>PDBTitle:</b> crystal structure ph0520 protein from pyrococcus horikoshii ot3
7	c1gdhA_			100.0	26	<b>PDB header:</b> oxidoreductase(choh (d)-nad(p)+ (a)) <b>Chain:</b> A: <b>PDB Molecule:</b> d-glycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of a nad-dependent d-glycerate2 dehydrogenase at 2.4 angstroms resolution
8	c3n7uD_			100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> formate dehydrogenase; <b>PDBTitle:</b> nad-dependent formate dehydrogenase from higher-plant arabidopsis2 thaliana in complex with nad and azide
9	c2cukC_			100.0	31	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> glycerate dehydrogenase/glyoxylate reductase; <b>PDBTitle:</b> crystal structure of tt0316 protein from thermus thermophilus hb8
10	c2nacA_			100.0	26	<b>PDB header:</b> oxidoreductase(aldehyde(d),nad+(a)) <b>Chain:</b> A: <b>PDB Molecule:</b> nad-dependent formate dehydrogenase; <b>PDBTitle:</b> high resolution structures of holo and apo formate dehydrogenase
11	c3bazA_			100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> hydroxyphenylpyruvate reductase; <b>PDBTitle:</b> structure of hydroxyphenylpyruvate reductase from coeleus blumei in2 complex with nadp+

12	<a href="#">c1dxvA</a>			100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-2-hydroxyisocaproate dehydrogenase; <b>PDBTitle:</b> structure of d-2-hydroxyisocaproate dehydrogenase
13	<a href="#">c1j4aA</a>			100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-lactate dehydrogenase; <b>PDBTitle:</b> insights into domain closure, substrate specificity and2 catalysis of d-lactate dehydrogenase from lactobacillus3 bulgaricus
14	<a href="#">c2g76A</a>			100.0	35	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of human 3-phosphoglycerate dehydrogenase
15	<a href="#">c2ekIA</a>			100.0	32	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase; <b>PDBTitle:</b> structure of stl218 protein from sulfolobus tokodaii
16	<a href="#">c1xdwA</a>			100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> nad+-dependent (r)-2-hydroxyglutarate <b>PDBTitle:</b> nad+-dependent (r)-2-hydroxyglutarate dehydrogenase from2 acidaminococcus fermentans
17	<a href="#">c3gg9C</a>			100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-3-phosphoglycerate dehydrogenase oxidoreductase protein; <b>PDBTitle:</b> crystal structure of putative d-3-phosphoglycerate dehydrogenase2 oxidoreductase from ralstonia solanacearum
18	<a href="#">c1wwkA</a>			100.0	42	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of phosphoglycerate dehydrogenase from pyrococcus2 horikoshii ot3
19	<a href="#">c2j6iC</a>			100.0	26	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> formate dehydrogenase; <b>PDBTitle:</b> candida boidinii formate dehydrogenase (fdh) c-terminal2 mutant
20	<a href="#">c2omeA</a>			100.0	27	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> c-terminal-binding protein 2; <b>PDBTitle:</b> crystal structure of human cbtp2 dehydrogenase complexed with nad(h)
21	<a href="#">c2pi1C</a>		not modelled	100.0	28	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> d-lactate dehydrogenase; <b>PDBTitle:</b> crystal structure of d-lactate dehydrogenase from aquifex2 aeolicus complexed with nad and lactic acid
22	<a href="#">c2w2kB</a>		not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> d-mandelate dehydrogenase; <b>PDBTitle:</b> crystal structure of the apo forms of rhodotorula graminis2 d-mandelate dehydrogenase at 1.8a.
23	<a href="#">c3evtA</a>		not modelled	100.0	23	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> phosphoglycerate dehydrogenase; <b>PDBTitle:</b> crystal structure of phosphoglycerate dehydrogenase from2 lactobacillus plantarum
24	<a href="#">c3hg7A</a>		not modelled	100.0	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> d-isomer specific 2-hydroxyacid dehydrogenase family <b>PDBTitle:</b> crystal structure of d-isomer specific 2-hydroxyacid dehydrogenase2 family protein from aeromonas salmonicida subsp. salmonicida a449
25	<a href="#">c1qp8A</a>		not modelled	100.0	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> formate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative formate dehydrogenase from2 pyrobaculum aerophilum
26	<a href="#">c3kboB</a>		not modelled	100.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> glyoxylate/hydroxypyruvate reductase a; <b>PDBTitle:</b> 2.14 angstrom crystal structure of putative oxidoreductase (ycdw) from2 salmonella typhimurium in complex with nadp
27	<a href="#">c2o4cB</a>		not modelled	100.0	25	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> erythronate-4-phosphate dehydrogenase; <b>PDBTitle:</b> crystal structure of d-erythronate-4-phosphate dehydrogenase complexed2 with nad <b>PDB header:</b> oxidoreductase

28	<a href="#">c3gvxA</a>	Alignment	not modelled	100.0	20	<b>Chain:</b> A: <b>PDB Molecule:</b> glycerate dehydrogenase related protein; <b>PDBTitle:</b> crystal structure of glycerate dehydrogenase related2 protein from thermoplasma acidophilum <b>PDB header:</b> oxidoreductase
29	<a href="#">c3oetF</a>	Alignment	not modelled	100.0	28	<b>Chain:</b> F: <b>PDB Molecule:</b> erythronate-4-phosphate dehydrogenase; <b>PDBTitle:</b> d-erythronate-4-phosphate dehydrogenase complexed with nad
30	<a href="#">d1ygya1</a>	Alignment	not modelled	100.0	35	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
31	<a href="#">d1j4aa1</a>	Alignment	not modelled	100.0	32	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
32	<a href="#">d2dlda1</a>	Alignment	not modelled	100.0	32	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
33	<a href="#">d1dxya1</a>	Alignment	not modelled	100.0	31	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
34	<a href="#">d1mx3a1</a>	Alignment	not modelled	100.0	32	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
35	<a href="#">d1gdha1</a>	Alignment	not modelled	100.0	30	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
36	<a href="#">d2naca1</a>	Alignment	not modelled	100.0	30	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
37	<a href="#">d1sc6a1</a>	Alignment	not modelled	100.0	94	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
38	<a href="#">d1qp8a1</a>	Alignment	not modelled	100.0	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
39	<a href="#">c1l7eC</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> nicotinamide nucleotide transhydrogenase, <b>PDBTitle:</b> crystal structure of r. rubrum transhydrogenase domain i2 with bound nadh
40	<a href="#">c1d4fD</a>	Alignment	not modelled	100.0	12	<b>PDB header:</b> hydrolase <b>Chain:</b> D: <b>PDB Molecule:</b> s-adenosylhomocysteine hydrolase; <b>PDBTitle:</b> crystal structure of recombinant rat-liver d244e mutant s-2 adenosylhomocysteine hydrolase
41	<a href="#">c1pjca</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> protein (l-alanine dehydrogenase); <b>PDBTitle:</b> l-alanine dehydrogenase complexed with nad
42	<a href="#">c2eezG</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> G: <b>PDB Molecule:</b> alanine dehydrogenase; <b>PDBTitle:</b> crystal structure of alanine dehydrogenase from themus thermophilus
43	<a href="#">c2brub</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> nad(p) transhydrogenase subunit alpha; <b>PDBTitle:</b> complex of the domain i and domain iii of escherichia coli2 transhydrogenase
44	<a href="#">c2vhvB</a>	Alignment	not modelled	100.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> alanine dehydrogenase; <b>PDBTitle:</b> crystal structure of apo l-alanine dehydrogenase from2 mycobacterium tuberculosis
45	<a href="#">c3gvpB</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> adenosylhomocysteinase 3; <b>PDBTitle:</b> human sahn-like domain of human adenosylhomocysteinase 3
46	<a href="#">d1sc6a2</a>	Alignment	not modelled	100.0	78	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
47	<a href="#">c3dhyC</a>	Alignment	not modelled	100.0	18	<b>PDB header:</b> hydrolase <b>Chain:</b> C: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structures of mycobacterium tuberculosis s-adenosyl-l-2 homocysteine hydrolase in ternary complex with substrate and3 inhibitors
48	<a href="#">c3n58D</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain:</b> D: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of s-adenosyl-l-homocysteine hydrolase from brucellal2 melitensis in ternary complex with nad and adenosine, orthorhombic3 form
49	<a href="#">c3oneA</a>	Alignment	not modelled	100.0	13	<b>PDB header:</b> hydrolase/hydrolase substrate <b>Chain:</b> A: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of lupinus luteus s-adenosyl-l-homocysteine2 hydrolase in complex with adenine
50	<a href="#">c1v8ba</a>	Alignment	not modelled	100.0	17	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of a hydrolase
51	<a href="#">d1v8ba1</a>	Alignment	not modelled	99.9	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
52	<a href="#">c3p2yA</a>	Alignment	not modelled	99.9	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> alanine dehydrogenase/pyridine nucleotide transhydrogenase; <b>PDBTitle:</b> crystal structure of alanine dehydrogenase/pyridine nucleotide2 transhydrogenase from mycobacterium smegmatis
						<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-

53	<a href="#">d1gyga2</a>	Alignment	not modelled	99.9	23	like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
54	<a href="#">c3d64A_</a>	Alignment	not modelled	99.9	14	<b>PDB header:</b> hydrolase <b>Chain:</b> A: <b>PDB Molecule:</b> adenosylhomocysteinase; <b>PDBTitle:</b> crystal structure of s-adenosyl-l-homocysteine hydrolase from2 burkholderia pseudomallei
55	<a href="#">d1gdha2</a>	Alignment	not modelled	99.9	21	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
56	<a href="#">c3d4oA_</a>	Alignment	not modelled	99.9	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dipicolinate synthase subunit a; <b>PDBTitle:</b> crystal structure of dipicolinate synthase subunit a (np_243269.1)2 from bacillus halodurans at 2.10 a resolution
57	<a href="#">c2rirA_</a>	Alignment	not modelled	99.9	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dipicolinate synthase, a chain; <b>PDBTitle:</b> crystal structure of dipicolinate synthase, a chain, from bacillus2 subtilis
58	<a href="#">d2naca2</a>	Alignment	not modelled	99.9	19	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
59	<a href="#">d1np3a2</a>	Alignment	not modelled	99.9	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
60	<a href="#">d1li4a1</a>	Alignment	not modelled	99.9	17	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
61	<a href="#">d1leha1</a>	Alignment	not modelled	99.9	8	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
62	<a href="#">d1dxya2</a>	Alignment	not modelled	99.9	20	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
63	<a href="#">d1pjca1</a>	Alignment	not modelled	99.8	22	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
64	<a href="#">d1j4aa2</a>	Alignment	not modelled	99.8	11	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
65	<a href="#">d1mx3a2</a>	Alignment	not modelled	99.8	19	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
66	<a href="#">d2dlda2</a>	Alignment	not modelled	99.8	13	<b>Fold:</b> Flavodoxin-like <b>Superfamily:</b> Formate/glycerate dehydrogenase catalytic domain-like <b>Family:</b> Formate/glycerate dehydrogenases, substrate-binding domain
67	<a href="#">d1sc6a3</a>	Alignment	not modelled	99.7	96	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> ACT-like <b>Family:</b> Phosphoglycerate dehydrogenase, regulatory (C-terminal) domain
68	<a href="#">d1c1da1</a>	Alignment	not modelled	99.6	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
69	<a href="#">c1lehB_</a>	Alignment	not modelled	99.5	10	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> leucine dehydrogenase; <b>PDBTitle:</b> leucine dehydrogenase from bacillus sphaericus
70	<a href="#">d1l7da1</a>	Alignment	not modelled	99.5	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Formate/glycerate dehydrogenases, NAD-domain
71	<a href="#">c1np3B_</a>	Alignment	not modelled	99.3	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> ketol-acid reductoisomerase; <b>PDBTitle:</b> crystal structure of class i acetohydroxy acid isomeroreductase from2 pseudomonas aeruginosa
72	<a href="#">c3oj0A_</a>	Alignment	not modelled	99.3	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> glutamyl-trna reductase; <b>PDBTitle:</b> crystal structure of glutamyl-trna reductase from thermoplasma2 volcanium (nucleotide binding domain)
73	<a href="#">d3cuma2</a>	Alignment	not modelled	99.2	19	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
74	<a href="#">d2g5ca2</a>	Alignment	not modelled	99.2	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
75	<a href="#">d2f1ka2</a>	Alignment	not modelled	99.2	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
76	<a href="#">d1v9la1</a>	Alignment	not modelled	99.1	12	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
77	<a href="#">d1vpda2</a>	Alignment	not modelled	99.1	23	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain

78	<a href="#">d1ygya3</a>		Alignment	not modelled	99.1	24	<b>Fold:</b> Ferredoxin-like <b>Superfamily:</b> ACT-like <b>Family:</b> Phosphoglycerate dehydrogenase, regulatory (C-terminal) domain
79	<a href="#">c3cumA_</a>		Alignment	not modelled	99.0	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> probable 3-hydroxyisobutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of a possible 3-hydroxyisobutyrate dehydrogenase2 from <i>pseudomonas aeruginosa</i> pao1
80	<a href="#">d2pgda2</a>		Alignment	not modelled	99.0	18	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
81	<a href="#">c3c24A_</a>		Alignment	not modelled	99.0	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of a putative oxidoreductase (yp_511008.1) from <i>2 jannaschia</i> sp. ccs1 at 1.62 a resolution
82	<a href="#">d2cvza2</a>		Alignment	not modelled	99.0	13	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
83	<a href="#">c3b1fA_</a>		Alignment	not modelled	98.9	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> putative prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from <i>streptococcus2 mutans</i>
84	<a href="#">c1yb4A_</a>		Alignment	not modelled	98.8	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> tartronic semialdehyde reductase; <b>PDBTitle:</b> crystal structure of the tartronic semialdehyde reductase from <i>2 salmonella typhimurium</i> lt2
85	<a href="#">c1vpdA_</a>		Alignment	not modelled	98.8	24	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> tartronate semialdehyde reductase; <b>PDBTitle:</b> x-ray crystal structure of tartronate semialdehyde reductase2 [salmonella typhimurium lt2]
86	<a href="#">c2p4qA_</a>		Alignment	not modelled	98.8	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase, decarboxylating 1; <b>PDBTitle:</b> crystal structure analysis of gnd1 in <i>saccharomyces cerevisiae</i>
87	<a href="#">c2iz1C_</a>		Alignment	not modelled	98.8	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase, decarboxylating; <b>PDBTitle:</b> 6pdh complexed with pex inhibitor synchrotron data
88	<a href="#">c1bxgA_</a>		Alignment	not modelled	98.8	18	<b>PDB header:</b> amino acid dehydrogenase <b>Chain:</b> A: <b>PDB Molecule:</b> phenylalanine dehydrogenase; <b>PDBTitle:</b> phenylalanine dehydrogenase structure in ternary complex2 with nad+ and beta-phenylpropionate
89	<a href="#">c1pgqA_</a>		Alignment	not modelled	98.8	17	<b>PDB header:</b> oxidoreductase (choh(d)-nadp+(a)) <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase; <b>PDBTitle:</b> crystallographic study of coenzyme, coenzyme analogue and substrate2 binding in 6-phosphogluconate dehydrogenase: implications for nadp3 specificity and the enzyme mechanism
90	<a href="#">c3fwnB_</a>		Alignment	not modelled	98.8	15	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> 6-phosphogluconate dehydrogenase, decarboxylating; <b>PDBTitle:</b> dimeric 6-phosphogluconate dehydrogenase complexed with 6-2-phosphogluconate and 2'-monophosphoadenosine-5'-diphosphate
91	<a href="#">d1f0ya2</a>		Alignment	not modelled	98.8	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
92	<a href="#">c2f1kD_</a>		Alignment	not modelled	98.8	19	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of <i>synechocystis</i> arogenate dehydrogenase
93	<a href="#">c2pv7B_</a>		Alignment	not modelled	98.7	21	<b>PDB header:</b> isomerase, oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> t-protein [includes: chorismate mutase (ec 5.4.99.5) (cm) <b>PDBTitle:</b> crystal structure of chorismate mutase / prephenate dehydrogenase2 (tyra) (1574749) from <i>haemophilus influenzae</i> rd at 2.00 a resolution
94	<a href="#">d1wdka3</a>		Alignment	not modelled	98.7	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphogluconate dehydrogenase-like, N-terminal domain
95	<a href="#">c3ckyA_</a>		Alignment	not modelled	98.7	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 2-hydroxymethyl glutarate dehydrogenase; <b>PDBTitle:</b> structural and kinetic properties of a beta-hydroxyacid dehydrogenase2 involved in nicotinate fermentation
96	<a href="#">c3dzba_</a>		Alignment	not modelled	98.7	18	<b>PDB header:</b> biosynthetic protein <b>Chain:</b> A: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from <i>streptococcus2 thermophilus</i>
97	<a href="#">c2g5cD_</a>		Alignment	not modelled	98.7	16	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from <i>aquifex aeolicus</i>
98	<a href="#">c3prjB_</a>		Alignment	not modelled	98.7	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> udp-glucose 6-dehydrogenase; <b>PDBTitle:</b> role of packing defects in the evolution of allostery and induced fit2 in human udp-glucose dehydrogenase.
99	<a href="#">c3pdudF_</a>		Alignment	not modelled	98.7	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> F: <b>PDB Molecule:</b> 3-hydroxyisobutyrate dehydrogenase family protein; <b>PDBTitle:</b> crystal structure of gamma-hydroxybutyrate dehydrogenase from <i>geobacter sulfurreducens</i> in complex with nadp+
100	<a href="#">c3kttdC_</a>		Alignment	not modelled	98.7	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> C: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of a putative prephenate dehydrogenase (cgl02262) from <i>corynebacterium glutamicum</i> atcc 13032 at 2.60 a resolution

101	<a href="#">d1b0aa1</a>		Alignment	not modelled	98.6	16	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
102	<a href="#">c3l6dB_</a>		Alignment	not modelled	98.6	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative oxidoreductase; <b>PDBTitle:</b> crystal structure of putative oxidoreductase from pseudomonas putida2 kt2440
103	<a href="#">c1pgjA_</a>		Alignment	not modelled	98.6	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphoglucuronate dehydrogenase; <b>PDBTitle:</b> x-ray structure of 6-phosphoglucuronate dehydrogenase from the protozoan2 parasite t. brucei
104	<a href="#">c2q3eH_</a>		Alignment	not modelled	98.6	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> H: <b>PDB Molecule:</b> udp-glucose 6-dehydrogenase; <b>PDBTitle:</b> structure of human udp-glucose dehydrogenase complexed with nadh and2 udp-glucose
105	<a href="#">c3plnA_</a>		Alignment	not modelled	98.6	21	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> udp-glucose 6-dehydrogenase; <b>PDBTitle:</b> crystal structure of klebsiella pneumoniae udp-glucose 6-dehydrogenase2 complexed with udp-glucose
106	<a href="#">c2uyyD_</a>		Alignment	not modelled	98.6	15	<b>PDB header:</b> cytokine <b>Chain:</b> D: <b>PDB Molecule:</b> n-pac protein; <b>PDBTitle:</b> structure of the cytokine-like nuclear factor n-pac
107	<a href="#">c2cvzD_</a>		Alignment	not modelled	98.6	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> D: <b>PDB Molecule:</b> 3-hydroxyisobutyrate dehydrogenase; <b>PDBTitle:</b> structure of hydroxyisobutyrate dehydrogenase from thermus2 thermophilus hb8
108	<a href="#">c3pefA_</a>		Alignment	not modelled	98.6	13	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 6-phosphoglucuronate dehydrogenase, nad-binding; <b>PDBTitle:</b> crystal structure of gamma-hydroxybutyrate dehydrogenase from2 geobacter metallireducens in complex with nadp+
109	<a href="#">d1a4ia1</a>		Alignment	not modelled	98.5	21	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> Aminoacid dehydrogenase-like, C-terminal domain
110	<a href="#">c3gg2B_</a>		Alignment	not modelled	98.5	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> sugar dehydrogenase, udp-glucose/gdp-mannose <b>PDBTitle:</b> crystal structure of udp-glucose 6-dehydrogenase from2 porphyromonas gingivalis bound to product udp-glucuronate
111	<a href="#">c4a26B_</a>		Alignment	not modelled	98.5	22	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> putative c-1-tetrahydrofolate synthase, cytoplasmic; <b>PDBTitle:</b> the crystal structure of leishmania major n5,n10-2 methylenetetrahydrofolate dehydrogenase/cyclohydrolase
112	<a href="#">c3dojA_</a>		Alignment	not modelled	98.5	12	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> dehydrogenase-like protein; <b>PDBTitle:</b> structure of glyoxylate reductase 1 from arabidopsis2 (atg1yr1)
113	<a href="#">d1pgja2</a>		Alignment	not modelled	98.5	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphoglucuronate dehydrogenase-like, N-terminal domain
114	<a href="#">d1i36a2</a>		Alignment	not modelled	98.5	15	<b>Fold:</b> NAD(P)-binding Rossmann-fold domains <b>Superfamily:</b> NAD(P)-binding Rossmann-fold domains <b>Family:</b> 6-phosphoglucuronate dehydrogenase-like, N-terminal domain
115	<a href="#">c1dl1A_</a>		Alignment	not modelled	98.5	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> udp-glucose dehydrogenase; <b>PDBTitle:</b> the first structure of udp-glucose dehydrogenase (udpgdh) reveals the2 catalytic residues necessary for the two-fold oxidation
116	<a href="#">c3ggpA_</a>		Alignment	not modelled	98.5	17	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> prephenate dehydrogenase; <b>PDBTitle:</b> crystal structure of prephenate dehydrogenase from a. aeolicus in2 complex with hydroxyphenyl propionate and nad+
117	<a href="#">c3triB_</a>		Alignment	not modelled	98.5	14	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> pyrroline-5-carboxylate reductase; <b>PDBTitle:</b> structure of a pyrroline-5-carboxylate reductase (proc) from coxiella2 burnetii
118	<a href="#">c3g0oA_</a>		Alignment	not modelled	98.4	20	<b>PDB header:</b> oxidoreductase <b>Chain:</b> A: <b>PDB Molecule:</b> 3-hydroxyisobutyrate dehydrogenase; <b>PDBTitle:</b> crystal structure of 3-hydroxyisobutyrate dehydrogenase2 (ygbj) from salmonella typhimurium
119	<a href="#">c2y0dB_</a>		Alignment	not modelled	98.4	18	<b>PDB header:</b> oxidoreductase <b>Chain:</b> B: <b>PDB Molecule:</b> udp-glucose dehydrogenase; <b>PDBTitle:</b> bcec mutation y10k
120	<a href="#">c3l07B_</a>		Alignment	not modelled	98.4	21	<b>PDB header:</b> oxidoreductase,hydrolase <b>Chain:</b> B: <b>PDB Molecule:</b> bifunctional protein fold; <b>PDBTitle:</b> methylenetetrahydrofolate dehydrogenase/methenyltetrahydrofolate2 cyclohydrolase, putative bifunctional protein fold from francisella3 tularensis.